



Full wwPDB X-ray Structure Validation Report ⓘ

May 18, 2020 – 09:25 am BST

PDB ID : 2IVE
Title : Structure of protoporphyrinogen oxidase from Myxococcus xanthus
Authors : Corradi, H.R.; Corrigall, A.V.; Boix, E.; Mohan, C.G.; Sturrock, E.D.; Meissner, P.N.; Acharya, K.R.
Deposited on : 2006-06-13
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	478	
1	B	478	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	TWN	A	4002	-	-	X	-

2 Entry composition ⓘ

There are 5 unique types of molecules in this entry. The entry contains 7011 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTOPORPHYRINOGEN OXIDASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	451	Total	C	N	O	S	34	0	0
			3326	2093	627	600	6			
1	B	450	Total	C	N	O	S	29	0	0
			3322	2090	628	598	6			

- Molecule 2 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
2	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	A	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		
3	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is (3S)-3-[(2S,3S,4R)-3,4-DIMETHYLTETRAHYDROFURAN-2-YL]BUTYL LAURATE (three-letter code: TWN) (formula: C₂₂H₄₂O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total 25	C 22	O 3	0	0
4	B	1	Total 25	C 22	O 3	0	0
4	B	1	Total 25	C 22	O 3	0	0

- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	74	Total O 74 74	0	0
5	B	72	Total O 72 72	0	0

4 Data and refinement statistics

Property	Value	Source
Space group	P 4 21 2	Depositor
Cell constants a, b, c, α , β , γ	148.57Å 148.57Å 132.75Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	74.33 – 2.70 74.28 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.9 (74.33-2.70) 99.9 (74.28-2.70)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.29 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.247 , 0.287 (Not available) , (Not available)	Depositor DCC
R_{free} test set	857 reflections (2.07%)	wwPDB-VP
Wilson B-factor (Å ²)	33.4	Xtriage
Anisotropy	0.514	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 1.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.52	EDS
Total number of atoms	7011	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, TWN, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.37	1/3384 (0.0%)	0.58	2/4593 (0.0%)
1	B	0.37	1/3380 (0.0%)	0.57	3/4586 (0.1%)
All	All	0.37	2/6764 (0.0%)	0.57	5/9179 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4
1	B	0	2
All	All	0	6

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	262	ARG	CD-NE	6.97	1.58	1.46
1	B	93	LYS	CB-CG	-5.40	1.38	1.52

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	206	GLN	CG-CD-OE1	-6.10	109.39	121.60
1	A	259	GLY	N-CA-C	-5.56	99.20	113.10
1	B	93	LYS	CA-CB-CG	5.53	125.56	113.40
1	B	89	ASP	CB-CG-OD2	5.22	123.00	118.30
1	A	89	ASP	CB-CG-OD2	5.20	122.98	118.30

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	345	ILE	Peptide
1	A	88	ALA	Peptide
1	A	89	ASP	Peptide
1	A	92	ALA	Peptide
1	B	269	GLY	Peptide
1	B	89	ASP	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3326	0	3382	83	0
1	B	3322	0	3379	53	0
2	A	53	0	31	2	0
2	B	53	0	31	3	0
3	A	18	0	24	2	0
3	B	18	0	24	1	0
4	A	25	0	42	21	0
4	B	50	0	83	17	0
5	A	74	0	0	0	0
5	B	72	0	0	0	0
All	All	7011	0	6996	157	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (157) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:92:ALA:CB	1:A:328:GLY:HA2	1.43	1.45
1:A:92:ALA:HB3	1:A:328:GLY:CA	1.47	1.43
4:B:4003:TWN:CAO	4:B:4003:TWN:HAK3	1.55	1.31
4:B:4003:TWN:CAK	4:B:4003:TWN:HAO1	1.58	1.30
4:A:4002:TWN:HAX2	4:A:4002:TWN:CAR	1.50	1.28
1:B:88:ALA:HB3	1:B:223:LEU:O	1.44	1.16

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:88:ALA:HA	1:A:351:PHE:CE2	1.81	1.15
4:A:4002:TWN:HAR1	4:A:4002:TWN:HAX2	1.19	1.15
1:A:89:ASP:HB3	1:A:90:PRO:CD	1.78	1.14
1:B:88:ALA:CB	1:B:351:PHE:HE2	1.60	1.13
1:B:88:ALA:HB2	1:B:351:PHE:HE2	1.00	1.12
4:A:4002:TWN:HAR1	4:A:4002:TWN:CAX	1.79	1.11
1:A:329:PHE:O	1:A:345:ILE:HG23	1.51	1.08
1:B:18:GLY:HA2	1:B:45:GLY:O	1.54	1.07
4:A:4002:TWN:HAR2	4:A:4002:TWN:HAX2	1.32	1.06
1:B:88:ALA:HB2	1:B:351:PHE:CE2	1.91	1.04
1:A:89:ASP:HB3	1:A:90:PRO:HD3	1.04	1.04
1:B:271:ARG:CG	1:B:271:ARG:HH11	1.70	1.04
1:A:190:ARG:HG2	1:A:190:ARG:HH11	1.22	1.03
1:A:345:ILE:HA	1:A:346:HIS:HB2	1.35	1.03
1:A:88:ALA:HB2	1:A:223:LEU:O	1.59	1.03
4:A:4002:TWN:CAX	4:A:4002:TWN:CAR	2.30	1.02
1:B:88:ALA:CB	1:B:351:PHE:CE2	2.42	1.02
4:A:4002:TWN:HAO1	4:A:4002:TWN:HAK3	1.43	1.01
1:A:365:MET:HG3	4:A:4002:TWN:HAJ2	1.42	1.01
1:A:89:ASP:CB	1:A:90:PRO:HD3	1.91	0.99
1:A:92:ALA:CB	1:A:328:GLY:CA	2.18	0.99
1:A:332:LEU:HG	4:A:4002:TWN:HAK2	1.44	0.98
1:B:269:GLY:HA2	1:B:270:ARG:O	1.64	0.98
1:A:88:ALA:CB	1:A:223:LEU:O	2.18	0.92
1:A:167:GLY:O	4:A:4002:TWN:HAW1	1.71	0.91
1:A:92:ALA:HB1	1:A:328:GLY:HA2	1.53	0.91
1:A:88:ALA:HA	1:A:351:PHE:HE2	1.32	0.90
1:B:271:ARG:HG3	1:B:271:ARG:HH11	1.35	0.89
1:A:215:THR:O	1:A:216:ALA:CB	2.19	0.89
1:A:92:ALA:CB	1:A:328:GLY:N	2.37	0.88
1:A:92:ALA:HB3	1:A:328:GLY:N	1.89	0.86
1:A:153:GLY:O	1:A:157:THR:HG22	1.76	0.83
1:A:48:VAL:HB	1:A:234:ILE:HD11	1.60	0.83
1:B:153:GLY:O	1:B:157:THR:HG22	1.80	0.81
1:A:92:ALA:HB3	1:A:328:GLY:HA2	0.82	0.81
1:A:89:ASP:CB	1:A:90:PRO:CD	2.48	0.81
4:B:4001:TWN:HAO2	4:B:4001:TWN:OAI	1.81	0.79
1:A:345:ILE:HG22	1:A:346:HIS:C	2.02	0.79
1:B:88:ALA:CB	1:B:223:LEU:O	2.28	0.79
1:A:88:ALA:CA	1:A:351:PHE:CE2	2.65	0.79
1:B:271:ARG:HG3	1:B:271:ARG:NH1	1.95	0.78

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:88:ALA:CA	1:A:351:PHE:HE2	1.97	0.78
1:A:188:MET:CE	1:A:198:GLY:HA3	2.14	0.78
1:B:271:ARG:HG2	1:B:271:ARG:HH11	1.48	0.77
1:A:167:GLY:O	4:A:4002:TWN:CAW	2.33	0.75
1:A:345:ILE:HG22	1:A:346:HIS:O	1.87	0.75
1:A:190:ARG:HG2	1:A:190:ARG:NH1	1.97	0.74
1:A:188:MET:HE3	1:A:198:GLY:HA3	1.69	0.74
1:A:345:ILE:CA	1:A:346:HIS:HB2	2.17	0.74
1:B:86:ARG:HG2	1:B:227:ASP:HA	1.71	0.72
1:B:329:PHE:HE2	4:B:4003:TWN:HAK2	1.55	0.71
1:B:269:GLY:CA	1:B:270:ARG:O	2.36	0.71
1:B:86:ARG:HB3	1:B:353:PHE:CZ	2.26	0.71
1:A:215:THR:O	1:A:216:ALA:HB3	1.91	0.71
1:A:197:LEU:HD11	3:A:3002:GOL:H12	1.72	0.70
1:A:92:ALA:CB	1:A:328:GLY:H	2.07	0.67
1:B:329:PHE:CE2	4:B:4003:TWN:HAK2	2.29	0.67
1:A:193:ARG:HH21	3:A:3002:GOL:H31	1.58	0.66
4:A:4002:TWN:HAR1	4:A:4002:TWN:HAX1	1.73	0.66
1:A:62:PRO:HA	2:A:2114:FAD:N5	2.11	0.66
1:A:92:ALA:HB2	1:A:328:GLY:N	2.10	0.66
1:B:89:ASP:C	1:B:90:PRO:O	2.36	0.63
1:A:43:ARG:NH2	1:A:60:GLN:HE22	1.97	0.63
2:B:2114:FAD:C4X	4:B:4003:TWN:HAT2	2.29	0.63
4:B:4003:TWN:HAO2	4:B:4003:TWN:OAG	1.99	0.62
4:A:4002:TWN:CAO	4:A:4002:TWN:HAK3	2.15	0.62
1:A:215:THR:O	1:A:216:ALA:HB2	2.00	0.62
1:A:150:ARG:NH2	1:A:189:GLU:OE1	2.33	0.61
1:A:88:ALA:HA	1:A:351:PHE:CD2	2.35	0.61
1:B:50:THR:H	1:B:231:GLN:CG	2.12	0.61
4:B:4003:TWN:HAK3	4:B:4003:TWN:HAO1	0.70	0.59
1:B:131:LEU:O	1:B:193:ARG:NH2	2.35	0.59
1:B:50:THR:H	1:B:231:GLN:HG2	1.69	0.58
1:A:278:GLN:HG2	1:A:435:GLY:HA2	1.86	0.57
1:A:399:ARG:CG	1:A:399:ARG:HH11	2.17	0.57
1:B:88:ALA:HB1	1:B:351:PHE:CE2	2.33	0.57
1:B:193:ARG:HH12	3:B:3007:GOL:H12	1.69	0.56
1:A:332:LEU:CG	4:A:4002:TWN:HAK2	2.29	0.55
1:B:168:ILE:HG23	4:B:4003:TWN:HAV2	1.88	0.55
4:B:4003:TWN:CAO	4:B:4003:TWN:CAK	2.30	0.55
1:B:88:ALA:HA	1:B:351:PHE:CD2	2.42	0.55
1:A:188:MET:HE1	1:A:198:GLY:HA3	1.88	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:48:VAL:HB	1:A:234:ILE:CD1	2.34	0.54
2:B:2114:FAD:C4	4:B:4003:TWN:HAT2	2.36	0.54
1:B:62:PRO:HA	2:B:2114:FAD:N5	2.23	0.54
1:A:330:GLY:HA2	1:A:346:HIS:CG	2.44	0.53
1:B:86:ARG:CB	1:B:353:PHE:CZ	2.91	0.53
2:A:2114:FAD:C4X	4:A:4002:TWN:HAS2	2.39	0.52
1:A:332:LEU:HG	4:A:4002:TWN:CAK	2.29	0.51
1:A:92:ALA:HB2	1:A:328:GLY:H	1.71	0.51
1:B:157:THR:HA	1:B:161:LEU:HB2	1.93	0.50
1:B:86:ARG:HG2	1:B:227:ASP:CA	2.40	0.49
1:B:271:ARG:CG	1:B:271:ARG:NH1	2.41	0.49
1:A:345:ILE:HA	1:A:346:HIS:CB	2.22	0.49
1:A:257:GLU:O	1:A:257:GLU:HG3	2.11	0.49
1:A:142:GLU:CD	1:A:150:ARG:HH12	2.16	0.48
1:A:331:PHE:O	4:A:4002:TWN:HAK1	2.13	0.48
4:B:4001:TWN:CAO	4:B:4001:TWN:OAI	2.55	0.48
1:A:420:LEU:O	1:A:423:VAL:HG12	2.13	0.48
1:B:50:THR:H	1:B:231:GLN:HG3	1.78	0.48
1:A:69:GLU:HB3	1:A:72:THR:HG22	1.96	0.48
1:B:86:ARG:O	1:B:88:ALA:N	2.47	0.47
1:A:152:LEU:HB3	1:A:156:ALA:HB3	1.96	0.47
1:B:365:MET:HG3	4:B:4003:TWN:HAJ1	1.96	0.47
1:A:88:ALA:CB	1:A:223:LEU:HB3	2.45	0.47
1:A:88:ALA:O	1:A:89:ASP:O	2.33	0.47
1:A:339:ARG:HD2	1:A:389:GLU:OE1	2.15	0.46
1:A:258:ASP:C	1:A:259:GLY:O	2.50	0.46
1:B:88:ALA:CA	1:B:351:PHE:CE2	2.96	0.46
1:B:50:THR:HG21	1:B:229:GLY:HA3	1.97	0.46
1:A:257:GLU:O	1:A:259:GLY:O	2.34	0.45
1:A:155:ARG:O	1:A:159:VAL:HG13	2.17	0.45
1:B:107:PRO:HG2	1:B:113:PHE:HA	1.98	0.44
1:A:399:ARG:NH1	1:A:399:ARG:CG	2.78	0.44
1:A:331:PHE:O	4:A:4002:TWN:CAK	2.65	0.44
1:B:365:MET:HG3	4:B:4003:TWN:CAJ	2.48	0.44
1:A:167:GLY:O	4:A:4002:TWN:HAW2	2.15	0.44
4:A:4002:TWN:CAK	4:A:4002:TWN:HAO1	2.22	0.44
1:B:86:ARG:HD2	1:B:86:ARG:HA	1.87	0.44
1:A:256:ARG:O	1:A:257:GLU:HB3	2.19	0.43
1:B:89:ASP:O	1:B:90:PRO:O	2.36	0.43
1:B:269:GLY:HA2	1:B:270:ARG:C	2.37	0.43
1:B:367:GLY:O	1:B:371:GLN:HB2	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:328:GLY:O	1:A:346:HIS:HD2	2.02	0.42
4:B:4001:TWN:CAM	4:B:4001:TWN:HAK3	2.49	0.42
1:B:88:ALA:HA	1:B:351:PHE:CE2	2.54	0.42
1:A:144:LEU:HD22	1:A:161:LEU:HD21	2.01	0.42
1:A:345:ILE:CG2	1:A:346:HIS:HB2	2.50	0.42
1:A:329:PHE:CE2	4:A:4002:TWN:HAD1	2.55	0.42
1:B:281:LEU:HD13	1:B:288:THR:HG23	2.02	0.41
1:B:430:LEU:HD11	1:B:438:LEU:HG	2.02	0.41
1:A:92:ALA:HB1	1:A:94:ARG:HB2	2.02	0.41
1:B:86:ARG:HG3	1:B:353:PHE:CE1	2.54	0.41
1:A:154:HIS:O	1:A:158:GLN:HB2	2.21	0.41
1:A:88:ALA:CB	1:A:223:LEU:HD23	2.50	0.41
1:A:399:ARG:NH1	1:A:399:ARG:HG2	2.35	0.41
1:A:48:VAL:HG22	1:A:62:PRO:HG3	2.01	0.41
1:B:86:ARG:HB3	1:B:353:PHE:CE1	2.56	0.41
1:B:99:THR:HG23	1:B:104:ARG:HD2	2.01	0.41
4:B:4003:TWN:HAR1	4:B:4003:TWN:HAT1	1.78	0.41
1:B:345:ILE:CG1	4:B:4003:TWN:HAH	2.50	0.41
1:A:179:ALA:HA	1:A:186:VAL:HG21	2.03	0.41
1:A:194:SER:HB3	1:A:197:LEU:HB2	2.03	0.41
1:A:22:LEU:HB3	1:A:237:LEU:HG	2.02	0.41
1:A:331:PHE:C	4:A:4002:TWN:HAK1	2.40	0.41
1:B:450:ASP:OD1	1:B:453:ARG:NH2	2.53	0.41
1:A:90:PRO:HB2	1:A:91:ALA:H	1.66	0.41
1:A:333:VAL:HA	1:A:334:PRO:HD3	1.93	0.40
1:B:152:LEU:HB3	1:B:156:ALA:HB3	2.03	0.40
1:B:339:ARG:HG3	1:B:393:LEU:HD21	2.03	0.40
1:B:154:HIS:O	1:B:158:GLN:HB2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	447/478 (94%)	423 (95%)	17 (4%)	7 (2%)	9	24
1	B	446/478 (93%)	426 (96%)	17 (4%)	3 (1%)	22	46
All	All	893/956 (93%)	849 (95%)	34 (4%)	10 (1%)	14	34

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	89	ASP
1	A	215	THR
1	A	216	ALA
1	B	89	ASP
1	B	90	PRO
1	B	258	ASP
1	A	90	PRO
1	A	257	GLU
1	A	88	ALA
1	A	217	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	319/344 (93%)	294 (92%)	25 (8%)	12	29
1	B	319/344 (93%)	299 (94%)	20 (6%)	18	40
All	All	638/688 (93%)	593 (93%)	45 (7%)	14	34

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	LEU
1	A	66	LEU
1	A	94	ARG
1	A	106	VAL
1	A	144	LEU
1	A	157	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	159	VAL
1	A	165	GLN
1	A	185	LEU
1	A	188	MET
1	A	190	ARG
1	A	223	LEU
1	A	237	LEU
1	A	266	GLU
1	A	274	LEU
1	A	323	LEU
1	A	332	LEU
1	A	345	ILE
1	A	399	ARG
1	A	410	LEU
1	A	432	ARG
1	A	436	LEU
1	A	439	ILE
1	A	457	GLN
1	A	463	VAL
1	B	86	ARG
1	B	89	ASP
1	B	106	VAL
1	B	140	VAL
1	B	144	LEU
1	B	157	THR
1	B	159	VAL
1	B	161	LEU
1	B	188	MET
1	B	231	GLN
1	B	237	LEU
1	B	254	LEU
1	B	271	ARG
1	B	276	VAL
1	B	293	ARG
1	B	299	LEU
1	B	333	VAL
1	B	342	LEU
1	B	361	LEU
1	B	436	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	GLN
1	A	208	GLN
1	A	315	HIS
1	A	346	HIS
1	A	416	ASN
1	A	437	HIS
1	A	457	GLN
1	B	60	GLN
1	B	154	HIS
1	B	457	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	TWN	B	4001	-	25,25,25	0.69	1 (4%)	25,30,30	1.34	6 (24%)
4	TWN	A	4002	-	25,25,25	0.63	0	25,30,30	1.16	2 (8%)
2	FAD	A	2114	-	51,58,58	1.42	7 (13%)	60,89,89	1.62	7 (11%)
3	GOL	A	3003	-	5,5,5	0.41	0	5,5,5	0.23	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GOL	B	3006	-	5,5,5	0.35	0	5,5,5	0.27	0
3	GOL	B	3005	-	5,5,5	0.35	0	5,5,5	0.28	0
4	TWN	B	4003	-	25,25,25	0.58	0	25,30,30	1.56	6 (24%)
3	GOL	A	3001	-	5,5,5	0.33	0	5,5,5	0.36	0
2	FAD	B	2114	-	51,58,58	1.42	7 (13%)	60,89,89	1.61	7 (11%)
3	GOL	A	3002	-	5,5,5	0.37	0	5,5,5	0.21	0
3	GOL	B	3007	-	5,5,5	0.39	0	5,5,5	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TWN	B	4001	-	-	12/21/34/34	0/1/1/1
4	TWN	A	4002	-	-	12/21/34/34	0/1/1/1
2	FAD	A	2114	-	-	4/30/50/50	0/6/6/6
3	GOL	A	3003	-	-	0/4/4/4	-
3	GOL	B	3006	-	-	2/4/4/4	-
3	GOL	B	3005	-	-	3/4/4/4	-
4	TWN	B	4003	-	-	11/21/34/34	0/1/1/1
3	GOL	A	3001	-	-	2/4/4/4	-
2	FAD	B	2114	-	-	2/30/50/50	0/6/6/6
3	GOL	A	3002	-	-	2/4/4/4	-
3	GOL	B	3007	-	-	2/4/4/4	-

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2114	FAD	C10-N1	4.56	1.39	1.33
2	B	2114	FAD	C10-N1	4.48	1.39	1.33
2	A	2114	FAD	C2A-N3A	4.15	1.38	1.32
2	B	2114	FAD	C2A-N3A	4.10	1.38	1.32
2	A	2114	FAD	C4X-N5	3.99	1.39	1.33
2	B	2114	FAD	C4X-N5	3.87	1.38	1.33
2	B	2114	FAD	C4-N3	3.41	1.39	1.33
2	A	2114	FAD	C4-N3	3.26	1.38	1.33
2	B	2114	FAD	C2A-N1A	2.70	1.38	1.33
2	A	2114	FAD	C2A-N1A	2.64	1.38	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2114	FAD	C1'-N10	2.61	1.50	1.48
2	B	2114	FAD	C1'-N10	2.60	1.50	1.48
4	B	4001	TWN	OAA-CAB	-2.16	1.39	1.43
2	B	2114	FAD	C5X-N5	2.14	1.38	1.35
2	A	2114	FAD	C5X-N5	2.09	1.38	1.35

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	2114	FAD	C4-N3-C2	6.65	120.76	115.14
2	A	2114	FAD	C4-N3-C2	6.57	120.69	115.14
2	A	2114	FAD	N3A-C2A-N1A	-5.57	119.97	128.68
2	B	2114	FAD	N3A-C2A-N1A	-5.57	119.97	128.68
2	A	2114	FAD	C4X-N5-C5X	4.12	120.88	116.77
2	B	2114	FAD	C4X-N5-C5X	3.82	120.59	116.77
4	B	4003	TWN	OAA-CAB-CAH	3.62	117.27	109.37
4	A	4002	TWN	OAI-CAE-CAL	3.24	122.07	111.91
2	B	2114	FAD	C4X-C4-N3	-3.08	119.21	123.43
2	B	2114	FAD	P-O3P-PA	-3.03	122.41	132.83
2	A	2114	FAD	C4X-C4-N3	-2.99	119.34	123.43
2	B	2114	FAD	C5X-C9A-N10	2.91	119.82	117.72
4	B	4003	TWN	OAI-CAE-CAL	2.86	120.89	111.91
2	A	2114	FAD	C5X-C9A-N10	2.79	119.74	117.72
2	A	2114	FAD	P-O3P-PA	-2.76	123.34	132.83
4	B	4003	TWN	CAJ-OAI-CAE	-2.66	108.31	116.92
2	A	2114	FAD	C10-C4X-N5	-2.62	119.45	121.26
4	B	4001	TWN	OAI-CAE-CAL	2.61	120.11	111.91
2	B	2114	FAD	C10-C4X-N5	-2.60	119.46	121.26
4	B	4003	TWN	CAJ-CAM-CAH	-2.57	108.96	114.89
4	B	4003	TWN	OAI-CAJ-CAM	2.39	113.52	108.16
4	B	4003	TWN	CAD-OAA-CAB	-2.33	103.09	107.84
4	A	4002	TWN	OAI-CAE-OAG	-2.29	117.81	123.59
4	B	4001	TWN	OAI-CAJ-CAM	2.24	113.19	108.16
4	B	4001	TWN	CAD-OAA-CAB	-2.23	103.28	107.84
4	B	4001	TWN	CAK-CAC-CAF	-2.14	111.13	115.19
4	B	4001	TWN	CAJ-CAM-CAH	-2.10	110.03	114.89
4	B	4001	TWN	CAN-CAF-CAD	-2.04	110.09	113.59

There are no chirality outliers.

All (52) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	4001	TWN	OAG-CAE-OAI-CAJ
4	B	4001	TWN	OAA-CAB-CAH-CAM
4	B	4001	TWN	CAC-CAB-CAH-CAM
4	B	4001	TWN	OAA-CAB-CAH-CAO
4	B	4001	TWN	CAC-CAB-CAH-CAO
2	A	2114	FAD	N10-C1'-C2'-O2'
2	A	2114	FAD	N10-C1'-C2'-C3'
3	B	3006	GOL	C1-C2-C3-O3
3	B	3005	GOL	O1-C1-C2-C3
4	B	4003	TWN	OAA-CAB-CAH-CAM
4	B	4003	TWN	CAC-CAB-CAH-CAM
4	B	4003	TWN	OAA-CAB-CAH-CAO
4	B	4003	TWN	CAC-CAB-CAH-CAO
2	B	2114	FAD	N10-C1'-C2'-O2'
3	A	3002	GOL	C1-C2-C3-O3
3	B	3007	GOL	O1-C1-C2-C3
4	A	4002	TWN	OAG-CAE-OAI-CAJ
4	B	4001	TWN	CAL-CAE-OAI-CAJ
4	A	4002	TWN	CAL-CAE-OAI-CAJ
4	B	4003	TWN	CAT-CAU-CAV-CAR
4	A	4002	TWN	CAX-CAT-CAU-CAV
4	B	4003	TWN	CAL-CAE-OAI-CAJ
4	B	4003	TWN	OAG-CAE-OAI-CAJ
3	B	3005	GOL	O1-C1-C2-O2
4	B	4001	TWN	OAI-CAJ-CAM-CAH
4	B	4003	TWN	CAL-CAP-CAW-CAS
4	B	4001	TWN	CAQ-CAR-CAV-CAU
4	B	4003	TWN	CAO-CAH-CAM-CAJ
4	B	4001	TWN	CAW-CAS-CAX-CAT
4	B	4003	TWN	CAX-CAS-CAW-CAP
3	B	3005	GOL	C1-C2-C3-O3
3	A	3001	GOL	C1-C2-C3-O3
4	A	4002	TWN	CAX-CAS-CAW-CAP
4	A	4002	TWN	CAL-CAP-CAW-CAS
4	B	4001	TWN	CAL-CAP-CAW-CAS
3	A	3002	GOL	O2-C2-C3-O3
3	B	3007	GOL	O1-C1-C2-O2
4	A	4002	TWN	OAI-CAJ-CAM-CAH
4	A	4002	TWN	CAE-CAL-CAP-CAW
2	A	2114	FAD	O4B-C4B-C5B-O5B
3	B	3006	GOL	O2-C2-C3-O3
4	A	4002	TWN	CAW-CAS-CAX-CAT
4	A	4002	TWN	CAT-CAU-CAV-CAR

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
4	B	4003	TWN	CAY-CAQ-CAR-CAV
3	A	3001	GOL	O2-C2-C3-O3
4	A	4002	TWN	CAU-CAT-CAX-CAS
4	B	4001	TWN	CAT-CAU-CAV-CAR
2	B	2114	FAD	O4B-C4B-C5B-O5B
4	B	4001	TWN	CAX-CAS-CAW-CAP
2	A	2114	FAD	C3B-C4B-C5B-O5B
4	A	4002	TWN	OAI-CAE-CAL-CAP
4	A	4002	TWN	OAG-CAE-CAL-CAP



There are no ring outliers.


7 monomers are involved in 43 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	4001	TWN	3	0
4	A	4002	TWN	21	0
2	A	2114	FAD	2	0
4	B	4003	TWN	14	0
2	B	2114	FAD	3	0
3	A	3002	GOL	2	0
3	B	3007	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.


6.3 Carbohydrates [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands [i](#)




Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around TWN A 4002:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around FAD A 2114:**


$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around TWN B 4003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.