



## Full wwPDB EM Validation Report ⓘ

Nov 9, 2022 – 03:36 AM JST

PDB ID : 6IY2  
EMDB ID : EMD-9748  
Title : Structure of Snf2-MMTV-A nucleosome complex at shl2 in ADP state  
Authors : Li, M.; Xia, X.; Liu, X.; Li, X.; Chen, Z.  
Deposited on : 2018-12-12  
Resolution : 3.47 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
MapQ : 1.9.9  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.31.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	100	<div> <div>5%</div> <div>83%</div> <div>17%</div> </div>
1	E	100	<div> <div>91%</div> <div>7%</div> <div>..</div> </div>
2	B	88	<div> <div>13%</div> <div>89%</div> <div>11%</div> </div>
2	F	88	<div> <div>80%</div> <div>13%</div> <div>8%</div> </div>
3	C	113	<div> <div>7%</div> <div>88%</div> <div>10%</div> <div>.</div> </div>
3	G	113	<div> <div>6%</div> <div>93%</div> <div>5%</div> <div>.</div> </div>
4	D	100	<div> <div>9%</div> <div>95%</div> <div>5%</div> </div>
4	H	100	<div> <div>87%</div> <div>10%</div> <div>.</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	J	147	<div><div></div><div>72%27%</div><div></div></div>
6	I	147	<div><div></div><div>80%18%</div><div></div></div>
7	O	679	<div><div></div><div>35%65%20%15%</div><div></div></div>

## 2 Entry composition [i](#)

There are 8 unique types of molecules in this entry. The entry contains 17088 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone H3.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	100	Total	C	N	O	S	0	0
			825	521	160	142	2		
1	E	99	Total	C	N	O	S	0	0
			816	515	158	141	2		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	110	ALA	CYS	conflict	UNP A0A310TTQ1
E	110	ALA	CYS	conflict	UNP A0A310TTQ1

- Molecule 2 is a protein called Histone H4.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	88	Total	C	N	O	S	0	0
			708	445	143	119	1		
2	F	81	Total	C	N	O	S	0	0
			646	407	126	112	1		

- Molecule 3 is a protein called Histone H2A.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	C	111	Total	C	N	O	0	0
			859	540	169	150		
3	G	111	Total	C	N	O	0	0
			859	541	170	148		

- Molecule 4 is a protein called Histone H2B.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	100	Total	C	N	O	S	0	0
			789	495	147	145	2		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					AltConf	Trace
4	H	97	Total	C	N	O	S	0	0
			767	481	142	142	2		

- Molecule 5 is a DNA chain called DNA (167-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
5	J	147	Total	C	N	O	P	0	0
			2971	1417	506	901	147		


- Molecule 6 is a DNA chain called DNA (147-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
6	I	147	Total	C	N	O	P	0	0
			3057	1439	607	864	147		

- Molecule 7 is a protein called Transcription regulatory protein SNF2.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	O	580	Total	C	N	O	S	0	0
			4764	3032	838	877	17		

- Molecule 8 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).




Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
8	O	1	27	10	5	10	2	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Histone H3




#### • Molecule 1: Histone H3




#### • Molecule 2: Histone H4









#### • Molecule 2: Histone H4




#### • Molecule 3: Histone H2A



#### • Molecule 3: Histone H2A







## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	162726	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50.0	Depositor
Minimum defocus (nm)	1800	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	22500	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.316	Depositor
Minimum map value	-0.157	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.010	Depositor
Recommended contour level	0.05	Depositor
Map size (Å)	264.0, 264.0, 264.0	wwPDB
Map dimensions	200, 200, 200	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.32, 1.32, 1.32	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.59	0/837	0.66	0/1121
1	E	0.59	0/828	0.64	0/1110
2	B	0.64	0/716	0.69	0/955
2	F	0.65	0/653	0.69	0/873
3	C	0.56	0/869	0.62	0/1171
3	G	0.55	0/869	0.67	1/1170 (0.1%)
4	D	0.55	0/800	0.63	0/1070
4	H	0.57	0/778	0.64	0/1043
5	J	1.05	0/3317	1.11	5/5109 (0.1%)
6	I	1.05	1/3444 (0.0%)	1.05	8/5320 (0.2%)
7	O	0.33	0/4839	0.64	3/6505 (0.0%)
All	All	0.75	1/17950 (0.0%)	0.85	17/25447 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
7	O	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	I	1	DA	OP3-P	-10.63	1.48	1.61

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	I	24	DC	O4'-C1'-N1	7.09	112.96	108.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	O	959	PRO	N-CA-CB	5.91	110.39	103.30
6	I	17	DA	O4'-C4'-C3'	-5.83	102.17	104.50
6	I	94	DG	O4'-C1'-N9	5.80	112.06	108.00
6	I	18	DG	C4'-C3'-C2'	-5.41	98.23	103.10
6	I	61	DT	N3-C4-O4	5.39	123.13	119.90
6	I	116	DC	O4'-C1'-N1	5.30	111.71	108.00
5	J	19	DA	O4'-C4'-C3'	-5.28	102.39	104.50
6	I	61	DT	C5-C4-O4	-5.22	121.24	124.90
6	I	17	DA	C4'-C3'-C2'	-5.16	98.46	103.10
7	O	938	LEU	CA-CB-CG	5.13	127.11	115.30
3	G	116	LEU	CA-CB-CG	5.12	127.08	115.30
5	J	120	DG	O4'-C4'-C3'	-5.09	102.46	104.50
5	J	99	DC	C4'-C3'-C2'	-5.09	98.52	103.10
5	J	141	DT	N3-C4-O4	5.06	122.94	119.90
7	O	1318	LEU	CA-CB-CG	5.05	126.92	115.30
5	J	82	DT	N3-C4-O4	5.01	122.91	119.90

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
7	O	1110	PHE	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	825	0	871	15	0
1	E	816	0	858	6	0
2	B	708	0	760	8	0
2	F	646	0	687	6	0
3	C	859	0	921	9	0
3	G	859	0	928	4	0
4	D	789	0	828	4	0
4	H	767	0	799	7	0
5	J	2971	0	1659	30	0
6	I	3057	0	1640	24	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	O	4764	0	4864	86	0
8	O	27	0	12	1	0
All	All	17088	0	14827	167	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (167) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:O:679:ILE:O	7:O:683:LEU:HB2	1.63	0.98
7:O:945:ILE:O	7:O:949:VAL:HB	1.68	0.94
7:O:1225:ALA:O	7:O:1229:LEU:HB2	1.82	0.80
7:O:909:THR:O	7:O:913:HIS:HB2	1.90	0.71
5:J:128:DG:H2''	5:J:129:DA:H2'	1.72	0.69
5:J:27:DC:H42	6:I:120:DA:H61	1.41	0.66
6:I:97:DT:OP1	7:O:1186:ASN:ND2	2.29	0.64
7:O:1280:ASP:O	7:O:1284:ASN:HB2	1.97	0.64
5:J:26:DT:H3	6:I:121:DG:H1	1.46	0.64
5:J:23:DA:H2	6:I:124:DG:H22	1.47	0.62
7:O:898:ARG:HH22	7:O:906:LEU:HD13	1.65	0.62
7:O:1181:PHE:HA	7:O:1211:LEU:HD12	1.82	0.62
7:O:1343:ALA:O	7:O:1347:ASN:ND2	2.34	0.61
1:E:106:ASP:OD2	1:E:131:ARG:NH2	2.29	0.61
7:O:1129:LYS:HB3	7:O:1156:TYR:HD1	1.65	0.61
7:O:973:GLU:OE2	7:O:1255:ARG:NH1	2.34	0.60
7:O:1016:SER:H	7:O:1019:GLN:HB2	1.65	0.60
7:O:835:PHE:HB3	7:O:844:THR:HG21	1.82	0.60
5:J:21:DT:H3	6:I:126:DG:H1	1.49	0.60
7:O:1021:ILE:HA	7:O:1024:GLN:HB3	1.83	0.60
3:C:20:ARG:NH2	5:J:31:DT:OP2	2.35	0.59
1:A:118:THR:OG1	2:B:45:ARG:NH1	2.32	0.59
7:O:877:ILE:HD13	7:O:909:THR:HG21	1.85	0.59
7:O:771:GLN:HG2	7:O:801:GLN:HE21	1.67	0.59
7:O:1173:GLN:HB3	7:O:1199:ARG:HH11	1.68	0.58
7:O:1195:ASP:HA	7:O:1198:HIS:HB2	1.85	0.58
5:J:12:DT:H3	6:I:135:DG:H1	1.51	0.57
7:O:876:ILE:HA	7:O:883:LEU:HD21	1.85	0.57
7:O:781:LEU:HD13	7:O:788:GLY:HA3	1.85	0.57
7:O:1238:ALA:O	7:O:1242:ASP:HB2	2.05	0.57
7:O:949:VAL:HG13	7:O:953:ASP:HB3	1.86	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:O:1144:GLU:HG2	7:O:1147:ARG:HH21	1.70	0.57
7:O:1336:LYS:N	7:O:1339:GLU:OE1	2.38	0.57
7:O:1105:ARG:NH2	7:O:1149:PHE:O	2.38	0.56
7:O:1171:ASN:OD1	7:O:1199:ARG:NE	2.38	0.56
3:C:84:GLN:HE21	3:C:105:GLY:HA3	1.70	0.56
7:O:1170:LEU:HD23	7:O:1196:ARG:HB3	1.88	0.56
7:O:1241:PHE:HA	7:O:1245:SER:HA	1.88	0.56
7:O:1129:LYS:NZ	7:O:1155:GLU:OE1	2.39	0.55
7:O:753:GLU:OE2	7:O:783:ASN:ND2	2.40	0.54
7:O:901:ASN:HB3	7:O:904:SER:HB2	1.89	0.54
1:A:106:ASP:OD2	1:A:131:ARG:NH2	2.37	0.54
7:O:1106:VAL:HG22	7:O:1177:THR:HB	1.89	0.54
1:A:69:ARG:HB3	2:B:25:ASN:HD21	1.71	0.54
7:O:766:THR:O	8:O:2000:ADP:N6	2.40	0.54
4:D:30:ARG:HH12	5:J:26:DT:H5'	1.72	0.54
7:O:1003:LEU:HD12	7:O:1004:PRO:HD2	1.89	0.53
7:O:1092:LEU:HD11	7:O:1181:PHE:HZ	1.73	0.53
1:A:42:ARG:HD3	1:A:43:PRO:HD2	1.90	0.53
5:J:59:DT:H1'	5:J:60:DC:H5'	1.91	0.53
3:G:88:ARG:NH2	3:G:100:VAL:O	2.39	0.53
7:O:1197:ALA:O	7:O:1202:GLN:NE2	2.40	0.53
7:O:1186:ASN:HB3	7:O:1188:HIS:H	1.73	0.53
3:C:29:ARG:NH1	4:D:36:SER:O	2.41	0.53
3:G:32:ARG:NH2	4:H:35:GLU:OE2	2.42	0.53
7:O:1019:GLN:HE21	7:O:1062:PRO:HD3	1.73	0.52
7:O:1081:ASP:OD1	7:O:1084:ARG:NH1	2.43	0.52
3:C:31:HIS:HD2	3:C:48:PRO:HG3	1.73	0.52
1:E:123:ASP:OD1	1:E:123:ASP:N	2.30	0.52
7:O:895:GLU:OE2	7:O:897:HIS:NE2	2.42	0.52
7:O:1280:ASP:O	7:O:1284:ASN:CB	2.58	0.52
7:O:1176:ASP:O	7:O:1289:ARG:NH2	2.43	0.51
6:I:25:DG:H1'	6:I:26:DA:H5'	1.92	0.51
2:F:47:SER:OG	2:F:48:GLY:N	2.43	0.51
5:J:100:DG:H1'	5:J:101:DC:H5'	1.93	0.51
1:A:116:ARG:NH1	1:A:118:THR:O	2.43	0.51
7:O:778:MET:HA	7:O:781:LEU:HD12	1.93	0.51
3:C:68:ASN:OD1	3:C:71:ARG:NH1	2.44	0.51
7:O:1170:LEU:HB3	7:O:1196:ARG:HD2	1.93	0.50
1:A:42:ARG:NH1	5:J:69:DA:OP1	2.42	0.50
2:B:47:SER:OG	2:B:48:GLY:N	2.41	0.50
5:J:125:DG:H2''	5:J:126:DC:H5''	1.93	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:40:ARG:NH2	5:J:83:DT:O2	2.42	0.49
7:O:1205:GLU:O	7:O:1289:ARG:NH2	2.46	0.49
3:C:76:THR:OG1	6:I:133:DA:OP1	2.27	0.49
5:J:41:DT:H3	6:I:107:DA:H2	1.59	0.49
1:A:56:LYS:NZ	6:I:9:DT:OP2	2.46	0.49
1:A:63:ARG:NH1	5:J:61:DC:OP1	2.46	0.49
3:C:29:ARG:NH2	6:I:123:DG:OP1	2.46	0.48
2:B:24:ASP:N	2:B:24:ASP:OD1	2.43	0.48
5:J:11:DG:H22	6:I:136:DA:H2	1.60	0.48
7:O:880:ARG:NH2	7:O:912:THR:O	2.38	0.48
7:O:1145:LEU:HD12	7:O:1148:LEU:HD12	1.96	0.48
1:A:75:ALA:HB1	1:A:82:LEU:HD12	1.96	0.47
7:O:883:LEU:O	7:O:913:HIS:NE2	2.40	0.47
7:O:1119:MET:O	7:O:1123:LEU:HB2	2.14	0.47
7:O:747:VAL:O	7:O:750:ARG:NH1	2.47	0.47
5:J:18:DC:H2''	5:J:19:DA:C8	2.49	0.47
7:O:1240:LYS:HB2	7:O:1249:GLU:HG2	1.96	0.47
7:O:786:LEU:HD13	7:O:990:PHE:HE1	1.80	0.47
7:O:1096:LEU:HD23	7:O:1099:LEU:HD21	1.95	0.47
7:O:1107:LEU:HD11	7:O:1172:LEU:HD22	1.97	0.47
5:J:50:DC:H2''	5:J:51:DA:C8	2.48	0.47
1:A:123:ASP:N	1:A:123:ASP:OD1	2.39	0.47
5:J:144:DT:H2''	5:J:145:DG:C8	2.50	0.47
7:O:1063:PHE:HB2	7:O:1069:GLU:HB2	1.95	0.47
5:J:20:DT:H2''	5:J:21:DT:H5''	1.96	0.46
7:O:1030:ARG:HH22	7:O:1347:ASN:HD22	1.62	0.46
7:O:1084:ARG:NE	7:O:1093:ASP:OD2	2.35	0.46
2:B:27:GLN:OE1	2:B:55:ARG:NH1	2.48	0.46
5:J:9:DC:H2''	5:J:10:DA:C8	2.49	0.46
7:O:679:ILE:HG12	7:O:683:LEU:HD13	1.97	0.46
1:E:73:GLU:OE1	2:F:25:ASN:ND2	2.49	0.46
4:H:29:ARG:HH11	4:H:31:LYS:HD2	1.81	0.46
7:O:750:ARG:NH2	7:O:784:ASN:O	2.47	0.46
7:O:1133:LEU:HD11	7:O:1142:ARG:HD3	1.98	0.46
7:O:1198:HIS:CD2	7:O:1206:VAL:HG21	2.51	0.46
5:J:109:DG:H2''	5:J:110:DG:N7	2.31	0.45
4:D:105:GLU:OE2	4:D:109:HIS:NE2	2.49	0.45
7:O:1237:GLN:NE2	7:O:1249:GLU:OE2	2.49	0.45
4:H:105:GLU:OE2	4:H:109:HIS:NE2	2.49	0.45
7:O:1183:THR:HG22	7:O:1210:ARG:HH11	1.81	0.45
5:J:56:DG:H5'	7:O:825:LEU:HD23	1.99	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:O:1134:ASP:O	7:O:1142:ARG:NH1	2.50	0.45
1:A:62:ILE:O	1:A:93:GLN:NE2	2.50	0.45
7:O:875:TYR:HA	7:O:878:LYS:HB2	1.99	0.44
7:O:1024:GLN:HA	7:O:1027:LEU:HD13	1.98	0.44
5:J:99:DC:H2''	5:J:100:DG:N7	2.32	0.44
5:J:147:DT:H3	6:I:1:DA:H2	1.66	0.44
7:O:1099:LEU:HB2	7:O:1104:HIS:HB2	2.00	0.44
7:O:938:LEU:HD21	7:O:949:VAL:HG21	1.99	0.44
5:J:54:DC:H2'	5:J:55:DC:C6	2.52	0.44
7:O:900:LYS:HA	7:O:936:ALA:HB2	1.98	0.44
3:C:15:LYS:N	5:J:31:DT:OP1	2.51	0.44
2:B:19:ARG:HH21	7:O:1114:GLN:HE21	1.66	0.44
7:O:1051:GLN:O	7:O:1055:LEU:N	2.40	0.43
7:O:1182:ASP:OD1	7:O:1182:ASP:N	2.51	0.43
2:F:51:TYR:HB3	2:F:55:ARG:HH12	1.82	0.43
2:F:73:THR:OG1	2:F:85:ASP:OD2	2.33	0.43
4:D:46:LYS:HD3	4:D:46:LYS:HA	1.87	0.43
5:J:104:DA:H2''	5:J:105:DC:H5''	2.00	0.43
7:O:789:ILE:HD11	7:O:941:VAL:HG11	2.00	0.43
3:C:11:ARG:HD2	5:J:32:DG:H5''	2.01	0.42
3:G:63:LEU:HD11	4:H:41:VAL:HG13	2.00	0.42
6:I:17:DA:H1'	6:I:18:DG:H5'	2.00	0.42
7:O:1011:VAL:HG23	7:O:1211:LEU:HA	2.01	0.42
7:O:1220:VAL:O	7:O:1224:ARG:CB	2.68	0.42
3:G:39:TYR:HB3	4:H:78:SER:HB2	2.02	0.42
6:I:3:DC:H2''	6:I:4:DA:C8	2.55	0.42
7:O:1237:GLN:HG2	7:O:1254:LEU:HA	2.02	0.42
1:A:61:LEU:HD12	2:B:37:LEU:HD23	2.02	0.42
6:I:88:DG:H2''	6:I:89:DA:H8	1.84	0.42
7:O:1083:TRP:HE1	7:O:1118:ILE:HG22	1.85	0.42
5:J:109:DG:H2''	5:J:110:DG:C8	2.55	0.41
6:I:144:DA:C8	6:I:144:DA:H5'	2.55	0.41
7:O:1259:ASP:HA	7:O:1262:GLU:HG2	2.02	0.41
1:A:46:VAL:HG21	6:I:83:DG:H3'	2.00	0.41
7:O:843:ARG:NH1	7:O:865:GLU:OE2	2.53	0.41
7:O:1020:GLN:HB3	7:O:1021:ILE:H	1.58	0.41
1:E:46:VAL:HA	1:E:49:ARG:HG2	2.01	0.41
4:H:115:THR:HA	4:H:118:VAL:HG12	2.02	0.41
7:O:1073:ASN:HD22	7:O:1082:ILE:HG21	1.85	0.41
7:O:1176:ASP:HB2	7:O:1289:ARG:HH22	1.85	0.41
4:H:46:LYS:HD3	4:H:46:LYS:HA	1.89	0.41

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:I:62:DG:H5'	6:I:62:DG:C8	2.56	0.41
6:I:134:DG:H1'	6:I:135:DG:H5'	2.02	0.41
7:O:1320:LYS:O	7:O:1337:ARG:NH1	2.53	0.41
6:I:24:DC:H2''	6:I:25:DG:H8	1.85	0.41
6:I:24:DC:H2''	6:I:25:DG:C8	2.56	0.41
6:I:92:DC:H2''	6:I:93:DG:H5''	2.03	0.41
6:I:123:DG:H2''	6:I:124:DG:C8	2.56	0.41
7:O:981:ARG:HA	7:O:984:HIS:HD2	1.86	0.41
7:O:1220:VAL:O	7:O:1224:ARG:HB2	2.21	0.41
1:A:100:LEU:HD23	1:A:100:LEU:HA	1.89	0.40
2:F:35:ARG:O	2:F:39:ARG:HG2	2.21	0.40
1:A:82:LEU:HD11	2:B:70:VAL:HG22	2.03	0.40
1:E:108:ASN:ND2	2:F:42:GLY:O	2.55	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	98/100 (98%)	94 (96%)	4 (4%)	0	100	100
1	E	97/100 (97%)	92 (95%)	5 (5%)	0	100	100
2	B	86/88 (98%)	80 (93%)	6 (7%)	0	100	100
2	F	79/88 (90%)	76 (96%)	3 (4%)	0	100	100
3	C	109/113 (96%)	103 (94%)	6 (6%)	0	100	100
3	G	109/113 (96%)	101 (93%)	8 (7%)	0	100	100
4	D	98/100 (98%)	93 (95%)	5 (5%)	0	100	100
4	H	95/100 (95%)	90 (95%)	5 (5%)	0	100	100
7	O	566/679 (83%)	504 (89%)	59 (10%)	3 (0%)	29	66
All	All	1337/1481 (90%)	1233 (92%)	101 (8%)	3 (0%)	50	80

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
7	O	1244	LYS
7	O	933	GLU
7	O	1020	GLN

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	86/86 (100%)	86 (100%)	0	100	100
1	E	85/86 (99%)	84 (99%)	1 (1%)	71	87
2	B	72/72 (100%)	72 (100%)	0	100	100
2	F	66/72 (92%)	65 (98%)	1 (2%)	65	84
3	C	88/90 (98%)	88 (100%)	0	100	100
3	G	88/90 (98%)	88 (100%)	0	100	100
4	D	85/85 (100%)	85 (100%)	0	100	100
4	H	83/85 (98%)	83 (100%)	0	100	100
7	O	525/618 (85%)	524 (100%)	1 (0%)	93	98
All	All	1178/1284 (92%)	1175 (100%)	3 (0%)	92	97

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	123	ASP
2	F	92	ARG
7	O	893	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	113	HIS
2	B	25	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	C	31	HIS
3	C	38	ASN
3	C	84	GLN
2	F	64	ASN
7	O	687	ASN
7	O	787	ASN
7	O	801	GLN
7	O	984	HIS
7	O	1198	HIS
7	O	1347	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
8	ADP	O	2000	-	24,29,29	0.94	1 (4%)	29,45,45	1.50	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	ADP	O	2000	-	-	0/12/32/32	0/3/3/3

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	O	2000	ADP	C5-C4	2.39	1.47	1.40

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	O	2000	ADP	PA-O3A-PB	-3.69	120.17	132.83
8	O	2000	ADP	C3'-C2'-C1'	3.55	106.32	100.98
8	O	2000	ADP	N3-C2-N1	-3.31	123.51	128.68
8	O	2000	ADP	C4-C5-N7	-2.46	106.83	109.40

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	O	2000	ADP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-9748. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

### 6.2 Central slices [i](#)


#### 6.2.1 Primary map



X Index: 100



Y Index: 100




Z Index: 100


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 103



Y Index: 95




Z Index: 106

The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal surface views [i](#)


### 6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

## 6.5 Mask visualisation


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 113 nm<sup>3</sup>; this corresponds to an approximate mass of 102 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ



\*Reported resolution corresponds to spatial frequency of 0.288 Å<sup>-1</sup>


## 8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-9748 and PDB model 6IY2. Per-residue inclusion information can be found in section 3 on page 7.


### 9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.05).

























## 9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 73% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.05) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7274	 0.4270
A	 0.7947	 0.5120
B	 0.7950	 0.5140
C	 0.7788	 0.4940
D	 0.7591	 0.4920
E	 0.8076	 0.5200
F	 0.8532	 0.5320
G	 0.7812	 0.5140
H	 0.8083	 0.5070
I	 0.8724	 0.4120
J	 0.8748	 0.4190
O	 0.4512	 0.3310

