



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 08:22 am BST

PDB ID : 6IYO
Title : Crystal Structure of the acyltransferase domain from the second module of the salinomycin polyketide synthase
Authors : Zhang, F.; Zheng, J.
Deposited on : 2018-12-17
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	463	 72% 16% • 9%
1	B	463	 8% 68% 18% • 10%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6268 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Type I modular polyketide synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	421	Total	C	N	O	S	0	0	0
			3148	1974	578	588	8			
1	B	415	Total	C	N	O	S	0	0	0
			3084	1930	567	579	8			

There are 42 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-40	MET	-	initiating methionine	UNP H1ZZT3
A	-39	GLY	-	expression tag	UNP H1ZZT3
A	-38	SER	-	expression tag	UNP H1ZZT3
A	-37	SER	-	expression tag	UNP H1ZZT3
A	-36	HIS	-	expression tag	UNP H1ZZT3
A	-35	HIS	-	expression tag	UNP H1ZZT3
A	-34	HIS	-	expression tag	UNP H1ZZT3
A	-33	HIS	-	expression tag	UNP H1ZZT3
A	-32	HIS	-	expression tag	UNP H1ZZT3
A	-31	HIS	-	expression tag	UNP H1ZZT3
A	-30	SER	-	expression tag	UNP H1ZZT3
A	-29	SER	-	expression tag	UNP H1ZZT3
A	-28	GLY	-	expression tag	UNP H1ZZT3
A	-27	LEU	-	expression tag	UNP H1ZZT3
A	-26	VAL	-	expression tag	UNP H1ZZT3
A	-25	PRO	-	expression tag	UNP H1ZZT3
A	-24	ARG	-	expression tag	UNP H1ZZT3
A	-23	GLY	-	expression tag	UNP H1ZZT3
A	-22	SER	-	expression tag	UNP H1ZZT3
A	-21	HIS	-	expression tag	UNP H1ZZT3
A	-20	MET	-	expression tag	UNP H1ZZT3
B	-40	MET	-	initiating methionine	UNP H1ZZT3
B	-39	GLY	-	expression tag	UNP H1ZZT3
B	-38	SER	-	expression tag	UNP H1ZZT3
B	-37	SER	-	expression tag	UNP H1ZZT3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-36	HIS	-	expression tag	UNP H1ZZT3
B	-35	HIS	-	expression tag	UNP H1ZZT3
B	-34	HIS	-	expression tag	UNP H1ZZT3
B	-33	HIS	-	expression tag	UNP H1ZZT3
B	-32	HIS	-	expression tag	UNP H1ZZT3
B	-31	HIS	-	expression tag	UNP H1ZZT3
B	-30	SER	-	expression tag	UNP H1ZZT3
B	-29	SER	-	expression tag	UNP H1ZZT3
B	-28	GLY	-	expression tag	UNP H1ZZT3
B	-27	LEU	-	expression tag	UNP H1ZZT3
B	-26	VAL	-	expression tag	UNP H1ZZT3
B	-25	PRO	-	expression tag	UNP H1ZZT3
B	-24	ARG	-	expression tag	UNP H1ZZT3
B	-23	GLY	-	expression tag	UNP H1ZZT3
B	-22	SER	-	expression tag	UNP H1ZZT3
B	-21	HIS	-	expression tag	UNP H1ZZT3
B	-20	MET	-	expression tag	UNP H1ZZT3


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	25	Total O 25 25	0	0
2	B	11	Total O 11 11	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Type I modular polyketide synthase



• Molecule 1: Type I modular polyketide synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 2 21 21	Depositor
Cell constants a, b, c, α , β , γ	49.09 Å 73.37 Å 248.00 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.20 41.09 – 2.20	Depositor EDS
% Data completeness (in resolution range)	90.7 (50.00-2.20) 90.7 (41.09-2.20)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.06 (at 2.20 Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
R, R_{free}	0.219 , 0.260 0.232 , 0.269	Depositor DCC
R_{free} test set	2111 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	40.2	Xtriage
Anisotropy	0.129	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 27.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6268	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/3208	0.63	0/4361
1	B	0.46	0/3139	0.61	0/4267
All	All	0.49	0/6347	0.62	0/8628

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3148	0	3103	59	0
1	B	3084	0	3043	84	0
2	A	25	0	0	1	0
2	B	11	0	0	0	0
All	All	6268	0	6146	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:137:ARG:HH21	1:B:139:GLU:HB2	0.99	1.12

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:137:ARG:NH2	1:B:139:GLU:HB2	1.84	0.91
1:A:165:LEU:HD23	1:A:390:LEU:HD11	1.54	0.88
1:B:165:LEU:HD23	1:B:390:LEU:HD11	1.56	0.87
1:A:367:ASP:OD1	1:A:368:PRO:HD2	1.74	0.87
1:B:100:ARG:NH2	1:B:378:LYS:CB	2.40	0.85
1:B:308:SER:HB2	1:B:315:VAL:HG13	1.59	0.84
1:A:26:TRP:CH2	1:A:31:THR:HG21	2.15	0.81
1:B:137:ARG:HH21	1:B:139:GLU:CB	1.90	0.81
1:B:411:SER:O	1:B:414:VAL:HG13	1.80	0.81
1:B:137:ARG:HD3	1:B:139:GLU:HB2	1.63	0.79
1:B:137:ARG:HD3	1:B:139:GLU:CB	2.13	0.78
1:A:362:GLN:HG3	1:A:372:LEU:HD13	1.66	0.75
1:B:100:ARG:HH22	1:B:378:LYS:CA	1.99	0.75
1:A:417:PRO:HG2	1:A:420:ALA:HB2	1.68	0.74
1:A:348:PHE:HB2	1:A:372:LEU:HD23	1.70	0.73
1:A:201:ARG:O	1:A:205:MET:HG2	1.91	0.71
1:B:201:ARG:O	1:B:205:MET:HG2	1.91	0.71
1:B:219:ALA:N	1:B:244:GLU:O	2.24	0.70
1:A:308:SER:HB2	1:A:315:VAL:CG2	2.22	0.69
1:A:118:PHE:CE2	1:A:130:ARG:HG3	2.28	0.69
1:A:118:PHE:HE2	1:A:130:ARG:HG3	1.57	0.68
1:B:348:PHE:HB2	1:B:372:LEU:HD23	1.74	0.68
1:A:98:ALA:HB1	1:A:353:PRO:HG2	1.76	0.66
1:A:326:HIS:HD2	2:A:510:HOH:O	1.79	0.66
1:B:125:PHE:HZ	1:B:198:VAL:HG11	1.61	0.65
1:B:132:ARG:HH11	1:B:132:ARG:HG3	1.60	0.65
1:B:105:ARG:NH1	1:B:134:PHE:O	2.31	0.64
1:B:162:VAL:HG13	1:B:167:VAL:HB	1.80	0.64
1:B:100:ARG:NH2	1:B:378:LYS:CA	2.60	0.63
1:B:137:ARG:HG3	1:B:140:GLU:H	1.63	0.63
1:B:367:ASP:N	1:B:367:ASP:OD1	2.30	0.63
1:A:126:GLY:O	1:A:127:GLU:HG2	1.98	0.63
1:B:98:ALA:HB1	1:B:354:ASP:OD2	1.98	0.62
1:A:82:LEU:N	1:A:82:LEU:HD23	2.14	0.62
1:A:308:SER:HB2	1:A:315:VAL:HG23	1.81	0.62
1:B:100:ARG:NH2	1:B:378:LYS:HB3	2.16	0.61
1:A:362:GLN:CG	1:A:372:LEU:HD13	2.30	0.61
1:B:350:GLU:OE1	1:B:358:THR:HG23	2.01	0.61
1:A:254:ALA:O	1:A:258:ILE:HG12	2.01	0.61
1:B:100:ARG:HH22	1:B:378:LYS:CB	2.09	0.60
1:B:100:ARG:NH2	1:B:378:LYS:HA	2.16	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:125:PHE:CZ	1:B:198:VAL:CG1	2.85	0.60
1:A:417:PRO:O	1:A:420:ALA:HB3	2.02	0.60
1:A:230:GLU:OE1	1:A:261:ARG:NH1	2.37	0.58
1:A:41:VAL:HG23	1:A:42:HIS:CD2	2.39	0.58
1:B:177:ILE:O	1:B:177:ILE:HG12	2.03	0.58
1:B:100:ARG:NH2	1:B:378:LYS:HB2	2.17	0.57
1:A:38:SER:O	1:A:42:HIS:HD2	1.86	0.57
1:B:350:GLU:CD	1:B:357:LEU:HB2	2.26	0.56
1:A:231:PHE:CD2	1:A:258:ILE:HD11	2.41	0.55
1:A:205:MET:SD	1:A:283:MET:HE1	2.46	0.55
1:A:176:SER:H	1:A:309:ASN:HD21	1.55	0.55
1:B:82:LEU:HD23	1:B:82:LEU:N	2.21	0.55
1:A:162:VAL:HG22	1:A:167:VAL:HB	1.89	0.54
1:B:308:SER:HB2	1:B:315:VAL:CG1	2.36	0.54
1:B:125:PHE:CZ	1:B:198:VAL:HG11	2.42	0.54
1:A:419:TYR:C	1:A:421:PHE:H	2.10	0.54
1:A:41:VAL:CG2	1:A:42:HIS:CD2	2.90	0.54
1:B:125:PHE:CE1	1:B:198:VAL:CG1	2.91	0.54
1:B:350:GLU:OE2	1:B:357:LEU:HB2	2.07	0.53
1:A:309:ASN:HD22	1:A:326:HIS:HE1	1.55	0.53
1:A:47:LEU:HB3	1:B:11:ARG:HD3	1.91	0.53
1:B:284:GLU:N	1:B:285:PRO:CD	2.71	0.53
1:B:132:ARG:NH1	1:B:132:ARG:HG3	2.23	0.53
1:A:132:ARG:O	1:A:136:ALA:CB	2.57	0.53
1:B:246:VAL:CG2	1:B:247:VAL:N	2.72	0.53
1:B:411:SER:O	1:B:414:VAL:CG1	2.56	0.53
1:B:176:SER:H	1:B:309:ASN:HD21	1.55	0.53
1:B:139:GLU:HA	1:B:139:GLU:OE2	2.08	0.52
1:A:411:SER:HB3	1:B:38:SER:HB2	1.89	0.52
1:A:176:SER:H	1:A:309:ASN:ND2	2.08	0.51
1:A:48:GLU:HB2	1:B:11:ARG:HH21	1.75	0.51
1:B:100:ARG:O	1:B:100:ARG:HG2	2.11	0.51
1:A:332:ARG:NH2	1:A:335:ASP:OD2	2.44	0.50
1:A:284:GLU:N	1:A:285:PRO:CD	2.74	0.50
1:A:308:SER:HB2	1:A:315:VAL:HG22	1.93	0.50
1:B:137:ARG:HD3	1:B:139:GLU:H	1.76	0.50
1:B:409:GLU:O	1:B:412:THR:HG22	2.12	0.50
1:B:409:GLU:O	1:B:412:THR:CG2	2.60	0.49
1:A:61:GLN:OE1	1:A:61:GLN:HA	2.13	0.49
1:B:176:SER:H	1:B:309:ASN:ND2	2.10	0.49
1:B:350:GLU:OE1	1:B:355:GLY:HA2	2.12	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:148:GLN:HA	1:B:177:ILE:HD12	1.95	0.49
1:B:246:VAL:HG23	1:B:247:VAL:N	2.28	0.49
1:A:348:PHE:CB	1:A:372:LEU:HD23	2.41	0.48
1:A:132:ARG:O	1:A:136:ALA:HB2	2.13	0.48
1:B:100:ARG:HH21	1:B:378:LYS:CB	2.21	0.48
1:A:231:PHE:CD2	1:A:258:ILE:CD1	2.97	0.48
1:B:362:GLN:OE1	1:B:372:LEU:HD12	2.14	0.48
1:A:358:THR:HG23	1:A:372:LEU:HB3	1.97	0.47
1:B:100:ARG:HH21	1:B:378:LYS:HB2	1.79	0.47
1:A:221:GLU:OE2	1:A:332:ARG:NH1	2.48	0.47
1:B:137:ARG:HE	1:B:137:ARG:HB2	1.55	0.47
1:A:205:MET:HB3	1:A:283:MET:HE1	1.97	0.47
1:B:236:ASP:HB2	1:B:281:PRO:HD3	1.96	0.47
1:A:328:ARG:HG3	1:A:329:ARG:HD3	1.98	0.46
1:A:165:LEU:CD2	1:A:390:LEU:HD11	2.35	0.46
1:B:137:ARG:HD3	1:B:139:GLU:N	2.30	0.46
1:B:165:LEU:CD2	1:B:390:LEU:HD11	2.36	0.46
1:B:309:ASN:HD22	1:B:326:HIS:HE1	1.62	0.45
1:A:360:MET:O	1:A:363:GLU:HB2	2.16	0.45
1:B:144:THR:HA	1:B:147:THR:HB	1.98	0.45
1:B:205:MET:HB3	1:B:283:MET:HE1	1.98	0.45
1:B:61:GLN:OE1	1:B:61:GLN:HA	2.17	0.45
1:A:419:TYR:C	1:A:421:PHE:N	2.70	0.45
1:B:53:VAL:HG21	1:B:65:LEU:HD13	1.98	0.45
1:A:191:LEU:HB3	1:A:192:PRO:HD3	1.98	0.45
1:A:417:PRO:O	1:A:420:ALA:CB	2.65	0.45
1:B:141:LEU:HA	1:B:141:LEU:HD23	1.81	0.44
1:B:191:LEU:HB3	1:B:192:PRO:HD3	1.99	0.44
1:A:38:SER:HB2	1:B:411:SER:HB3	1.98	0.44
1:A:121:VAL:HG11	1:A:153:ALA:HA	1.99	0.44
1:A:380:ARG:HB3	1:A:381:PRO:HD2	2.00	0.44
1:A:78:ARG:NH2	1:A:392:GLN:NE2	2.66	0.43
1:B:382:GLU:N	1:B:383:PRO:CD	2.81	0.43
1:A:365:LEU:HD12	1:A:365:LEU:HA	1.81	0.43
1:B:94:SER:O	1:B:155:GLU:OE2	2.37	0.43
1:B:166:GLY:HA2	1:B:168:ARG:NH2	2.33	0.43
1:B:355:GLY:HA3	1:B:374:PRO:HB3	2.00	0.43
1:A:245:SER:HB2	1:A:363:GLU:OE1	2.18	0.43
1:B:171:PHE:CD2	1:B:305:PRO:HB2	2.54	0.43
1:B:377:ARG:HD2	1:B:380:ARG:HG3	2.01	0.42
1:A:416:LEU:HD23	1:A:421:PHE:HZ	1.85	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:193:ASP:HA	1:B:196:ARG:NH2	2.34	0.42
1:A:44:ARG:O	1:B:11:ARG:NH2	2.52	0.42
1:B:362:GLN:OE1	1:B:372:LEU:CD1	2.67	0.42
1:B:137:ARG:HD3	1:B:139:GLU:CA	2.50	0.42
1:B:210:GLU:N	1:B:210:GLU:OE1	2.52	0.42
1:A:310:LEU:HA	1:A:310:LEU:HD12	1.94	0.41
1:B:137:ARG:CD	1:B:139:GLU:HB2	2.43	0.41
1:B:205:MET:SD	1:B:283:MET:HE1	2.59	0.41
1:B:219:ALA:HB2	1:B:267:ARG:HD3	2.01	0.41
1:B:254:ALA:O	1:B:258:ILE:HG12	2.20	0.41
1:A:144:THR:HA	1:A:147:THR:HB	2.03	0.41
1:B:310:LEU:HA	1:B:310:LEU:HD12	1.95	0.41
1:B:377:ARG:HD2	1:B:380:ARG:CG	2.50	0.40
1:B:395:THR:HG22	1:B:396:ARG:HG2	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	419/463 (90%)	416 (99%)	2 (0%)	1 (0%)	47	55
1	B	411/463 (89%)	402 (98%)	9 (2%)	0	100	100
All	All	830/926 (90%)	818 (99%)	11 (1%)	1 (0%)	51	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	420	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	303/337 (90%)	276 (91%)	27 (9%)	9	9
1	B	297/337 (88%)	256 (86%)	41 (14%)	3	3
All	All	600/674 (89%)	532 (89%)	68 (11%)	6	5

All (68) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	ASP
1	A	31	THR
1	A	33	LEU
1	A	43	ARG
1	A	45	SER
1	A	47	LEU
1	A	62	LEU
1	A	100	ARG
1	A	107	LEU
1	A	111	GLU
1	A	143	ARG
1	A	165	LEU
1	A	168	ARG
1	A	218	ARG
1	A	230	GLU
1	A	245	SER
1	A	251	GLU
1	A	300	GLN
1	A	310	LEU
1	A	329	ARG
1	A	332	ARG
1	A	365	LEU
1	A	370	THR
1	A	371	LEU
1	A	372	LEU
1	A	387	LEU
1	A	395	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	3	LEU
1	B	28	ASP
1	B	33	LEU
1	B	43	ARG
1	B	47	LEU
1	B	58	LEU
1	B	61	GLN
1	B	65	LEU
1	B	66	ARG
1	B	72	GLU
1	B	77	LEU
1	B	79	GLN
1	B	86	GLN
1	B	100	ARG
1	B	107	LEU
1	B	132	ARG
1	B	137	ARG
1	B	139	GLU
1	B	141	LEU
1	B	143	ARG
1	B	165	LEU
1	B	177	ILE
1	B	185	VAL
1	B	218	ARG
1	B	234	ARG
1	B	246	VAL
1	B	248	LEU
1	B	261	ARG
1	B	271	ARG
1	B	300	GLN
1	B	310	LEU
1	B	367	ASP
1	B	371	LEU
1	B	377	ARG
1	B	378	LYS
1	B	379	ASP
1	B	387	LEU
1	B	395	THR
1	B	399	ASP
1	B	412	THR
1	B	414	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	42	HIS
1	A	49	HIS
1	A	309	ASN
1	A	326	HIS
1	A	392	GLN
1	B	42	HIS
1	B	49	HIS
1	B	309	ASN
1	B	326	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	421/463 (90%)	-0.18	3 (0%) 87 86	25, 39, 68, 90	0
1	B	415/463 (89%)	0.11	36 (8%) 10 8	25, 56, 97, 132	0
All	All	836/926 (90%)	-0.03	39 (4%) 31 30	25, 46, 88, 132	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	379	ASP	5.1
1	B	262	LEU	5.0
1	B	139	GLU	4.0
1	B	234	ARG	3.9
1	B	267	ARG	3.7
1	B	235	VAL	3.6
1	B	354	ASP	3.6
1	B	257	GLU	3.6
1	B	266	GLY	3.4
1	B	369	GLU	3.3
1	B	253	ALA	3.0
1	B	378	LYS	3.0
1	B	137	ARG	3.0
1	B	275	SER	2.9
1	B	223	GLU	2.9
1	B	254	ALA	2.9
1	A	378	LYS	2.8
1	B	263	ALA	2.7
1	B	418	THR	2.7
1	B	219	ALA	2.7
1	B	368	PRO	2.7
1	B	240	VAL	2.7
1	B	251	GLU	2.6
1	B	259	ALA	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	264	GLU	2.5
1	B	232	THR	2.5
1	B	248	LEU	2.5
1	B	233	GLY	2.5
1	B	317	ALA	2.4
1	B	211	GLY	2.3
1	B	367	ASP	2.3
1	B	260	GLY	2.3
1	B	226	ALA	2.2
1	B	268	LYS	2.2
1	B	255	VAL	2.2
1	B	329	ARG	2.1
1	B	238	ALA	2.1
1	B	244	GLU	2.0
1	A	134	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.