



wwPDB X-ray Structure Validation Summary Report ⓘ

May 29, 2020 – 09:16 am BST

PDB ID : 1J0B
Title : Crystal Structure Analysis of the ACC deaminase homologue complexed with inhibitor
Authors : Fujino, A.; Ose, T.; Honma, M.; Yao, M.; Tanaka, I.
Deposited on : 2002-11-12
Resolution : 2.70 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | Similar resolution (#Entries, resolution range(Å)) |
|-----------------------|-----------------------------|---|
| Clashscore | 141614 | 3122 (2.70-2.70) |
| Ramachandran outliers | 138981 | 3069 (2.70-2.70) |
| Sidechain outliers | 138945 | 3069 (2.70-2.70) |






The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 1 | A | 325 | 42% 50% 7% . |
| 1 | B | 325 | 32% 58% 8% . |
| 1 | C | 325 | 37% 54% 8% . |
| 1 | D | 325 | 41% 51% 7% . |
| 1 | E | 325 | 38% 51% 9% . |
| 1 | F | 325 | 31% 57% 11% . |
| 1 | G | 325 | 16% 70% 13% . |
| 1 | H | 325 | 29% 60% 10% |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 1 | I | 325 |  |
| 1 | J | 325 |  |
| 1 | K | 325 |  |
| 1 | L | 325 |  |
| 1 | M | 325 |  |
| 1 | N | 325 |  |
| 1 | O | 325 |  |
| 1 | P | 325 |  |
| 1 | Q | 325 |  |
| 1 | R | 325 |  |
| 1 | S | 325 |  |
| 1 | T | 325 |  |
| 1 | U | 325 |  |
| 1 | V | 325 |  |
| 1 | W | 325 |  |
| 1 | X | 325 |  |

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

| Mol | Type | Chain | Res | Chirality | Geometry | Clashes | Electron density |
|-----|------|-------|------|-----------|----------|---------|------------------|
| 2 | 5PA | B | 1021 | - | - | X | - |
| 2 | 5PA | D | 1041 | - | - | X | - |
| 2 | 5PA | E | 1051 | - | - | X | - |
| 2 | 5PA | F | 1061 | - | - | X | - |
| 2 | 5PA | H | 1081 | - | - | X | - |
| 2 | 5PA | I | 1091 | - | - | X | - |
| 2 | 5PA | J | 1101 | - | - | X | - |
| 2 | 5PA | K | 1111 | - | - | X | - |
| 2 | 5PA | M | 1131 | - | - | X | - |
| 2 | 5PA | P | 1161 | - | - | X | - |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Chirality | Geometry | Clashes | Electron density |
|-----|------|-------|------|-----------|----------|---------|------------------|
| 2 | 5PA | Q | 1171 | - | - | X | - |
| 2 | 5PA | R | 1181 | - | - | X | - |
| 2 | 5PA | S | 1191 | - | - | X | - |
| 2 | 5PA | V | 1221 | - | - | X | - |
| 2 | 5PA | W | 1231 | - | - | X | - |

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 60948 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 1-aminocyclopropane-1-carboxylate deaminase.


| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|---------|-------|
| 1 | A | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | B | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | C | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | D | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | E | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | F | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | G | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | H | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | I | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | J | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | K | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | L | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | M | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | N | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | O | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | P | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|---------|-------|
| 1 | Q | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | R | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | S | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | T | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | U | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | V | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | W | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |
| 1 | X | 325 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 2484 | 1604 | 415 | 461 | 4 | | | |

- Molecule 2 is N-[3-HYDROXY-2-METHYL-5-PHOSPHONOOXYMETHYL-PYRIDIN-4-Y-LMETHYL]-1-AMINO-CYCLOPROPANECARBOXYLIC ACID (three-letter code: 5PA) (formula: C₁₂H₁₇N₂O₇P).



| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---|---|---|---------|---------|
| 2 | A | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 22 | 12 | 2 | 7 | 1 | | |
| 2 | B | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 22 | 12 | 2 | 7 | 1 | | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf |
|-----|-------|----------|-------------|---------|--------|--------|--------|---------|---------|
| 2 | C | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | D | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | E | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | F | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | G | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | H | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | I | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | J | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | K | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | L | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | M | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | N | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | O | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | P | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | Q | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | R | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | S | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | T | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | U | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | V | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |
| 2 | W | 1 | Total 22 | C 12 | N 2 | O 7 | P 1 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---|---|---|---------|---------|
| 2 | X | 1 | Total | C | N | O | P | 0 | 0 |
| | | | 22 | 12 | 2 | 7 | 1 | | |

- Molecule 3 is water.

| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---------|---------|
| 3 | A | 47 | Total | O | 0 | 0 |
| | | | 47 | 47 | | |
| 3 | B | 34 | Total | O | 0 | 0 |
| | | | 34 | 34 | | |
| 3 | C | 26 | Total | O | 0 | 0 |
| | | | 26 | 26 | | |
| 3 | D | 38 | Total | O | 0 | 0 |
| | | | 38 | 38 | | |
| 3 | E | 35 | Total | O | 0 | 0 |
| | | | 35 | 35 | | |
| 3 | F | 40 | Total | O | 0 | 0 |
| | | | 40 | 40 | | |
| 3 | G | 34 | Total | O | 0 | 0 |
| | | | 34 | 34 | | |
| 3 | H | 38 | Total | O | 0 | 0 |
| | | | 38 | 38 | | |
| 3 | I | 29 | Total | O | 0 | 0 |
| | | | 29 | 29 | | |
| 3 | J | 30 | Total | O | 0 | 0 |
| | | | 30 | 30 | | |
| 3 | K | 33 | Total | O | 0 | 0 |
| | | | 33 | 33 | | |
| 3 | L | 29 | Total | O | 0 | 0 |
| | | | 29 | 29 | | |
| 3 | M | 29 | Total | O | 0 | 0 |
| | | | 29 | 29 | | |
| 3 | N | 38 | Total | O | 0 | 0 |
| | | | 38 | 38 | | |
| 3 | O | 28 | Total | O | 0 | 0 |
| | | | 28 | 28 | | |
| 3 | P | 20 | Total | O | 0 | 0 |
| | | | 20 | 20 | | |
| 3 | Q | 25 | Total | O | 0 | 0 |
| | | | 25 | 25 | | |
| 3 | R | 21 | Total | O | 0 | 0 |
| | | | 21 | 21 | | |

Continued on next page...


Continued from previous page...

| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|-----|-------|----------|-------------|---------|---------|---------|
| 3 | S | 42 | Total 42 | O 42 | 0 | 0 |
| 3 | T | 40 | Total 40 | O 40 | 0 | 0 |
| 3 | U | 48 | Total 48 | O 48 | 0 | 0 |
| 3 | V | 40 | Total 40 | O 40 | 0 | 0 |
| 3 | W | 34 | Total 34 | O 34 | 0 | 0 |
| 3 | X | 26 | Total 26 | O 26 | 0 | 0 |




• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase

Chain C: 37% 54% 8%




• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase


Chain D: 41% 51% 7%



• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase


Chain E: 38% 51% 9%






• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase

Chain F: 31% 57% 11% .




• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase


Chain G: 16% 70% 13% .




- Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase




- Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase




- Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase

Chain J:  30% 59% 11%





• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase


Chain K:  24% 62% 14%



• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase


Chain L:  29% 61% 9%






• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase

Chain M: 36% 53% 10%





• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase

Chain N: 45% 46% 9%




• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase

Chain O:  17% 65% 16%




• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase


Chain P:  27% 58% 14%




• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase

Chain Q:  26% 61% 13%







• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase





• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase






• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase




• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase




• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase






• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase

Chain W: 24% 61% 13%



• Molecule 1: 1-aminocyclopropane-1-carboxylate deaminase

Chain X: 27% 61% 11%



| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| L202 | S203 | L204 | L205 | N206 | E207 | D208 | L209 | R210 | P211 | L214 | G217 | R218 | F219 | G220 | E221 | V222 | M223 | T224 | S225 | K226 | L227 | D228 | N229 | L230 | R231 | K232 | E233 | A234 | G235 | E236 | L237 | L238 | G239 | V240 | K241 | V242 | E243 | V244 | R245 | P246 | E247 | L248 | Y249 | Y251 | S252 | F253 | G254 | E255 | K258 | D259 | T260 | G261 | E262 | V263 | A264 |
| Q265 | L266 | I267 | R268 | K269 | V270 | G271 | T272 | R273 | E274 | G275 | L276 | I277 | L278 | D279 | P280 | V281 | Y282 | T283 | G284 | R285 | A286 | F287 | Y288 | G289 | L290 | V291 | E298 | L299 | G300 | I303 | L304 | F305 | T308 | G309 | G310 | I311 | S312 | G313 | T314 | F315 | H316 | Y317 | G318 | D319 | K320 | L321 | L322 | S323 | L324 | L325 | | | | | |

4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

| Property | Value | Source |
|--|---|-----------|
| Space group | P 1 | Depositor |
| Cell constants a, b, c, α , β , γ | 105.87Å 147.28Å 149.07Å 73.18° 90.11° 68.49° | Depositor |
| Resolution (Å) | 10.00 – 2.70 | Depositor |
| % Data completeness (in resolution range) | 100.0 (10.00-2.70) | Depositor |
| R_{merge} | 0.06 | Depositor |
| R_{sym} | 0.05 | Depositor |
| Refinement program | CNS | Depositor |
| R, R_{free} | 0.291 , 0.342 | Depositor |
| Estimated twinning fraction | No twinning to report. | Xtriage |
| Total number of atoms | 60948 | wwPDB-VP |
| Average B, all atoms (Å ²) | 45.0 | wwPDB-VP |

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 5PA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|-------------|-------------|-----------------|
| | | RMSZ | # $ Z > 5$ | RMSZ | # $ Z > 5$ |
| 1 | A | 0.45 | 0/2526 | 0.76 | 1/3407 (0.0%) |
| 1 | B | 0.43 | 0/2526 | 0.73 | 0/3407 |
| 1 | C | 0.42 | 0/2526 | 0.74 | 0/3407 |
| 1 | D | 0.45 | 0/2526 | 0.74 | 0/3407 |
| 1 | E | 0.43 | 0/2526 | 0.73 | 1/3407 (0.0%) |
| 1 | F | 0.46 | 0/2526 | 0.73 | 1/3407 (0.0%) |
| 1 | G | 0.48 | 0/2526 | 0.80 | 1/3407 (0.0%) |
| 1 | H | 0.45 | 0/2526 | 0.73 | 1/3407 (0.0%) |
| 1 | I | 0.49 | 0/2526 | 0.77 | 1/3407 (0.0%) |
| 1 | J | 0.45 | 0/2526 | 0.74 | 0/3407 |
| 1 | K | 0.47 | 0/2526 | 0.76 | 0/3407 |
| 1 | L | 0.47 | 0/2526 | 0.76 | 2/3407 (0.1%) |
| 1 | M | 0.45 | 0/2526 | 0.75 | 0/3407 |
| 1 | N | 0.44 | 0/2526 | 0.75 | 2/3407 (0.1%) |
| 1 | O | 0.48 | 0/2526 | 0.80 | 0/3407 |
| 1 | P | 0.45 | 0/2526 | 0.75 | 3/3407 (0.1%) |
| 1 | Q | 0.46 | 0/2526 | 0.75 | 0/3407 |
| 1 | R | 0.46 | 0/2526 | 0.76 | 0/3407 |
| 1 | S | 0.45 | 0/2526 | 0.74 | 1/3407 (0.0%) |
| 1 | T | 0.46 | 0/2526 | 0.78 | 2/3407 (0.1%) |
| 1 | U | 0.46 | 0/2526 | 0.76 | 0/3407 |
| 1 | V | 0.44 | 0/2526 | 0.77 | 3/3407 (0.1%) |
| 1 | W | 0.46 | 0/2526 | 0.78 | 3/3407 (0.1%) |
| 1 | X | 0.45 | 0/2526 | 0.77 | 2/3407 (0.1%) |
| All | All | 0.45 | 0/60624 | 0.76 | 24/81768 (0.0%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1 | D | 0 | 1 |
| 1 | K | 0 | 1 |
| 1 | L | 0 | 1 |
| 1 | M | 0 | 1 |
| 1 | Q | 0 | 1 |
| 1 | T | 0 | 1 |
| 1 | V | 0 | 1 |
| All | All | 0 | 7 |

There are no bond length outliers.

The worst 5 of 24 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|------|-------------|----------|
| 1 | T | 304 | LEU | CA-CB-CG | 6.44 | 130.11 | 115.30 |
| 1 | W | 17 | LEU | CA-CB-CG | 6.26 | 129.70 | 115.30 |
| 1 | N | 290 | LEU | CA-CB-CG | 6.01 | 129.13 | 115.30 |
| 1 | T | 290 | LEU | CA-CB-CG | 5.89 | 128.85 | 115.30 |
| 1 | I | 17 | LEU | CA-CB-CG | 5.83 | 128.72 | 115.30 |

There are no chirality outliers.

5 of 7 planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|-----------|
| 1 | D | 167 | TYR | Sidechain |
| 1 | K | 167 | TYR | Sidechain |
| 1 | L | 167 | TYR | Sidechain |
| 1 | M | 167 | TYR | Sidechain |
| 1 | Q | 167 | TYR | Sidechain |

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | A | 2484 | 0 | 2583 | 236 | 0 |
| 1 | B | 2484 | 0 | 2583 | 288 | 0 |
| 1 | C | 2484 | 0 | 2583 | 286 | 1 |
| 1 | D | 2484 | 0 | 2583 | 264 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | E | 2484 | 0 | 2583 | 245 | 0 |
| 1 | F | 2484 | 0 | 2583 | 278 | 1 |
| 1 | G | 2484 | 0 | 2583 | 501 | 0 |
| 1 | H | 2484 | 0 | 2583 | 328 | 0 |
| 1 | I | 2484 | 0 | 2583 | 413 | 0 |
| 1 | J | 2484 | 0 | 2583 | 363 | 0 |
| 1 | K | 2484 | 0 | 2583 | 430 | 0 |
| 1 | L | 2484 | 0 | 2583 | 341 | 0 |
| 1 | M | 2484 | 0 | 2583 | 324 | 0 |
| 1 | N | 2484 | 0 | 2583 | 219 | 0 |
| 1 | O | 2484 | 0 | 2583 | 457 | 0 |
| 1 | P | 2484 | 0 | 2583 | 362 | 0 |
| 1 | Q | 2484 | 0 | 2583 | 392 | 0 |
| 1 | R | 2484 | 0 | 2583 | 353 | 0 |
| 1 | S | 2484 | 0 | 2583 | 295 | 0 |
| 1 | T | 2484 | 0 | 2583 | 326 | 0 |
| 1 | U | 2484 | 0 | 2583 | 282 | 0 |
| 1 | V | 2484 | 0 | 2583 | 261 | 0 |
| 1 | W | 2484 | 0 | 2583 | 409 | 0 |
| 1 | X | 2484 | 0 | 2583 | 340 | 0 |
| 2 | A | 22 | 0 | 13 | 5 | 0 |
| 2 | B | 22 | 0 | 13 | 8 | 0 |
| 2 | C | 22 | 0 | 13 | 6 | 0 |
| 2 | D | 22 | 0 | 13 | 7 | 0 |
| 2 | E | 22 | 0 | 13 | 7 | 0 |
| 2 | F | 22 | 0 | 13 | 15 | 0 |
| 2 | G | 22 | 0 | 13 | 3 | 0 |
| 2 | H | 22 | 0 | 13 | 7 | 0 |
| 2 | I | 22 | 0 | 13 | 13 | 0 |
| 2 | J | 22 | 0 | 13 | 9 | 0 |
| 2 | K | 22 | 0 | 13 | 11 | 0 |
| 2 | L | 22 | 0 | 13 | 6 | 0 |
| 2 | M | 22 | 0 | 13 | 10 | 0 |
| 2 | N | 22 | 0 | 13 | 4 | 0 |
| 2 | O | 22 | 0 | 13 | 6 | 0 |
| 2 | P | 22 | 0 | 13 | 10 | 0 |
| 2 | Q | 22 | 0 | 13 | 15 | 0 |
| 2 | R | 22 | 0 | 13 | 14 | 0 |
| 2 | S | 22 | 0 | 13 | 9 | 0 |
| 2 | T | 22 | 0 | 13 | 6 | 0 |
| 2 | U | 22 | 0 | 13 | 6 | 0 |
| 2 | V | 22 | 0 | 13 | 7 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 2 | W | 22 | 0 | 13 | 8 | 0 |
| 2 | X | 22 | 0 | 13 | 5 | 0 |
| 3 | A | 47 | 0 | 0 | 10 | 0 |
| 3 | B | 34 | 0 | 0 | 7 | 0 |
| 3 | C | 26 | 0 | 0 | 3 | 0 |
| 3 | D | 38 | 0 | 0 | 9 | 0 |
| 3 | E | 35 | 0 | 0 | 5 | 0 |
| 3 | F | 40 | 0 | 0 | 6 | 0 |
| 3 | G | 34 | 0 | 0 | 12 | 0 |
| 3 | H | 38 | 0 | 0 | 11 | 0 |
| 3 | I | 29 | 0 | 0 | 9 | 0 |
| 3 | J | 30 | 0 | 0 | 8 | 0 |
| 3 | K | 33 | 0 | 0 | 8 | 0 |
| 3 | L | 29 | 0 | 0 | 12 | 0 |
| 3 | M | 29 | 0 | 0 | 8 | 0 |
| 3 | N | 38 | 0 | 0 | 6 | 0 |
| 3 | O | 28 | 0 | 0 | 9 | 0 |
| 3 | P | 20 | 0 | 0 | 11 | 0 |
| 3 | Q | 25 | 0 | 0 | 13 | 0 |
| 3 | R | 21 | 0 | 0 | 5 | 0 |
| 3 | S | 42 | 0 | 0 | 10 | 0 |
| 3 | T | 40 | 0 | 0 | 12 | 0 |
| 3 | U | 48 | 0 | 0 | 9 | 0 |
| 3 | V | 40 | 0 | 0 | 6 | 0 |
| 3 | W | 34 | 0 | 0 | 10 | 0 |
| 3 | X | 26 | 0 | 0 | 6 | 0 |
| All | All | 60948 | 0 | 62304 | 7804 | 1 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 64.

The worst 5 of 7804 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 1:X:128:LYS:HD3 | 1:X:128:LYS:H | 1.06 | 1.19 |
| 1:C:103:ARG:HD3 | 1:C:133:LEU:HD22 | 1.21 | 1.15 |
| 1:G:147:GLU:CB | 1:I:221:GLU:HA | 1.75 | 1.15 |
| 1:C:214:ILE:HD13 | 1:C:286:ALA:HA | 1.29 | 1.14 |
| 1:G:147:GLU:HB3 | 1:I:221:GLU:HA | 1.18 | 1.14 |

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|---------------|----------------------|--------------------------|-------------------|
| 1:C:219:PHE:O | 1:F:147:GLU:O[1_455] | 2.12 | 0.08 |

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|-----------|----------|----------|-------------|---|
| 1 | A | 323/325 (99%) | 268 (83%) | 42 (13%) | 13 (4%) | 3 | 6 |
| 1 | B | 323/325 (99%) | 257 (80%) | 50 (16%) | 16 (5%) | 2 | 4 |
| 1 | C | 323/325 (99%) | 256 (79%) | 51 (16%) | 16 (5%) | 2 | 4 |
| 1 | D | 323/325 (99%) | 273 (84%) | 34 (10%) | 16 (5%) | 2 | 4 |
| 1 | E | 323/325 (99%) | 270 (84%) | 36 (11%) | 17 (5%) | 2 | 3 |
| 1 | F | 323/325 (99%) | 268 (83%) | 37 (12%) | 18 (6%) | 2 | 3 |
| 1 | G | 323/325 (99%) | 232 (72%) | 63 (20%) | 28 (9%) | 1 | 1 |
| 1 | H | 323/325 (99%) | 258 (80%) | 51 (16%) | 14 (4%) | 2 | 5 |
| 1 | I | 323/325 (99%) | 250 (77%) | 50 (16%) | 23 (7%) | 1 | 1 |
| 1 | J | 323/325 (99%) | 242 (75%) | 57 (18%) | 24 (7%) | 1 | 1 |
| 1 | K | 323/325 (99%) | 231 (72%) | 61 (19%) | 31 (10%) | 0 | 0 |
| 1 | L | 323/325 (99%) | 260 (80%) | 43 (13%) | 20 (6%) | 1 | 2 |
| 1 | M | 323/325 (99%) | 263 (81%) | 45 (14%) | 15 (5%) | 2 | 4 |
| 1 | N | 323/325 (99%) | 275 (85%) | 37 (12%) | 11 (3%) | 3 | 8 |
| 1 | O | 323/325 (99%) | 208 (64%) | 69 (21%) | 46 (14%) | 0 | 0 |
| 1 | P | 323/325 (99%) | 241 (75%) | 56 (17%) | 26 (8%) | 1 | 1 |
| 1 | Q | 323/325 (99%) | 241 (75%) | 58 (18%) | 24 (7%) | 1 | 1 |
| 1 | R | 323/325 (99%) | 259 (80%) | 43 (13%) | 21 (6%) | 1 | 2 |
| 1 | S | 323/325 (99%) | 255 (79%) | 51 (16%) | 17 (5%) | 2 | 3 |
| 1 | T | 323/325 (99%) | 259 (80%) | 38 (12%) | 26 (8%) | 1 | 1 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|------------|----------|-------------|---|
| 1 | U | 323/325 (99%) | 264 (82%) | 40 (12%) | 19 (6%) | 1 | 2 |
| 1 | V | 323/325 (99%) | 266 (82%) | 41 (13%) | 16 (5%) | 2 | 4 |
| 1 | W | 323/325 (99%) | 234 (72%) | 60 (19%) | 29 (9%) | 1 | 1 |
| 1 | X | 323/325 (99%) | 235 (73%) | 59 (18%) | 29 (9%) | 1 | 1 |
| All | All | 7752/7800 (99%) | 6065 (78%) | 1172 (15%) | 515 (7%) | 1 | 2 |

5 of 515 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | A | 219 | PHE |
| 1 | A | 245 | ARG |
| 1 | B | 33 | GLU |
| 1 | B | 72 | VAL |
| 1 | B | 187 | VAL |

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|-----------|----------|-------------|----|
| 1 | A | 259/259 (100%) | 230 (89%) | 29 (11%) | 6 | 13 |
| 1 | B | 259/259 (100%) | 232 (90%) | 27 (10%) | 7 | 16 |
| 1 | C | 259/259 (100%) | 236 (91%) | 23 (9%) | 9 | 22 |
| 1 | D | 259/259 (100%) | 238 (92%) | 21 (8%) | 11 | 27 |
| 1 | E | 259/259 (100%) | 231 (89%) | 28 (11%) | 6 | 15 |
| 1 | F | 259/259 (100%) | 226 (87%) | 33 (13%) | 4 | 10 |
| 1 | G | 259/259 (100%) | 231 (89%) | 28 (11%) | 6 | 15 |
| 1 | H | 259/259 (100%) | 231 (89%) | 28 (11%) | 6 | 15 |
| 1 | I | 259/259 (100%) | 236 (91%) | 23 (9%) | 9 | 22 |
| 1 | J | 259/259 (100%) | 236 (91%) | 23 (9%) | 9 | 22 |
| 1 | K | 259/259 (100%) | 234 (90%) | 25 (10%) | 8 | 19 |
| 1 | L | 259/259 (100%) | 237 (92%) | 22 (8%) | 10 | 24 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|------------------|------------|-----------|-------------|----|
| 1 | M | 259/259 (100%) | 232 (90%) | 27 (10%) | 7 | 16 |
| 1 | N | 259/259 (100%) | 230 (89%) | 29 (11%) | 6 | 13 |
| 1 | O | 259/259 (100%) | 228 (88%) | 31 (12%) | 5 | 11 |
| 1 | P | 259/259 (100%) | 224 (86%) | 35 (14%) | 4 | 9 |
| 1 | Q | 259/259 (100%) | 232 (90%) | 27 (10%) | 7 | 16 |
| 1 | R | 259/259 (100%) | 223 (86%) | 36 (14%) | 3 | 8 |
| 1 | S | 259/259 (100%) | 230 (89%) | 29 (11%) | 6 | 13 |
| 1 | T | 259/259 (100%) | 230 (89%) | 29 (11%) | 6 | 13 |
| 1 | U | 259/259 (100%) | 232 (90%) | 27 (10%) | 7 | 16 |
| 1 | V | 259/259 (100%) | 228 (88%) | 31 (12%) | 5 | 11 |
| 1 | W | 259/259 (100%) | 227 (88%) | 32 (12%) | 4 | 11 |
| 1 | X | 259/259 (100%) | 229 (88%) | 30 (12%) | 5 | 12 |
| All | All | 6216/6216 (100%) | 5543 (89%) | 673 (11%) | 6 | 15 |

5 of 673 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | L | 230 | LEU |
| 1 | O | 111 | ASN |
| 1 | W | 122 | THR |
| 1 | M | 76 | VAL |
| 1 | N | 75 | THR |

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 124 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | L | 25 | GLN |
| 1 | N | 177 | GLN |
| 1 | W | 177 | GLN |
| 1 | L | 82 | ASN |
| 1 | M | 82 | ASN |

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

24 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|-------------|-------------|------|-------------|
| | | | | | Counts | RMSZ | # $ Z > 2$ | Counts | RMSZ | # $ Z > 2$ |
| 2 | 5PA | I | 1091 | - | 17,23,23 | 2.85 | 5 (29%) | 25,35,35 | 1.97 | 4 (16%) |
| 2 | 5PA | R | 1181 | - | 17,23,23 | 2.89 | 5 (29%) | 25,35,35 | 2.10 | 5 (20%) |
| 2 | 5PA | B | 1021 | 1 | 17,23,23 | 2.87 | 5 (29%) | 25,35,35 | 2.11 | 6 (24%) |
| 2 | 5PA | W | 1231 | - | 17,23,23 | 2.88 | 5 (29%) | 25,35,35 | 1.87 | 4 (16%) |
| 2 | 5PA | M | 1131 | 1 | 17,23,23 | 2.89 | 5 (29%) | 25,35,35 | 2.05 | 6 (24%) |
| 2 | 5PA | E | 1051 | - | 17,23,23 | 2.90 | 5 (29%) | 25,35,35 | 2.07 | 5 (20%) |
| 2 | 5PA | L | 1121 | - | 17,23,23 | 2.90 | 5 (29%) | 25,35,35 | 2.09 | 7 (28%) |
| 2 | 5PA | G | 1071 | - | 17,23,23 | 2.84 | 5 (29%) | 25,35,35 | 2.30 | 6 (24%) |
| 2 | 5PA | O | 1151 | - | 17,23,23 | 2.94 | 5 (29%) | 25,35,35 | 1.74 | 5 (20%) |
| 2 | 5PA | P | 1161 | - | 17,23,23 | 2.87 | 5 (29%) | 25,35,35 | 2.00 | 5 (20%) |
| 2 | 5PA | U | 1211 | - | 17,23,23 | 2.86 | 5 (29%) | 25,35,35 | 2.21 | 5 (20%) |
| 2 | 5PA | T | 1201 | 1 | 17,23,23 | 2.84 | 5 (29%) | 25,35,35 | 2.04 | 5 (20%) |
| 2 | 5PA | A | 1011 | - | 17,23,23 | 2.89 | 5 (29%) | 25,35,35 | 2.21 | 5 (20%) |
| 2 | 5PA | J | 1101 | - | 17,23,23 | 2.87 | 5 (29%) | 25,35,35 | 1.94 | 5 (20%) |
| 2 | 5PA | V | 1221 | - | 17,23,23 | 2.91 | 5 (29%) | 25,35,35 | 2.10 | 5 (20%) |
| 2 | 5PA | F | 1061 | - | 17,23,23 | 2.89 | 5 (29%) | 25,35,35 | 2.01 | 5 (20%) |
| 2 | 5PA | N | 1141 | - | 17,23,23 | 2.86 | 5 (29%) | 25,35,35 | 2.23 | 5 (20%) |
| 2 | 5PA | D | 1041 | 1 | 17,23,23 | 2.89 | 5 (29%) | 25,35,35 | 2.03 | 6 (24%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 2 | 5PA | Q | 1171 | - | 17,23,23 | 2.89 | 5 (29%) | 25,35,35 | 2.18 | 5 (20%) |
| 2 | 5PA | C | 1031 | - | 17,23,23 | 2.86 | 5 (29%) | 25,35,35 | 2.25 | 6 (24%) |
| 2 | 5PA | S | 1191 | - | 17,23,23 | 2.84 | 5 (29%) | 25,35,35 | 2.36 | 7 (28%) |
| 2 | 5PA | X | 1241 | 1 | 17,23,23 | 2.87 | 5 (29%) | 25,35,35 | 2.04 | 7 (28%) |
| 2 | 5PA | K | 1111 | - | 17,23,23 | 2.84 | 5 (29%) | 25,35,35 | 2.46 | 5 (20%) |
| 2 | 5PA | H | 1081 | - | 17,23,23 | 2.97 | 6 (35%) | 25,35,35 | 1.96 | 6 (24%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|------|------|---------|-----------|---------|
| 2 | 5PA | I | 1091 | - | - | 7/9/22/22 | 0/2/2/2 |
| 2 | 5PA | R | 1181 | - | - | 6/9/22/22 | 0/2/2/2 |
| 2 | 5PA | B | 1021 | 1 | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | W | 1231 | - | - | 5/9/22/22 | 0/2/2/2 |
| 2 | 5PA | M | 1131 | 1 | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | E | 1051 | - | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | L | 1121 | - | - | 7/9/22/22 | 0/2/2/2 |
| 2 | 5PA | G | 1071 | - | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | O | 1151 | - | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | P | 1161 | - | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | U | 1211 | - | - | 7/9/22/22 | 0/2/2/2 |
| 2 | 5PA | T | 1201 | 1 | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | A | 1011 | - | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | J | 1101 | - | - | 7/9/22/22 | 0/2/2/2 |
| 2 | 5PA | V | 1221 | - | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | F | 1061 | - | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | N | 1141 | - | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | D | 1041 | 1 | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | Q | 1171 | - | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | C | 1031 | - | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | S | 1191 | - | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | X | 1241 | 1 | - | 4/9/22/22 | 0/2/2/2 |
| 2 | 5PA | K | 1111 | - | - | 7/9/22/22 | 0/2/2/2 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|------|------|---------|-----------|---------|
| 2 | 5PA | H | 1081 | - | - | 4/9/22/22 | 0/2/2/2 |

The worst 5 of 121 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|--------|-------|-------------|----------|
| 2 | E | 1051 | 5PA | C4A-C4 | -9.59 | 1.39 | 1.51 |
| 2 | H | 1081 | 5PA | C4A-C4 | -9.58 | 1.39 | 1.51 |
| 2 | V | 1221 | 5PA | C4A-C4 | -9.57 | 1.39 | 1.51 |
| 2 | A | 1011 | 5PA | C4A-C4 | -9.53 | 1.39 | 1.51 |
| 2 | M | 1131 | 5PA | C4A-C4 | -9.52 | 1.39 | 1.51 |

The worst 5 of 130 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|------------|------|-------------|----------|
| 2 | K | 1111 | 5PA | O4P-C5A-C5 | 7.99 | 124.57 | 109.35 |
| 2 | C | 1031 | 5PA | O4P-C5A-C5 | 6.85 | 122.41 | 109.35 |
| 2 | S | 1191 | 5PA | O4P-C5A-C5 | 6.77 | 122.25 | 109.35 |
| 2 | U | 1211 | 5PA | O4P-C5A-C5 | 6.68 | 122.09 | 109.35 |
| 2 | G | 1071 | 5PA | O4P-C5A-C5 | 6.43 | 121.59 | 109.35 |

There are no chirality outliers.

5 of 114 torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|------|------|---------------|
| 2 | I | 1091 | 5PA | C5-C4-C4A-N |
| 2 | I | 1091 | 5PA | C5A-O4P-P-O1P |
| 2 | I | 1091 | 5PA | C5A-O4P-P-O2P |
| 2 | I | 1091 | 5PA | C5A-O4P-P-O3P |
| 2 | I | 1091 | 5PA | C4-C5-C5A-O4P |

There are no ring outliers.

24 monomers are involved in 197 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|------|------|---------|--------------|
| 2 | I | 1091 | 5PA | 13 | 0 |
| 2 | R | 1181 | 5PA | 14 | 0 |
| 2 | B | 1021 | 5PA | 8 | 0 |
| 2 | W | 1231 | 5PA | 8 | 0 |
| 2 | M | 1131 | 5PA | 10 | 0 |
| 2 | E | 1051 | 5PA | 7 | 0 |
| 2 | L | 1121 | 5PA | 6 | 0 |


Continued on next page...

Continued from previous page...


| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|------|------|---------|--------------|
| 2 | G | 1071 | 5PA | 3 | 0 |
| 2 | O | 1151 | 5PA | 6 | 0 |
| 2 | P | 1161 | 5PA | 10 | 0 |
| 2 | U | 1211 | 5PA | 6 | 0 |
| 2 | T | 1201 | 5PA | 6 | 0 |
| 2 | A | 1011 | 5PA | 5 | 0 |
| 2 | J | 1101 | 5PA | 9 | 0 |
| 2 | V | 1221 | 5PA | 7 | 0 |
| 2 | F | 1061 | 5PA | 15 | 0 |
| 2 | N | 1141 | 5PA | 4 | 0 |
| 2 | D | 1041 | 5PA | 7 | 0 |
| 2 | Q | 1171 | 5PA | 15 | 0 |
| 2 | C | 1031 | 5PA | 6 | 0 |
| 2 | S | 1191 | 5PA | 9 | 0 |
| 2 | X | 1241 | 5PA | 5 | 0 |
| 2 | K | 1111 | 5PA | 11 | 0 |
| 2 | H | 1081 | 5PA | 7 | 0 |

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand 5PA I 1091




Bond lengths




Bond angles





Torsions





Rings

































































5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.