



Full wwPDB EM Validation Report ⓘ

Nov 19, 2022 – 11:28 AM EST

PDB ID : 3J0L
EMDB ID : EMD-5326
Title : Core of mammalian 80S pre-ribosome in complex with tRNAs fitted to a 9.8Å cryo-EM map: classic PRE state 1
Authors : Budkevich, T.; Giesebrecht, J.; Altman, R.; Munro, J.; Mielke, T.; Nierhaus, K.; Blanchard, S.; Spahn, C.M.
Deposited on : 2011-10-04
Resolution : 9.80 Å (reported)
Based on initial models : 2WDK, 3O58, 2XZM

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 9.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



























| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|-----------------------------|-----------------------------|
| Ramachandran outliers | 154571 | 4023 |
| Sidechain outliers | 154315 | 3826 |
| RNA backbone | 4643 | 859 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|---|
| 1 | a | 48 | <div> <div>65%</div> <div>23%</div> <div>8%</div> <div>.</div> </div> |
| 2 | b | 12 | <div> <div>67%</div> <div>33%</div> </div> |
| 3 | c | 17 | <div> <div>71%</div> <div>29%</div> </div> |
| 4 | d | 7 | <div> <div>71%</div> <div>14%</div> <div>14%</div> </div> |
| 5 | e | 4 | <div> <div>100%</div> </div> |
| 6 | E | 5 | <div> <div>60%</div> <div>20%</div> <div>20%</div> </div> |
| 7 | f | 21 | <div> <div>76%</div> <div>24%</div> </div> |
| 8 | g | 31 | <div> <div>71%</div> <div>23%</div> <div>6%</div> </div> |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 9 | G | 13 |  |
| 10 | h | 111 |  |
| 11 | T | 192 |  |
| 12 | K | 140 |  |
| 13 | L | 141 |  |
| 14 | X | 68 |  |
| 15 | S | 125 |  |
| 16 | 1 | 50 |  |
| 17 | 2 | 112 |  |
| 18 | 3 | 12 |  |
| 19 | 4 | 14 |  |
| 20 | 5 | 6 |  |
| 21 | 6 | 19 |  |
| 22 | 7 | 50 |  |
| 23 | 8 | 20 |  |
| 24 | B | 213 |  |
| 25 | J | 219 |  |
| 26 | F | 95 |  |
| 27 | V | 76 |  |
| 27 | W | 76 |  |
| 27 | Y | 76 |  |
| 28 | v | 3 |  |
| 28 | y | 3 |  |
| 29 | w | 2 |  |

2 Entry composition

There are 29 unique types of molecules in this entry. The entry contains 24541 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 40S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 1 | a | 48 | Total | C | N | O | P | 0 | 0 |
| | | | 1029 | 459 | 190 | 332 | 48 | | |

- Molecule 2 is a RNA chain called 40S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|----|---------|-------|
| 2 | b | 12 | Total | C | N | O | P | 0 | 0 |
| | | | 260 | 116 | 49 | 83 | 12 | | |

- Molecule 3 is a RNA chain called 40S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|-----|----|---------|-------|
| 3 | c | 17 | Total | C | N | O | P | 0 | 0 |
| | | | 362 | 162 | 66 | 117 | 17 | | |

- Molecule 4 is a RNA chain called 40S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|---|---------|-------|
| 4 | d | 7 | Total | C | N | O | P | 0 | 0 |
| | | | 155 | 69 | 33 | 46 | 7 | | |

- Molecule 5 is a RNA chain called 40S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|---|---------|-------|
| 5 | e | 4 | Total | C | N | O | P | 0 | 0 |
| | | | 84 | 38 | 16 | 26 | 4 | | |

- Molecule 6 is a RNA chain called 40S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|---|---------|-------|
| 6 | E | 5 | Total | C | N | O | P | 0 | 0 |
| | | | 100 | 45 | 13 | 37 | 5 | | |

- Molecule 7 is a RNA chain called 40S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|-----|----|---------|-------|
| 7 | f | 21 | Total | C | N | O | P | 0 | 0 |
| | | | 452 | 200 | 79 | 152 | 21 | | |

- Molecule 8 is a RNA chain called 40S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 8 | g | 31 | Total | C | N | O | P | 0 | 0 |
| | | | 660 | 295 | 118 | 216 | 31 | | |

- Molecule 9 is a RNA chain called 40S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|----|---------|-------|
| 9 | G | 13 | Total | C | N | O | P | 0 | 0 |
| | | | 276 | 123 | 49 | 91 | 13 | | |

- Molecule 10 is a RNA chain called 40S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|-----|---------|-------|
| 10 | h | 111 | Total | C | N | O | P | 0 | 0 |
| | | | 2368 | 1060 | 431 | 766 | 111 | | |

- Molecule 11 is a protein called Ribosomal protein S5.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 11 | T | 192 | Total | C | N | O | S | 0 | 0 |
| | | | 1520 | 961 | 281 | 270 | 8 | | |

- Molecule 12 is a protein called Ribosomal protein S14.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 12 | K | 140 | Total | C | N | O | S | 0 | 0 |
| | | | 1063 | 654 | 206 | 197 | 6 | | |

- Molecule 13 is a protein called Ribosomal protein S23.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 13 | L | 141 | Total | C | N | O | S | 0 | 0 |
| | | | 1097 | 691 | 221 | 180 | 5 | | |

- Molecule 14 is a protein called Ribosomal protein S30.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|-------|
| 14 | X | 68 | Total | C | N | O | S | 0 | 0 |
| | | | 554 | 350 | 113 | 90 | 1 | | |

- Molecule 15 is a protein called Ribosomal protein S15.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 15 | S | 125 | Total | C | N | O | S | 0 | 0 |
| | | | 985 | 632 | 173 | 176 | 4 | | |

- Molecule 16 is a RNA chain called 60S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 16 | 1 | 50 | Total | C | N | O | P | 0 | 0 |
| | | | 1064 | 476 | 188 | 350 | 50 | | |

- Molecule 17 is a RNA chain called 60S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|-----|---------|-------|
| 17 | 2 | 112 | Total | C | N | O | P | 0 | 0 |
| | | | 2392 | 1070 | 435 | 775 | 112 | | |

- Molecule 18 is a RNA chain called 60S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|----|---------|-------|
| 18 | 3 | 12 | Total | C | N | O | P | 0 | 0 |
| | | | 259 | 116 | 50 | 81 | 12 | | |

- Molecule 19 is a RNA chain called 60S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|----|---------|-------|
| 19 | 4 | 14 | Total | C | N | O | P | 0 | 0 |
| | | | 306 | 135 | 59 | 98 | 14 | | |

- Molecule 20 is a RNA chain called 60S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|---|---------|-------|
| 20 | 5 | 6 | Total | C | N | O | P | 0 | 0 |
| | | | 127 | 57 | 23 | 41 | 6 | | |

- Molecule 21 is a RNA chain called 60S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|-----|----|---------|-------|
| 21 | 6 | 19 | Total | C | N | O | P | 0 | 0 |
| | | | 417 | 187 | 88 | 123 | 19 | | |

- Molecule 22 is a RNA chain called 60S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 22 | 7 | 50 | Total | C | N | O | P | 0 | 0 |
| | | | 1054 | 471 | 173 | 360 | 50 | | |

- Molecule 23 is a RNA chain called 60S ribosomal RNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|-----|----|---------|-------|
| 23 | 8 | 20 | Total | C | N | O | P | 0 | 0 |
| | | | 431 | 192 | 80 | 139 | 20 | | |

- Molecule 24 is a protein called Ribosomal protein L10a.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 24 | B | 213 | Total | C | N | O | 0 | 0 |
| | | | 1055 | 629 | 213 | 213 | | |

- Molecule 25 is a protein called Ribosomal protein L10.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|-------|
| 25 | J | 208 | Total | C | N | O | 0 | 0 |
| | | | 1027 | 611 | 208 | 208 | | |

- Molecule 26 is a protein called Ribosomal protein L36a.

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---------|-------|
| 26 | F | 95 | Total | C | N | O | 0 | 0 |
| | | | 467 | 277 | 95 | 95 | | |

- Molecule 27 is a RNA chain called tRNA.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|----|---------|-------|
| 27 | Y | 75 | Total | C | N | O | P | 0 | 0 |
| | | | 1597 | 713 | 285 | 525 | 74 | | |
| 27 | V | 75 | Total | C | N | O | P | 0 | 0 |
| | | | 1597 | 713 | 285 | 525 | 74 | | |
| 27 | W | 76 | Total | C | N | O | P | 0 | 0 |
| | | | 1619 | 723 | 290 | 531 | 75 | | |

- Molecule 28 is a RNA chain called mRNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---|---------|-------|
| 28 | y | 3 | Total | C | N | O | P | 0 | 0 |
| | | | 60 | 27 | 7 | 23 | 3 | | |
| 28 | v | 3 | Total | C | N | O | P | 0 | 0 |
| | | | 60 | 27 | 7 | 23 | 3 | | |


- Molecule 29 is a RNA chain called mRNA fragment.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|---|---------|-------|
| 29 | w | 2 | Total | C | N | O | P | 0 | 0 |
| | | | 44 | 20 | 10 | 12 | 2 | | |


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 40S ribosomal RNA fragment




- Molecule 2: 40S ribosomal RNA fragment



- Molecule 3: 40S ribosomal RNA fragment



- Molecule 4: 40S ribosomal RNA fragment




- Molecule 5: 40S ribosomal RNA fragment



There are no outlier residues recorded for this chain.


- Molecule 6: 40S ribosomal RNA fragment






- Molecule 7: 40S ribosomal RNA fragment

Chain f: 76% 24%




- Molecule 8: 40S ribosomal RNA fragment

Chain g: 71% 23% 6%



- Molecule 9: 40S ribosomal RNA fragment

Chain G: 85% 8% 8%



- Molecule 10: 40S ribosomal RNA fragment

Chain h: 88% 11%




- Molecule 11: Ribosomal protein S5

Chain T: 84% 15%





- Molecule 12: Ribosomal protein S14

Chain K: 5% 79% 20%





- Molecule 13: Ribosomal protein S23

Chain L:  81% 18%



- Molecule 14: Ribosomal protein S30

Chain X:  21% 88% 12%



- Molecule 15: Ribosomal protein S15

Chain S:  91% 9%




- Molecule 16: 60S ribosomal RNA fragment

Chain 1:  42% 48% 10%




- Molecule 17: 60S ribosomal RNA fragment

Chain 2:  38% 51% 12%




- Molecule 18: 60S ribosomal RNA fragment

Chain 3:  50% 50%



- Molecule 19: 60S ribosomal RNA fragment

Chain 4:  64% 29% 7%




- Molecule 20: 60S ribosomal RNA fragment

Chain 5: 17% 83%




- Molecule 21: 60S ribosomal RNA fragment

Chain 6: 21% 42% 37%




- Molecule 22: 60S ribosomal RNA fragment

Chain 7: 28% 56% 16%




- Molecule 23: 60S ribosomal RNA fragment

Chain 8: 30% 40% 30%




- Molecule 24: Ribosomal protein L10a

Chain B: 13% 67% 30%



- Molecule 25: Ribosomal protein L10


Chain J: 61% 32% 5%




- Molecule 26: Ribosomal protein L36a





- Molecule 27: tRNA



- Molecule 27: tRNA



- Molecule 27: tRNA



- Molecule 28: mRNA fragment



There are no outlier residues recorded for this chain.

- Molecule 28: mRNA fragment



There are no outlier residues recorded for this chain.

- Molecule 29: mRNA fragment

Chain w:  100%

There are no outlier residues recorded for this chain.

4 Experimental information

| Property | Value | Source |
|--------------------------------------|--|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, C1 | Depositor |
| Number of particles used | 30448 | Depositor |
| Resolution determination method | Not provided | |
| CTF correction method | CTF CORRECTION OF EACH DEFOCUS GROUP VOLUME PRIOR TO BACK PROJECTION | Depositor |
| Microscope | FEI POLARA 300 | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 20 | Depositor |
| Minimum defocus (nm) | 2000 | Depositor |
| Maximum defocus (nm) | 4000 | Depositor |
| Magnification | 65520 | Depositor |
| Image detector | KODAK SO-163 FILM | Depositor |
| Maximum map value | 17518.248 | Depositor |
| Minimum map value | -3081.914 | Depositor |
| Average map value | 286.055 | Depositor |
| Map value standard deviation | 1282.234 | Depositor |
| Recommended contour level | 1000.0 | Depositor |
| Map size (\AA) | 453.6, 453.6, 453.6 | wwPDB |
| Map dimensions | 180, 180, 180 | wwPDB |
| Map angles ($^\circ$) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (\AA) | 2.52, 2.52, 2.52 | Depositor |

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|-----------------|-------------|------------------|
| | | RMSZ | $\# Z > 5$ | RMSZ | $\# Z > 5$ |
| 1 | a | 0.75 | 1/1151 (0.1%) | 1.00 | 7/1793 (0.4%) |
| 2 | b | 0.55 | 0/291 | 0.79 | 0/452 |
| 3 | c | 0.66 | 0/404 | 0.92 | 1/627 (0.2%) |
| 4 | d | 0.51 | 0/174 | 0.86 | 0/270 |
| 5 | e | 0.46 | 0/93 | 0.62 | 0/142 |
| 6 | E | 0.54 | 0/109 | 0.86 | 0/166 |
| 7 | f | 0.65 | 0/504 | 0.89 | 0/785 |
| 8 | g | 0.66 | 0/737 | 0.88 | 2/1146 (0.2%) |
| 9 | G | 0.54 | 0/307 | 0.82 | 0/476 |
| 10 | h | 0.48 | 0/2650 | 0.75 | 1/4127 (0.0%) |
| 11 | T | 0.45 | 0/1546 | 0.71 | 0/2079 |
| 12 | K | 0.42 | 0/1078 | 0.73 | 0/1452 |
| 13 | L | 0.41 | 0/1114 | 0.73 | 0/1485 |
| 14 | X | 0.36 | 0/566 | 0.70 | 0/753 |
| 15 | S | 0.37 | 0/1003 | 0.65 | 1/1342 (0.1%) |
| 16 | 1 | 0.72 | 1/1189 (0.1%) | 1.28 | 21/1850 (1.1%) |
| 17 | 2 | 1.10 | 3/2677 (0.1%) | 1.68 | 69/4170 (1.7%) |
| 18 | 3 | 0.19 | 0/290 | 0.43 | 0/450 |
| 19 | 4 | 0.67 | 0/342 | 1.30 | 5/533 (0.9%) |
| 20 | 5 | 0.69 | 0/141 | 1.32 | 1/217 (0.5%) |
| 21 | 6 | 1.25 | 0/470 | 2.07 | 30/732 (4.1%) |
| 22 | 7 | 1.06 | 2/1174 (0.2%) | 2.34 | 33/1825 (1.8%) |
| 23 | 8 | 1.45 | 4/482 (0.8%) | 1.89 | 22/750 (2.9%) |
| 24 | B | 0.34 | 0/1054 | 0.63 | 9/1468 (0.6%) |
| 25 | J | 0.66 | 0/1025 | 0.89 | 8/1424 (0.6%) |
| 26 | F | 0.47 | 0/466 | 0.68 | 2/646 (0.3%) |
| 27 | V | 0.44 | 0/1784 | 0.75 | 0/2780 |
| 27 | W | 0.43 | 0/1809 | 0.71 | 0/2819 |
| 27 | Y | 0.47 | 0/1784 | 0.74 | 0/2780 |
| 28 | v | 0.51 | 0/65 | 0.65 | 0/98 |
| 28 | y | 0.39 | 0/65 | 0.68 | 0/98 |
| 29 | w | 0.40 | 0/49 | 0.79 | 0/74 |
| All | All | 0.67 | 11/26593 (0.0%) | 1.11 | 212/39809 (0.5%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1 | a | 0 | 4 |
| 4 | d | 0 | 1 |
| 6 | E | 0 | 1 |
| 8 | g | 0 | 2 |
| 9 | G | 0 | 1 |
| 10 | h | 0 | 2 |
| 27 | W | 0 | 2 |
| All | All | 0 | 13 |

All (11) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|-------|--------|-------------|----------|
| 22 | 7 | 2845 | A | C6-N1 | -11.05 | 1.27 | 1.35 |
| 23 | 8 | 2969 | A | N9-C4 | -7.32 | 1.33 | 1.37 |
| 17 | 2 | 2283 | G | N9-C8 | 6.16 | 1.42 | 1.37 |
| 23 | 8 | 2961 | G | N9-C4 | 6.14 | 1.42 | 1.38 |
| 23 | 8 | 2958 | A | N9-C4 | -5.64 | 1.34 | 1.37 |
| 1 | a | 565 | G | C2-N3 | 5.42 | 1.37 | 1.32 |
| 23 | 8 | 2968 | G | C6-N1 | -5.32 | 1.35 | 1.39 |
| 17 | 2 | 2302 | G | C6-N1 | -5.20 | 1.35 | 1.39 |
| 17 | 2 | 2279 | A | N7-C5 | -5.16 | 1.36 | 1.39 |
| 22 | 7 | 2830 | G | N3-C4 | -5.05 | 1.31 | 1.35 |
| 16 | 1 | 1048 | A | N9-C4 | -5.01 | 1.34 | 1.37 |

All (212) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|----------|--------|-------------|----------|
| 22 | 7 | 2845 | A | N1-C6-N6 | 39.32 | 142.19 | 118.60 |
| 22 | 7 | 2845 | A | C6-N1-C2 | 38.63 | 141.78 | 118.60 |
| 22 | 7 | 2845 | A | C5-C6-N1 | -34.02 | 100.69 | 117.70 |
| 22 | 7 | 2845 | A | N1-C2-N3 | -22.80 | 117.90 | 129.30 |
| 21 | 6 | 2689 | A | C8-N9-C4 | -13.78 | 100.29 | 105.80 |
| 22 | 7 | 2845 | A | C5-C6-N6 | -12.64 | 113.58 | 123.70 |
| 23 | 8 | 2958 | A | C8-N9-C4 | 12.04 | 110.61 | 105.80 |
| 17 | 2 | 2195 | C | N3-C4-C5 | 10.23 | 125.99 | 121.90 |
| 17 | 2 | 2289 | U | C2-N3-C4 | -9.98 | 121.01 | 127.00 |
| 17 | 2 | 2245 | C | C6-N1-C2 | -9.97 | 116.31 | 120.30 |
| 21 | 6 | 2689 | A | N7-C8-N9 | 9.97 | 118.78 | 113.80 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|------------|-------|-------------|----------|
| 17 | 2 | 2283 | G | C8-N9-C4 | -9.74 | 102.50 | 106.40 |
| 16 | 1 | 1047 | A | N1-C6-N6 | -9.65 | 112.81 | 118.60 |
| 17 | 2 | 2278 | C | N1-C2-O2 | 9.40 | 124.54 | 118.90 |
| 23 | 8 | 2961 | G | N3-C4-C5 | -9.24 | 123.98 | 128.60 |
| 17 | 2 | 2277 | C | C5-C6-N1 | -9.02 | 116.49 | 121.00 |
| 10 | h | 1714 | U | N1-C1'-C2' | 8.95 | 125.63 | 114.00 |
| 22 | 7 | 2835 | U | C2-N1-C1' | 8.86 | 128.34 | 117.70 |
| 17 | 2 | 2247 | G | C5-C6-O6 | -8.77 | 123.34 | 128.60 |
| 23 | 8 | 2961 | G | N3-C4-N9 | 8.76 | 131.26 | 126.00 |
| 21 | 6 | 2701 | U | C5-C4-O4 | -8.76 | 120.65 | 125.90 |
| 17 | 2 | 2302 | G | N1-C6-O6 | -8.63 | 114.72 | 119.90 |
| 22 | 7 | 2828 | G | C5-C6-O6 | -8.45 | 123.53 | 128.60 |
| 22 | 7 | 2828 | G | N1-C6-O6 | 8.43 | 124.96 | 119.90 |
| 22 | 7 | 2867 | C | N1-C2-O2 | -8.41 | 113.85 | 118.90 |
| 17 | 2 | 2247 | G | C4-C5-N7 | 8.40 | 114.16 | 110.80 |
| 21 | 6 | 2689 | A | N9-C4-C5 | 8.33 | 109.13 | 105.80 |
| 17 | 2 | 2283 | G | N3-C2-N2 | -8.32 | 114.08 | 119.90 |
| 23 | 8 | 2958 | A | N7-C8-N9 | -8.30 | 109.65 | 113.80 |
| 17 | 2 | 2303 | A | C8-N9-C4 | 8.25 | 109.10 | 105.80 |
| 22 | 7 | 2837 | A | N1-C6-N6 | -8.13 | 113.72 | 118.60 |
| 16 | 1 | 1003 | A | C8-N9-C4 | -8.03 | 102.59 | 105.80 |
| 17 | 2 | 2290 | C | N1-C2-O2 | -7.83 | 114.20 | 118.90 |
| 17 | 2 | 2283 | G | N1-C6-O6 | 7.75 | 124.55 | 119.90 |
| 22 | 7 | 2851 | A | N1-C6-N6 | -7.71 | 113.97 | 118.60 |
| 22 | 7 | 2835 | U | C5-C4-O4 | -7.65 | 121.31 | 125.90 |
| 17 | 2 | 2247 | G | C6-C5-N7 | -7.60 | 125.84 | 130.40 |
| 17 | 2 | 2277 | C | C2-N3-C4 | -7.54 | 116.13 | 119.90 |
| 17 | 2 | 2201 | G | N1-C6-O6 | 7.53 | 124.42 | 119.90 |
| 22 | 7 | 2835 | U | N3-C4-O4 | 7.50 | 124.65 | 119.40 |
| 23 | 8 | 2957 | G | N3-C4-N9 | -7.50 | 121.50 | 126.00 |
| 19 | 4 | 2618 | G | C5-C6-O6 | 7.44 | 133.06 | 128.60 |
| 17 | 2 | 2283 | G | N3-C4-N9 | -7.44 | 121.53 | 126.00 |
| 17 | 2 | 2241 | U | C5-C4-O4 | 7.41 | 130.35 | 125.90 |
| 1 | a | 588 | A | N9-C1'-C2' | 7.34 | 123.54 | 114.00 |
| 23 | 8 | 2960 | C | C6-N1-C2 | 7.30 | 123.22 | 120.30 |
| 17 | 2 | 2302 | G | C6-C5-N7 | 7.25 | 134.75 | 130.40 |
| 21 | 6 | 2689 | A | N1-C2-N3 | 7.21 | 132.90 | 129.30 |
| 21 | 6 | 2700 | G | C5-C6-O6 | -7.07 | 124.36 | 128.60 |
| 17 | 2 | 2247 | G | N1-C6-O6 | 7.06 | 124.14 | 119.90 |
| 17 | 2 | 2267 | C | N1-C2-O2 | -7.05 | 114.67 | 118.90 |
| 23 | 8 | 2957 | G | N3-C4-C5 | 7.05 | 132.13 | 128.60 |
| 23 | 8 | 2969 | A | C2-N3-C4 | -6.95 | 107.12 | 110.60 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-------------|-------|-------------|----------|
| 17 | 2 | 2248 | C | N1-C2-O2 | -6.94 | 114.73 | 118.90 |
| 1 | a | 559 | C | N1-C1'-C2' | 6.94 | 123.02 | 114.00 |
| 26 | F | 5 | PRO | N-CA-CB | 6.90 | 111.58 | 103.30 |
| 3 | c | 981 | A | N9-C1'-C2' | 6.87 | 122.93 | 114.00 |
| 17 | 2 | 2277 | C | N1-C2-O2 | -6.86 | 114.78 | 118.90 |
| 16 | 1 | 1003 | A | N7-C8-N9 | 6.82 | 117.21 | 113.80 |
| 22 | 7 | 2824 | G | C6-N1-C2 | 6.77 | 129.16 | 125.10 |
| 17 | 2 | 2283 | G | N7-C8-N9 | 6.75 | 116.47 | 113.10 |
| 22 | 7 | 2830 | G | C5-C6-N1 | -6.71 | 108.15 | 111.50 |
| 17 | 2 | 2304 | C | C6-N1-C2 | -6.62 | 117.65 | 120.30 |
| 17 | 2 | 2278 | C | N1-C2-N3 | -6.58 | 114.59 | 119.20 |
| 21 | 6 | 2689 | A | C4-N9-C1' | 6.58 | 138.14 | 126.30 |
| 22 | 7 | 2845 | A | C2-N3-C4 | -6.52 | 107.34 | 110.60 |
| 1 | a | 565 | G | N3-C2-N2 | 6.50 | 124.45 | 119.90 |
| 17 | 2 | 2277 | C | C6-N1-C2 | 6.49 | 122.89 | 120.30 |
| 21 | 6 | 2700 | G | C8-N9-C1' | -6.47 | 118.58 | 127.00 |
| 17 | 2 | 2289 | U | N3-C4-C5 | 6.46 | 118.47 | 114.60 |
| 22 | 7 | 2847 | A | C8-N9-C4 | -6.40 | 103.24 | 105.80 |
| 16 | 1 | 1048 | A | C4-C5-N7 | 6.39 | 113.90 | 110.70 |
| 21 | 6 | 2700 | G | N3-C4-N9 | 6.39 | 129.83 | 126.00 |
| 16 | 1 | 1048 | A | C5-N7-C8 | -6.39 | 100.71 | 103.90 |
| 24 | B | 56 | PRO | N-CA-CB | 6.39 | 110.97 | 103.30 |
| 8 | g | 1172 | G | C2'-C3'-O3' | 6.38 | 123.91 | 113.70 |
| 21 | 6 | 2689 | A | N1-C6-N6 | -6.35 | 114.79 | 118.60 |
| 16 | 1 | 1048 | A | C4-C5-C6 | -6.35 | 113.83 | 117.00 |
| 22 | 7 | 2865 | U | N1-C2-O2 | -6.32 | 118.38 | 122.80 |
| 22 | 7 | 2857 | C | N3-C4-C5 | 6.30 | 124.42 | 121.90 |
| 17 | 2 | 2248 | C | C6-N1-C2 | 6.23 | 122.79 | 120.30 |
| 17 | 2 | 2218 | G | C5-C6-N1 | 6.23 | 114.61 | 111.50 |
| 25 | J | 179 | PRO | N-CA-CB | 6.22 | 110.76 | 103.30 |
| 16 | 1 | 1005 | G | C4-C5-N7 | -6.20 | 108.32 | 110.80 |
| 16 | 1 | 1050 | U | C5-C6-N1 | -6.20 | 119.60 | 122.70 |
| 21 | 6 | 2689 | A | C4-C5-C6 | 6.18 | 120.09 | 117.00 |
| 25 | J | 47 | PRO | N-CA-CB | 6.17 | 110.71 | 103.30 |
| 23 | 8 | 2968 | G | N1-C6-O6 | -6.17 | 116.20 | 119.90 |
| 17 | 2 | 2278 | C | C2-N1-C1' | 6.17 | 125.58 | 118.80 |
| 17 | 2 | 2280 | A | C8-N9-C4 | -6.15 | 103.34 | 105.80 |
| 17 | 2 | 2278 | C | C6-N1-C1' | -6.15 | 113.42 | 120.80 |
| 16 | 1 | 1047 | A | N9-C4-C5 | 6.14 | 108.25 | 105.80 |
| 21 | 6 | 2700 | G | C4-N9-C1' | 6.13 | 134.46 | 126.50 |
| 22 | 7 | 2837 | A | C8-N9-C4 | 6.12 | 108.25 | 105.80 |
| 17 | 2 | 2289 | U | C5-C6-N1 | -6.11 | 119.64 | 122.70 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|------------|-------|-------------|----------|
| 1 | a | 574 | A | N9-C1'-C2' | 6.06 | 121.87 | 114.00 |
| 24 | B | 61 | PRO | N-CA-CB | 6.05 | 110.56 | 103.30 |
| 16 | 1 | 1044 | U | C5-C6-N1 | -6.05 | 119.67 | 122.70 |
| 23 | 8 | 2972 | G | C8-N9-C1' | -6.05 | 119.14 | 127.00 |
| 24 | B | 135 | PRO | N-CA-CB | 6.04 | 110.55 | 103.30 |
| 22 | 7 | 2837 | A | N7-C8-N9 | -6.02 | 110.79 | 113.80 |
| 17 | 2 | 2278 | C | C2-N3-C4 | 6.02 | 122.91 | 119.90 |
| 8 | g | 1172 | G | N9-C1'-C2' | 6.02 | 121.83 | 114.00 |
| 22 | 7 | 2869 | U | N3-C2-O2 | -6.02 | 117.99 | 122.20 |
| 22 | 7 | 2835 | U | C6-N1-C1' | -6.01 | 112.78 | 121.20 |
| 16 | 1 | 1050 | U | N1-C2-O2 | -6.00 | 118.60 | 122.80 |
| 21 | 6 | 2700 | G | C6-C5-N7 | -5.99 | 126.81 | 130.40 |
| 24 | B | 121 | PRO | N-CA-CB | 5.99 | 110.49 | 103.30 |
| 16 | 1 | 1005 | G | N3-C4-N9 | -5.98 | 122.41 | 126.00 |
| 21 | 6 | 2693 | C | C6-N1-C1' | -5.98 | 113.62 | 120.80 |
| 17 | 2 | 2194 | G | C8-N9-C4 | 5.95 | 108.78 | 106.40 |
| 24 | B | 126 | PRO | N-CA-CB | 5.94 | 110.42 | 103.30 |
| 17 | 2 | 2196 | C | C6-N1-C2 | -5.92 | 117.93 | 120.30 |
| 17 | 2 | 2283 | G | C5-N7-C8 | -5.92 | 101.34 | 104.30 |
| 22 | 7 | 2868 | U | N3-C2-O2 | 5.91 | 126.34 | 122.20 |
| 26 | F | 56 | PRO | N-CA-CB | 5.91 | 110.39 | 103.30 |
| 24 | B | 43 | PRO | N-CA-CB | 5.89 | 110.36 | 103.30 |
| 17 | 2 | 2302 | G | C5-C6-N1 | 5.86 | 114.43 | 111.50 |
| 24 | B | 137 | PRO | N-CA-CB | 5.86 | 110.33 | 103.30 |
| 21 | 6 | 2701 | U | N3-C4-O4 | 5.85 | 123.49 | 119.40 |
| 24 | B | 59 | PRO | N-CA-CB | 5.84 | 110.30 | 103.30 |
| 21 | 6 | 2693 | C | C2-N1-C1' | 5.83 | 125.21 | 118.80 |
| 17 | 2 | 2303 | A | N9-C4-C5 | -5.82 | 103.47 | 105.80 |
| 16 | 1 | 1005 | G | N9-C4-C5 | 5.81 | 107.72 | 105.40 |
| 21 | 6 | 2707 | C | N3-C2-O2 | 5.81 | 125.97 | 121.90 |
| 24 | B | 212 | PRO | N-CA-CB | 5.81 | 110.27 | 103.30 |
| 16 | 1 | 1048 | A | C5-C6-N1 | 5.81 | 120.61 | 117.70 |
| 17 | 2 | 2201 | G | C5-C6-O6 | -5.79 | 125.12 | 128.60 |
| 17 | 2 | 2302 | G | N3-C4-N9 | -5.79 | 122.53 | 126.00 |
| 21 | 6 | 2702 | A | C8-N9-C4 | -5.79 | 103.48 | 105.80 |
| 23 | 8 | 2970 | C | C2-N1-C1' | 5.79 | 125.16 | 118.80 |
| 22 | 7 | 2867 | C | N3-C2-O2 | 5.78 | 125.95 | 121.90 |
| 17 | 2 | 2241 | U | C6-N1-C1' | 5.78 | 129.29 | 121.20 |
| 25 | J | 18 | PRO | N-CA-CB | 5.76 | 110.21 | 103.30 |
| 21 | 6 | 2700 | G | C4-C5-N7 | 5.74 | 113.10 | 110.80 |
| 21 | 6 | 2689 | A | N3-C4-C5 | -5.72 | 122.79 | 126.80 |
| 25 | J | 122 | PRO | N-CA-CB | 5.71 | 110.16 | 103.30 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|------------|-------|-------------|----------|
| 21 | 6 | 2696 | A | C8-N9-C4 | -5.71 | 103.52 | 105.80 |
| 25 | J | 214 | PRO | N-CA-CB | 5.70 | 110.14 | 103.30 |
| 17 | 2 | 2283 | G | N1-C2-N2 | 5.70 | 121.33 | 116.20 |
| 17 | 2 | 2290 | C | N3-C4-C5 | 5.69 | 124.17 | 121.90 |
| 17 | 2 | 2283 | G | C2-N3-C4 | -5.68 | 109.06 | 111.90 |
| 17 | 2 | 2248 | C | N3-C2-O2 | 5.66 | 125.86 | 121.90 |
| 22 | 7 | 2837 | A | C4-C5-N7 | -5.66 | 107.87 | 110.70 |
| 19 | 4 | 2618 | G | C5-C6-N1 | -5.65 | 108.67 | 111.50 |
| 17 | 2 | 2290 | C | C2-N3-C4 | -5.65 | 117.08 | 119.90 |
| 21 | 6 | 2707 | C | C6-N1-C2 | 5.63 | 122.55 | 120.30 |
| 25 | J | 16 | PRO | N-CA-CB | 5.63 | 110.06 | 103.30 |
| 16 | 1 | 1002 | A | C5-C6-N1 | 5.63 | 120.51 | 117.70 |
| 19 | 4 | 2618 | G | N9-C4-C5 | 5.61 | 107.64 | 105.40 |
| 17 | 2 | 2300 | G | C8-N9-C1' | -5.59 | 119.73 | 127.00 |
| 19 | 4 | 2618 | G | C4-C5-N7 | -5.58 | 108.57 | 110.80 |
| 17 | 2 | 2197 | C | N3-C2-O2 | 5.58 | 125.81 | 121.90 |
| 17 | 2 | 2246 | G | C5-C6-N1 | 5.58 | 114.29 | 111.50 |
| 23 | 8 | 2959 | C | N1-C2-O2 | -5.57 | 115.56 | 118.90 |
| 1 | a | 565 | G | N1-C2-N2 | -5.56 | 111.19 | 116.20 |
| 1 | a | 558 | G | N9-C1'-C2' | 5.55 | 121.22 | 114.00 |
| 16 | 1 | 1042 | U | C6-N1-C2 | 5.54 | 124.33 | 121.00 |
| 17 | 2 | 2301 | U | N3-C2-O2 | 5.53 | 126.07 | 122.20 |
| 17 | 2 | 2301 | U | C6-N1-C2 | 5.52 | 124.31 | 121.00 |
| 22 | 7 | 2853 | A | N1-C6-N6 | 5.52 | 121.91 | 118.60 |
| 17 | 2 | 2241 | U | N1-C2-N3 | 5.50 | 118.20 | 114.90 |
| 17 | 2 | 2196 | C | N3-C4-C5 | 5.50 | 124.10 | 121.90 |
| 17 | 2 | 2274 | U | N3-C2-O2 | -5.49 | 118.36 | 122.20 |
| 21 | 6 | 2707 | C | N1-C2-O2 | -5.49 | 115.61 | 118.90 |
| 1 | a | 552 | C | N1-C1'-C2' | 5.46 | 121.10 | 114.00 |
| 23 | 8 | 2969 | A | N3-C4-C5 | 5.46 | 130.62 | 126.80 |
| 17 | 2 | 2289 | U | C5-C4-O4 | -5.44 | 122.64 | 125.90 |
| 22 | 7 | 2830 | G | C2-N3-C4 | -5.44 | 109.18 | 111.90 |
| 17 | 2 | 2301 | U | N1-C2-O2 | -5.43 | 119.00 | 122.80 |
| 17 | 2 | 2283 | G | N3-C4-C5 | 5.41 | 131.31 | 128.60 |
| 16 | 1 | 1048 | A | C5-C6-N6 | -5.40 | 119.38 | 123.70 |
| 23 | 8 | 2972 | G | C4-N9-C1' | 5.39 | 133.51 | 126.50 |
| 22 | 7 | 2869 | U | C2-N1-C1' | 5.38 | 124.16 | 117.70 |
| 17 | 2 | 2195 | C | C5-C4-N4 | -5.38 | 116.44 | 120.20 |
| 17 | 2 | 2247 | G | C5-N7-C8 | -5.36 | 101.62 | 104.30 |
| 16 | 1 | 1047 | A | C5-C6-N6 | 5.35 | 127.98 | 123.70 |
| 17 | 2 | 2303 | A | C5-C6-N1 | 5.34 | 120.37 | 117.70 |
| 21 | 6 | 2700 | G | N9-C4-C5 | -5.33 | 103.27 | 105.40 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-------------|-------|-------------|----------|
| 21 | 6 | 2689 | A | C5-C6-N6 | 5.33 | 127.96 | 123.70 |
| 21 | 6 | 2700 | G | N1-C6-O6 | 5.33 | 123.10 | 119.90 |
| 21 | 6 | 2702 | A | N7-C8-N9 | 5.32 | 116.46 | 113.80 |
| 17 | 2 | 2275 | A | C5-C6-N1 | -5.31 | 115.04 | 117.70 |
| 17 | 2 | 2194 | G | N7-C8-N9 | -5.31 | 110.44 | 113.10 |
| 21 | 6 | 2699 | G | N3-C4-C5 | 5.31 | 131.25 | 128.60 |
| 17 | 2 | 2246 | G | N3-C4-N9 | 5.28 | 129.17 | 126.00 |
| 16 | 1 | 1004 | U | N3-C4-O4 | 5.28 | 123.10 | 119.40 |
| 15 | S | 131 | THR | N-CA-C | 5.28 | 125.25 | 111.00 |
| 22 | 7 | 2859 | U | N3-C2-O2 | 5.27 | 125.89 | 122.20 |
| 23 | 8 | 2972 | G | N1-C2-N3 | 5.24 | 127.05 | 123.90 |
| 23 | 8 | 2963 | C | C2-N3-C4 | -5.22 | 117.29 | 119.90 |
| 16 | 1 | 1001 | G | N7-C8-N9 | 5.22 | 115.71 | 113.10 |
| 23 | 8 | 2973 | G | N7-C8-N9 | -5.21 | 110.50 | 113.10 |
| 23 | 8 | 2960 | C | C5-C6-N1 | -5.20 | 118.40 | 121.00 |
| 23 | 8 | 2968 | G | C5-C6-N1 | 5.19 | 114.09 | 111.50 |
| 23 | 8 | 2962 | U | C6-N1-C1' | 5.13 | 128.39 | 121.20 |
| 21 | 6 | 2691 | A | C2-N3-C4 | 5.13 | 113.17 | 110.60 |
| 17 | 2 | 2215 | A | C2-N3-C4 | -5.11 | 108.04 | 110.60 |
| 25 | J | 27 | PRO | N-CA-CB | 5.10 | 109.42 | 103.30 |
| 16 | 1 | 1002 | A | N1-C6-N6 | -5.10 | 115.54 | 118.60 |
| 21 | 6 | 2707 | C | C3'-C2'-C1' | 5.10 | 105.58 | 101.50 |
| 23 | 8 | 2961 | G | C4-N9-C1' | 5.08 | 133.11 | 126.50 |
| 17 | 2 | 2281 | A | C4-C5-C6 | 5.06 | 119.53 | 117.00 |
| 23 | 8 | 2973 | G | C8-N9-C4 | 5.06 | 108.42 | 106.40 |
| 25 | J | 178 | ARG | N-CA-C | 5.05 | 124.64 | 111.00 |
| 22 | 7 | 2828 | G | C8-N9-C1' | -5.04 | 120.44 | 127.00 |
| 17 | 2 | 2201 | G | C4-C5-N7 | 5.04 | 112.81 | 110.80 |
| 22 | 7 | 2869 | U | C6-N1-C2 | -5.03 | 117.98 | 121.00 |
| 19 | 4 | 2618 | G | N3-C4-N9 | -5.02 | 122.99 | 126.00 |
| 17 | 2 | 2267 | C | N3-C2-O2 | 5.01 | 125.41 | 121.90 |
| 22 | 7 | 2851 | A | C5-C6-N6 | 5.01 | 127.71 | 123.70 |
| 20 | 5 | 2653 | C | C5-C4-N4 | -5.01 | 116.69 | 120.20 |

There are no chirality outliers.

All (13) planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|------|------|-----------|
| 6 | E | 1590 | C | Sidechain |
| 9 | G | 1430 | C | Sidechain |
| 27 | W | 39 | U | Sidechain |
| 27 | W | 5 | G | Sidechain |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Group |
|-----|-------|------|------|-----------|
| 1 | a | 547 | C | Sidechain |
| 1 | a | 558 | G | Sidechain |
| 1 | a | 559 | C | Sidechain |
| 1 | a | 574 | A | Sidechain |
| 4 | d | 1545 | A | Sidechain |
| 8 | g | 1157 | U | Sidechain |
| 8 | g | 1158 | U | Sidechain |
| 10 | h | 1610 | G | Sidechain |
| 10 | h | 1714 | U | Sidechain |

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|-----------|-----------|-----------|-------------|----|
| 11 | T | 190/192 (99%) | 141 (74%) | 33 (17%) | 16 (8%) | 1 | 12 |
| 12 | K | 138/140 (99%) | 96 (70%) | 28 (20%) | 14 (10%) | 0 | 9 |
| 13 | L | 139/141 (99%) | 106 (76%) | 17 (12%) | 16 (12%) | 0 | 6 |
| 14 | X | 66/68 (97%) | 48 (73%) | 12 (18%) | 6 (9%) | 1 | 11 |
| 15 | S | 123/125 (98%) | 91 (74%) | 25 (20%) | 7 (6%) | 1 | 18 |
| 24 | B | 211/213 (99%) | 76 (36%) | 67 (32%) | 68 (32%) | 0 | 0 |
| 25 | J | 204/219 (93%) | 80 (39%) | 51 (25%) | 73 (36%) | 0 | 0 |
| 26 | F | 93/95 (98%) | 37 (40%) | 28 (30%) | 28 (30%) | 0 | 0 |
| All | All | 1164/1193 (98%) | 675 (58%) | 261 (22%) | 228 (20%) | 0 | 2 |

All (228) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 11 | T | 56 | PHE |
| 11 | T | 60 | GLN |
| 11 | T | 63 | ILE |
| 11 | T | 75 | GLY |
| 11 | T | 158 | PHE |
| 12 | K | 70 | SER |
| 12 | K | 100 | LYS |
| 12 | K | 124 | MET |
| 12 | K | 142 | ARG |
| 13 | L | 45 | ALA |
| 13 | L | 62 | GLN |
| 13 | L | 87 | PRO |
| 13 | L | 88 | MET |
| 13 | L | 89 | ASP |
| 13 | L | 107 | GLY |
| 13 | L | 108 | ARG |
| 13 | L | 117 | PRO |
| 14 | X | 8 | LEU |
| 14 | X | 64 | ALA |
| 15 | S | 15 | GLY |
| 24 | B | 24 | LYS |
| 24 | B | 36 | VAL |
| 24 | B | 39 | LYS |
| 24 | B | 42 | ASP |
| 24 | B | 43 | PRO |
| 24 | B | 55 | LEU |
| 24 | B | 56 | PRO |
| 24 | B | 58 | CYS |
| 24 | B | 59 | PRO |
| 24 | B | 60 | ARG |
| 24 | B | 61 | PRO |
| 24 | B | 109 | ALA |
| 24 | B | 115 | VAL |
| 24 | B | 120 | VAL |
| 24 | B | 122 | ARG |
| 24 | B | 124 | LEU |
| 24 | B | 126 | PRO |
| 24 | B | 127 | GLN |
| 24 | B | 128 | LEU |
| 24 | B | 129 | SER |
| 24 | B | 135 | PRO |
| 24 | B | 143 | ASP |
| 24 | B | 151 | VAL |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 24 | B | 174 | MET |
| 24 | B | 201 | VAL |
| 24 | B | 207 | LYS |
| 24 | B | 208 | SER |
| 24 | B | 209 | SER |
| 24 | B | 210 | MET |
| 24 | B | 212 | PRO |
| 25 | J | 5 | PRO |
| 25 | J | 11 | TYR |
| 25 | J | 13 | LYS |
| 25 | J | 14 | ASN |
| 25 | J | 16 | PRO |
| 25 | J | 17 | TYR |
| 25 | J | 25 | ALA |
| 25 | J | 29 | SER |
| 25 | J | 34 | TYR |
| 25 | J | 39 | LYS |
| 25 | J | 43 | VAL |
| 25 | J | 46 | PHE |
| 25 | J | 48 | LEU |
| 25 | J | 57 | LEU |
| 25 | J | 61 | SER |
| 25 | J | 70 | ILE |
| 25 | J | 92 | HIS |
| 25 | J | 115 | MET |
| 25 | J | 136 | PHE |
| 25 | J | 145 | LYS |
| 25 | J | 147 | VAL |
| 25 | J | 160 | PRO |
| 25 | J | 162 | GLN |
| 25 | J | 169 | LYS |
| 25 | J | 178 | ARG |
| 25 | J | 190 | VAL |
| 25 | J | 201 | SER |
| 25 | J | 208 | ASN |
| 26 | F | 5 | PRO |
| 26 | F | 13 | LYS |
| 26 | F | 34 | SER |
| 26 | F | 47 | GLN |
| 26 | F | 53 | GLN |
| 26 | F | 66 | LYS |
| 26 | F | 93 | LEU |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 11 | T | 58 | LYS |
| 11 | T | 100 | GLY |
| 11 | T | 157 | ALA |
| 11 | T | 159 | LYS |
| 11 | T | 183 | SER |
| 12 | K | 102 | GLY |
| 12 | K | 105 | THR |
| 12 | K | 110 | PRO |
| 12 | K | 139 | SER |
| 13 | L | 35 | GLY |
| 13 | L | 54 | GLU |
| 13 | L | 76 | ARG |
| 13 | L | 138 | LYS |
| 14 | X | 24 | LYS |
| 15 | S | 31 | GLU |
| 15 | S | 33 | LEU |
| 24 | B | 25 | LYS |
| 24 | B | 26 | ARG |
| 24 | B | 41 | TYR |
| 24 | B | 44 | GLN |
| 24 | B | 47 | LYS |
| 24 | B | 67 | ILE |
| 24 | B | 77 | ALA |
| 24 | B | 96 | ASN |
| 24 | B | 117 | ILE |
| 24 | B | 123 | LEU |
| 24 | B | 169 | VAL |
| 24 | B | 193 | LEU |
| 24 | B | 194 | LEU |
| 24 | B | 196 | LYS |
| 24 | B | 197 | ASN |
| 24 | B | 204 | LEU |
| 24 | B | 206 | VAL |
| 25 | J | 12 | GLN |
| 25 | J | 21 | ARG |
| 25 | J | 28 | ASP |
| 25 | J | 35 | ASP |
| 25 | J | 36 | LEU |
| 25 | J | 78 | THR |
| 25 | J | 84 | ALA |
| 25 | J | 86 | HIS |
| 25 | J | 93 | PRO |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 25 | J | 95 | HIS |
| 25 | J | 143 | SER |
| 25 | J | 175 | ASN |
| 25 | J | 177 | ASP |
| 25 | J | 185 | ARG |
| 25 | J | 189 | GLU |
| 25 | J | 196 | PHE |
| 25 | J | 207 | GLU |
| 26 | F | 6 | LYS |
| 26 | F | 9 | LYS |
| 26 | F | 11 | TYR |
| 26 | F | 21 | THR |
| 26 | F | 41 | ARG |
| 26 | F | 46 | LYS |
| 26 | F | 57 | VAL |
| 26 | F | 58 | PHE |
| 26 | F | 81 | ALA |
| 26 | F | 88 | CYS |
| 11 | T | 41 | GLN |
| 11 | T | 103 | PRO |
| 11 | T | 179 | ASN |
| 12 | K | 23 | ALA |
| 12 | K | 99 | ALA |
| 12 | K | 106 | LYS |
| 12 | K | 122 | SER |
| 12 | K | 141 | ARG |
| 13 | L | 109 | GLN |
| 14 | X | 60 | PRO |
| 15 | S | 130 | PRO |
| 24 | B | 22 | GLU |
| 24 | B | 49 | PHE |
| 24 | B | 57 | ASN |
| 24 | B | 101 | LYS |
| 24 | B | 102 | LYS |
| 24 | B | 152 | ARG |
| 24 | B | 202 | GLY |
| 25 | J | 15 | LYS |
| 25 | J | 47 | PRO |
| 25 | J | 56 | GLU |
| 25 | J | 85 | PHE |
| 25 | J | 94 | PHE |
| 25 | J | 181 | TYR |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 25 | J | 205 | SER |
| 25 | J | 214 | PRO |
| 26 | F | 17 | CYS |
| 26 | F | 19 | LYS |
| 26 | F | 56 | PRO |
| 12 | K | 146 | ARG |
| 13 | L | 91 | CYS |
| 14 | X | 25 | ASP |
| 24 | B | 27 | ASN |
| 24 | B | 107 | TYR |
| 24 | B | 132 | GLY |
| 24 | B | 155 | ILE |
| 24 | B | 165 | LEU |
| 24 | B | 189 | PHE |
| 24 | B | 213 | ALA |
| 25 | J | 20 | SER |
| 25 | J | 60 | LEU |
| 25 | J | 66 | GLU |
| 25 | J | 67 | ALA |
| 25 | J | 91 | VAL |
| 25 | J | 154 | ARG |
| 25 | J | 163 | GLN |
| 26 | F | 12 | CYS |
| 26 | F | 59 | HIS |
| 11 | T | 62 | PRO |
| 14 | X | 26 | LYS |
| 15 | S | 123 | GLU |
| 24 | B | 5 | THR |
| 24 | B | 45 | ARG |
| 24 | B | 92 | LYS |
| 24 | B | 108 | ASN |
| 24 | B | 154 | THR |
| 25 | J | 8 | CYS |
| 25 | J | 19 | LYS |
| 25 | J | 41 | ALA |
| 25 | J | 171 | TRP |
| 25 | J | 212 | GLU |
| 26 | F | 3 | ASN |
| 26 | F | 39 | GLY |
| 26 | F | 45 | ARG |
| 26 | F | 55 | LYS |
| 26 | F | 62 | ALA |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 26 | F | 48 | SER |
| 11 | T | 102 | ASN |
| 11 | T | 138 | PRO |
| 15 | S | 104 | GLY |
| 25 | J | 4 | ARG |
| 25 | J | 172 | GLY |
| 25 | J | 194 | GLY |
| 24 | B | 69 | GLY |
| 13 | L | 110 | GLY |
| 24 | B | 65 | ILE |
| 25 | J | 18 | PRO |
| 13 | L | 114 | GLY |
| 25 | J | 117 | GLY |
| 25 | J | 131 | ILE |
| 15 | S | 53 | GLY |
| 25 | J | 27 | PRO |
| 25 | J | 89 | VAL |

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|-----------|----------|-------------|----|
| 11 | T | 163/163 (100%) | 147 (90%) | 16 (10%) | 8 | 26 |
| 12 | K | 112/112 (100%) | 96 (86%) | 16 (14%) | 3 | 16 |
| 13 | L | 113/113 (100%) | 101 (89%) | 12 (11%) | 6 | 24 |
| 14 | X | 57/57 (100%) | 55 (96%) | 2 (4%) | 36 | 59 |
| 15 | S | 105/105 (100%) | 102 (97%) | 3 (3%) | 42 | 64 |
| All | All | 550/550 (100%) | 501 (91%) | 49 (9%) | 13 | 30 |

All (49) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 11 | T | 24 | ILE |
| 11 | T | 26 | ASP |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 11 | T | 30 | GLN |
| 11 | T | 31 | ASN |
| 11 | T | 36 | THR |
| 11 | T | 41 | GLN |
| 11 | T | 44 | VAL |
| 11 | T | 51 | TYR |
| 11 | T | 56 | PHE |
| 11 | T | 57 | ARG |
| 11 | T | 66 | ARG |
| 11 | T | 73 | PHE |
| 11 | T | 74 | HIS |
| 11 | T | 117 | ARG |
| 11 | T | 139 | MET |
| 11 | T | 147 | TYR |
| 12 | K | 28 | PHE |
| 12 | K | 43 | HIS |
| 12 | K | 46 | ASP |
| 12 | K | 47 | LEU |
| 12 | K | 67 | GLU |
| 12 | K | 80 | ASP |
| 12 | K | 85 | CYS |
| 12 | K | 95 | ILE |
| 12 | K | 113 | GLN |
| 12 | K | 116 | LEU |
| 12 | K | 117 | ARG |
| 12 | K | 119 | LEU |
| 12 | K | 129 | ILE |
| 12 | K | 140 | THR |
| 12 | K | 142 | ARG |
| 12 | K | 149 | ARG |
| 13 | L | 9 | ILE |
| 13 | L | 19 | ARG |
| 13 | L | 21 | ASP |
| 13 | L | 33 | LEU |
| 13 | L | 55 | LYS |
| 13 | L | 69 | LYS |
| 13 | L | 81 | LYS |
| 13 | L | 82 | ILE |
| 13 | L | 89 | ASP |
| 13 | L | 92 | LEU |
| 13 | L | 106 | LEU |
| 13 | L | 132 | LEU |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 14 | X | 34 | ARG |
| 14 | X | 62 | TRP |
| 15 | S | 66 | ARG |
| 15 | S | 83 | THR |
| 15 | S | 124 | PHE |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 11 | T | 10 | GLN |
| 11 | T | 46 | HIS |
| 11 | T | 52 | GLN |
| 11 | T | 96 | HIS |
| 11 | T | 102 | ASN |
| 11 | T | 143 | ASN |
| 11 | T | 199 | ASN |
| 12 | K | 38 | ASN |
| 12 | K | 43 | HIS |
| 13 | L | 78 | ASN |
| 13 | L | 98 | ASN |
| 14 | X | 42 | ASN |
| 15 | S | 29 | ASN |
| 15 | S | 84 | HIS |

5.3.3 RNA [i](#)

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|---------------|-------------------|-----------------|
| 1 | a | 47/48 (97%) | 15 (31%) | 0 |
| 10 | h | 110/111 (99%) | 12 (10%) | 0 |
| 16 | 1 | 49/50 (98%) | 23 (46%) | 3 (6%) |
| 17 | 2 | 111/112 (99%) | 54 (48%) | 9 (8%) |
| 18 | 3 | 11/12 (91%) | 6 (54%) | 1 (9%) |
| 19 | 4 | 13/14 (92%) | 5 (38%) | 1 (7%) |
| 2 | b | 11/12 (91%) | 4 (36%) | 0 |
| 20 | 5 | 5/6 (83%) | 4 (80%) | 1 (20%) |
| 21 | 6 | 18/19 (94%) | 13 (72%) | 1 (5%) |
| 22 | 7 | 49/50 (98%) | 29 (59%) | 5 (10%) |
| 23 | 8 | 19/20 (95%) | 8 (42%) | 0 |
| 27 | V | 74/76 (97%) | 15 (20%) | 0 |
| 27 | W | 75/76 (98%) | 13 (17%) | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|---------------|-------------------|-----------------|
| 27 | Y | 74/76 (97%) | 20 (27%) | 1 (1%) |
| 28 | v | 2/3 (66%) | 0 | 0 |
| 28 | y | 2/3 (66%) | 0 | 0 |
| 29 | w | 1/2 (50%) | 0 | 0 |
| 3 | c | 16/17 (94%) | 4 (25%) | 0 |
| 4 | d | 6/7 (85%) | 2 (33%) | 0 |
| 5 | e | 3/4 (75%) | 0 | 0 |
| 6 | E | 4/5 (80%) | 1 (25%) | 1 (25%) |
| 7 | f | 20/21 (95%) | 5 (25%) | 0 |
| 8 | g | 30/31 (96%) | 8 (26%) | 0 |
| 9 | G | 12/13 (92%) | 2 (16%) | 1 (8%) |
| All | All | 762/788 (96%) | 243 (31%) | 24 (3%) |

All (243) RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 1 | a | 544 | G |
| 1 | a | 547 | C |
| 1 | a | 548 | A |
| 1 | a | 552 | C |
| 1 | a | 553 | A |
| 1 | a | 554 | U |
| 1 | a | 559 | C |
| 1 | a | 560 | C |
| 1 | a | 568 | G |
| 1 | a | 573 | A |
| 1 | a | 574 | A |
| 1 | a | 575 | U |
| 1 | a | 576 | U |
| 1 | a | 577 | C |
| 1 | a | 588 | A |
| 2 | b | 882 | G |
| 2 | b | 886 | U |
| 2 | b | 887 | U |
| 2 | b | 888 | C |
| 3 | c | 975 | G |
| 3 | c | 976 | A |
| 3 | c | 978 | C |
| 3 | c | 982 | U |
| 4 | d | 1545 | A |
| 4 | d | 1546 | G |
| 6 | E | 1591 | C |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 7 | f | 1242 | G |
| 7 | f | 1245 | G |
| 7 | f | 1246 | C |
| 7 | f | 3247 | A |
| 7 | f | 1256 | C |
| 8 | g | 1155 | A |
| 8 | g | 1158 | U |
| 8 | g | 1163 | U |
| 8 | g | 1165 | A |
| 8 | g | 1166 | A |
| 8 | g | 1168 | A |
| 8 | g | 1169 | C |
| 8 | g | 1172 | G |
| 9 | G | 1430 | C |
| 9 | G | 1431 | A |
| 10 | h | 1608 | C |
| 10 | h | 1609 | C |
| 10 | h | 1624 | G |
| 10 | h | 1649 | U |
| 10 | h | 1651 | G |
| 10 | h | 1652 | A |
| 10 | h | 1661 | G |
| 10 | h | 1674 | A |
| 10 | h | 1710 | G |
| 10 | h | 1713 | G |
| 10 | h | 1714 | U |
| 10 | h | 1715 | A |
| 16 | 1 | 1002 | A |
| 16 | 1 | 1006 | A |
| 16 | 1 | 1007 | U |
| 16 | 1 | 1010 | G |
| 16 | 1 | 1011 | A |
| 16 | 1 | 1013 | G |
| 16 | 1 | 1014 | U |
| 16 | 1 | 1015 | U |
| 16 | 1 | 1017 | C |
| 16 | 1 | 1019 | G |
| 16 | 1 | 1024 | G |
| 16 | 1 | 1026 | A |
| 16 | 1 | 1027 | A |
| 16 | 1 | 1030 | A |
| 16 | 1 | 1033 | U |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 16 | 1 | 1036 | A |
| 16 | 1 | 1038 | C |
| 16 | 1 | 1041 | U |
| 16 | 1 | 1042 | U |
| 16 | 1 | 1043 | C |
| 16 | 1 | 1047 | A |
| 16 | 1 | 1048 | A |
| 16 | 1 | 1049 | C |
| 17 | 2 | 2195 | C |
| 17 | 2 | 2201 | G |
| 17 | 2 | 2205 | U |
| 17 | 2 | 2206 | G |
| 17 | 2 | 2207 | A |
| 17 | 2 | 2208 | A |
| 17 | 2 | 2209 | U |
| 17 | 2 | 2210 | G |
| 17 | 2 | 2211 | U |
| 17 | 2 | 2215 | A |
| 17 | 2 | 2222 | A |
| 17 | 2 | 2223 | A |
| 17 | 2 | 2224 | A |
| 17 | 2 | 2227 | C |
| 17 | 2 | 2237 | C |
| 17 | 2 | 2244 | A |
| 17 | 2 | 2247 | G |
| 17 | 2 | 2248 | C |
| 17 | 2 | 2249 | G |
| 17 | 2 | 2250 | G |
| 17 | 2 | 2252 | A |
| 17 | 2 | 2254 | U |
| 17 | 2 | 2255 | A |
| 17 | 2 | 2256 | A |
| 17 | 2 | 2257 | C |
| 17 | 2 | 2259 | A |
| 17 | 2 | 2260 | U |
| 17 | 2 | 2261 | G |
| 17 | 2 | 2262 | A |
| 17 | 2 | 2263 | C |
| 17 | 2 | 2264 | U |
| 17 | 2 | 2266 | U |
| 17 | 2 | 2270 | A |
| 17 | 2 | 2272 | G |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 17 | 2 | 2273 | G |
| 17 | 2 | 2275 | A |
| 17 | 2 | 2276 | G |
| 17 | 2 | 2277 | C |
| 17 | 2 | 2280 | A |
| 17 | 2 | 2281 | A |
| 17 | 2 | 2282 | U |
| 17 | 2 | 2283 | G |
| 17 | 2 | 2286 | U |
| 17 | 2 | 2288 | G |
| 17 | 2 | 2290 | C |
| 17 | 2 | 2291 | A |
| 17 | 2 | 2292 | U |
| 17 | 2 | 2295 | A |
| 17 | 2 | 2296 | A |
| 17 | 2 | 2297 | U |
| 17 | 2 | 2298 | U |
| 17 | 2 | 2299 | A |
| 17 | 2 | 2300 | G |
| 17 | 2 | 2303 | A |
| 18 | 3 | 2479 | C |
| 18 | 3 | 2484 | A |
| 18 | 3 | 2485 | A |
| 18 | 3 | 2486 | A |
| 18 | 3 | 2487 | U |
| 18 | 3 | 2488 | A |
| 19 | 4 | 2618 | G |
| 19 | 4 | 2619 | G |
| 19 | 4 | 2624 | G |
| 19 | 4 | 2626 | A |
| 19 | 4 | 2627 | C |
| 20 | 5 | 2655 | U |
| 20 | 5 | 2656 | A |
| 20 | 5 | 2657 | A |
| 20 | 5 | 2658 | G |
| 21 | 6 | 2690 | G |
| 21 | 6 | 2691 | A |
| 21 | 6 | 2693 | C |
| 21 | 6 | 2694 | A |
| 21 | 6 | 2695 | A |
| 21 | 6 | 2696 | A |
| 21 | 6 | 2697 | A |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 21 | 6 | 2699 | G |
| 21 | 6 | 2700 | G |
| 21 | 6 | 2702 | A |
| 21 | 6 | 2703 | A |
| 21 | 6 | 2704 | A |
| 21 | 6 | 2707 | C |
| 22 | 7 | 2825 | C |
| 22 | 7 | 2826 | U |
| 22 | 7 | 2828 | G |
| 22 | 7 | 2829 | U |
| 22 | 7 | 2830 | G |
| 22 | 7 | 2833 | A |
| 22 | 7 | 2834 | G |
| 22 | 7 | 2835 | U |
| 22 | 7 | 2836 | C |
| 22 | 7 | 2838 | A |
| 22 | 7 | 2839 | G |
| 22 | 7 | 2840 | C |
| 22 | 7 | 2842 | U |
| 22 | 7 | 2843 | U |
| 22 | 7 | 2844 | C |
| 22 | 7 | 2845 | A |
| 22 | 7 | 2846 | U |
| 22 | 7 | 2847 | A |
| 22 | 7 | 2849 | C |
| 22 | 7 | 2850 | G |
| 22 | 7 | 2851 | A |
| 22 | 7 | 2852 | C |
| 22 | 7 | 2859 | U |
| 22 | 7 | 2860 | U |
| 22 | 7 | 2867 | C |
| 22 | 7 | 2870 | C |
| 22 | 7 | 2871 | G |
| 22 | 7 | 2872 | A |
| 22 | 7 | 2873 | U |
| 23 | 8 | 2960 | C |
| 23 | 8 | 2961 | G |
| 23 | 8 | 2962 | U |
| 23 | 8 | 2965 | U |
| 23 | 8 | 2968 | G |
| 23 | 8 | 2971 | A |
| 23 | 8 | 2972 | G |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 23 | 8 | 2973 | G |
| 27 | Y | 2 | C |
| 27 | Y | 9 | A |
| 27 | Y | 16 | U |
| 27 | Y | 17 | C |
| 27 | Y | 18 | G |
| 27 | Y | 19 | G |
| 27 | Y | 21 | A |
| 27 | Y | 23 | A |
| 27 | Y | 34 | G |
| 27 | Y | 42 | C |
| 27 | Y | 43 | C |
| 27 | Y | 47 | U |
| 27 | Y | 48 | C |
| 27 | Y | 52 | G |
| 27 | Y | 53 | G |
| 27 | Y | 70 | G |
| 27 | Y | 71 | G |
| 27 | Y | 72 | C |
| 27 | Y | 73 | A |
| 27 | Y | 74 | C |
| 27 | V | 8 | U |
| 27 | V | 17 | C |
| 27 | V | 18 | G |
| 27 | V | 19 | G |
| 27 | V | 20 | U |
| 27 | V | 21 | A |
| 27 | V | 22 | G |
| 27 | V | 42 | C |
| 27 | V | 46 | G |
| 27 | V | 47 | U |
| 27 | V | 48 | C |
| 27 | V | 52 | G |
| 27 | V | 61 | C |
| 27 | V | 69 | G |
| 27 | V | 75 | C |
| 27 | W | 16 | U |
| 27 | W | 17 | C |
| 27 | W | 18 | G |
| 27 | W | 19 | G |
| 27 | W | 21 | A |
| 27 | W | 39 | U |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 27 | W | 43 | C |
| 27 | W | 47 | U |
| 27 | W | 57 | G |
| 27 | W | 58 | A |
| 27 | W | 61 | C |
| 27 | W | 70 | G |
| 27 | W | 76 | A |

All (24) RNA pucker outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 6 | E | 1590 | C |
| 9 | G | 1430 | C |
| 16 | 1 | 1005 | G |
| 16 | 1 | 1026 | A |
| 16 | 1 | 1038 | C |
| 17 | 2 | 2211 | U |
| 17 | 2 | 2251 | G |
| 17 | 2 | 2254 | U |
| 17 | 2 | 2255 | A |
| 17 | 2 | 2270 | A |
| 17 | 2 | 2280 | A |
| 17 | 2 | 2281 | A |
| 17 | 2 | 2290 | C |
| 17 | 2 | 2297 | U |
| 18 | 3 | 2487 | U |
| 19 | 4 | 2618 | G |
| 20 | 5 | 2656 | A |
| 21 | 6 | 2699 | G |
| 22 | 7 | 2834 | G |
| 22 | 7 | 2850 | G |
| 22 | 7 | 2851 | A |
| 22 | 7 | 2859 | U |
| 22 | 7 | 2872 | A |
| 27 | Y | 15 | G |

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-5326. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z

The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 90



Y Index: 90




Z Index: 90

The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 108



Y Index: 91




Z Index: 84


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 1000.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 5636 nm³; this corresponds to an approximate mass of 5092 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.102 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-5326 and PDB model 3J0L. Per-residue inclusion information can be found in section 3 on page 9.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 1000.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1000.0).



































































9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 96% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (1000.0) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| All |  0.9598 |  0.1040 |
| 1 |  0.9521 |  0.1340 |
| 2 |  0.9866 |  0.1330 |
| 3 |  0.9961 |  0.0770 |
| 4 |  0.9706 |  0.1190 |
| 5 |  1.0000 |  0.1680 |
| 6 |  1.0000 |  0.1220 |
| 7 |  0.9991 |  0.1230 |
| 8 |  0.9930 |  0.1360 |
| B |  0.8540 |  0.0410 |
| E |  1.0000 |  0.0850 |
| F |  0.9829 |  0.0820 |
| G |  1.0000 |  0.1490 |
| J |  0.9601 |  0.1080 |
| K |  0.9196 |  0.0600 |
| L |  0.9174 |  0.0470 |
| S |  0.9409 |  0.0610 |
| T |  0.9650 |  0.0780 |
| V |  0.9712 |  0.1220 |
| W |  0.9697 |  0.1140 |
| X |  0.7743 |  0.0320 |
| Y |  0.9524 |  0.1110 |
| a |  1.0000 |  0.1250 |
| b |  0.9962 |  0.1310 |
| c |  0.9917 |  0.1220 |
| d |  1.0000 |  0.1380 |
| e |  1.0000 |  0.1370 |
| f |  0.9889 |  0.1150 |
| g |  1.0000 |  0.1070 |
| h |  0.9573 |  0.1140 |
| v |  1.0000 |  0.1260 |
| w |  1.0000 |  0.1540 |
| y |  1.0000 |  0.0960 |

