



Full wwPDB EM Validation Report ⓘ

Nov 19, 2022 – 05:57 PM EST

PDB ID : 3J1P
EMDB ID : EMD-5410
Title : Atomic model of rabbit hemorrhagic disease virus
Authors : Wang, X.; Liu, Y.; Sun, F.
Deposited on : 2012-04-09
Resolution : 6.50 Å(reported)
Based on initial models : 4EGT, 4EJR

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.3


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 6.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	579	<div> <div>10%</div> <div>70%</div> <div>17%</div> <div>•</div> <div>9%</div> </div>
1	B	579	<div> <div>18%</div> <div>69%</div> <div>19%</div> <div>••</div> <div>9%</div> </div>
1	C	579	<div> <div>7%</div> <div>71%</div> <div>17%</div> <div>••</div> <div>9%</div> </div>


2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 11703 atoms, of which 0 are hydrogens and 0 are deuteriums.


In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Major capsid protein VP60.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	525	Total	C	N	O	S	0	0
			3901	2473	663	754	11		
1	B	525	Total	C	N	O	S	0	0
			3901	2473	663	754	11		
1	C	525	Total	C	N	O	S	0	0
			3901	2473	663	754	11		



• Molecule 1: Major capsid protein VP60



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, I	Depositor
Number of particles used	26000	Depositor
Resolution determination method	FSC 0.5 CUT-OFF	Depositor
CTF correction method	CTF correction of each whole micrograph	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	20	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	160770	Depositor
Image detector	GATAN ULTRASCAN 4000 (4k x 4k)	Depositor
Maximum map value	16.738	Depositor
Minimum map value	-8.733	Depositor
Average map value	0.120	Depositor
Map value standard deviation	1.836	Depositor
Recommended contour level	2.6	Depositor
Map size (\AA)	447.84003, 447.84003, 447.84003	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	0.933, 0.933, 0.933	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	1.62	25/4013 (0.6%)	1.95	103/5514 (1.9%)
1	B	1.63	26/4013 (0.6%)	1.93	83/5514 (1.5%)
1	C	1.63	17/4013 (0.4%)	2.00	106/5514 (1.9%)
All	All	1.63	68/12039 (0.6%)	1.96	292/16542 (1.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	12
1	B	0	15
1	C	0	11
All	All	0	38

All (68) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	317	TYR	CE2-CZ	8.75	1.50	1.38
1	C	493	PRO	N-CD	-8.35	1.36	1.47
1	B	126	SER	CA-CB	8.26	1.65	1.52
1	C	535	TYR	CE2-CZ	7.76	1.48	1.38
1	A	499	SER	CA-CB	7.25	1.63	1.52
1	A	264	LEU	CA-CB	7.20	1.70	1.53
1	A	292	PHE	CG-CD1	7.15	1.49	1.38
1	A	491	PRO	N-CD	-7.09	1.38	1.47
1	B	438	PRO	N-CD	-6.80	1.38	1.47
1	C	559	ARG	CD-NE	6.65	1.57	1.46
1	B	195	TYR	CE1-CZ	6.54	1.47	1.38
1	A	465	SER	CA-CB	6.50	1.62	1.52
1	C	282	GLY	CA-C	6.47	1.62	1.51
1	A	195	TYR	CD2-CE2	6.46	1.49	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	304	TYR	CE1-CZ	6.34	1.46	1.38
1	B	96	SER	CA-CB	6.33	1.62	1.52
1	C	178	TYR	CG-CD2	6.18	1.47	1.39
1	A	175	PRO	N-CD	-6.13	1.39	1.47
1	C	287	TRP	CD2-CE3	-6.01	1.31	1.40
1	A	216	ARG	CD-NE	6.01	1.56	1.46
1	B	479	SER	CA-CB	5.95	1.61	1.52
1	B	503	TYR	CG-CD2	5.93	1.46	1.39
1	A	535	TYR	CG-CD2	5.93	1.46	1.39
1	B	282	GLY	CA-C	-5.92	1.42	1.51
1	C	533	TYR	CG-CD1	5.84	1.46	1.39
1	B	552	ASP	CA-CB	5.82	1.66	1.53
1	B	276	ARG	CZ-NH2	-5.80	1.25	1.33
1	C	292	PHE	CG-CD1	5.76	1.47	1.38
1	A	285	TYR	CG-CD2	5.72	1.46	1.39
1	A	97	PRO	CA-CB	5.66	1.64	1.53
1	B	170	MET	C-N	5.63	1.45	1.34
1	A	263	GLY	CA-C	5.60	1.60	1.51
1	A	533	TYR	CE1-CZ	5.58	1.45	1.38
1	B	81	SER	CB-OG	5.58	1.49	1.42
1	C	436	TYR	CZ-OH	5.57	1.47	1.37
1	B	107	SER	CA-CB	5.50	1.61	1.52
1	B	541	SER	CA-CB	5.46	1.61	1.52
1	A	533	TYR	CZ-OH	5.41	1.47	1.37
1	B	74	TYR	CG-CD2	5.40	1.46	1.39
1	B	485	TYR	CE2-CZ	5.38	1.45	1.38
1	B	514	VAL	CA-C	5.37	1.67	1.52
1	A	403	SER	CA-CB	5.37	1.60	1.52
1	A	380	PHE	CG-CD2	5.34	1.46	1.38
1	A	405	TYR	CG-CD1	5.34	1.46	1.39
1	C	68	TRP	CG-CD2	5.30	1.52	1.43
1	A	227	ARG	CD-NE	5.29	1.55	1.46
1	B	113	TRP	CB-CG	5.29	1.59	1.50
1	A	178	TYR	CE2-CZ	5.28	1.45	1.38
1	A	154	PRO	N-CA	-5.26	1.38	1.47
1	A	463	PHE	CB-CG	-5.25	1.42	1.51
1	B	560	PRO	CA-C	5.18	1.63	1.52
1	B	519	PHE	CE2-CZ	5.18	1.47	1.37
1	C	47	SER	CA-CB	5.17	1.60	1.52
1	B	78	PHE	CE2-CZ	5.15	1.47	1.37
1	B	463	PHE	CB-CG	-5.14	1.42	1.51
1	C	454	PRO	CA-C	5.11	1.63	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	395	SER	CB-OG	5.10	1.48	1.42
1	C	304	TYR	CB-CG	5.10	1.59	1.51
1	C	153	PHE	N-CA	-5.09	1.36	1.46
1	B	318	ALA	N-CA	-5.09	1.36	1.46
1	B	395	SER	CB-OG	5.06	1.48	1.42
1	C	137	VAL	CB-CG1	5.05	1.63	1.52
1	A	566	VAL	CB-CG1	5.04	1.63	1.52
1	C	504	SER	CA-CB	5.03	1.60	1.52
1	B	166	VAL	CB-CG1	5.03	1.63	1.52
1	C	499	SER	CA-CB	5.03	1.60	1.52
1	B	88	SER	CA-CB	5.02	1.60	1.52
1	B	47	SER	CB-OG	5.01	1.48	1.42

All (292) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	73	TYR	CB-CG-CD1	-14.79	112.12	121.00
1	C	216	ARG	NE-CZ-NH2	-14.20	113.20	120.30
1	A	216	ARG	NE-CZ-NH1	13.89	127.25	120.30
1	C	161	ARG	NE-CZ-NH1	13.81	127.21	120.30
1	B	436	TYR	CB-CG-CD1	-13.24	113.06	121.00
1	C	503	TYR	CB-CG-CD2	12.34	128.40	121.00
1	B	523	PHE	CB-CG-CD2	12.32	129.42	120.80
1	B	219	ASP	CB-CG-OD1	-12.21	107.31	118.30
1	B	256	ARG	NE-CZ-NH1	11.94	126.27	120.30
1	C	299	ARG	NE-CZ-NH2	-11.93	114.33	120.30
1	C	195	TYR	CB-CG-CD2	-11.72	113.97	121.00
1	C	221	PHE	CB-CG-CD2	-11.61	112.67	120.80
1	B	110	TYR	CB-CG-CD1	11.49	127.89	121.00
1	A	221	PHE	CB-CG-CD2	11.44	128.81	120.80
1	A	221	PHE	CB-CG-CD1	-11.39	112.82	120.80
1	B	110	TYR	CB-CG-CD2	-11.27	114.24	121.00
1	A	195	TYR	CB-CG-CD2	-11.25	114.25	121.00
1	A	216	ARG	NE-CZ-NH2	-11.22	114.69	120.30
1	C	102	PHE	CB-CG-CD1	-11.12	113.02	120.80
1	A	559	ARG	NE-CZ-NH2	11.08	125.84	120.30
1	C	91	TYR	CB-CG-CD1	-11.06	114.37	121.00
1	B	120	ARG	NE-CZ-NH1	10.85	125.73	120.30
1	C	151	ARG	NE-CZ-NH1	10.71	125.66	120.30
1	A	161	ARG	NE-CZ-NH2	-10.69	114.96	120.30
1	B	344	PHE	CB-CG-CD2	10.60	128.22	120.80
1	A	299	ARG	NE-CZ-NH1	10.54	125.57	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	523	PHE	CB-CG-CD1	-10.49	113.46	120.80
1	A	468	ARG	NE-CZ-NH2	-10.34	115.13	120.30
1	B	69	ARG	NE-CZ-NH2	10.20	125.40	120.30
1	B	73	TYR	CB-CG-CD2	10.11	127.07	121.00
1	C	535	TYR	CB-CG-CD2	-10.08	114.95	121.00
1	C	110	TYR	CB-CG-CD1	10.04	127.02	121.00
1	C	567	PHE	CB-CG-CD2	-10.02	113.79	120.80
1	B	533	TYR	CB-CG-CD2	-10.00	115.00	121.00
1	C	336	PHE	CB-CG-CD1	-9.96	113.83	120.80
1	B	129	PHE	CB-CG-CD2	-9.91	113.86	120.80
1	A	559	ARG	NE-CZ-NH1	-9.87	115.36	120.30
1	C	216	ARG	NE-CZ-NH1	9.81	125.20	120.30
1	B	132	ARG	NE-CZ-NH2	-9.71	115.44	120.30
1	B	91	TYR	CB-CG-CD2	-9.63	115.22	121.00
1	C	436	TYR	CB-CG-CD2	-9.57	115.26	121.00
1	C	291	ARG	NE-CZ-NH1	9.53	125.06	120.30
1	C	174	ARG	NE-CZ-NH2	-9.44	115.58	120.30
1	B	227	ARG	NE-CZ-NH2	-9.37	115.62	120.30
1	A	195	TYR	CB-CG-CD1	9.28	126.57	121.00
1	B	436	TYR	CB-CG-CD2	9.20	126.52	121.00
1	C	161	ARG	NE-CZ-NH2	-9.14	115.73	120.30
1	A	91	TYR	CG-CD2-CE2	-9.13	113.99	121.30
1	C	221	PHE	CB-CG-CD1	9.13	127.19	120.80
1	C	336	PHE	CB-CG-CD2	9.03	127.12	120.80
1	B	291	ARG	NE-CZ-NH2	-8.80	115.90	120.30
1	C	102	PHE	CB-CG-CD2	8.79	126.95	120.80
1	C	227	ARG	NE-CZ-NH2	-8.77	115.91	120.30
1	A	468	ARG	NE-CZ-NH1	8.70	124.65	120.30
1	A	183	ASP	CB-CG-OD1	8.69	126.12	118.30
1	C	202	PHE	CB-CG-CD2	-8.69	114.72	120.80
1	C	554	ARG	NE-CZ-NH1	8.56	124.58	120.30
1	A	485	TYR	CB-CG-CD2	-8.55	115.87	121.00
1	C	534	PHE	CB-CG-CD1	-8.49	114.86	120.80
1	C	519	PHE	CB-CG-CD1	8.45	126.71	120.80
1	C	355	VAL	CA-CB-CG1	8.41	123.52	110.90
1	A	91	TYR	CB-CG-CD2	-8.39	115.97	121.00
1	B	202	PHE	CB-CG-CD1	-8.39	114.93	120.80
1	A	110	TYR	CB-CG-CD2	-8.30	116.02	121.00
1	A	219	ASP	CB-CG-OD2	8.26	125.74	118.30
1	A	74	TYR	CB-CG-CD1	-8.23	116.06	121.00
1	B	178	TYR	CB-CG-CD2	8.20	125.92	121.00
1	B	299	ARG	NE-CZ-NH2	8.16	124.38	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	503	TYR	CB-CG-CD1	-8.11	116.14	121.00
1	B	469	ARG	NE-CZ-NH2	-8.01	116.30	120.30
1	C	174	ARG	NE-CZ-NH1	7.98	124.29	120.30
1	C	68	TRP	CG-CD2-CE3	-7.96	126.73	133.90
1	A	276	ARG	NE-CZ-NH1	7.88	124.24	120.30
1	B	120	ARG	NE-CZ-NH2	-7.87	116.37	120.30
1	B	463	PHE	CB-CG-CD1	7.79	126.26	120.80
1	A	84	ASP	CB-CG-OD2	7.79	125.31	118.30
1	B	48	ALA	N-CA-CB	7.66	120.83	110.10
1	A	554	ARG	NE-CZ-NH2	-7.64	116.48	120.30
1	C	487	THR	CA-CB-CG2	-7.63	101.72	112.40
1	C	317	TYR	CB-CG-CD2	7.62	125.57	121.00
1	C	334	ASP	CB-CG-OD2	-7.62	111.44	118.30
1	B	469	ARG	NE-CZ-NH1	7.60	124.10	120.30
1	A	91	TYR	CD1-CG-CD2	7.59	126.25	117.90
1	C	380	PHE	CB-CG-CD2	-7.46	115.58	120.80
1	C	567	PHE	CB-CG-CD1	7.41	125.99	120.80
1	A	74	TYR	CB-CG-CD2	7.39	125.44	121.00
1	C	285	TYR	CG-CD1-CE1	-7.38	115.39	121.30
1	C	223	PHE	CB-CG-CD1	7.34	125.94	120.80
1	B	91	TYR	CB-CG-CD1	7.31	125.39	121.00
1	C	110	TYR	CG-CD2-CE2	7.27	127.12	121.30
1	C	409	THR	CA-CB-CG2	-7.25	102.25	112.40
1	A	446	THR	CA-CB-CG2	-7.23	102.28	112.40
1	A	298	ARG	NE-CZ-NH1	7.20	123.90	120.30
1	B	129	PHE	CB-CG-CD1	7.18	125.83	120.80
1	C	110	TYR	CB-CG-CD2	-7.18	116.69	121.00
1	A	225	MET	CG-SD-CE	7.17	111.68	100.20
1	A	166	VAL	CG1-CB-CG2	-7.14	99.48	110.90
1	C	178	TYR	CG-CD2-CE2	-7.10	115.62	121.30
1	B	69	ARG	NE-CZ-NH1	-7.10	116.75	120.30
1	C	288	SER	N-CA-CB	7.07	121.11	110.50
1	C	77	VAL	CA-CB-CG2	7.04	121.45	110.90
1	B	230	SER	N-CA-CB	6.97	120.96	110.50
1	A	369	ALA	N-CA-CB	-6.95	100.36	110.10
1	B	132	ARG	NE-CZ-NH1	6.93	123.76	120.30
1	A	153	PHE	CB-CG-CD2	-6.91	115.96	120.80
1	C	513	PHE	CB-CG-CD2	-6.88	115.99	120.80
1	A	161	ARG	NE-CZ-NH1	6.88	123.74	120.30
1	B	354	TRP	CB-CG-CD1	-6.88	118.06	127.00
1	A	441	ASP	CB-CG-OD1	6.86	124.48	118.30
1	B	151	ARG	NE-CZ-NH1	6.84	123.72	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	84	ASP	CB-CG-OD1	-6.83	112.15	118.30
1	B	442	ARG	NE-CZ-NH1	6.82	123.71	120.30
1	C	323	ALA	N-CA-CB	6.81	119.63	110.10
1	C	513	PHE	CB-CG-CD1	6.80	125.56	120.80
1	C	334	ASP	CB-CG-OD1	6.79	124.41	118.30
1	C	119	PHE	CB-CG-CD2	-6.73	116.09	120.80
1	A	129	PHE	CB-CG-CD1	-6.71	116.11	120.80
1	A	114	ALA	N-CA-CB	-6.68	100.75	110.10
1	C	69	ARG	NE-CZ-NH2	-6.68	116.96	120.30
1	C	559	ARG	NE-CZ-NH2	6.63	123.61	120.30
1	C	479	SER	N-CA-CB	6.61	120.41	110.50
1	A	338	ASP	CB-CG-OD1	6.60	124.24	118.30
1	C	436	TYR	CG-CD2-CE2	-6.60	116.02	121.30
1	A	355	VAL	CA-CB-CG1	6.57	120.76	110.90
1	A	220	ASP	CB-CG-OD1	-6.56	112.39	118.30
1	A	102	PHE	CB-CG-CD1	-6.56	116.21	120.80
1	B	559	ARG	NE-CZ-NH2	-6.56	117.02	120.30
1	A	77	VAL	CA-CB-CG2	6.54	120.72	110.90
1	A	524	MET	CG-SD-CE	-6.54	89.74	100.20
1	C	344	PHE	CB-CG-CD2	6.53	125.37	120.80
1	C	486	GLY	O-C-N	-6.51	112.29	122.70
1	A	399	THR	CA-CB-CG2	-6.47	103.34	112.40
1	A	129	PHE	CB-CG-CD2	6.46	125.32	120.80
1	C	399	THR	CA-CB-CG2	-6.46	103.36	112.40
1	B	473	VAL	CA-CB-CG2	6.45	120.58	110.90
1	C	195	TYR	CB-CG-CD1	6.44	124.87	121.00
1	B	219	ASP	CB-CG-OD2	6.42	124.08	118.30
1	A	123	VAL	CA-CB-CG1	-6.39	101.31	110.90
1	B	160	ALA	N-CA-CB	-6.39	101.15	110.10
1	C	566	VAL	CA-CB-CG1	-6.39	101.31	110.90
1	C	317	TYR	CG-CD2-CE2	6.38	126.40	121.30
1	A	376	TYR	CB-CG-CD1	6.37	124.82	121.00
1	C	322	SER	CB-CA-C	-6.36	98.02	110.10
1	A	294	ASP	CB-CG-OD2	-6.35	112.58	118.30
1	B	317	TYR	CB-CG-CD1	-6.34	117.20	121.00
1	C	88	SER	CB-CA-C	-6.34	98.06	110.10
1	B	50	VAL	CA-CB-CG2	6.32	120.38	110.90
1	C	392	THR	CA-CB-CG2	-6.31	103.57	112.40
1	B	493	PRO	N-CA-CB	6.28	110.83	103.30
1	C	506	ALA	N-CA-CB	-6.27	101.32	110.10
1	A	523	PHE	CB-CG-CD1	6.27	125.19	120.80
1	B	299	ARG	NH1-CZ-NH2	-6.26	112.51	119.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	223	PHE	CB-CG-CD2	-6.25	116.42	120.80
1	A	299	ARG	NH1-CZ-NH2	-6.25	112.52	119.40
1	C	73	TYR	CA-CB-CG	-6.23	101.56	113.40
1	A	533	TYR	CB-CG-CD2	-6.21	117.27	121.00
1	C	272	SER	O-C-N	-6.19	112.79	122.70
1	B	535	TYR	CG-CD1-CE1	-6.16	116.37	121.30
1	A	238	SER	CA-C-O	-6.16	107.17	120.10
1	B	546	ASP	CB-CG-OD2	-6.14	112.78	118.30
1	A	414	ASN	O-C-N	-6.14	109.44	121.10
1	A	149	GLU	OE1-CD-OE2	-6.14	115.94	123.30
1	A	342	VAL	CG1-CB-CG2	-6.13	101.09	110.90
1	C	294	ASP	CB-CG-OD2	6.10	123.79	118.30
1	A	101	PRO	N-CA-CB	6.09	110.61	103.30
1	C	91	TYR	CB-CG-CD2	6.08	124.65	121.00
1	A	151	ARG	CD-NE-CZ	6.06	132.09	123.60
1	C	103	THR	N-CA-CB	6.04	121.78	110.30
1	C	380	PHE	CB-CG-CD1	6.04	125.03	120.80
1	A	462	MET	O-C-N	-6.04	113.04	122.70
1	A	69	ARG	NE-CZ-NH1	6.02	123.31	120.30
1	C	76	ASP	CB-CG-OD2	6.00	123.70	118.30
1	B	224	VAL	O-C-N	-6.00	113.11	122.70
1	A	276	ARG	NE-CZ-NH2	-5.99	117.31	120.30
1	B	435	THR	CA-CB-CG2	-5.99	104.02	112.40
1	C	535	TYR	CB-CG-CD1	5.99	124.59	121.00
1	B	119	PHE	CB-CG-CD1	5.97	124.98	120.80
1	C	73	TYR	CG-CD2-CE2	5.96	126.07	121.30
1	A	257	TRP	CD1-NE1-CE2	-5.95	103.64	109.00
1	B	401	ALA	N-CA-CB	5.94	118.42	110.10
1	A	344	PHE	CB-CG-CD1	5.93	124.95	120.80
1	A	62	VAL	CA-CB-CG2	-5.92	102.02	110.90
1	C	82	VAL	CA-CB-CG1	-5.91	102.04	110.90
1	A	546	ASP	CB-CG-OD1	-5.87	113.01	118.30
1	C	317	TYR	CB-CG-CD1	-5.87	117.48	121.00
1	B	534	PHE	CB-CG-CD1	-5.86	116.70	120.80
1	A	58	PRO	N-CA-C	5.86	127.33	112.10
1	A	320	ALA	CB-CA-C	5.83	118.84	110.10
1	A	567	PHE	CB-CG-CD1	-5.82	116.72	120.80
1	B	451	ALA	N-CA-CB	5.81	118.24	110.10
1	A	257	TRP	CE2-CD2-CE3	5.81	125.67	118.70
1	B	271	PHE	CB-CG-CD2	-5.80	116.74	120.80
1	C	347	PRO	N-CA-CB	-5.80	96.22	102.60
1	B	170	MET	CG-SD-CE	-5.79	90.93	100.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	192	LEU	CB-CA-C	5.79	121.21	110.20
1	B	475	ALA	CB-CA-C	5.77	118.76	110.10
1	A	126	SER	N-CA-CB	5.75	119.12	110.50
1	A	223	PHE	CB-CA-C	-5.75	98.90	110.40
1	C	68	TRP	CD1-NE1-CE2	5.75	114.17	109.00
1	C	291	ARG	CD-NE-CZ	5.73	131.63	123.60
1	C	179	HIS	CB-CA-C	-5.72	98.97	110.40
1	A	257	TRP	CB-CG-CD2	-5.71	119.17	126.60
1	B	71	ASN	O-C-N	5.70	131.82	122.70
1	B	538	THR	O-C-N	-5.69	113.53	123.20
1	C	349	ILE	CA-CB-CG1	5.67	121.78	111.00
1	C	512	PHE	CB-CG-CD2	-5.67	116.83	120.80
1	A	285	TYR	CB-CG-CD1	-5.67	117.60	121.00
1	B	79	THR	N-CA-CB	5.66	121.05	110.30
1	B	442	ARG	NH1-CZ-NH2	-5.65	113.18	119.40
1	A	73	TYR	CB-CG-CD2	-5.65	117.61	121.00
1	C	344	PHE	CB-CG-CD1	-5.64	116.85	120.80
1	B	216	ARG	NE-CZ-NH2	-5.63	117.48	120.30
1	C	506	ALA	CB-CA-C	5.61	118.52	110.10
1	C	563	SER	N-CA-CB	5.59	118.89	110.50
1	A	102	PHE	CB-CG-CD2	5.59	124.71	120.80
1	A	512	PHE	CB-CG-CD1	5.59	124.71	120.80
1	B	292	PHE	CB-CG-CD2	-5.59	116.89	120.80
1	B	421	MET	CG-SD-CE	-5.58	91.28	100.20
1	C	309	SER	N-CA-CB	5.56	118.84	110.50
1	A	533	TYR	CD1-CG-CD2	5.56	124.02	117.90
1	C	468	ARG	NE-CZ-NH1	5.56	123.08	120.30
1	C	255	ASN	O-C-N	-5.55	113.82	122.70
1	A	149	GLU	CG-CD-OE2	5.55	129.40	118.30
1	A	153	PHE	CB-CG-CD1	5.55	124.68	120.80
1	A	91	TYR	CB-CG-CD1	-5.53	117.68	121.00
1	C	74	TYR	CB-CG-CD1	-5.53	117.68	121.00
1	A	308	ASN	N-CA-CB	5.52	120.54	110.60
1	A	109	MET	CG-SD-CE	-5.51	91.39	100.20
1	C	483	THR	CA-CB-CG2	-5.48	104.73	112.40
1	A	473	VAL	CG1-CB-CG2	-5.47	102.15	110.90
1	C	519	PHE	CB-CG-CD2	-5.47	116.97	120.80
1	A	344	PHE	CB-CG-CD2	-5.45	116.98	120.80
1	B	279	ASN	O-C-N	-5.43	114.01	122.70
1	C	317	TYR	CZ-CE2-CD2	-5.42	114.92	119.80
1	C	463	PHE	CB-CG-CD2	5.42	124.59	120.80
1	B	148	LEU	C-N-CA	5.41	135.22	121.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	256	ARG	NE-CZ-NH2	-5.41	117.60	120.30
1	B	156	VAL	CA-CB-CG1	-5.39	102.81	110.90
1	C	285	TYR	CB-CG-CD1	-5.39	117.76	121.00
1	C	531	ASP	CB-CG-OD2	-5.39	113.45	118.30
1	A	235	ASP	CB-CG-OD1	5.38	123.14	118.30
1	A	177	MET	CG-SD-CE	-5.37	91.61	100.20
1	A	195	TYR	CZ-CE2-CD2	-5.37	114.97	119.80
1	C	482	GLY	C-N-CA	5.37	135.12	121.70
1	B	387	ASN	O-C-N	5.36	131.28	122.70
1	C	395	SER	CB-CA-C	-5.36	99.92	110.10
1	C	237	ILE	O-C-N	-5.33	114.17	122.70
1	B	442	ARG	NE-CZ-NH2	5.32	122.96	120.30
1	A	474	ASN	O-C-N	-5.30	114.22	122.70
1	B	71	ASN	CA-C-N	-5.29	105.56	117.20
1	A	376	TYR	CG-CD2-CE2	-5.29	117.07	121.30
1	B	383	GLY	O-C-N	-5.29	114.25	122.70
1	B	58	PRO	CA-C-N	5.28	131.89	117.10
1	B	299	ARG	NE-CZ-NH1	5.28	122.94	120.30
1	A	463	PHE	CB-CG-CD2	-5.26	117.12	120.80
1	B	262	VAL	CG1-CB-CG2	5.25	119.30	110.90
1	C	73	TYR	CZ-CE2-CD2	-5.24	115.08	119.80
1	A	520	ALA	N-CA-CB	-5.24	102.77	110.10
1	B	344	PHE	CB-CG-CD1	-5.23	117.14	120.80
1	C	202	PHE	CB-CG-CD1	5.23	124.46	120.80
1	B	463	PHE	CD1-CG-CD2	-5.21	111.52	118.30
1	A	514	VAL	CA-CB-CG2	-5.21	103.09	110.90
1	A	517	LEU	CA-C-O	5.20	131.03	120.10
1	C	304	TYR	CG-CD1-CE1	-5.19	117.15	121.30
1	A	442	ARG	NE-CZ-NH1	5.19	122.89	120.30
1	B	181	THR	CA-CB-CG2	-5.17	105.16	112.40
1	B	187	VAL	CA-CB-CG1	-5.17	103.14	110.90
1	C	566	VAL	CG1-CB-CG2	5.16	119.15	110.90
1	A	74	TYR	CZ-CE2-CD2	-5.15	115.17	119.80
1	A	364	ASN	O-C-N	-5.14	114.48	122.70
1	C	492	LEU	CB-CG-CD2	-5.13	102.27	111.00
1	A	331	VAL	CA-CB-CG1	5.13	118.59	110.90
1	A	561	SER	N-CA-CB	5.13	118.19	110.50
1	A	238	SER	CA-C-N	5.12	131.43	117.10
1	A	296	ASP	O-C-N	-5.12	114.52	122.70
1	A	304	TYR	CB-CG-CD1	-5.11	117.93	121.00
1	C	230	SER	N-CA-CB	5.11	118.17	110.50
1	B	373	VAL	CA-CB-CG1	5.11	118.56	110.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	73	TYR	CD1-CE1-CZ	-5.11	115.20	119.80
1	A	132	ARG	NE-CZ-NH2	5.08	122.84	120.30
1	B	542	THR	CA-CB-CG2	-5.08	105.29	112.40
1	A	257	TRP	CB-CG-CD1	5.06	133.58	127.00
1	B	233	THR	C-N-CA	5.06	134.35	121.70
1	A	110	TYR	CB-CG-CD1	5.05	124.03	121.00
1	C	521	SER	N-CA-CB	5.05	118.07	110.50
1	A	256	ARG	NE-CZ-NH1	5.02	122.81	120.30
1	B	341	PHE	CB-CG-CD2	-5.01	117.29	120.80
1	C	190	LEU	N-CA-CB	-5.01	100.38	110.40
1	A	331	VAL	CB-CA-C	-5.01	101.88	111.40
1	B	304	TYR	CB-CG-CD2	-5.01	118.00	121.00
1	C	180	PRO	CA-C-N	5.01	128.22	117.20
1	C	52	THR	CA-CB-CG2	-5.00	105.39	112.40

There are no chirality outliers.

All (38) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	132	ARG	Sidechain
1	A	216	ARG	Sidechain
1	A	298	ARG	Sidechain
1	A	299	ARG	Sidechain
1	A	304	TYR	Sidechain
1	A	436	TYR	Sidechain
1	A	468	ARG	Sidechain
1	A	485	TYR	Sidechain
1	A	523	PHE	Sidechain
1	A	533	TYR	Sidechain
1	A	69	ARG	Sidechain
1	A	73	TYR	Sidechain
1	B	151	ARG	Sidechain
1	B	161	ARG	Sidechain
1	B	223	PHE	Sidechain
1	B	227	ARG	Sidechain
1	B	276	ARG	Sidechain
1	B	298	ARG	Sidechain
1	B	341	PHE	Sidechain
1	B	376	TYR	Sidechain
1	B	405	TYR	Sidechain
1	B	468	ARG	Sidechain
1	B	533	TYR	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	B	62	VAL	Mainchain,Peptide
1	B	78	PHE	Sidechain
1	B	91	TYR	Sidechain
1	C	120	ARG	Sidechain
1	C	227	ARG	Sidechain
1	C	229	PRO	Peptide
1	C	231	SER	Peptide
1	C	276	ARG	Sidechain
1	C	285	TYR	Sidechain
1	C	376	TYR	Sidechain
1	C	405	TYR	Sidechain
1	C	469	ARG	Sidechain
1	C	554	ARG	Sidechain
1	C	73	TYR	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3901	0	3756	10	0
1	B	3901	0	3756	12	0
1	C	3901	0	3756	11	0
All	All	11703	0	11268	31	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (31) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:150:VAL:HG11	1:B:193:SER:HB3	1.81	0.61
1:C:224:VAL:HG22	1:C:225:MET:H	1.70	0.56
1:B:150:VAL:HG11	1:B:193:SER:CB	2.41	0.51
1:B:446:THR:HB	1:B:447:PRO:HD2	1.93	0.50
1:C:227:ARG:HG2	1:C:228:ALA:H	1.78	0.49
1:B:297:HIS:CD2	1:B:333:PRO:HD3	2.48	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:302:ALA:HB2	1:A:416:THR:HG21	1.94	0.48
1:B:92:THR:HG23	1:B:191:VAL:HG22	1.96	0.48
1:A:278:TRP:CE2	1:A:284:THR:HB	2.50	0.47
1:B:110:TYR:CE1	1:B:226:ILE:HD12	2.50	0.46
1:B:354:TRP:CE2	1:B:424:GLY:HA3	2.51	0.46
1:A:154:PRO:HB3	1:B:61:GLN:HE22	1.81	0.46
1:B:153:PHE:CD1	1:C:227:ARG:HB2	2.51	0.45
1:C:164:GLU:HG2	1:C:165:PRO:HD2	1.99	0.45
1:B:379:GLY:O	1:B:400:VAL:HG12	2.17	0.44
1:C:336:PHE:CG	1:C:337:PRO:HD2	2.53	0.44
1:A:517:LEU:HG	1:A:553:VAL:HG22	2.00	0.43
1:C:469:ARG:HD2	1:C:484:GLN:HB2	1.99	0.43
1:B:332:ALA:HB1	1:B:333:PRO:HD2	2.00	0.42
1:A:246:PRO:HA	1:A:249:THR:HG22	2.02	0.42
1:A:392:THR:HG21	1:A:441:ASP:O	2.20	0.42
1:A:331:VAL:O	1:A:332:ALA:HB2	2.19	0.42
1:A:151:ARG:HD2	1:A:195:TYR:CZ	2.55	0.41
1:B:316:TRP:CE2	1:B:418:LEU:HB2	2.55	0.41
1:C:237:ILE:HD13	1:C:237:ILE:HA	1.84	0.41
1:A:57:GLY:N	1:A:58:PRO:CD	2.84	0.41
1:C:436:TYR:CD1	1:C:487:THR:HG21	2.56	0.41
1:A:492:LEU:N	1:A:493:PRO:HD2	2.36	0.40
1:C:224:VAL:HG22	1:C:225:MET:N	2.36	0.40
1:C:62:VAL:HB	1:C:224:VAL:HG23	2.03	0.40
1:C:178:TYR:CE1	1:C:224:VAL:HG12	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	523/579 (90%)	486 (93%)	31 (6%)	6 (1%)	14 52

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	523/579 (90%)	486 (93%)	31 (6%)	6 (1%)	14	52
1	C	523/579 (90%)	491 (94%)	20 (4%)	12 (2%)	6	34
All	All	1569/1737 (90%)	1463 (93%)	82 (5%)	24 (2%)	14	46

All (24) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	126	SER
1	B	228	ALA
1	C	49	SER
1	A	64	GLN
1	A	332	ALA
1	A	343	PRO
1	B	473	VAL
1	C	126	SER
1	C	434	VAL
1	C	483	THR
1	B	46	SER
1	B	150	VAL
1	B	250	GLY
1	C	230	SER
1	C	250	GLY
1	B	435	THR
1	C	237	ILE
1	A	206	THR
1	A	509	PRO
1	C	227	ARG
1	C	430	ASN
1	C	472	ASP
1	C	174	ARG
1	C	447	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	421/457 (92%)	407 (97%)	14 (3%)	38	61
1	B	421/457 (92%)	405 (96%)	16 (4%)	33	57
1	C	421/457 (92%)	410 (97%)	11 (3%)	46	66
All	All	1263/1371 (92%)	1222 (97%)	41 (3%)	42	61

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60	GLN
1	A	65	GLN
1	A	69	ARG
1	A	90	LEU
1	A	122	ILE
1	A	157	VAL
1	A	173	LEU
1	A	195	TYR
1	A	224	VAL
1	A	244	THR
1	A	268	PRO
1	A	278	TRP
1	A	341	PHE
1	A	403	SER
1	B	76	ASP
1	B	93	VAL
1	B	95	HIS
1	B	105	VAL
1	B	128	VAL
1	B	151	ARG
1	B	195	TYR
1	B	197	ASN
1	B	218	SER
1	B	227	ARG
1	B	254	ASP
1	B	268	PRO
1	B	291	ARG
1	B	341	PHE
1	B	371	THR
1	B	469	ARG
1	C	58	PRO
1	C	152	GLN
1	C	178	TYR
1	C	195	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	227	ARG
1	C	230	SER
1	C	238	SER
1	C	254	ASP
1	C	341	PHE
1	C	382	THR
1	C	436	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	GLN
1	B	281	ASN
1	B	297	HIS
1	B	568	ASN
1	C	319	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-5410. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 288



Y Index: 192



Z Index: 192

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 2.6. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 7913 nm³; this corresponds to an approximate mass of 7148 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.154 Å⁻¹

8 Fourier-Shell correlation ⓘ


This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-5410 and PDB model 3J1P. Per-residue inclusion information can be found in section 3 on page 4.

9.1 Map-model overlays


9.1.1 Map-model overlay [i](#)



X




Y




Z


9.1.2 Map-model assembly overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 2.6 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (2.6).

9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 74% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (2.6) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.7406	<div><div></div></div> 0.2380
A	<div><div></div></div> 0.7591	<div><div></div></div> 0.2350
B	<div><div></div></div> 0.6916	<div><div></div></div> 0.2040
C	<div><div></div></div> 0.7710	<div><div></div></div> 0.2740

