



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 9, 2020 – 12:59 AM BST

PDB ID : 6J15
Title : Complex structure of GY-5 Fab and PD-1
Authors : Chen, D.; Tan, S.; Zhang, H.; Wang, H.; Chai, Y.; Qi, J.; Yan, J.; Gao, G.F.
Deposited on : 2018-12-27
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	120	<div><div>%</div><div>69%22%8%</div></div>
1	D	120	<div><div>2%</div><div>58%28%12%</div></div>
2	A	219	<div><div>%</div><div>73%19%6%</div></div>
2	H	219	<div><div>%</div><div>71%20%7%</div></div>
3	B	216	<div><div>%</div><div>68%31%</div></div>
3	L	216	<div><div></div><div>86%14%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	E	3	 100%
5	F	4	 75%25%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8342 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Programmed cell death protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	C	110	Total	C	N	O	S	0	0	0
			872	546	158	163	5			
1	D	106	Total	C	N	O	S	0	0	0
			839	527	152	155	5			

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	28	ASP	-	expression tag	UNP Q15116
C	29	GLY	-	expression tag	UNP Q15116
C	30	ILE	-	expression tag	UNP Q15116
C	31	GLN	-	expression tag	UNP Q15116
D	28	ASP	-	expression tag	UNP Q15116
D	29	GLY	-	expression tag	UNP Q15116
D	30	ILE	-	expression tag	UNP Q15116
D	31	GLN	-	expression tag	UNP Q15116


- Molecule 2 is a protein called GY-5 heavy chain Fab.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	H	203	Total	C	N	O	S	0	0	0
			1572	1003	254	309	6			
2	A	205	Total	C	N	O	S	0	0	0
			1590	1016	256	312	6			

- Molecule 3 is a protein called GY-5 light chain Fab.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	L	216	Total	C	N	O	S	0	0	0
			1677	1052	283	336	6			
3	B	216	Total	C	N	O	S	0	0	0
			1677	1052	283	336	6			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	E	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	F	4	Total	C	N	O	0	0	0
			49	28	2	19			

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	C	1	Total	C	N	O	0	0
			14	8	1	5		
6	C	1	Total	C	N	O	0	0
			14	8	1	5		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Programmed cell death protein 1




- Molecule 1: Programmed cell death protein 1



- Molecule 2: GY-5 heavy chain Fab



- Molecule 2: GY-5 heavy chain Fab







- Molecule 3: GY-5 light chain Fab



- Molecule 3: GY-5 light chain Fab



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: alpha-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	61.59Å 64.35Å 151.48Å 90.00° 98.04° 90.00°	Depositor
Resolution (Å)	41.62 – 2.60 41.63 – 2.60	Depositor EDS
% Data completeness (in resolution range)	92.2 (41.62-2.60) 92.2 (41.63-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.15 (at 2.61Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.212 , 0.277 0.212 , 0.277	Depositor DCC
R_{free} test set	1698 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	41.4	Xtriage
Anisotropy	0.039	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 33.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	8342	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 19.84 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.9194e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FUC, NAG, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	C	0.45	0/891	0.59	0/1208
1	D	0.51	0/856	0.61	0/1158
2	A	0.50	0/1633	0.71	0/2231
2	H	0.50	0/1614	0.68	0/2205
3	B	0.42	0/1716	0.72	0/2327
3	L	0.44	0/1716	0.63	0/2327
All	All	0.47	0/8426	0.67	0/11456

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	872	0	848	19	0
1	D	839	0	819	25	0
2	A	1590	0	1543	35	0
2	H	1572	0	1529	39	0
3	B	1677	0	1620	57	0
3	L	1677	0	1620	19	0
4	E	38	0	34	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	F	49	0	43	0	0
6	C	28	0	26	0	0
All	All	8342	0	8082	183	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:39:PRO:HG3	1:D:31:GLN:HG2	1.55	0.88
1:C:131:LYS:NZ	2:A:97:GLU:OE1	2.07	0.87
3:B:6:GLN:NE2	3:B:93:CYS:H	1.73	0.87
2:H:50:SER:HB3	2:H:55:ILE:HG22	1.58	0.86
3:B:215:ASN:O	3:B:216:ARG:O	1.96	0.83
3:B:13:VAL:HG11	3:B:19:ALA:HB2	1.61	0.81
2:A:45:TRP:HZ2	2:A:48:VAL:HG23	1.45	0.81
3:B:6:GLN:HE22	3:B:93:CYS:H	1.32	0.78
2:A:30:TYR:CE1	2:A:98:GLU:HG2	2.20	0.77
3:B:66:ARG:HD2	3:B:82:ARG:O	1.85	0.77
3:B:200:GLU:HG2	3:B:211:VAL:HG22	1.66	0.76
2:A:30:TYR:HE1	2:A:98:GLU:HG2	1.51	0.72
2:H:52:TYR:CZ	2:H:53:ASN:ND2	2.58	0.72
1:D:55:SER:OG	1:D:105:ASP:OD1	2.05	0.72
2:H:160:ASN:HB2	2:H:164:LEU:HD13	1.72	0.71
3:L:66:ARG:NH1	3:L:87:ASP:OD2	2.26	0.69
3:B:11:LEU:HB3	3:B:109:LEU:HD12	1.75	0.68
1:C:36:THR:HB	1:C:55:SER:HB2	1.76	0.68
1:C:120:THR:HG21	1:C:139:ARG:HD2	1.74	0.68
1:D:128:LEU:HD22	2:H:55:ILE:HG23	1.75	0.67
2:A:143:LEU:HG	2:A:215:ILE:HG21	1.77	0.67
3:B:113:ARG:CG	3:B:113:ARG:HH11	2.08	0.65
2:A:17:LYS:NZ	2:A:17:LYS:HB3	2.11	0.65
2:A:69:THR:HG22	2:A:78:TYR:HB2	1.76	0.65
3:L:194:HIS:O	3:L:216:ARG:NH1	2.30	0.65
2:H:177:SER:O	2:H:177:SER:OG	2.14	0.63
1:D:97:VAL:HG22	1:D:108:MET:HG3	1.79	0.63
3:B:59:ARG:NE	3:B:67:PHE:O	2.32	0.62
3:B:115:ASP:O	3:B:115:ASP:OD1	2.19	0.61
1:C:55:SER:OG	1:C:105:ASP:OD1	2.12	0.61
2:A:16:VAL:HG12	2:A:84:LEU:HD11	1.82	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:126:ILE:HG12	1:D:134:ILE:HG12	1.82	0.60
2:H:16:VAL:HG12	2:H:84:LEU:HD11	1.82	0.60
3:B:200:GLU:CG	3:B:211:VAL:HG22	2.30	0.60
1:D:28:ASP:N	1:D:28:ASP:OD1	2.34	0.60
3:B:38:LEU:O	3:B:55:LYS:O	2.20	0.60
1:D:30:ILE:HD12	1:D:30:ILE:C	2.22	0.59
2:A:14:VAL:HG22	2:A:15:SER:H	1.66	0.59
1:D:32:TRP:HZ2	1:D:135:LYS:HD2	1.67	0.59
3:L:16:GLY:O	3:L:82:ARG:HG2	2.03	0.59
1:C:69:ARG:HB2	1:C:79:LEU:HD11	1.86	0.58
3:B:215:ASN:C	3:B:216:ARG:O	2.42	0.58
2:H:10:VAL:HG21	2:H:84:LEU:HD13	1.87	0.56
2:H:30:TYR:HE1	2:H:98:GLU:CD	2.09	0.56
3:B:4:LEU:HD12	3:B:23:CYS:SG	2.46	0.56
2:H:160:ASN:HD22	2:H:164:LEU:CD1	2.18	0.55
2:H:159:TRP:CH2	2:H:215:ILE:HD11	2.41	0.55
3:B:13:VAL:CG1	3:B:19:ALA:HB2	2.32	0.55
2:H:159:TRP:CZ3	2:H:215:ILE:HD11	2.42	0.55
3:L:66:ARG:HH12	3:L:87:ASP:CG	2.10	0.54
1:D:44:VAL:HG13	1:D:48:ASP:HB2	1.90	0.54
3:B:194:HIS:O	3:B:216:ARG:NH1	2.41	0.54
1:D:45:THR:HG22	1:D:48:ASP:OD2	2.07	0.53
1:D:43:VAL:HG22	1:D:143:ARG:HB2	1.91	0.53
1:D:128:LEU:HD13	2:H:50:SER:HB2	1.89	0.53
3:B:112:LYS:HA	3:B:145:TYR:OH	2.09	0.53
3:B:66:ARG:CD	3:B:82:ARG:O	2.55	0.53
1:D:78:LYS:HE3	1:D:81:ALA:HB2	1.91	0.53
3:B:159:GLU:HG3	3:B:160:ARG:N	2.23	0.53
3:B:3:MET:O	3:B:3:MET:HG3	2.08	0.53
2:H:36:ARG:HB2	2:H:46:ILE:HD11	1.90	0.53
2:A:3:GLN:OE1	2:A:110:GLN:NE2	2.43	0.52
2:A:17:LYS:NZ	2:A:78:TYR:HB3	2.24	0.52
2:H:16:VAL:HG11	2:H:114:LEU:HD11	1.92	0.52
3:L:29:ILE:HD11	3:L:76:PHE:CZ	2.44	0.52
2:A:45:TRP:CZ2	2:A:48:VAL:HG23	2.36	0.52
3:B:17:ASP:CG	3:B:18:GLN:H	2.13	0.52
3:B:191:TYR:CE2	3:B:216:ARG:HD2	2.44	0.52
1:C:133:GLN:NE2	3:B:33:ASP:OD2	2.39	0.51
2:A:52:TYR:HA	2:A:72:LYS:HD3	1.92	0.51
3:B:29:ILE:HD11	3:B:76:PHE:CZ	2.45	0.51
3:B:113:ARG:CG	3:B:113:ARG:NH1	2.73	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:14:VAL:HG22	2:H:15:SER:H	1.75	0.51
3:B:2:ILE:HD13	3:B:27:GLN:HG2	1.92	0.51
3:B:38:LEU:HD22	3:B:94:PHE:O	2.11	0.51
1:C:70:MET:HG2	1:C:120:THR:HB	1.92	0.50
2:H:50:SER:CB	2:H:55:ILE:HG22	2.36	0.50
2:A:37:GLN:HB2	2:A:43:LEU:HD23	1.94	0.50
3:B:64:PRO:HG2	3:B:67:PHE:CD2	2.46	0.50
3:B:44:LYS:NZ	3:B:86:GLU:O	2.27	0.50
2:H:87:GLU:N	2:H:87:GLU:OE1	2.45	0.50
3:L:2:ILE:HD12	3:L:2:ILE:H	1.76	0.50
3:L:52:LEU:HA	3:L:63:VAL:HG21	1.94	0.49
3:B:149:ILE:HD11	3:B:201:ALA:HB1	1.93	0.49
2:H:197:THR:HB	2:H:214:LYS:HE3	1.95	0.49
3:B:23:CYS:HB2	3:B:40:TRP:CH2	2.48	0.49
3:B:113:ARG:HD2	3:B:176:SER:HB2	1.94	0.49
1:C:36:THR:O	1:C:54:CYS:HA	2.13	0.48
1:C:54:CYS:HB3	1:C:108:MET:HE3	1.94	0.48
2:H:156:THR:OG1	2:H:203:ALA:HB3	2.13	0.48
2:A:17:LYS:HZ2	2:A:17:LYS:HB3	1.76	0.48
2:A:84:LEU:HB3	2:A:116:VAL:HG11	1.96	0.48
3:B:29:ILE:HD11	3:B:76:PHE:CE2	2.48	0.48
2:A:142:THR:C	2:A:143:LEU:HD13	2.34	0.48
2:A:104:TYR:CE2	3:B:96:GLY:HA3	2.48	0.48
3:B:200:GLU:CD	3:B:211:VAL:HG22	2.34	0.48
1:D:44:VAL:O	1:D:144:VAL:HA	2.14	0.48
2:A:176:GLN:HB3	3:B:165:LEU:HD11	1.95	0.47
1:C:43:VAL:HG22	1:C:143:ARG:HB3	1.96	0.47
3:B:164:VAL:HG22	3:B:184:LEU:HD13	1.95	0.47
3:L:115:ASP:OD2	3:L:204:LYS:HE2	2.14	0.47
3:B:17:ASP:CG	3:B:18:GLN:N	2.67	0.47
2:H:114:LEU:CD2	2:H:116:VAL:HG23	2.45	0.47
2:H:160:ASN:HD22	2:H:164:LEU:HD11	1.79	0.47
1:D:131:LYS:HA	1:D:131:LYS:HD2	1.69	0.47
2:A:143:LEU:HD21	2:A:193:TRP:CD2	2.50	0.47
2:A:2:LEU:N	2:A:21:LYS:O	2.48	0.47
2:H:175:LEU:HA	2:H:175:LEU:HD12	1.71	0.47
2:H:30:TYR:CE1	2:H:98:GLU:OE2	2.67	0.47
2:H:85:THR:HG22	2:H:87:GLU:H	1.80	0.46
2:H:22:GLY:HA3	2:H:96:ARG:NH2	2.30	0.46
2:A:60:GLN:OE1	2:A:63:LYS:HE3	2.15	0.46
1:C:111:VAL:HG12	1:C:112:ARG:HG3	1.96	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:30:ILE:HA	1:D:43:VAL:HB	1.97	0.46
3:B:82:ARG:HB3	3:B:84:GLU:OE1	2.16	0.46
2:H:81:LEU:HB3	2:H:84:LEU:HD21	1.97	0.46
3:B:13:VAL:HG21	3:B:83:VAL:HG11	1.98	0.45
3:B:147:LYS:HG2	3:B:178:TYR:CZ	2.52	0.45
2:H:65:LYS:NZ	2:H:83:ARG:HH11	2.15	0.45
1:D:36:THR:HB	1:D:55:SER:HB2	1.97	0.45
3:L:120:VAL:O	3:L:212:LYS:HE2	2.16	0.45
2:A:65:LYS:NZ	2:A:88:ASP:OD1	2.50	0.45
2:H:155:VAL:HG12	2:H:182:LEU:HD21	1.98	0.45
3:L:191:TYR:CE2	3:L:216:ARG:HD2	2.51	0.45
3:B:4:LEU:O	3:B:104:GLY:HA2	2.17	0.44
3:B:53:ILE:HG21	3:B:69:GLY:HA3	1.99	0.44
1:C:56:PHE:CE2	1:C:58:ASN:HB3	2.52	0.44
3:L:24:ARG:NE	3:L:75:ASP:OD1	2.50	0.44
2:A:10:VAL:O	2:A:116:VAL:HA	2.16	0.44
2:A:66:ALA:HB1	2:A:79:LEU:HD11	2.00	0.44
1:C:37:PHE:HE1	1:C:108:MET:HG3	1.82	0.44
2:H:34:TRP:CE2	2:H:79:LEU:HB2	2.52	0.44
3:B:113:ARG:HH11	3:B:113:ARG:HG3	1.79	0.44
2:A:159:TRP:CZ3	2:A:200:CYS:HB3	2.53	0.44
2:H:106:ASP:N	2:H:106:ASP:OD1	2.39	0.44
2:H:160:ASN:HD22	2:H:164:LEU:HD13	1.81	0.44
1:C:128:LEU:HD13	2:A:50:SER:HB2	1.99	0.44
3:B:130:LEU:HA	3:B:130:LEU:HD23	1.79	0.44
2:H:75:SER:OG	2:H:75:SER:O	2.28	0.44
1:D:94:ARG:HH22	1:D:117:ASP:CG	2.22	0.43
3:B:52:LEU:HA	3:B:63:VAL:HG21	1.99	0.43
3:B:71:GLY:HA3	3:B:76:PHE:HA	2.00	0.43
1:D:127:SER:O	1:D:132:ALA:HA	2.19	0.43
2:A:45:TRP:CZ2	2:A:47:GLY:HA2	2.54	0.43
3:B:59:ARG:NH2	3:B:65:ASP:O	2.52	0.43
2:A:14:VAL:HG22	2:A:15:SER:N	2.33	0.43
2:A:33:HIS:NE2	2:A:97:GLU:HB3	2.33	0.43
3:L:153:TRP:HA	3:L:198:THR:O	2.18	0.43
1:C:42:LEU:HD21	1:C:50:ALA:HB1	2.00	0.43
2:H:11:ARG:O	2:H:14:VAL:HG12	2.19	0.42
2:H:83:ARG:O	2:H:83:ARG:HD3	2.18	0.42
3:L:165:LEU:HA	3:L:165:LEU:HD23	1.79	0.42
3:L:29:ILE:HD11	3:L:76:PHE:CE1	2.55	0.42
3:B:7:SER:HA	3:B:8:PRO:HA	1.86	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:H:159:TRP:HZ3	2:H:215:ILE:CD1	2.33	0.42
3:B:67:PHE:CD1	3:B:80:ILE:HG12	2.55	0.42
1:D:67:TRP:HE1	1:D:121:TYR:HD2	1.67	0.42
1:D:28:ASP:HB2	1:D:29:GLY:H	1.64	0.42
3:L:4:LEU:O	3:L:104:GLY:HA2	2.20	0.41
1:D:70:MET:HB2	1:D:120:THR:HB	2.02	0.41
1:D:94:ARG:O	1:D:111:VAL:HG22	2.21	0.41
3:B:66:ARG:HB2	3:B:81:SER:OG	2.20	0.41
3:B:67:PHE:CE1	3:B:80:ILE:HG12	2.56	0.41
3:L:4:LEU:HD23	3:L:102:THR:OG1	2.20	0.41
3:L:195:ASN:OD1	3:L:215:ASN:HB3	2.20	0.41
3:L:44:LYS:HE3	3:L:86:GLU:O	2.19	0.41
2:A:131:PRO:HD3	2:A:143:LEU:CD1	2.51	0.41
2:A:85:THR:O	2:A:116:VAL:HG21	2.21	0.41
3:B:151:VAL:HA	3:B:200:GLU:O	2.21	0.41
2:H:159:TRP:CZ3	2:H:215:ILE:CD1	3.03	0.41
2:H:40:VAL:O	2:H:40:VAL:HG12	2.21	0.41
3:B:212:LYS:HD2	3:B:212:LYS:HA	1.91	0.41
3:L:191:TYR:CZ	3:L:216:ARG:HD2	2.56	0.41
2:A:176:GLN:O	2:A:177:SER:OG	2.35	0.40
1:C:126:ILE:HG12	1:C:134:ILE:HG12	2.03	0.40
1:D:36:THR:O	1:D:54:CYS:HA	2.21	0.40
3:B:165:LEU:HA	3:B:165:LEU:HD23	1.87	0.40
1:C:43:VAL:HB	1:D:30:ILE:HG13	2.03	0.40
2:H:193:TRP:CH2	2:H:217:THR:HG23	2.57	0.40
2:A:131:PRO:HD3	2:A:143:LEU:HD12	2.04	0.40
3:B:15:LEU:HD11	3:B:111:ILE:HD11	2.03	0.40
2:A:171:PHE:CE2	3:B:169:THR:HG23	2.57	0.40
2:H:85:THR:HG22	2:H:87:GLU:OE1	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	106/120 (88%)	102 (96%)	4 (4%)	0	100	100
1	D	100/120 (83%)	92 (92%)	8 (8%)	0	100	100
2	A	199/219 (91%)	190 (96%)	9 (4%)	0	100	100
2	H	197/219 (90%)	189 (96%)	8 (4%)	0	100	100
3	B	214/216 (99%)	206 (96%)	8 (4%)	0	100	100
3	L	214/216 (99%)	208 (97%)	6 (3%)	0	100	100
All	All	1030/1110 (93%)	987 (96%)	43 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	97/105 (92%)	95 (98%)	2 (2%)	53	77
1	D	92/105 (88%)	86 (94%)	6 (6%)	17	34
2	A	183/193 (95%)	176 (96%)	7 (4%)	33	59
2	H	181/193 (94%)	171 (94%)	10 (6%)	21	43
3	B	192/192 (100%)	186 (97%)	6 (3%)	40	66
3	L	192/192 (100%)	189 (98%)	3 (2%)	62	82
All	All	937/980 (96%)	903 (96%)	34 (4%)	35	61

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	78	LYS
1	C	108	MET
1	D	28	ASP
1	D	55	SER
1	D	109	SER
1	D	127	SER
1	D	133	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	147	ARG
2	H	30	TYR
2	H	32	LEU
2	H	61	ARG
2	H	63	LYS
2	H	68	MET
2	H	75	SER
2	H	177	SER
2	H	200	CYS
2	H	216	GLU
2	H	217	THR
3	L	20	SER
3	L	128	GLU
3	L	213	ASN
2	A	5	SER
2	A	36	ARG
2	A	69	THR
2	A	116	VAL
2	A	143	LEU
2	A	188	VAL
2	A	200	CYS
3	B	32	SER
3	B	55	LYS
3	B	57	SER
3	B	68	SER
3	B	82	ARG
3	B	113	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates

7 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	E	1	1,4	14,14,15	0.25	0	17,19,21	0.50	0
4	NAG	E	2	4	14,14,15	0.30	0	17,19,21	0.60	0
4	FUC	E	3	4	10,10,11	0.30	0	14,14,16	0.62	0
5	NAG	F	1	1,5	14,14,15	0.26	0	17,19,21	0.65	0
5	NAG	F	2	5	14,14,15	0.48	0	17,19,21	0.75	1 (5%)
5	MAN	F	3	5	11,11,12	0.27	0	15,15,17	0.77	0
5	FUC	F	4	5	10,10,11	0.62	0	14,14,16	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	E	1	1,4	-	0/6/23/26	0/1/1/1
4	NAG	E	2	4	-	0/6/23/26	0/1/1/1
4	FUC	E	3	4	-	-	0/1/1/1
5	NAG	F	1	1,5	-	0/6/23/26	0/1/1/1
5	NAG	F	2	5	-	2/6/23/26	0/1/1/1
5	MAN	F	3	5	-	2/2/19/22	0/1/1/1
5	FUC	F	4	5	-	-	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	F	2	NAG	C1-O5-C5	2.39	115.43	112.19

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	F	3	MAN	O5-C5-C6-O6
5	F	2	NAG	O5-C5-C6-O6
5	F	3	MAN	C4-C5-C6-O6
5	F	2	NAG	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.6 Ligand geometry

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	C	301	1	14,14,15	0.46	0	17,19,21	0.64	0
6	NAG	C	305	1	14,14,15	0.38	0	17,19,21	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	C	301	1	-	1/6/23/26	0/1/1/1
6	NAG	C	305	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	C	301	NAG	O5-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	C	110/120 (91%)	-0.32	1 (0%) 84 82	23, 36, 70, 88	0
1	D	106/120 (88%)	-0.05	2 (1%) 66 62	22, 49, 84, 99	0
2	A	205/219 (93%)	-0.20	3 (1%) 73 70	20, 44, 83, 112	0
2	H	203/219 (92%)	-0.46	2 (0%) 82 80	22, 38, 70, 88	0
3	B	216/216 (100%)	-0.07	3 (1%) 75 71	25, 54, 88, 102	0
3	L	216/216 (100%)	-0.54	0 100 100	15, 37, 56, 81	0
All	All	1056/1110 (95%)	-0.29	11 (1%) 82 80	15, 43, 82, 112	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	A	52	TYR	5.0
2	A	216	GLU	2.9
3	B	211	VAL	2.6
2	H	96	ARG	2.6
3	B	209	PRO	2.5
3	B	207	THR	2.4
1	D	121	TYR	2.4
2	H	11	ARG	2.4
1	D	79	LEU	2.3
1	C	95	PHE	2.0
2	A	39	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	MAN	F	3	11/12	0.79	0.19	55,66,76,84	0
5	NAG	F	2	14/15	0.92	0.12	36,51,60,61	0
4	NAG	E	2	14/15	0.92	0.17	38,55,65,78	0
5	FUC	F	4	10/11	0.96	0.10	29,40,50,53	0
5	NAG	F	1	14/15	0.96	0.11	28,37,45,49	0
4	NAG	E	1	14/15	0.97	0.09	13,30,33,45	0
4	FUC	E	3	10/11	0.98	0.09	21,34,39,48	0

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	C	305	14/15	0.78	0.24	67,81,90,92	0
6	NAG	C	301	14/15	0.81	0.17	45,59,67,72	0

6.5 Other polymers [i](#)

There are no such residues in this entry.