



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 9, 2020 – 12:57 PM BST

PDB ID : 2J4C  
Title : Structure of human Butyrylcholinesterase in complex with 10mM HgCl<sub>2</sub>  
Authors : Colletier, J.P.; Frasco, M.F.; Carvalho, F.; Guilhermino, L.; Stojan, J.;  
Fournier, D.; Weik, M.  
Deposited on : 2006-08-28  
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1235 (2.78-2.74)
Clashscore	141614	1277 (2.78-2.74)
Ramachandran outliers	138981	1257 (2.78-2.74)
Sidechain outliers	138945	1257 (2.78-2.74)
RSRZ outliers	127900	1207 (2.78-2.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	529	<div> <div>2%</div> <div> <div></div> <div>58%</div> <div>37%</div> <div></div> </div> <div></div> </div>
2	B	3	<div> <div>33%</div> <div>67%</div> </div>
2	C	3	<div> <div>67%</div> <div>33%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	CL	A	1539	-	-	X	-
6	SO4	A	1549	-	-	X	-
8	BUA	A	1547	-	-	X	-

## 2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 4712 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called CHOLINESTERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	524	Total	C	N	O	S	0	0	0
			4176	2698	702	760	16			

There are 4 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	17	GLN	ASN	engineered mutation	UNP P06276
A	455	GLN	ASN	engineered mutation	UNP P06276
A	481	GLN	ASN	engineered mutation	UNP P06276
A	486	ALA	ASN	engineered mutation	UNP P06276

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	B	3	Total	C	N	O	0	0	0
			38	22	2	14			
2	C	3	Total	C	N	O	0	0	0
			38	22	2	14			

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		
3	A	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	3	Total	Cl	0	0
			3	3		

- Molecule 5 is MERCURY (II) ION (three-letter code: HG) (formula: Hg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	4	Total	Hg	0	0
			4	4		

- Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	O	S	0	0
			5	4	1		
6	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		
7	A	1	Total	C	O	0	0
			6	3	3		

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is BUTANOIC ACID (three-letter code: BUA) (formula:  $C_4H_8O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			6	4	2		

- Molecule 9 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula:  $C_6H_{13}NO_4S$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
9	A	1	Total	C	N	O	S	0	0
			12	6	1	4	1		


- Molecule 10 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	365	Total	O	0	0
			365	365		

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: CHOLINESTERASE



#### • Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



#### • Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose





## 4 Data and refinement statistics

Property	Value	Source
Space group	I 4 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	153.76 Å   153.76 Å   128.58 Å 90.00°   90.00°   90.00°	Depositor
Resolution (Å)	19.39 – 2.75 19.39 – 2.75	Depositor EDS
% Data completeness (in resolution range)	93.9 (19.39-2.75) 97.7 (19.39-2.75)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.25 (at 2.75 Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.184   ,   0.231 0.198   ,   0.237	Depositor DCC
$R_{free}$ test set	1867 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	51.7	Xtriage
Anisotropy	0.297	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 57.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4712	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.53% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NAG, CL, FUC, MES, BUA, HG, CSS, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.69	0/4286	0.74	1/5815 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	453	ARG	N-CA-C	-5.45	96.29	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4176	0	4086	207	0
2	B	38	0	34	0	0
2	C	38	0	34	2	0
3	A	42	0	39	2	0
4	A	3	0	0	4	0
5	A	4	0	0	0	0
6	A	10	0	0	2	0
7	A	18	0	24	5	0
8	A	6	0	8	7	0
9	A	12	0	13	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
10	A	365	0	0	36	0
All	All	4712	0	4238	214	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (214) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:451:GLU:HG2	1:A:454:ASP:OD1	1.55	1.04
1:A:198:SER:OG	8:A:1547:BUA:C4	2.16	0.92
1:A:304:ASP:HB3	10:A:2077:HOH:O	1.69	0.90
1:A:518:GLN:H	1:A:518:GLN:NE2	1.71	0.88
1:A:286:LEU:HD23	8:A:1547:BUA:H22	1.56	0.87
1:A:242:ARG:HH22	7:A:1545:GOL:H2	1.42	0.83
1:A:518:GLN:H	1:A:518:GLN:HE21	1.25	0.83
1:A:372:HIS:HB2	6:A:1549:SO4:O4	1.79	0.82
7:A:1546:GOL:H31	10:A:2358:HOH:O	1.79	0.80
1:A:154:LEU:HD11	1:A:243:THR:HG23	1.64	0.79
1:A:96:ASN:HD22	1:A:143:SER:HB2	1.48	0.78
1:A:372:HIS:ND1	6:A:1549:SO4:O1	2.17	0.78
1:A:209:LEU:HD23	1:A:312:PHE:HB3	1.70	0.74
1:A:375:ASP:HB3	10:A:2245:HOH:O	1.88	0.74
1:A:348:LYS:HE3	1:A:352:GLU:OE2	1.87	0.74
1:A:381:ARG:HB3	1:A:384:ASN:ND2	2.03	0.73
4:A:3001:CL:CL	10:A:2237:HOH:O	2.43	0.72
1:A:54:ASP:HB3	10:A:2045:HOH:O	1.90	0.71
1:A:286:LEU:CD2	8:A:1547:BUA:H22	2.20	0.71
1:A:453:ARG:N	1:A:453:ARG:CD	2.53	0.71
1:A:330:LEU:O	1:A:334:ALA:HB3	1.92	0.69
1:A:453:ARG:O	1:A:455:GLN:N	2.25	0.69
1:A:198:SER:HG	8:A:1547:BUA:C4	2.05	0.69
8:A:1547:BUA:H11	10:A:2198:HOH:O	1.92	0.68
1:A:106:ASN:HB2	3:A:1536:NAG:H83	1.75	0.67
1:A:451:GLU:CG	1:A:454:ASP:OD1	2.40	0.66
1:A:358:PHE:HB3	1:A:361:VAL:HG21	1.78	0.66
1:A:26:THR:HB	1:A:99:ILE:HG12	1.78	0.66
1:A:515:ARG:NH2	9:A:1548:MES:H72	2.11	0.66
1:A:69:ILE:HG23	1:A:83:ASN:OD1	1.95	0.66
1:A:37:PRO:HG3	1:A:93:LEU:HD11	1.78	0.65
1:A:156:LEU:HD13	1:A:243:THR:HG21	1.79	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:262:LYS:HG2	10:A:2186:HOH:O	1.96	0.64
1:A:428:LEU:HD13	1:A:430:TRP:H	1.63	0.63
1:A:357:PHE:O	1:A:359:PRO:HD2	1.98	0.63
1:A:427:LYS:HE3	1:A:455:GLN:HB2	1.79	0.63
1:A:257:GLU:HG2	10:A:2181:HOH:O	1.99	0.62
1:A:516:ALA:O	1:A:520:ARG:HG3	1.98	0.62
1:A:123:SER:HB2	1:A:143:SER:HB3	1.79	0.62
1:A:388:ALA:O	1:A:392:VAL:HG23	2.01	0.61
1:A:34:ALA:HB2	1:A:173:LEU:HD23	1.81	0.61
1:A:404:GLU:HG2	10:A:2166:HOH:O	2.01	0.61
1:A:455:GLN:OE1	1:A:455:GLN:N	2.34	0.60
1:A:240:ARG:HG2	1:A:240:ARG:HH11	1.65	0.60
1:A:383:GLU:CD	1:A:383:GLU:H	2.04	0.60
1:A:284:THR:H	1:A:287:SER:HB2	1.64	0.60
1:A:5:ILE:HD13	1:A:55:ILE:HD13	1.84	0.60
7:A:1546:GOL:C3	8:A:1547:BUA:O1	2.50	0.59
1:A:380:GLN:HB2	10:A:2252:HOH:O	2.02	0.59
1:A:518:GLN:N	1:A:518:GLN:HE21	1.97	0.59
1:A:493:PHE:CZ	1:A:498:GLN:HB3	2.37	0.59
1:A:270:GLN:HB2	10:A:2187:HOH:O	2.02	0.59
1:A:227:PHE:HZ	1:A:307:LEU:HB2	1.68	0.59
1:A:381:ARG:HB3	1:A:384:ASN:HD21	1.68	0.58
1:A:508:THR:HG22	4:A:1539:CL:CL	2.40	0.58
1:A:381:ARG:HG3	1:A:382:PRO:HD2	1.85	0.58
1:A:213:SER:HA	1:A:216:LEU:HD12	1.85	0.58
1:A:58:ALA:HA	10:A:2020:HOH:O	2.04	0.58
1:A:262:LYS:HG3	1:A:265:ARG:NH1	2.19	0.57
1:A:319:VAL:O	1:A:418:PHE:HA	2.04	0.57
1:A:318:LEU:HD21	1:A:490:TRP:CH2	2.39	0.57
1:A:238:GLU:O	1:A:242:ARG:HG3	2.04	0.57
1:A:452:ARG:HH21	1:A:458:LYS:HD3	1.69	0.57
1:A:453:ARG:N	1:A:453:ARG:HD2	2.19	0.57
1:A:404:GLU:OE1	1:A:523:THR:HG21	2.04	0.57
1:A:37:PRO:HG3	1:A:93:LEU:CD1	2.34	0.57
1:A:318:LEU:HD21	1:A:490:TRP:HH2	1.69	0.57
1:A:370:LEU:HD23	1:A:370:LEU:C	2.25	0.57
1:A:244:LEU:O	1:A:247:ALA:HB3	2.05	0.56
1:A:29:LEU:O	1:A:58:ALA:HB1	2.04	0.56
1:A:357:PHE:C	1:A:359:PRO:CD	2.74	0.56
1:A:17:GLN:HE21	1:A:17:GLN:HA	1.70	0.56
1:A:198:SER:HA	1:A:224:SER:O	2.04	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:237:TYR:HB2	10:A:2169:HOH:O	2.05	0.56
1:A:427:LYS:CE	1:A:454:ASP:O	2.53	0.56
1:A:427:LYS:HE3	1:A:454:ASP:O	2.06	0.56
1:A:240:ARG:HD2	10:A:2171:HOH:O	2.06	0.55
8:A:1547:BUA:C1	10:A:2360:HOH:O	2.53	0.55
1:A:183:ALA:HB2	10:A:2145:HOH:O	2.05	0.55
1:A:310:GLY:HA2	1:A:312:PHE:CE2	2.42	0.55
1:A:508:THR:CG2	4:A:1539:CL:CL	2.92	0.55
1:A:75:GLY:H	1:A:80:GLU:CD	2.11	0.55
1:A:382:PRO:HG2	1:A:383:GLU:OE1	2.07	0.54
1:A:453:ARG:N	1:A:453:ARG:HD3	2.24	0.53
1:A:358:PHE:HB3	1:A:361:VAL:CG2	2.38	0.53
1:A:65:CYS:O	1:A:67:GLN:HG2	2.07	0.53
1:A:214:HIS:O	1:A:313:LYS:HE2	2.09	0.53
1:A:314:LYS:HB3	1:A:414:ASN:HD21	1.74	0.53
1:A:56:TRP:CD1	1:A:56:TRP:C	2.81	0.53
1:A:41:LEU:HB3	10:A:2032:HOH:O	2.08	0.53
1:A:498:GLN:OE1	1:A:513:LYS:HG2	2.08	0.53
1:A:320:GLY:HA3	1:A:419:TYR:CE1	2.44	0.52
1:A:432:GLU:HG2	10:A:2279:HOH:O	2.10	0.52
1:A:494:LYS:HD2	10:A:2310:HOH:O	2.07	0.52
1:A:235:SER:OG	1:A:238:GLU:HG3	2.10	0.52
1:A:24:THR:O	1:A:101:ALA:HB3	2.11	0.51
1:A:262:LYS:HG3	1:A:265:ARG:HH12	1.74	0.51
1:A:112:TRP:HA	1:A:195:PHE:O	2.11	0.51
1:A:281:PRO:HG2	1:A:282:TYR:H	1.75	0.51
1:A:353:GLY:O	1:A:356:ILE:HB	2.11	0.51
1:A:68:ASN:OD1	1:A:273:LEU:HB3	2.10	0.51
1:A:242:ARG:HH22	7:A:1545:GOL:C2	2.19	0.50
1:A:42:ARG:O	1:A:43:PHE:HB2	2.12	0.50
1:A:4:ILE:HD13	1:A:17:GLN:HG2	1.91	0.50
1:A:197:GLU:HA	1:A:223:GLN:O	2.11	0.50
1:A:525:PHE:HA	1:A:528:LYS:HE2	1.94	0.50
1:A:159:ASN:HB2	10:A:2182:HOH:O	2.11	0.50
1:A:457:THR:OG1	1:A:460:GLU:HG3	2.12	0.50
10:A:2345:HOH:O	2:C:1:NAG:H82	2.11	0.50
1:A:357:PHE:C	1:A:359:PRO:HD2	2.33	0.49
1:A:32:PRO:HB3	1:A:94:TYR:CE2	2.47	0.49
1:A:337:PHE:HA	1:A:343:SER:OG	2.12	0.49
1:A:50:THR:HB	10:A:2040:HOH:O	2.11	0.49
1:A:156:LEU:HD22	1:A:261:ILE:HD11	1.95	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:358:PHE:N	1:A:359:PRO:CD	2.76	0.49
1:A:56:TRP:HZ2	10:A:2018:HOH:O	1.95	0.49
1:A:176:GLN:HG3	10:A:2140:HOH:O	2.12	0.49
1:A:428:LEU:CD1	1:A:430:TRP:HB2	2.43	0.48
1:A:276:GLU:O	1:A:279:VAL:HG22	2.13	0.48
1:A:112:TRP:HB2	1:A:195:PHE:CE1	2.48	0.48
1:A:42:ARG:HG2	1:A:43:PHE:CD2	2.49	0.48
1:A:13:VAL:HG12	1:A:52:TRP:HZ2	1.79	0.48
1:A:114:TYR:CE1	1:A:146:TYR:CE2	3.01	0.48
1:A:6:ILE:HD12	1:A:185:PHE:CD2	2.49	0.48
1:A:348:LYS:O	1:A:352:GLU:HG2	2.14	0.48
1:A:195:PHE:CB	1:A:221:ILE:HB	2.44	0.47
1:A:219:ARG:HD3	1:A:316:GLN:OE1	2.14	0.47
1:A:209:LEU:CD2	1:A:312:PHE:HB3	2.42	0.47
1:A:227:PHE:CD2	1:A:303:PRO:HB2	2.50	0.47
1:A:209:LEU:HD11	1:A:227:PHE:CE1	2.50	0.47
1:A:95:LEU:HD12	1:A:95:LEU:C	2.35	0.47
1:A:453:ARG:H	1:A:453:ARG:HD3	1.80	0.47
1:A:242:ARG:NH2	7:A:1545:GOL:H2	2.20	0.47
1:A:321:VAL:HG11	1:A:399:ILE:HA	1.96	0.47
1:A:508:THR:N	10:A:2320:HOH:O	2.48	0.46
1:A:449:PRO:HA	1:A:456:TYR:CD1	2.50	0.46
1:A:400:CYS:HB2	1:A:401:PRO:HD3	1.97	0.46
1:A:70:ASP:OD1	1:A:79:SER:HB2	2.16	0.46
1:A:8:THR:HB	1:A:181:ASN:OD1	2.16	0.46
1:A:36:PRO:HA	1:A:37:PRO:HD3	1.84	0.46
1:A:99:ILE:HG21	1:A:185:PHE:HB3	1.98	0.46
1:A:157:PRO:HG2	1:A:236:LEU:CD2	2.46	0.45
1:A:479:ASN:OD1	1:A:481:GLN:HG2	2.15	0.45
1:A:508:THR:HB	10:A:2321:HOH:O	2.15	0.45
1:A:428:LEU:HD11	1:A:430:TRP:HB2	1.97	0.45
1:A:519:CYS:HB3	10:A:2336:HOH:O	2.16	0.45
1:A:433:TRP:HE3	1:A:433:TRP:O	1.99	0.45
1:A:195:PHE:HB2	1:A:221:ILE:HB	1.99	0.45
1:A:357:PHE:C	1:A:359:PRO:HD3	2.37	0.45
1:A:372:HIS:CE1	1:A:517:GLN:OE1	2.69	0.45
1:A:217:PHE:O	1:A:313:LYS:HE3	2.17	0.44
1:A:45:LYS:HD2	1:A:169:PHE:CD1	2.52	0.44
1:A:240:ARG:HG2	1:A:240:ARG:NH1	2.32	0.44
1:A:106:ASN:CB	3:A:1536:NAG:H83	2.45	0.44
1:A:222:LEU:N	1:A:222:LEU:HD12	2.32	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:322:ASN:ND2	1:A:421:PHE:HB3	2.32	0.44
1:A:40:ARG:HG2	10:A:2031:HOH:O	2.17	0.44
1:A:123:SER:HB2	1:A:143:SER:CB	2.47	0.44
1:A:347:ARG:O	1:A:351:GLN:HG3	2.17	0.44
1:A:209:LEU:HD11	1:A:227:PHE:CZ	2.53	0.44
1:A:284:THR:HG22	1:A:356:ILE:O	2.17	0.44
1:A:272:ILE:O	1:A:276:GLU:HG3	2.18	0.43
1:A:277:ALA:HB2	10:A:2058:HOH:O	2.18	0.43
1:A:221:ILE:C	1:A:222:LEU:HD12	2.38	0.43
1:A:37:PRO:HD2	1:A:90:GLU:O	2.18	0.43
1:A:518:GLN:N	1:A:518:GLN:NE2	2.53	0.43
1:A:178:VAL:HG13	1:A:182:ILE:HB	2.01	0.43
1:A:49:LEU:HD12	1:A:50:THR:H	1.84	0.43
1:A:529:VAL:HB	10:A:2337:HOH:O	2.18	0.43
1:A:17:GLN:NE2	1:A:26:THR:HG23	2.33	0.43
1:A:74:PRO:HA	1:A:80:GLU:OE1	2.19	0.43
1:A:127:VAL:HG23	1:A:128:TYR:CD1	2.54	0.43
1:A:92:CYS:O	1:A:145:ASN:HB2	2.19	0.43
1:A:233:VAL:HG21	1:A:303:PRO:HG3	2.00	0.43
1:A:484:GLN:O	1:A:486:ALA:N	2.51	0.43
1:A:5:ILE:HD11	1:A:14:ARG:NH1	2.34	0.43
1:A:254:ARG:H	1:A:260:ILE:HG12	1.83	0.42
1:A:318:LEU:HD12	1:A:474:PHE:CG	2.55	0.42
1:A:334:ALA:HA	1:A:335:PRO:HD2	1.87	0.42
1:A:448:LEU:N	1:A:449:PRO:CD	2.82	0.42
1:A:133:LEU:HD23	1:A:468:VAL:HG13	2.01	0.42
1:A:17:GLN:NE2	1:A:17:GLN:HA	2.33	0.42
1:A:35:GLN:O	1:A:36:PRO:C	2.54	0.42
1:A:43:PHE:CE1	1:A:154:LEU:HD22	2.54	0.42
1:A:140:ILE:HG21	1:A:182:ILE:HD11	2.00	0.42
1:A:322:ASN:HD22	1:A:421:PHE:HB3	1.84	0.42
1:A:183:ALA:HB3	10:A:2144:HOH:O	2.19	0.42
1:A:24:THR:CG2	1:A:25:VAL:N	2.82	0.42
1:A:44:LYS:HG3	10:A:2035:HOH:O	2.19	0.42
2:C:1:NAG:O6	2:C:3:FUC:H4	2.20	0.42
1:A:208:LEU:HD23	1:A:217:PHE:CZ	2.54	0.41
1:A:447:GLY:HA2	1:A:464:SER:OG	2.20	0.41
1:A:110:LEU:HD11	1:A:475:ALA:CB	2.50	0.41
1:A:80:GLU:HA	1:A:83:ASN:ND2	2.35	0.41
1:A:321:VAL:HG21	1:A:399:ILE:HG12	2.01	0.41
1:A:348:LYS:HA	1:A:348:LYS:HD2	1.79	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:SER:CB	1:A:143:SER:HB3	2.49	0.41
1:A:507:SER:HB2	10:A:2318:HOH:O	2.21	0.41
1:A:508:THR:HG21	4:A:1539:CL:CL	2.58	0.41
1:A:453:ARG:NH1	1:A:453:ARG:HG3	2.36	0.41
1:A:427:LYS:NZ	1:A:454:ASP:O	2.54	0.41
1:A:485:ASN:N	1:A:485:ASN:OD1	2.53	0.41
1:A:404:GLU:OE2	1:A:408:LYS:HE2	2.20	0.41
1:A:67:GLN:N	1:A:273:LEU:HD11	2.35	0.41
1:A:114:TYR:HE2	1:A:145:ASN:HA	1.86	0.41
1:A:428:LEU:HA	1:A:429:PRO:HD2	1.83	0.41
1:A:515:ARG:HH22	9:A:1548:MES:H72	1.83	0.41
1:A:322:ASN:O	1:A:325:GLU:HG2	2.21	0.41
1:A:178:VAL:HB	10:A:2138:HOH:O	2.21	0.40
1:A:183:ALA:CB	10:A:2145:HOH:O	2.67	0.40
1:A:55:ILE:HG13	1:A:55:ILE:H	1.71	0.40
1:A:121:GLY:HA2	10:A:2072:HOH:O	2.21	0.40
1:A:267:LYS:HD2	1:A:271:GLU:OE2	2.21	0.40
1:A:159:ASN:OD1	1:A:161:GLU:HG2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	519/529 (98%)	458 (88%)	53 (10%)	8 (2%)	<b>10</b> <b>18</b>

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	454	ASP
1	A	486	ALA
1	A	506	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	55	ILE
1	A	453	ARG
1	A	54	ASP
1	A	116	GLY
1	A	157	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	447/452 (99%)	420 (94%)	27 (6%)	19	33

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	GLN
1	A	36	PRO
1	A	38	LEU
1	A	176	GLN
1	A	195	PHE
1	A	198	SER
1	A	236	LEU
1	A	240	ARG
1	A	268	ASP
1	A	269	PRO
1	A	270	GLN
1	A	287	SER
1	A	304	ASP
1	A	383	GLU
1	A	410	SER
1	A	414	ASN
1	A	428	LEU
1	A	452	ARG
1	A	453	ARG
1	A	455	GLN
1	A	471	TRP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	482	GLU
1	A	484	GLN
1	A	487	SER
1	A	495	SER
1	A	517	GLN
1	A	518	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	17	GLN
1	A	47	GLN
1	A	172	GLN
1	A	176	GLN
1	A	214	HIS
1	A	322	ASN
1	A	384	ASN
1	A	518	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	CSS	A	66	1	4,6,7	0.52	0	1,6,8	0.23	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSS	A	66	1	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates ⓘ

6 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	B	1	1,2	14,14,15	0.51	0	17,19,21	0.79	1 (5%)
2	NAG	B	2	2	14,14,15	0.56	0	17,19,21	0.81	1 (5%)
2	FUC	B	3	2	10,10,11	0.49	0	14,14,16	0.37	0
2	NAG	C	1	1,2	14,14,15	0.68	0	17,19,21	0.59	0
2	NAG	C	2	2	14,14,15	0.39	0	17,19,21	0.69	1 (5%)
2	FUC	C	3	2	10,10,11	0.94	1 (10%)	14,14,16	0.87	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	1	1,2	-	2/6/23/26	0/1/1/1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	B	2	2	-	4/6/23/26	0/1/1/1
2	FUC	B	3	2	-	-	0/1/1/1
2	NAG	C	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	C	2	2	-	4/6/23/26	0/1/1/1
2	FUC	C	3	2	-	-	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	3	FUC	C2-C3	2.04	1.55	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	3	FUC	C3-C4-C5	2.44	113.57	109.77
2	C	2	NAG	C2-N2-C7	-2.13	119.86	122.90
2	B	2	NAG	C2-N2-C7	-2.13	119.87	122.90
2	B	1	NAG	C2-N2-C7	-2.05	119.99	122.90

There are no chirality outliers.

All (12) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	1	NAG	C8-C7-N2-C2
2	C	1	NAG	O7-C7-N2-C2
2	B	1	NAG	C8-C7-N2-C2
2	B	1	NAG	O7-C7-N2-C2
2	C	2	NAG	C8-C7-N2-C2
2	C	2	NAG	O7-C7-N2-C2
2	B	2	NAG	C8-C7-N2-C2
2	B	2	NAG	O7-C7-N2-C2
2	B	2	NAG	O5-C5-C6-O6
2	B	2	NAG	C4-C5-C6-O6
2	C	2	NAG	O5-C5-C6-O6
2	C	2	NAG	C4-C5-C6-O6


There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	1	NAG	2	0
2	C	3	FUC	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.





## 5.6 Ligand geometry [i](#)

Of 17 ligands modelled in this entry, 7 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	NAG	A	1538	1	14,14,15	0.74	0	17,19,21	0.86	1 (5%)
3	NAG	A	1537	1	14,14,15	0.68	0	17,19,21	0.73	1 (5%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
8	BUA	A	1547	-	2,5,5	0.62	0	2,5,5	2.50	1 (50%)
6	SO4	A	1549	5	4,4,4	0.36	0	6,6,6	0.22	0
3	NAG	A	1536	1	14,14,15	0.72	0	17,19,21	0.72	1 (5%)
7	GOL	A	1545	-	5,5,5	0.35	0	5,5,5	0.25	0
7	GOL	A	1546	-	5,5,5	0.30	0	5,5,5	0.56	0
9	MES	A	1548	-	12,12,12	1.70	2 (16%)	14,16,16	1.32	1 (7%)
6	SO4	A	1543	-	4,4,4	0.35	0	6,6,6	0.13	0
7	GOL	A	1544	-	5,5,5	0.32	0	5,5,5	0.32	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	A	1538	1	-	3/6/23/26	0/1/1/1
3	NAG	A	1537	1	-	2/6/23/26	0/1/1/1
8	BUA	A	1547	-	-	1/1/3/3	-
3	NAG	A	1536	1	-	2/6/23/26	0/1/1/1
7	GOL	A	1545	-	-	0/4/4/4	-
7	GOL	A	1546	-	-	2/4/4/4	-
9	MES	A	1548	-	-	2/6/14/14	0/1/1/1
7	GOL	A	1544	-	-	0/4/4/4	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	A	1548	MES	C8-S	4.63	1.84	1.77
9	A	1548	MES	O2S-S	2.03	1.51	1.45

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	A	1548	MES	C5-N4-C3	3.81	117.41	108.83
8	A	1547	BUA	C2-C3-C4	3.34	122.76	112.82
3	A	1538	NAG	C1-C2-N2	-2.31	106.54	110.49
3	A	1537	NAG	C2-N2-C7	-2.03	120.02	122.90
3	A	1536	NAG	C2-N2-C7	-2.01	120.04	122.90

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1538	NAG	C8-C7-N2-C2
3	A	1538	NAG	O7-C7-N2-C2
3	A	1537	NAG	C8-C7-N2-C2
3	A	1537	NAG	O7-C7-N2-C2
3	A	1536	NAG	C8-C7-N2-C2
3	A	1536	NAG	O7-C7-N2-C2
8	A	1547	BUA	C1-C2-C3-C4
9	A	1548	MES	C8-C7-N4-C3
9	A	1548	MES	C8-C7-N4-C5
7	A	1546	GOL	O2-C2-C3-O3
3	A	1538	NAG	O5-C5-C6-O6
7	A	1546	GOL	C1-C2-C3-O3

There are no ring outliers.

6 monomers are involved in 17 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	A	1547	BUA	7	0
6	A	1549	SO4	2	0
3	A	1536	NAG	2	0
7	A	1545	GOL	3	0
7	A	1546	GOL	2	0
9	A	1548	MES	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	523/529 (98%)	-0.29	11 (2%) 63 72	29, 59, 95, 147	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	282	TYR	4.5
1	A	51	LYS	4.5
1	A	452	ARG	3.9
1	A	255	GLU	3.5
1	A	453	ARG	2.8
1	A	237	TYR	2.8
1	A	455	GLN	2.6
1	A	376	TRP	2.5
1	A	97	VAL	2.4
1	A	22	GLY	2.3
1	A	50	THR	2.3

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	CSS	A	66	7/8	0.95	0.11	61,61,61,61	0


### 6.3 Carbohydrates [i](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	NAG	B	2	14/15	0.85	0.40	108,108,108,108	0
2	FUC	C	3	10/11	0.86	0.38	105,105,105,105	0
2	NAG	C	2	14/15	0.91	0.26	101,101,101,101	0
2	NAG	B	1	14/15	0.92	0.19	125,125,125,125	0
2	NAG	C	1	14/15	0.95	0.24	72,72,72,72	0
2	FUC	B	3	10/11	0.96	0.21	101,101,101,101	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
7	GOL	A	1546	6/6	0.75	0.31	61,61,61,61	0
3	NAG	A	1537	14/15	0.76	0.30	111,111,111,111	0
7	GOL	A	1545	6/6	0.82	0.31	61,61,61,61	0
3	NAG	A	1538	14/15	0.83	0.29	101,101,101,101	0
5	HG	A	3003	1/1	0.86	0.10	129,129,129,129	1
9	MES	A	1548	12/12	0.86	0.28	141,141,141,141	0
8	BUA	A	1547	6/6	0.87	0.21	72,72,72,72	0
5	HG	A	1542	1/1	0.89	0.20	209,209,209,209	1

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
4	CL	A	3001	1/1	0.89	0.08	83,83,83,83	0
7	GOL	A	1544	6/6	0.89	0.34	61,61,61,61	0
3	NAG	A	1536	14/15	0.91	0.30	80,80,80,80	0
6	SO4	A	1549	5/5	0.93	0.14	103,103,103,103	0
4	CL	A	1539	1/1	0.94	0.06	78,78,78,78	0
5	HG	A	1540	1/1	0.94	0.20	104,104,104,104	1
4	CL	A	3002	1/1	0.95	0.11	100,100,100,100	0
5	HG	A	1541	1/1	0.95	0.05	112,112,112,112	1
6	SO4	A	1543	5/5	0.96	0.27	106,106,106,106	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.