



# wwPDB X-ray Structure Validation Summary Report ⓘ

May 16, 2020 – 02:46 am BST

PDB ID : 5J4B  
Title : Crystal structure of the *Thermus thermophilus* 70S ribosome in complex with cisplatin (co-crystallized) and bound to mRNA and A-, P- and E-site tRNAs at 2.6Å resolution  
Authors : Melnikov, S.V.; Soll, D.; Steitz, T.A.; Polikanov, Y.S.  
Deposited on : 2016-03-31  
Resolution : 2.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11




# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)
RNA backbone	3102	1040 (2.90-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1A	2915	<div> <div>0%</div> <div> <div></div> <div>66%</div> <div>25%</div> <div>7%</div> <div>.</div> </div> </div>
1	2A	2915	<div> <div>2%</div> <div> <div></div> <div>56%</div> <div>33%</div> <div>7%</div> <div>.</div> </div> </div>
2	1B	121	<div> <div></div> <div> <div></div> <div>76%</div> <div>21%</div> <div>..</div> </div> </div>
2	2B	121	<div> <div></div> <div> <div></div> <div>46%</div> <div>45%</div> <div>8%</div> <div>.</div> </div> </div>

*Continued on next page...*



Continued from previous page...

Mol	Chain	Length	Quality of chain
3	1D	276	
3	2D	276	
4	1E	206	
4	2E	206	
5	1F	210	
5	2F	210	
6	1G	182	
6	2G	182	
7	1H	180	
7	2H	180	
8	1I	148	
8	2I	148	
9	1N	140	
9	2N	140	
10	1O	122	
10	2O	122	
11	1P	150	
11	2P	150	
12	1Q	141	
12	2Q	141	
13	1R	118	
13	2R	118	
14	1S	112	
14	2S	112	
15	1T	146	

Continued on next page...




























Continued from previous page...

Mol	Chain	Length	Quality of chain
15	2T	146	
16	1U	118	
16	2U	118	
17	1V	101	
17	2V	101	
18	1W	113	
18	2W	113	
19	1X	96	
19	2X	96	
20	1Y	110	
20	2Y	110	
21	1Z	206	
21	2Z	206	
22	10	85	
22	20	85	
23	11	98	
23	21	98	
24	12	72	
24	22	72	
25	13	60	
25	23	60	
26	14	71	
26	24	71	
27	15	60	
27	25	60	

Continued on next page...



Continued from previous page...

Mol	Chain	Length	Quality of chain
28	16	54	
28	26	54	
29	17	49	
29	27	49	
30	18	65	
30	28	65	
31	19	37	
31	29	37	
32	1a	1521	
32	2a	1521	
33	1b	256	
33	2b	256	
34	1c	239	
34	2c	239	
35	1d	209	
35	2d	209	
36	1e	162	
36	2e	162	
37	1f	101	
37	2f	101	
38	1g	156	
38	2g	156	
39	1h	138	
39	2h	138	
40	1i	128	

Continued on next page...



Continued from previous page...

Mol	Chain	Length	Quality of chain
40	2i	128	
41	1j	105	
41	2j	105	
42	1k	129	
42	2k	129	
43	1l	132	
43	2l	132	
44	1m	126	
44	2m	126	
45	1n	61	
45	2n	61	
46	1o	89	
46	2o	89	
47	1p	88	
47	2p	88	
48	1q	105	
48	2q	105	
49	1r	88	
49	2r	88	
50	1s	93	
50	2s	93	
51	1t	106	
51	2t	106	
52	1u	27	
52	2u	27	

Continued on next page...



Continued from previous page...

Mol	Chain	Length	Quality of chain
53	1v	24	
53	2v	24	
54	1w	76	
54	1y	76	
54	2w	76	
54	2y	76	
55	1x	77	
55	2x	77	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
56	MG	18	101	-	-	-	X
56	MG	1A	3149	-	-	-	X
56	MG	1A	3386	-	-	-	X
56	MG	1A	3414	-	-	-	X
56	MG	1A	3434	-	-	-	X
56	MG	1A	3454	-	-	-	X
56	MG	1A	4057	-	-	-	X
56	MG	1A	4084	-	-	-	X
56	MG	1A	4104	-	-	-	X
56	MG	1A	4132	-	-	-	X
56	MG	1B	3011	-	-	-	X
56	MG	23	101	-	-	-	X
56	MG	25	105	-	-	-	X
56	MG	2A	3092	-	-	-	X
56	MG	2A	3212	-	-	-	X
56	MG	2A	3227	-	-	-	X
56	MG	2A	3252	-	-	-	X
56	MG	2A	3292	-	-	-	X
56	MG	2A	3325	-	-	-	X
56	MG	2A	3326	-	-	-	X
56	MG	2A	3341	-	-	-	X
56	MG	2A	3343	-	-	-	X
56	MG	2A	3370	-	-	-	X

Continued on next page...



*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
56	MG	2A	3411	-	-	-	X
56	MG	2A	3700	-	-	-	X
56	MG	2A	3729	-	-	-	X
56	MG	2A	3910	-	-	-	X
56	MG	2F	301	-	-	-	X
56	MG	2a	1629	-	-	-	X
56	MG	2a	1631	-	-	-	X
56	MG	2a	1665	-	-	-	X
56	MG	2a	1752	-	-	-	X
56	MG	2w	103	-	-	-	X
58	CPT	1A	4179	-	-	-	X



## 2 Entry composition [i](#)

There are 61 unique types of molecules in this entry. The entry contains 301328 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	1A	2871	Total	C	N	O	P	0	1	0
			61875	27541	11577	19885	2872			
1	2A	2800	Total	C	N	O	P	0	0	0
			60322	26848	11284	19390	2800			

- Molecule 2 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	1B	120	Total	C	N	O	P	0	0	0
			2577	1146	476	835	120			
2	2B	120	Total	C	N	O	P	0	0	0
			2575	1146	476	833	120			

- Molecule 3 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	1D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			
3	2D	275	Total	C	N	O	S	0	0	0
			2136	1349	423	361	3			

- Molecule 4 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	1E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			
4	2E	204	Total	C	N	O	S	0	0	0
			1559	985	298	270	6			

- Molecule 5 is a protein called 50S ribosomal protein L4.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	1F	203	Total	C	N	O	S	0	0	1
			1584	1009	298	275	2			
5	2F	203	Total	C	N	O	S	0	0	1
			1580	1007	297	274	2			

- Molecule 6 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	1G	181	Total	C	N	O	S	0	0	0
			1423	913	253	253	4			
6	2G	181	Total	C	N	O	S	0	0	0
			1428	913	258	253	4			

- Molecule 7 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	1H	173	Total	C	N	O	S	0	0	0
			1321	839	246	235	1			
7	2H	173	Total	C	N	O	S	0	0	0
			1321	839	246	235	1			

- Molecule 8 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	1I	146	Total	C	N	O	S	0	0	0
			1097	701	191	204	1			
8	2I	146	Total	C	N	O	S	0	0	0
			1064	681	186	196	1			

- Molecule 9 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	1N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			
9	2N	140	Total	C	N	O	S	0	0	0
			1117	719	207	187	4			

- Molecule 10 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	1O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	2O	122	Total	C	N	O	S	0	0	0
			933	588	171	170	4			

- Molecule 11 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	1P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			
11	2P	149	Total	C	N	O	S	0	0	0
			1135	706	230	196	3			

- Molecule 12 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	1Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			
12	2Q	141	Total	C	N	O	S	0	0	0
			1122	715	212	188	7			

- Molecule 13 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	1R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			
13	2R	118	Total	C	N	O	S	0	0	0
			968	604	203	160	1			

- Molecule 14 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
14	1S	110	Total	C	N	O	0	0	0
			873	550	174	149			
14	2S	110	Total	C	N	O	0	0	0
			870	549	173	148			

- Molecule 15 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
15	1T	131	Total	C	N	O	S	0	0	0
			1091	680	225	185	1			
15	2T	131	Total	C	N	O	S	0	0	0
			1083	675	224	183	1			



- Molecule 16 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
16	1U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			
16	2U	116	Total	C	N	O	S	0	0	0
			959	608	201	149	1			

- Molecule 17 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
17	1V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			
17	2V	101	Total	C	N	O	S	0	0	0
			771	495	140	135	1			

- Molecule 18 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
18	1W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			
18	2W	112	Total	C	N	O	S	0	0	0
			886	557	174	153	2			

- Molecule 19 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
19	1X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			
19	2X	95	Total	C	N	O	S	0	0	0
			750	488	135	126	1			

- Molecule 20 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
20	1Y	107	Total	C	N	O	S	0	0	0
			806	517	152	131	6			
20	2Y	107	Total	C	N	O	S	0	0	0
			806	517	152	131	6			

- Molecule 21 is a protein called 50S ribosomal protein L25.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
21	1Z	154	Total	C	N	O	S	0	0	0
			1240	795	222	220	3			
21	2Z	160	Total	C	N	O	S	0	0	0
			1271	814	228	227	2			

- Molecule 22 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
22	10	83	Total	C	N	O	S	0	0	0
			653	404	139	109	1			
22	20	83	Total	C	N	O	S	0	0	0
			653	404	139	109	1			

- Molecule 23 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
23	11	97	Total	C	N	O	S	0	0	0
			755	475	148	131	1			
23	21	97	Total	C	N	O	S	0	0	0
			755	475	148	131	1			

- Molecule 24 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
24	12	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			
24	22	70	Total	C	N	O	S	0	0	0
			588	365	118	103	2			

- Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
25	13	59	Total	C	N	O	0	0	0
			469	298	90	81			
25	23	59	Total	C	N	O	0	0	0
			464	296	90	78			

- Molecule 26 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	14	69	Total	C	N	O	S	0	0	0
			552	349	99	99	5			

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
26	24	69	Total	C	N	O	S	0	0	0
			532	339	97	91	5			

- Molecule 27 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
27	15	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			
27	25	59	Total	C	N	O	S	0	0	0
			455	285	89	76	5			

- Molecule 28 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
28	16	53	Total	C	N	O	S	0	0	0
			453	281	91	77	4			
28	26	53	Total	C	N	O	S	0	0	0
			449	279	91	75	4			

- Molecule 29 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
29	17	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			
29	27	48	Total	C	N	O	S	0	0	0
			418	257	104	55	2			

- Molecule 30 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
30	18	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			
30	28	64	Total	C	N	O	S	0	0	0
			517	331	102	82	2			

- Molecule 31 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
31	19	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			
31	29	37	Total	C	N	O	S	0	0	0
			307	188	68	47	4			



- Molecule 32 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
32	1a	1500	Total	C	N	O	P	0	0	0
			32246	14358	5975	10413	1500			
32	2a	1503	Total	C	N	O	P	0	0	0
			32327	14396	5990	10438	1503			

- Molecule 33 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
33	1b	231	Total	C	N	O	S	0	0	0
			1846	1179	331	331	5			
33	2b	231	Total	C	N	O	S	0	0	0
			1825	1167	326	327	5			

- Molecule 34 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
34	1c	206	Total	C	N	O	S	0	0	0
			1548	973	301	273	1			
34	2c	206	Total	C	N	O	S	0	0	0
			1542	968	300	273	1			

- Molecule 35 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
35	1d	208	Total	C	N	O	S	0	0	0
			1655	1038	326	284	7			
35	2d	208	Total	C	N	O	S	0	0	0
			1674	1050	333	284	7			

- Molecule 36 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
36	1e	148	Total	C	N	O	S	0	0	0
			1129	714	213	198	4			
36	2e	148	Total	C	N	O	S	0	0	0
			1133	716	214	199	4			

- Molecule 37 is a protein called 30S ribosomal protein S6.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
37	1f	100	Total	C	N	O	S	0	0	0
			810	514	144	149	3			
37	2f	100	Total	C	N	O	S	0	0	0
			816	516	146	151	3			

- Molecule 38 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
38	1g	155	Total	C	N	O	S	0	0	0
			1231	766	243	216	6			
38	2g	155	Total	C	N	O	S	0	0	0
			1235	769	244	216	6			

- Molecule 39 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
39	1h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			
39	2h	137	Total	C	N	O	S	0	0	0
			1088	689	206	191	2			

- Molecule 40 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
40	1i	127	Total	C	N	O	0	0	0
			983	623	193	167			
40	2i	127	Total	C	N	O	0	0	0
			978	619	190	169			

- Molecule 41 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
41	1j	97	Total	C	N	O	0	0	0
			709	440	138	131			
41	2j	96	Total	C	N	O	0	0	0
			714	445	138	131			

- Molecule 42 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	1k	114	Total	C	N	O	S	0	0	0
			829	516	155	155	3			

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
42	2k	114	Total	C	N	O	S	0	0	0
			833	519	156	155	3			

- Molecule 43 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
43	1l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			
43	2l	122	Total	C	N	O	S	0	0	0
			932	586	185	159	2			

- Molecule 44 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
44	1m	123	Total	C	N	O	S	0	0	0
			958	592	198	166	2			
44	2m	122	Total	C	N	O	S	0	0	0
			950	586	197	165	2			

- Molecule 45 is a protein called 30S ribosomal protein S14 type Z.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
45	1n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			
45	2n	60	Total	C	N	O	S	0	0	0
			492	312	104	72	4			

- Molecule 46 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
46	1o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			
46	2o	88	Total	C	N	O	S	0	0	0
			728	456	144	126	2			

- Molecule 47 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
47	1p	82	Total	C	N	O	S	0	0	0
			681	433	134	113	1			
47	2p	82	Total	C	N	O	S	0	0	0
			677	430	133	113	1			



- Molecule 48 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
48	1q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			
48	2q	99	Total	C	N	O	S	0	0	0
			823	528	151	142	2			

- Molecule 49 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
49	1r	68	Total	C	N	O		0	0	0
			555	355	108	92				
49	2r	68	Total	C	N	O		0	0	0
			555	355	108	92				

- Molecule 50 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
50	1s	83	Total	C	N	O	S	0	0	0
			652	417	120	113	2			
50	2s	83	Total	C	N	O	S	0	0	0
			646	412	119	113	2			

- Molecule 51 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
51	1t	96	Total	C	N	O	S	0	0	0
			728	446	156	124	2			
51	2t	96	Total	C	N	O	S	0	0	0
			727	446	155	124	2			

- Molecule 52 is a protein called 30S ribosomal protein Thx.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
52	1u	23	Total	C	N	O	0	0	0
			199	122	48	29			
52	2u	23	Total	C	N	O	0	0	0
			199	122	48	29			

- Molecule 53 is a RNA chain called mRNA.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
53	1v	13	Total	C	N	O	P	0	0	0
			277	125	51	88	13			
53	2v	13	Total	C	N	O	P	0	0	0
			277	125	51	88	13			

- Molecule 54 is a RNA chain called A-site and E-site tRNAs.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
54	1w	74	Total	C	N	O	P	S	0	0
			1592	713	285	518	74	2		
54	1y	74	Total	C	N	O	P	S	0	0
			1585	707	285	518	74	1		
54	2w	72	Total	C	N	O	P	S	0	0
			1544	690	278	502	72	2		
54	2y	73	Total	C	N	O	P	S	0	0
			1565	698	283	510	73	1		

- Molecule 55 is a RNA chain called P-site tRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
55	1x	76	Total	C	N	O	P	S	0	0
			1625	725	294	529	76	1		
55	2x	76	Total	C	N	O	P	S	0	0
			1625	725	294	529	76	1		

- Molecule 56 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	2E	9	Total	Mg	0	0
			9	9		
56	17	4	Total	Mg	0	0
			4	4		
56	2d	2	Total	Mg	0	0
			2	2		
56	1T	2	Total	Mg	0	0
			2	2		
56	1N	6	Total	Mg	0	0
			6	6		
56	20	2	Total	Mg	0	0
			2	2		
56	18	3	Total	Mg	0	0
			3	3		
56	1Y	4	Total	Mg	0	0
			4	4		

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	13	2	Total 2	Mg 2	0	0
56	1f	1	Total 1	Mg 1	0	0
56	1P	3	Total 3	Mg 3	0	0
56	2B	20	Total 20	Mg 20	0	0
56	2w	8	Total 8	Mg 8	0	0
56	2a	256	Total 256	Mg 256	0	0
56	1E	11	Total 11	Mg 11	0	0
56	1b	2	Total 2	Mg 2	0	0
56	2l	3	Total 3	Mg 3	0	0
56	2F	7	Total 7	Mg 7	0	0
56	16	2	Total 2	Mg 2	0	0
56	28	1	Total 1	Mg 1	0	0
56	2e	1	Total 1	Mg 1	0	0
56	1W	4	Total 4	Mg 4	0	0
56	1A	1220	Total 1220	Mg 1220	0	0
56	1t	1	Total 1	Mg 1	0	0
56	2p	1	Total 1	Mg 1	0	0
56	1n	3	Total 3	Mg 3	0	0
56	2P	3	Total 3	Mg 3	0	0
56	1X	5	Total 5	Mg 5	0	0
56	12	1	Total 1	Mg 1	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	1y	5	Total 5	Mg 5	0	0
56	1S	3	Total 3	Mg 3	0	0
56	25	4	Total 4	Mg 4	0	0
56	2T	2	Total 2	Mg 2	0	0
56	1D	12	Total 12	Mg 12	0	0
56	2N	1	Total 1	Mg 1	0	0
56	1e	1	Total 1	Mg 1	0	0
56	2G	1	Total 1	Mg 1	0	0
56	1I	1	Total 1	Mg 1	0	0
56	2f	2	Total 2	Mg 2	0	0
56	1V	2	Total 2	Mg 2	0	0
56	2X	2	Total 2	Mg 2	0	0
56	1w	11	Total 11	Mg 11	0	0
56	1a	284	Total 284	Mg 284	0	0
56	2Q	4	Total 4	Mg 4	0	0
56	15	2	Total 2	Mg 2	0	0
56	1x	18	Total 18	Mg 18	0	0
56	2j	2	Total 2	Mg 2	0	0
56	1R	3	Total 3	Mg 3	0	0
56	26	1	Total 1	Mg 1	0	0
56	2v	4	Total 4	Mg 4	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	2U	3	Total 3	Mg 3	0	0
56	1G	5	Total 5	Mg 5	0	0
56	2O	1	Total 1	Mg 1	0	0
56	11	5	Total 5	Mg 5	0	0
56	2n	1	Total 1	Mg 1	0	0
56	2q	4	Total 4	Mg 4	0	0
56	2g	1	Total 1	Mg 1	0	0
56	1v	1	Total 1	Mg 1	0	0
56	2x	5	Total 5	Mg 5	0	0
56	2R	3	Total 3	Mg 3	0	0
56	1Z	4	Total 4	Mg 4	0	0
56	2D	5	Total 5	Mg 5	0	0
56	14	1	Total 1	Mg 1	0	0
56	1U	8	Total 8	Mg 8	0	0
56	2r	1	Total 1	Mg 1	0	0
56	1O	6	Total 6	Mg 6	0	0
56	1r	1	Total 1	Mg 1	0	0
56	19	2	Total 2	Mg 2	0	0
56	1l	3	Total 3	Mg 3	0	0
56	2V	1	Total 1	Mg 1	0	0
56	1F	7	Total 7	Mg 7	0	0

*Continued on next page...*



*Continued from previous page...*


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
56	10	6	Total 6	Mg 6	0	0
56	2t	1	Total 1	Mg 1	0	0
56	1Q	5	Total 5	Mg 5	0	0
56	2A	937	Total 937	Mg 937	0	0
56	23	2	Total 2	Mg 2	0	0
56	2Z	1	Total 1	Mg 1	0	0
56	1B	36	Total 36	Mg 36	0	0
56	2y	7	Total 7	Mg 7	0	0
56	27	1	Total 1	Mg 1	0	0
56	2S	1	Total 1	Mg 1	0	0

- Molecule 57 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
57	1A	1	Total 1	K 1	0	0
57	2A	1	Total 1	K 1	0	0

- Molecule 58 is Cisplatin (three-letter code: CPT) (formula: Cl<sub>2</sub>H<sub>6</sub>N<sub>2</sub>Pt).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
58	1A	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
58	1A	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
58	1A	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
58	1A	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
58	1A	1	Total	N	Pt		0	0
			3	2	1			
58	1A	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
58	1I	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
58	1a	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
58	1a	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
58	2A	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
58	2A	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
58	2A	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
58	2A	1	Total	N	Pt		0	0
			3	2	1			

Continued on next page...



*Continued from previous page...*


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
58	2A	1	Total	Cl	N	Pt	0	0
			4	1	2	1		
58	2I	1	Total	Cl	N	Pt	0	0
			4	1	2	1		

- Molecule 59 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
59	1Y	1	Total	Zn	0	0
			1	1		
59	14	1	Total	Zn	0	0
			1	1		
59	1n	1	Total	Zn	0	0
			1	1		
59	15	1	Total	Zn	0	0
			1	1		
59	29	1	Total	Zn	0	0
			1	1		
59	19	1	Total	Zn	0	0
			1	1		
59	26	1	Total	Zn	0	0
			1	1		
59	25	1	Total	Zn	0	0
			1	1		
59	24	1	Total	Zn	0	0
			1	1		
59	2n	1	Total	Zn	0	0
			1	1		
59	2Y	1	Total	Zn	0	0
			1	1		
59	16	1	Total	Zn	0	0
			1	1		

- Molecule 60 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe<sub>4</sub>S<sub>4</sub>).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
60	1d	1	Total	Fe	S	0	0
			8	4	4		
60	2d	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 61 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1A	2299	Total	O	0	0
			2299	2299		
61	1B	68	Total	O	0	0
			68	68		
61	1D	29	Total	O	0	0
			29	29		
61	1E	30	Total	O	0	0
			30	30		
61	1F	17	Total	O	0	0
			17	17		
61	1G	8	Total	O	0	0
			8	8		
61	1H	1	Total	O	0	0
			1	1		
61	1I	2	Total	O	0	0
			2	2		
61	1N	5	Total	O	0	0
			5	5		
61	1O	7	Total	O	0	0
			7	7		

Continued on next page...



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1P	21	Total 21	O 21	0	0
61	1Q	13	Total 13	O 13	0	0
61	1R	13	Total 13	O 13	0	0
61	1S	5	Total 5	O 5	0	0
61	1T	8	Total 8	O 8	0	0
61	1U	14	Total 14	O 14	0	0
61	1V	12	Total 12	O 12	0	0
61	1W	7	Total 7	O 7	0	0
61	1X	8	Total 8	O 8	0	0
61	1Y	9	Total 9	O 9	0	0
61	1Z	1	Total 1	O 1	0	0
61	10	10	Total 10	O 10	0	0
61	11	11	Total 11	O 11	0	0
61	12	4	Total 4	O 4	0	0
61	13	5	Total 5	O 5	0	0
61	14	1	Total 1	O 1	0	0
61	15	6	Total 6	O 6	0	0
61	16	3	Total 3	O 3	0	0
61	17	10	Total 10	O 10	0	0
61	18	11	Total 11	O 11	0	0
61	1a	516	Total 516	O 516	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	1b	1	Total 1	O 1	0	0
61	1c	1	Total 1	O 1	0	0
61	1d	3	Total 3	O 3	0	0
61	1e	2	Total 2	O 2	0	0
61	1g	2	Total 2	O 2	0	0
61	1i	1	Total 1	O 1	0	0
61	1l	8	Total 8	O 8	0	0
61	1m	2	Total 2	O 2	0	0
61	1o	1	Total 1	O 1	0	0
61	1p	1	Total 1	O 1	0	0
61	1q	3	Total 3	O 3	0	0
61	1u	1	Total 1	O 1	0	0
61	1v	6	Total 6	O 6	0	0
61	1w	21	Total 21	O 21	0	0
61	1x	14	Total 14	O 14	0	0
61	1y	3	Total 3	O 3	0	0
61	2A	1402	Total 1402	O 1402	0	0
61	2B	27	Total 27	O 27	0	0
61	2D	26	Total 26	O 26	0	0
61	2E	17	Total 17	O 17	0	0
61	2F	17	Total 17	O 17	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	2I	4	Total 4	O 4	0	0
61	2N	3	Total 3	O 3	0	0
61	2O	1	Total 1	O 1	0	0
61	2P	15	Total 15	O 15	0	0
61	2Q	2	Total 2	O 2	0	0
61	2R	2	Total 2	O 2	0	0
61	2T	6	Total 6	O 6	0	0
61	2U	2	Total 2	O 2	0	0
61	2V	1	Total 1	O 1	0	0
61	2W	3	Total 3	O 3	0	0
61	2X	2	Total 2	O 2	0	0
61	2Y	1	Total 1	O 1	0	0
61	2Z	2	Total 2	O 2	0	0
61	20	6	Total 6	O 6	0	0
61	21	12	Total 12	O 12	0	0
61	22	1	Total 1	O 1	0	0
61	23	1	Total 1	O 1	0	0
61	25	3	Total 3	O 3	0	0
61	27	4	Total 4	O 4	0	0
61	28	4	Total 4	O 4	0	0
61	29	1	Total 1	O 1	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
61	2a	380	Total 380	O 380	0	0
61	2c	1	Total 1	O 1	0	0
61	2d	4	Total 4	O 4	0	0
61	2e	2	Total 2	O 2	0	0
61	2f	1	Total 1	O 1	0	0
61	2g	2	Total 2	O 2	0	0
61	2i	1	Total 1	O 1	0	0
61	2j	4	Total 4	O 4	0	0
61	2l	7	Total 7	O 7	0	0
61	2p	1	Total 1	O 1	0	0
61	2q	1	Total 1	O 1	0	0
61	2t	3	Total 3	O 3	0	0
61	2u	2	Total 2	O 2	0	0
61	2v	2	Total 2	O 2	0	0
61	2w	2	Total 2	O 2	0	0
61	2x	7	Total 7	O 7	0	0
61	2y	20	Total 20	O 20	0	0








C2802	C2803	C2804	C2805	C2806	C2807	G	U	A	C	A2812	G2813	C2814	C2815	G2816	A2820	C2825	A2830	A2831	G2832	A2833	C2834	U2842	G2843	G2844	A2845	U2846	G2847	G2848	G2849	G2856	U2857	G2858	U2859	A2870	G2874	A2876	G2879	G2880	C2881	G2882	C2890	C2891	A2892	U2897	C2898	C2899	G2900	G2902																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
U2694	C2695	U2696	G2697	C2698	U2699	U2700	U2701	C2702	C2703	C2704	A2705	G2706	C2707	U2708	C2713	U2714	C2715	U2724	A2725	A2726	G2727	G2735	G2736	G2737	A2738	U2739	G2745	A2746	A2747	C2756	G2757	G2760	G2764	C2768	U2769	A2770	A2771	A2777	A2778	G2779	G2790	A2791	U2792	G2793	U2798	U2799	C2800	C2801																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
U2518	A2530	G2541	A2542	A2543	G2544	A2545	G2546	G2547	C2548	G2561	G2562	C2563	G2564	G2565	U2566	A2576	A2577	A2578	G2579	C2585	A2589	G2594	G2595	A2602	C2603	G2604	A2614	G2615	U2616	U2617	G2620	U2621	C2622	C2623	C2624	C2629	A2641	G2642	C2658	U2659	C2660	U2661	U2662	A2666	A2691																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
A2373	C2376	G2377	A2389	A2390	G2395	A2396	C2397	G2408	U2418	G2419	U2420	G2421	C2429	A2430	A2437	A2438	C2439	G2440	G2441	A2442	U2443	A2447	A2451	C2452	G2453	G2459	A2460	C2476	G2480	C2483	C2486	G2487	A2488	G2489	A2490	U2504	U2505	C2510	C2511	G2514	G2517																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
C2266	A2280	G2281	C2282	G2283	A2286	C2287	G2288	G2289	A2290	G2291	G2292	C2295	C2296	C2297	A2298	A2299	U2303	C2304	G2315	G2316	A2317	G2318	G2319	G2320	U2324	G2327	C2328	G2331	A2332	G2337	C2338	A2339	A2340	G2341	G2346	A2347	A2348	G2353	C2354	C2359	C2362	A2363	A2364	C2367																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
G2109	C2119	U2120	U2121	G2122	G2123	U2124	C2127	G2128	C2129	C2130	U2131	G2132	C2133	U2134	G2135	A2136	G2137	A2141	G2142	U2144	G2145	C2146	A2147	A2148	G2149	C2150	U2151	U2152	G2153	U2154	G2155	A2156	A2157	C2158	G2159	C2160	C2161	C2162	G2163	C2164	C2165	U2166	C2167	C2168	G2169	G2170	G2171	G2172	G2173	G2174	G2177	G2178	G2179																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
A1834	G1842	G1845	U1846	G1847	U1848	A1860	G1870	G1871	C1874	G1877	A1878	A1879	U1882	G1883	G1889	A1890	G1891	A1892	A1893	G1894	G1895	G1896	C1897	A1898	A1899	G1900	G1905	A1911	C1915	G1921	A1922	G1928	C1942	G1951	U1952	U1953	G1954	G1955	A2002	G2003	A2004	G2005	G2006	G2007	G2008	A2009	G2010	U2011	G2012	G2013	G2014	A2015	A2016	A2017	A2018	A2019	A2020	A2021	A2022	A2023	A2024	A2025	A2026	A2027	A2028	A2029	A2030	A2031	A2032	A2033	A2034	A2035	A2036	A2037	A2038	A2039	A2040	A2041	A2042	A2043	A2044	A2045	A2046	A2047	A2048	A2049	A2050	A2051	A2052	A2053	A2054	A2055	A2056	A2057	A2058	A2059	A2060	A2061	A2062	A2063	A2064	A2065	A2066	A2067	A2068	A2069	A2070	A2071	A2072	A2073	A2074	A2075	A2076	A2077	A2078	A2079	A2080	A2081	A2082	A2083	A2084	A2085	A2086	A2087	A2088	A2089	A2090	A2091	A2092	A2093	A2094	A2095	A2096	A2097	A2098	A2099	A2100	A2101	A2102	A2103	A2104	A2105	A2106	A2107	A2108	A2109	A2110	A2111	A2112	A2113	A2114	A2115	A2116	A2117	A2118	A2119	A2120	A2121	A2122	A2123	A2124	A2125	A2126	A2127	A2128	A2129	A2130	A2131	A2132	A2133	A2134	A2135	A2136	A2137	A2138	A2139	A2140	A2141	A2142	A2143	A2144	A2145	A2146	A2147	A2148	A2149	A2150	A2151	A2152	A2153	A2154	A2155	A2156	A2157	A2158	A2159	A2160	A2161	A2162	A2163	A2164	A2165	A2166	A2167	A2168	A2169	A2170	A2171	A2172	A2173	A2174	A2175	A2176	A2177	A2178	A2179	A2180	A2181	A2182	A2183	A2184	A2185	A2186	A2187	A2188	A2189	A2190	A2191	A2192	A2193	A2194	A2195	A2196	A2197	A2198	A2199	A2200	A2201	A2202	A2203	A2204	A2205	A2206	A2207	A2208	A2209	A2210	A2211	A2212	A2213	A2214	A2215	A2216	A2217	A2218	A2219	A2220	A2221	A2222	A2223	A2224	A2225	A2226	A2227	A2228	A2229	A2230	A2231	A2232	A2233	A2234	A2235	A2236	A2237	A2238	A2239	A2240	A2241	A2242	A2243	A2244	A2245	A2246	A2247	A2248	A2249	A2250	A2251	A2252	A2253	A2254	A2255	A2256	A2257	A2258	A2259	A2260	A2261	A2262	A2263	A2264	A2265	A2266	A2267	A2268	A2269	A2270	A2271	A2272	A2273	A2274	A2275	A2276	A2277	A2278	A2279	A2280	A2281	A2282	A2283	A2284	A2285	A2286	A2287	A2288	A2289	A2290	A2291	A2292	A2293	A2294	A2295	A2296	A2297	A2298	A2299	A2300	A2301	A2302	A2303	A2304	A2305	A2306	A2307	A2308	A2309	A2310	A2311	A2312	A2313	A2314	A2315	A2316	A2317	A2318	A2319	A2320	A2321	A2322	A2323	A2324	A2325	A2326	A2327	A2328	A2329	A2330	A2331	A2332	A2333	A2334	A2335	A2336	A2337	A2338	A2339	A2340	A2341	A2342	A2343	A2344	A2345	A2346	A2347	A2348	A2349	A2350	A2351	A2352	A2353	A2354	A2355	A2356	A2357	A2358	A2359	A2360	A2361	A2362	A2363	A2364	A2365	A2366	A2367	A2368	A2369	A2370	A2371	A2372	A2373	A2374	A2375	A2376	A2377	A2378	A2379	A2380	A2381	A2382	A2383	A2384	A2385	A2386	A2387	A2388	A2389	A2390	A2391	A2392	A2393	A2394	A2395	A2396	A2397	A2398	A2399	A2400	A2401	A2402	A2403	A2404	A2405	A2406	A2407	A2408	A2409	A2410	A2411	A2412	A2413	A2414	A2415	A2416	A2417	A2418	A2419	A2420	A2421	A2422	A2423	A2424	A2425	A2426	A2427	A2428	A2429	A2430	A2431	A2432	A2433	A2434	A2435	A2436	A2437	A2438	A2439	A2440	A2441	A2442	A2443	A2444	A2445	A2446	A2447	A2448	A2449	A2450	A2451	A2452	A2453	A2454	A2455	A2456	A2457	A2458	A2459	A2460	A2461	A2462	A2463	A2464	A2465	A2466	A2467	A2468	A2469	A2470	A2471	A2472	A2473	A2474	A2475	A2476	A2477	A2478	A2479	A2480	A2481	A2482	A2483	A2484	A2485	A2486	A2487	A2488	A2489	A2490	A2491	A2492	A2493	A2494	A2495	A2496	A2497	A2498	A2499	A2500	A2501	A2502	A2503	A2504	A2505	A2506	A2507	A2508	A2509	A2510	A2511	A2512	A2513	A2514	A2515	A2516	A2517	A2518	A2519	A2520	A2521	A2522	A2523	A2524	A2525	A2526	A2527	A2528	A2529	A2530	A2531	A2532	A2533	A2534	A2535	A2536	A2537	A2538	A2539	A2540	A2541	A2542	A2543	A2544	A2545	A2546	A2547	A2548	A2549	A2550	A2551	A2552	A2553	A2554	A2555	A2556	A2557	A2558	A2559	A2560	A2561	A2562	A2563	A2564	A2565	A2566	A2567	A2568	A2569	A2570	A2571	A2572	A2573	A2574	A2575	A2576	A2577	A2578	A2579	A2580	A2581	A2582	A2583	A2584	A2585	A2586	A2587	A2588	A2589	A2590	A2591	A2592	A2593	A2594	A2595	A2596	A2597	A2598	A2599	A2600	A2601	A2602	A2603	A2604	A2605	A2606	A2607	A2608	A2609	A2610	A2611	A2612	A2613	A2614	A2615	A2616	A2617	A2618	A2619	A2620	A2621	A2622	A2623	A2624	A2625	A2626	A2627	A2628	A2629	A2630	A2631	A2632	A2633	A2634	A2635	A2636	A2637	A2638	A2639	A2640	A2641	A2642	A2643	A2644	A2645	A2646	A2647	A2648	A2649	A2650	A2651	A2652	A2653	A2654	A2655	A2656	A2657	A2658	A2659	A2660	A2661	A2662	A2663	A2664	A2665	A2666	A2667	A2668	A2669	A2670	A2671	A2672	A2673	A2674	A2675	A2676	A2677	A2678	A2679	A2680	A2681	A2682	A2683	A2684	A2685	A2686	A2687	A2688	A2689	A2690	A2691	A2692	A2693	A2694	A2695	A2696	A2697	A2698	A2699	A2700	A2701	A2702	A2703	A2704	A2705	A2706	A2707	A2708	A2709	A2710	A2711	A2712	A2713	A2714	A2715	A2716	A2717	A2718	A2719	A2720	A2721	A2722	A2723	A2724	A2725	A2726	A2727	A2728	A2729	A2730	A2731	A2732	A2733	A2734	A2735	A2736	A2737	A2738	A2739	A2740	A2741	A2742	A2743	A2744	A2745	A2746	A2747	A2748	A2749	A2750	A2751	A2752	A2753	A2754	A2755	A2756	A2757	A2758	A2759	A2760	A2761	A2762	A2763	A2764	A2765	A2766	A2767	A2768	A2769	A2770	A2771	A2772	A2773	A2774	A2775	A2776	A2777	A2778	A2779	A2780	A2781	A2782	A2783	A2784	A2785	A2786	A2787	A2788	A2789	A2790	A2791	A2792	A2793	A2794	A2795	A2796	A2797	A2798	A2799	A2800	A2801	A2802	A2803	A2804	A2805	A2806	A2807	A2808	A2809	A2810	A2811	A2812	A2813	A2814	A2815	A2816	A2817	A2818	A2819	A2820	A2821	A2822	A2823	A2824	A2825	A2826	A2827	A2828	A2829	A2830	A2831	A2832	A2833	A2834	A2835	A2836	A2837	A2838	A2839	A2840	A2841	A2842	A2843	A2844	A2845	A2846	A2847	A2848	A2849	A2850	A2851	A2852	A2853	A2854	A2855	A2856	A2857	A2858	A2859	A2860	A2861	A2862	A2863	A2864	A2865	A2866	A2867	A2868	A2869	A2870	A2871	A2872	A2873	A2874	A2875	A2876	A2877	A2878	A2879	A2880	A2881	A2882	A2883	A2884	A2885	A2886	A2887	A2888	A2889	A2890	A2891	A2892	A2893	A2894	A2895	A2896	A2897	A2898	A2899	A2900	A2901	A2902	A2903	A2904	A2905	A2906	A2907	A2908	A2909	A2910	A2911	A2912	A2913	A2914	A2915	A2916	A2917	A2918	A2919	A2920	A2921	A2922	A2923	A2924	A2925	A2926	A2927	A2928	A2929	A2930	A2931	A2932	A2933	A2934	A2935	A2936	A2937	A2938	A2939	A2940	A2941	A2942	A2943	A2944	A2945	A2946	A2947	A2948	A2949	A2950	A2951	A2952	A2953	A2954	A2955	A2956	A2957	A2958	A2959	A2960	A2961	A2962	A2963	A2964	A2965	A2966	A2967	A2968	A2969	A2970	A2971	A2972	A2973	A2974	A2975	A2976	A2977	A2978	A2979	A2980	A2981	A2982	A2983	A2984	A2985	A2986	A2987	A2988	A2989	A2990	A2991	A2992	A2993	A2994	A2995	A2996	A2997	A2998	A2999	A3000	A3001	A3002	A3003	A3004	A3005	A3006	A3007	A3008	A3009	A3010	A3011	A3012	A3013	A3014	A3015	A3016	A3017	A3018	A3019	A3020	A3021	A3022	A3023	A3024	A3025	A3026	A3027	A3028	A3029	A3030






• Molecule 1: 23S ribosomal RNA






G2337	U2244	G2151	C2064	U1946	G1816	G1696	A1580	A1486	A1384	A1263	A1147	U
G2340	G2247	G2152	C2065	C1947	G1817	G1697	G1581	G1487	G1385	A1253	A1148	U
G2341	A2248	G2153	G2069	G1947	U1818	A1698	C1582	A1488	C1386	G1256	G1149	A
C2342	U2249	G2154	G2069	U1955	A1699	A1698	A1583	G1489	G1387	G1256	A	A
C2343	G2250	G2155	C2095	U1955	C1829	C1699	C1584	A1490	U1405	G1266	C1150	A
U2344	G2251	G2156	U2096	C1958	G1831	A1700	A1586	U1490	U1406	G1266	C1153	G
G2345	G2252	G2157	C2097	U1958	G1832	G1703	C1589	C1491	C1407	U1267	G1154	A
A2346	U2262	A2158	U2098	U1963	U1833	G1711	U1590	G1492	C1408	A1268	A	A
C2347	G2268	G2160	U2099	G1964	G1834	C1711	G1591	C1493	C1409	A1269	U	U
C2350	G2268	G2161	C2100	A1965	G1835	C1712	C1592	U1497	G1410	C1270	G	G
G2445	G2271	G2162	C2103	A1966	G1839	G1721	G1593	U1503	A1412	A1272	C	C
G2446	U2272	G2166	G2104	G1967	G1839	A1722	G1594	C1504	G1413	U1273	U	U
G2447	A2273	U2167	C2105	G1968	G1846	A1722	G1507	G1416	G1170	G1170	A	A
A2448	A2274	U2168	G2106	A1970	G1847	U1739	A1507	A1417	G1171	A1287	A	A
U2449	C2275	A2169	C2107	A1971	A1948	G1756	A1508	G1418	U	U	A	A
C2450	G2276	A2170	C2108	A1972	U1851	A1759	C1509	A1419	A	A	A	A
A2453	G2277	A2171	U2109	G1973	C1852	A1760	A1509A	U1420	U	U	U	U
C2465	U2278	U2172	G2110	U1991	G1857	U1761	A1509B	G1421	G	G	G	G
C2466	G2280	C2174	G2112	U1992	G1858	A1762	U1510	G1422	A	A	A	A
C2467	G2283	C2175	U2113	U1993	G1859	G1763	G1517	G1423	C1178	C1303	C	C
A2468	C2284	A2176	A2114	C1996	A1859	G1764	A1616	G1424	U1204	A1324	A	A
A2469	C2285	C2177	G2115	G1997	G1860	G1769	G1622	G1425	U1205	G1324	U	U
G2472	A2286	C2178	G2116	G1997	C1866	G1769	U1523	G1426	G1206	G1310	U	U
U2473	A2287	U2180	U2117	G2002	A1876	A1773	G1529	A1427	A1210	G1311	G	G
C2475	G2291	G2182	G2120	C2006	A1877	U1778	C1530	G1428	U1211	C1313	U	U
A2476	C2292	C2183	G2121	G2006	G1878	U1779	C1531	G1429	A1212	C1314	C	C
G2477	G2302	C2184	U2122	A2014	A1889	A1780	G1533	U1431	A1213	G1324	G	G
A2478	G2303	C2185	G2123	A2019	A1890	C1781	U	A1434	U1205	U1335	A	A
C2483	G2304	U2189	G2125	A2020	G1891	A1783	A	C1437	G1206	G1335	U1113	U1113
G2484	A2305	G2191	A2126	C2021	G1899	A1784	G1536	C1345	A1210	G1345	G1114	G1114
G2485	G2306	C2192	G2127	U2022	G1939	A1785	G1537	G1346	U1211	G1346	C1115	C1115
G2486	G2307	G2193	C2128	G2023	A1900	A1786	G1538	U1352	G1212	U1352	G1117	G1117
G2487	G2308	G2198	G2129	C2024	G1906	A1786	G1539	A1353	A1213	A1353	C1118	C1118
U2390	U2312	A2198	U2130	C2025	A1913	C1790	U1540	A1354	C1217	A1354	G1119	G1119
G2391	G2317	U2203	G2131	G2029	U1914	A1791	U1541	G1358	C1218	G1358	C1120	C1120
A2392	G2318	C2205	G2132	A2030	U1915	A1791	A1542	A1359	G1219	A1359	G1121	G1121
G2396	G2319	G2206	G2133	A2031	A1916	U1794	A1544	A1360	C1221	A1360	A1126	A1126
C2402	A2320	G2207	A2135	A2032	U1917	C1795	C1546	G1364	G1224	G1364	A1127	A1127
C2403	A2322	U2218	C2136	A2033	U1917	C1796	C1547	A1365	C1224	A1365	A1128	A1128
G2404	G2325	G2219	C2137	C2042	C1920	U1798	C1557	A1366	G1229	A1366	A1129	A1129
G2405	C2326	G2220	C2138	A2043	A1927	C1800	A1558	G1367	G1230	A1367	U1130	U1130
U2406	A2327	G2221	G2141	C2044	A1928	G1801	A1568	G1368	G1231	G1368	G1135	G1135
G2407	A2328	A2225	C2142	G2049	G1929	A1802	A1562	C1370	G1232	C1370	G1136	G1136
U2408	G2329	U2144	C2143	C2055	G1930	A1803	G1563	G1467	G1236	G1371	G1137	G1137
G2409	G2330	U2232	U2144	G2056	U1931	C1804	A1566	A1469	G1237	U1372	G1138	G1138
G2410	G2331	U2232	C2145	G2056	A1932	U1805	A1567	G1470	G1238	A1373	C1140	C1140
G2415	G2334	G2238	C2146	A2060	G1933	G1810	G1568	A1471	G1239	G1374	U1141	U1141
G2416	A2335	G2239	G2147	G2061	A1937	A1811	A1569	A1472	U1240	C1375	U1142	U1142
U2419	A2336	U2243	G2148	A2062	U1939	A1812	U1578	G1473	A1241	A1378	A1142A	A1142A
			U2150	C2063	U1939	A1815	U1578	C1474	A1247	A1379	A1143	A1143
									G1248		G1144	G1144






• Molecule 2: 5S ribosomal RNA

Chain 1B: 76% 21%




• Molecule 2: 5S ribosomal RNA

Chain 2B: 46% 45% 8%




• Molecule 3: 50S ribosomal protein L2

Chain 1D: 83% 15%



• Molecule 3: 50S ribosomal protein L2



Chain 2D: 82% 17%










- Molecule 4: 50S ribosomal protein L3




- Molecule 4: 50S ribosomal protein L3




- Molecule 5: 50S ribosomal protein L4




- Molecule 5: 50S ribosomal protein L4




- Molecule 6: 50S ribosomal protein L5










- Molecule 6: 50S ribosomal protein L5




- Molecule 7: 50S ribosomal protein L6



- Molecule 7: 50S ribosomal protein L6




- Molecule 8: 50S ribosomal protein L9




- Molecule 8: 50S ribosomal protein L9







- Molecule 9: 50S ribosomal protein L13




- Molecule 9: 50S ribosomal protein L13




- Molecule 10: 50S ribosomal protein L14




- Molecule 10: 50S ribosomal protein L14



- Molecule 11: 50S ribosomal protein L15




- Molecule 11: 50S ribosomal protein L15









- Molecule 12: 50S ribosomal protein L16




- Molecule 12: 50S ribosomal protein L16



- Molecule 13: 50S ribosomal protein L17





- Molecule 13: 50S ribosomal protein L17



- Molecule 14: 50S ribosomal protein L18




- Molecule 14: 50S ribosomal protein L18







- Molecule 15: 50S ribosomal protein L19




- Molecule 15: 50S ribosomal protein L19




- Molecule 16: 50S ribosomal protein L20




- Molecule 16: 50S ribosomal protein L20



- Molecule 17: 50S ribosomal protein L21



- Molecule 17: 50S ribosomal protein L21




- Molecule 18: 50S ribosomal protein L22







- Molecule 18: 50S ribosomal protein L22




- Molecule 19: 50S ribosomal protein L23





- Molecule 19: 50S ribosomal protein L23



- Molecule 20: 50S ribosomal protein L24




- Molecule 20: 50S ribosomal protein L24




- Molecule 21: 50S ribosomal protein L25









• Molecule 21: 50S ribosomal protein L25




• Molecule 22: 50S ribosomal protein L27



• Molecule 23: 50S ribosomal protein L28




• Molecule 23: 50S ribosomal protein L28







- Molecule 24: 50S ribosomal protein L29




- Molecule 24: 50S ribosomal protein L29




- Molecule 25: 50S ribosomal protein L30




- Molecule 25: 50S ribosomal protein L30




- Molecule 26: 50S ribosomal protein L31




- Molecule 26: 50S ribosomal protein L31





- Molecule 27: 50S ribosomal protein L32









- Molecule 27: 50S ribosomal protein L32




- Molecule 28: 50S ribosomal protein L33





- Molecule 28: 50S ribosomal protein L33




- Molecule 29: 50S ribosomal protein L34




- Molecule 29: 50S ribosomal protein L34



- Molecule 30: 50S ribosomal protein L35



- Molecule 30: 50S ribosomal protein L35














- Molecule 31: 50S ribosomal protein L36




- Molecule 31: 50S ribosomal protein L36



- Molecule 32: 16S ribosomal RNA





- Molecule 32: 16S ribosomal RNA













- Molecule 34: 30S ribosomal protein S3





- Molecule 35: 30S ribosomal protein S4





- Molecule 35: 30S ribosomal protein S4



- Molecule 36: 30S ribosomal protein S5




- Molecule 36: 30S ribosomal protein S5



- Molecule 37: 30S ribosomal protein S6









- Molecule 37: 30S ribosomal protein S6




- Molecule 38: 30S ribosomal protein S7



- Molecule 38: 30S ribosomal protein S7



- Molecule 39: 30S ribosomal protein S8



- Molecule 39: 30S ribosomal protein S8




- Molecule 40: 30S ribosomal protein S9




- Molecule 40: 30S ribosomal protein S9







- Molecule 41: 30S ribosomal protein S10




- Molecule 41: 30S ribosomal protein S10




- Molecule 42: 30S ribosomal protein S11




- Molecule 42: 30S ribosomal protein S11



- Molecule 43: 30S ribosomal protein S12




- Molecule 43: 30S ribosomal protein S12







- Molecule 44: 30S ribosomal protein S13




- Molecule 44: 30S ribosomal protein S13




- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 45: 30S ribosomal protein S14 type Z




- Molecule 46: 30S ribosomal protein S15



- Molecule 46: 30S ribosomal protein S15





- Molecule 47: 30S ribosomal protein S16








- Molecule 47: 30S ribosomal protein S16





- Molecule 48: 30S ribosomal protein S17





- Molecule 48: 30S ribosomal protein S17





- Molecule 49: 30S ribosomal protein S18



- Molecule 49: 30S ribosomal protein S18





- Molecule 50: 30S ribosomal protein S19




- Molecule 50: 30S ribosomal protein S19









- Molecule 51: 30S ribosomal protein S20




- Molecule 51: 30S ribosomal protein S20



- Molecule 52: 30S ribosomal protein Thx



- Molecule 52: 30S ribosomal protein Thx



- Molecule 53: mRNA




- Molecule 53: mRNA




- Molecule 54: A-site and E-site tRNAs







- Molecule 54: A-site and E-site tRNAs




- Molecule 54: A-site and E-site tRNAs




- Molecule 54: A-site and E-site tRNAs



- Molecule 55: P-site tRNA



- Molecule 55: P-site tRNA





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	210.24Å 450.36Å 625.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	147.68 – 2.60 365.44 – 2.60	Depositor EDS
% Data completeness (in resolution range)	99.3 (147.68-2.60) 99.3 (365.44-2.60)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.30 (at 2.62Å)	Xtriage
Refinement program	PHENIX 1.8.2	Depositor
R, $R_{free}$	0.217 , 0.264 0.218 , 0.264	Depositor DCC
$R_{free}$ test set	89454 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	56.3	Xtriage
Anisotropy	0.191	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 57.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.43$ , $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	301328	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	60.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.51% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 5MU, ZN, M2G, OMG, 2MU, MIA, CPT, SF4, 0TD, MG, 2MA, 2MG, 5MC, UR3, MA6, 4OC, 4SU, 7MG, K, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	1A	0.49	6/69035 (0.0%)	0.92	66/107753 (0.1%)
1	2A	0.42	6/67293 (0.0%)	0.90	45/105034 (0.0%)
2	1B	0.41	1/2882 (0.0%)	0.81	0/4494
2	2B	0.47	1/2879 (0.0%)	0.89	1/4487 (0.0%)
3	1D	0.36	0/2186	0.58	1/2944 (0.0%)
3	2D	0.32	0/2186	0.55	0/2944
4	1E	0.36	0/1592	0.55	0/2149
4	2E	0.31	0/1592	0.57	0/2149
5	1F	0.33	0/1619	0.54	1/2193 (0.0%)
5	2F	0.32	0/1615	0.54	0/2188
6	1G	0.30	0/1448	0.51	0/1957
6	2G	0.30	0/1453	0.54	0/1963
7	1H	0.31	0/1347	0.50	0/1823
7	2H	0.29	0/1347	0.51	0/1823
8	1I	0.28	0/1112	0.52	0/1514
8	2I	0.25	0/1079	0.50	0/1475
9	1N	0.33	0/1144	0.52	0/1543
9	2N	0.30	0/1144	0.50	0/1543
10	1O	0.35	0/943	0.52	0/1269
10	2O	0.29	0/943	0.49	0/1269
11	1P	0.34	0/1152	0.58	0/1533
11	2P	0.30	0/1152	0.60	1/1533 (0.1%)
12	1Q	0.35	0/1143	0.51	0/1527
12	2Q	0.32	0/1143	0.57	0/1527
13	1R	0.33	0/982	0.55	0/1312
13	2R	0.30	0/982	0.53	0/1312
14	1S	0.30	0/883	0.53	0/1176
14	2S	0.31	0/880	0.52	0/1172
15	1T	0.33	0/1105	0.52	0/1477
15	2T	0.29	0/1097	0.53	0/1468
16	1U	0.39	0/977	0.54	0/1301



Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
16	2U	0.34	0/977	0.51	0/1301
17	1V	0.36	0/782	0.52	0/1049
17	2V	0.33	0/782	0.55	0/1049
18	1W	0.37	0/897	0.53	0/1205
18	2W	0.33	0/897	0.50	0/1205
19	1X	0.36	0/764	0.55	0/1025
19	2X	0.33	0/764	0.52	0/1025
20	1Y	0.33	0/819	0.55	0/1095
20	2Y	0.31	0/819	0.50	0/1095
21	1Z	0.30	0/1267	0.54	0/1717
21	2Z	0.29	0/1299	0.55	0/1763
22	10	0.34	0/662	0.56	0/881
22	20	0.30	0/662	0.49	0/881
23	11	0.31	0/762	0.52	0/1014
23	21	0.30	0/762	0.51	0/1014
24	12	0.29	0/590	0.51	0/781
24	22	0.29	0/590	0.42	0/781
25	13	0.32	0/474	0.52	0/635
25	23	0.29	0/469	0.51	0/630
26	14	0.33	0/565	0.64	0/761
26	24	0.32	0/545	0.56	0/737
27	15	0.33	0/469	0.54	0/635
27	25	0.31	0/469	0.55	0/635
28	16	0.36	0/460	0.53	0/613
28	26	0.30	0/456	0.47	0/608
29	17	0.36	0/426	0.56	0/561
29	27	0.35	0/426	0.65	0/561
30	18	0.35	0/525	0.54	0/691
30	28	0.33	0/525	0.52	0/691
31	19	0.34	0/310	0.49	0/407
31	29	0.30	0/310	0.51	0/407
32	1a	0.35	2/35795 (0.0%)	0.85	24/55864 (0.0%)
32	2a	0.35	4/35886 (0.0%)	0.86	31/56005 (0.1%)
33	1b	0.28	0/1881	0.52	0/2542
33	2b	0.30	0/1860	0.53	0/2518
34	1c	0.26	0/1572	0.47	0/2126
34	2c	0.29	0/1566	0.50	0/2119
35	1d	0.28	0/1685	0.49	0/2262
35	2d	0.28	0/1704	0.50	0/2284
36	1e	0.29	0/1145	0.51	0/1543
36	2e	0.30	0/1149	0.55	0/1548
37	1f	0.28	0/823	0.47	0/1115
37	2f	0.29	0/829	0.47	0/1123



Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
38	1g	0.26	0/1250	0.46	0/1679
38	2g	0.27	0/1254	0.49	0/1683
39	1h	0.26	0/1108	0.50	0/1494
39	2h	0.27	0/1108	0.50	0/1494
40	1i	0.29	0/1002	0.53	0/1346
40	2i	0.28	0/997	0.53	0/1343
41	1j	0.27	0/722	0.54	0/982
41	2j	0.28	0/727	0.57	0/988
42	1k	0.27	0/844	0.48	0/1145
42	2k	0.28	0/848	0.48	0/1149
43	1l	0.29	0/937	0.50	0/1260
43	2l	0.28	0/937	0.57	1/1260 (0.1%)
44	1m	0.28	0/969	0.53	0/1302
44	2m	0.28	0/961	0.55	0/1291
45	1n	0.30	0/501	0.57	1/664 (0.2%)
45	2n	0.28	0/501	0.51	0/664
46	1o	0.26	0/739	0.45	0/985
46	2o	0.27	0/739	0.49	0/985
47	1p	0.28	0/697	0.51	0/939
47	2p	0.28	0/693	0.48	0/935
48	1q	0.28	0/836	0.50	0/1117
48	2q	0.28	0/836	0.48	0/1117
49	1r	0.27	0/560	0.49	0/746
49	2r	0.28	0/560	0.46	0/746
50	1s	0.26	0/667	0.52	0/900
50	2s	0.31	0/661	0.62	0/893
51	1t	0.25	0/730	0.52	0/965
51	2t	0.26	0/729	0.48	0/965
52	1u	0.24	0/203	0.41	0/266
52	2u	0.28	0/203	0.50	0/266
53	1v	0.34	0/310	0.86	0/480
53	2v	0.36	0/310	0.79	0/480
54	1w	0.51	1/1606 (0.1%)	1.05	3/2497 (0.1%)
54	1y	0.49	1/1606 (0.1%)	1.03	4/2497 (0.2%)
54	2w	0.46	0/1556	1.08	1/2418 (0.0%)
54	2y	0.52	1/1583 (0.1%)	1.05	4/2459 (0.2%)
55	1x	0.52	0/1725	1.15	19/2689 (0.7%)
55	2x	0.44	0/1725	1.06	13/2689 (0.5%)
All	All	0.40	23/316694 (0.0%)	0.82	216/474132 (0.0%)

The worst 5 of 23 bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	2A	2221	G	C8-N7	13.29	1.39	1.30
1	1A	2233	G	C8-N7	13.14	1.38	1.30
1	2A	27	G	C8-N7	12.76	1.38	1.30
1	1A	452	G	C8-N7	12.71	1.38	1.30
1	2A	425	G	C8-N7	12.41	1.38	1.30

The worst 5 of 216 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
32	2a	1272	G	C5-C6-O6	16.34	138.40	128.60
32	2a	1272	G	N1-C2-N2	-13.94	103.65	116.20
32	2a	1272	G	N3-C2-N2	13.71	129.50	119.90
32	2a	1263	C	N1-C2-O2	12.43	126.36	118.90
32	2a	1272	G	N1-C6-O6	-11.45	113.03	119.90

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1A	61875	0	31204	574	0
1	2A	60322	0	30425	760	0
2	1B	2577	0	1305	16	0
2	2B	2575	0	1303	38	0
3	1D	2136	0	2218	36	0
3	2D	2136	0	2218	45	0
4	1E	1559	0	1618	28	0
4	2E	1559	0	1618	27	0
5	1F	1584	0	1625	28	0
5	2F	1580	0	1619	44	0
6	1G	1423	0	1436	26	0
6	2G	1428	0	1438	45	0
7	1H	1321	0	1394	21	0
7	2H	1321	0	1394	32	0
8	1I	1097	0	1140	26	0
8	2I	1064	0	1082	18	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	1N	1117	0	1184	13	0
9	2N	1117	0	1184	17	0
10	1O	933	0	996	14	0
10	2O	933	0	996	18	0
11	1P	1135	0	1212	25	0
11	2P	1135	0	1212	29	0
12	1Q	1122	0	1179	9	0
12	2Q	1122	0	1179	34	0
13	1R	968	0	1033	13	0
13	2R	968	0	1033	20	0
14	1S	873	0	927	14	0
14	2S	870	0	923	18	0
15	1T	1091	0	1151	23	0
15	2T	1083	0	1136	17	0
16	1U	959	0	1019	9	0
16	2U	959	0	1019	16	0
17	1V	771	0	829	7	0
17	2V	771	0	830	12	0
18	1W	886	0	940	4	0
18	2W	886	0	940	7	0
19	1X	750	0	814	13	0
19	2X	750	0	814	19	0
20	1Y	806	0	881	9	0
20	2Y	806	0	881	17	0
21	1Z	1240	0	1240	19	0
21	2Z	1271	0	1273	47	0
22	10	653	0	674	12	0
22	20	653	0	674	12	0
23	11	755	0	826	10	0
23	21	755	0	826	11	0
24	12	588	0	643	6	0
24	22	588	0	643	7	0
25	13	469	0	518	8	0
25	23	464	0	514	6	0
26	14	552	0	533	16	0
26	24	532	0	503	27	0
27	15	455	0	465	7	0
27	25	455	0	465	7	0
28	16	453	0	473	9	0
28	26	449	0	469	9	0
29	17	418	0	467	4	0
29	27	418	0	467	6	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
30	18	517	0	582	17	0
30	28	517	0	582	13	0
31	19	307	0	335	2	0
31	29	307	0	335	6	0
32	1a	32246	0	16295	0	0
32	2a	32327	0	16339	0	0
33	1b	1846	0	1867	0	0
33	2b	1825	0	1828	0	0
34	1c	1548	0	1535	0	0
34	2c	1542	0	1517	0	0
35	1d	1655	0	1672	0	0
35	2d	1674	0	1714	0	0
36	1e	1129	0	1185	0	0
36	2e	1133	0	1191	0	0
37	1f	810	0	804	0	0
37	2f	816	0	808	0	0
38	1g	1231	0	1238	0	0
38	2g	1235	0	1249	0	0
39	1h	1088	0	1126	0	0
39	2h	1088	0	1126	0	0
40	1i	983	0	986	0	0
40	2i	978	0	966	0	0
41	1j	709	0	650	0	0
41	2j	714	0	672	0	0
42	1k	829	0	825	0	0
42	2k	833	0	836	0	0
43	1l	932	0	981	0	0
43	2l	932	0	980	0	0
44	1m	958	0	1002	0	0
44	2m	950	0	988	0	0
45	1n	492	0	529	0	0
45	2n	492	0	529	0	0
46	1o	728	0	760	0	0
46	2o	728	0	760	0	0
47	1p	681	0	697	0	0
47	2p	677	0	686	0	0
48	1q	823	0	891	0	0
48	2q	823	0	891	0	0
49	1r	555	0	618	0	0
49	2r	555	0	618	0	0
50	1s	652	0	662	0	0
50	2s	646	0	644	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
51	1t	728	0	798	0	0
51	2t	727	0	796	0	0
52	1u	199	0	208	0	0
52	2u	199	0	208	0	0
53	1v	277	0	140	0	0
53	2v	277	0	140	0	0
54	1w	1592	0	819	0	0
54	1y	1585	0	804	0	0
54	2w	1544	0	788	0	0
54	2y	1565	0	795	0	0
55	1x	1625	0	829	0	0
55	2x	1625	0	829	0	0
56	10	6	0	0	0	0
56	11	5	0	0	0	0
56	12	1	0	0	0	0
56	13	2	0	0	0	0
56	14	1	0	0	0	0
56	15	2	0	0	0	0
56	16	2	0	0	0	0
56	17	4	0	0	0	0
56	18	3	0	0	0	0
56	19	2	0	0	0	0
56	1A	1220	0	0	0	0
56	1B	36	0	0	0	0
56	1D	12	0	0	0	0
56	1E	11	0	0	0	0
56	1F	7	0	0	0	0
56	1G	5	0	0	0	0
56	1I	1	0	0	0	0
56	1N	6	0	0	0	0
56	1O	6	0	0	0	0
56	1P	3	0	0	0	0
56	1Q	5	0	0	0	0
56	1R	3	0	0	0	0
56	1S	3	0	0	0	0
56	1T	2	0	0	0	0
56	1U	8	0	0	0	0
56	1V	2	0	0	0	0
56	1W	4	0	0	0	0
56	1X	5	0	0	0	0
56	1Y	4	0	0	0	0
56	1Z	4	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
56	1a	284	0	0	0	0
56	1b	2	0	0	0	0
56	1e	1	0	0	0	0
56	1f	1	0	0	0	0
56	1l	3	0	0	0	0
56	1n	3	0	0	0	0
56	1r	1	0	0	0	0
56	1t	1	0	0	0	0
56	1v	1	0	0	0	0
56	1w	11	0	0	0	0
56	1x	18	0	0	0	0
56	1y	5	0	0	0	0
56	20	2	0	0	0	0
56	23	2	0	0	0	0
56	25	4	0	0	0	0
56	26	1	0	0	0	0
56	27	1	0	0	0	0
56	28	1	0	0	0	0
56	2A	937	0	0	0	0
56	2B	20	0	0	0	0
56	2D	5	0	0	0	0
56	2E	9	0	0	0	0
56	2F	7	0	0	0	0
56	2G	1	0	0	0	0
56	2N	1	0	0	0	0
56	2O	1	0	0	0	0
56	2P	3	0	0	0	0
56	2Q	4	0	0	0	0
56	2R	3	0	0	0	0
56	2S	1	0	0	0	0
56	2T	2	0	0	0	0
56	2U	3	0	0	0	0
56	2V	1	0	0	0	0
56	2X	2	0	0	0	0
56	2Z	1	0	0	0	0
56	2a	256	0	0	0	0
56	2d	2	0	0	0	0
56	2e	1	0	0	0	0
56	2f	2	0	0	0	0
56	2g	1	0	0	0	0
56	2j	2	0	0	0	0
56	2l	3	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
56	2n	1	0	0	0	0
56	2p	1	0	0	0	0
56	2q	4	0	0	0	0
56	2r	1	0	0	0	0
56	2t	1	0	0	0	0
56	2v	4	0	0	0	0
56	2w	8	0	0	0	0
56	2x	5	0	0	0	0
56	2y	7	0	0	0	0
57	1A	1	0	0	0	0
57	2A	1	0	0	0	0
58	1A	23	0	0	3	0
58	1I	4	0	0	0	0
58	1a	8	0	0	0	0
58	2A	23	0	0	2	0
58	2I	4	0	0	1	0
59	14	1	0	0	0	0
59	15	1	0	0	0	0
59	16	1	0	0	0	0
59	19	1	0	0	0	0
59	1Y	1	0	0	0	0
59	1n	1	0	0	0	0
59	24	1	0	0	0	0
59	25	1	0	0	0	0
59	26	1	0	0	0	0
59	29	1	0	0	0	0
59	2Y	1	0	0	0	0
59	2n	1	0	0	0	0
60	1d	8	0	0	0	0
60	2d	8	0	0	0	0
61	10	10	0	0	1	0
61	11	11	0	0	0	0
61	12	4	0	0	0	0
61	13	5	0	0	0	0
61	14	1	0	0	0	0
61	15	6	0	0	0	0
61	16	3	0	0	0	0
61	17	10	0	0	0	0
61	18	11	0	0	1	0
61	1A	2299	0	0	81	0
61	1B	68	0	0	2	0
61	1D	29	0	0	1	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
61	1E	30	0	0	3	0
61	1F	17	0	0	0	0
61	1G	8	0	0	4	0
61	1H	1	0	0	0	0
61	1I	2	0	0	0	0
61	1N	5	0	0	0	0
61	1O	7	0	0	1	0
61	1P	21	0	0	2	0
61	1Q	13	0	0	0	0
61	1R	13	0	0	2	0
61	1S	5	0	0	0	0
61	1T	8	0	0	1	0
61	1U	14	0	0	0	0
61	1V	12	0	0	0	0
61	1W	7	0	0	0	0
61	1X	8	0	0	0	0
61	1Y	9	0	0	0	0
61	1Z	1	0	0	0	0
61	1a	516	0	0	0	0
61	1b	1	0	0	0	0
61	1c	1	0	0	0	0
61	1d	3	0	0	0	0
61	1e	2	0	0	0	0
61	1g	2	0	0	0	0
61	1i	1	0	0	0	0
61	1l	8	0	0	0	0
61	1m	2	0	0	0	0
61	1o	1	0	0	0	0
61	1p	1	0	0	0	0
61	1q	3	0	0	0	0
61	1u	1	0	0	0	0
61	1v	6	0	0	0	0
61	1w	21	0	0	0	0
61	1x	14	0	0	0	0
61	1y	3	0	0	0	0
61	20	6	0	0	0	0
61	21	12	0	0	0	0
61	22	1	0	0	0	0
61	23	1	0	0	0	0
61	25	3	0	0	0	0
61	27	4	0	0	0	0
61	28	4	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
61	29	1	0	0	0	0
61	2A	1402	0	0	77	0
61	2B	27	0	0	0	0
61	2D	26	0	0	0	0
61	2E	17	0	0	0	0
61	2F	17	0	0	0	0
61	2I	4	0	0	0	0
61	2N	3	0	0	0	0
61	2O	1	0	0	0	0
61	2P	15	0	0	2	0
61	2Q	2	0	0	0	0
61	2R	2	0	0	0	0
61	2T	6	0	0	0	0
61	2U	2	0	0	0	0
61	2V	1	0	0	0	0
61	2W	3	0	0	0	0
61	2X	2	0	0	0	0
61	2Y	1	0	0	1	0
61	2Z	2	0	0	0	0
61	2a	380	0	0	0	0
61	2c	1	0	0	0	0
61	2d	4	0	0	0	0
61	2e	2	0	0	0	0
61	2f	1	0	0	0	0
61	2g	2	0	0	0	0
61	2i	1	0	0	0	0
61	2j	4	0	0	0	0
61	2l	7	0	0	0	0
61	2p	1	0	0	0	0
61	2q	1	0	0	0	0
61	2t	3	0	0	0	0
61	2u	2	0	0	0	0
61	2v	2	0	0	0	0
61	2w	2	0	0	0	0
61	2x	7	0	0	0	0
61	2y	20	0	0	0	0
All	All	301328	0	196675	2120	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 2120 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:2A:2138:C:N4	1:2A:2153:G:H1	1.42	1.17
1:1A:1128:U:H3	1:1A:1132:A:N6	1.53	1.05
1:1A:2149:G:H1	1:1A:2183:C:N4	1.55	1.01
1:2A:1002:G:H1	1:2A:1038:C:N4	42.60	0.99
1:1A:1101:G:H1	1:1A:1150:C:H42	1.01	0.97

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	1D	273/276 (99%)	263 (96%)	10 (4%)	0	100	100
3	2D	273/276 (99%)	260 (95%)	12 (4%)	1 (0%)	34	57
4	1E	202/206 (98%)	193 (96%)	8 (4%)	1 (0%)	29	52
4	2E	202/206 (98%)	192 (95%)	9 (4%)	1 (0%)	29	52
5	1F	201/210 (96%)	196 (98%)	4 (2%)	1 (0%)	29	52
5	2F	201/210 (96%)	194 (96%)	5 (2%)	2 (1%)	15	32
6	1G	179/182 (98%)	166 (93%)	12 (7%)	1 (1%)	25	47
6	2G	179/182 (98%)	164 (92%)	12 (7%)	3 (2%)	9	18
7	1H	171/180 (95%)	161 (94%)	9 (5%)	1 (1%)	25	47
7	2H	171/180 (95%)	162 (95%)	8 (5%)	1 (1%)	25	47
8	1I	144/148 (97%)	134 (93%)	9 (6%)	1 (1%)	22	43
8	2I	144/148 (97%)	132 (92%)	11 (8%)	1 (1%)	22	43
9	1N	138/140 (99%)	134 (97%)	4 (3%)	0	100	100
9	2N	138/140 (99%)	132 (96%)	5 (4%)	1 (1%)	22	43
10	1O	120/122 (98%)	113 (94%)	7 (6%)	0	100	100
10	2O	120/122 (98%)	114 (95%)	6 (5%)	0	100	100

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
11	1P	147/150 (98%)	139 (95%)	7 (5%)	1 (1%)	22	43
11	2P	147/150 (98%)	137 (93%)	8 (5%)	2 (1%)	11	22
12	1Q	139/141 (99%)	133 (96%)	6 (4%)	0	100	100
12	2Q	139/141 (99%)	131 (94%)	8 (6%)	0	100	100
13	1R	116/118 (98%)	113 (97%)	3 (3%)	0	100	100
13	2R	116/118 (98%)	113 (97%)	3 (3%)	0	100	100
14	1S	108/112 (96%)	103 (95%)	5 (5%)	0	100	100
14	2S	108/112 (96%)	103 (95%)	4 (4%)	1 (1%)	17	35
15	1T	129/146 (88%)	122 (95%)	7 (5%)	0	100	100
15	2T	129/146 (88%)	122 (95%)	7 (5%)	0	100	100
16	1U	114/118 (97%)	114 (100%)	0	0	100	100
16	2U	114/118 (97%)	114 (100%)	0	0	100	100
17	1V	99/101 (98%)	95 (96%)	3 (3%)	1 (1%)	15	32
17	2V	99/101 (98%)	96 (97%)	2 (2%)	1 (1%)	15	32
18	1W	110/113 (97%)	110 (100%)	0	0	100	100
18	2W	110/113 (97%)	110 (100%)	0	0	100	100
19	1X	93/96 (97%)	91 (98%)	2 (2%)	0	100	100
19	2X	93/96 (97%)	89 (96%)	3 (3%)	1 (1%)	14	30
20	1Y	105/110 (96%)	98 (93%)	7 (7%)	0	100	100
20	2Y	105/110 (96%)	100 (95%)	5 (5%)	0	100	100
21	1Z	148/206 (72%)	133 (90%)	14 (10%)	1 (1%)	22	43
21	2Z	156/206 (76%)	137 (88%)	17 (11%)	2 (1%)	12	24
22	10	81/85 (95%)	80 (99%)	1 (1%)	0	100	100
22	20	81/85 (95%)	78 (96%)	2 (2%)	1 (1%)	13	27
23	11	95/98 (97%)	92 (97%)	3 (3%)	0	100	100
23	21	95/98 (97%)	91 (96%)	4 (4%)	0	100	100
24	12	68/72 (94%)	67 (98%)	1 (2%)	0	100	100
24	22	68/72 (94%)	68 (100%)	0	0	100	100
25	13	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
25	23	57/60 (95%)	54 (95%)	2 (4%)	1 (2%)	8	16
26	14	67/71 (94%)	54 (81%)	7 (10%)	6 (9%)	1	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
26	24	67/71 (94%)	53 (79%)	9 (13%)	5 (8%)	1	1
27	15	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
27	25	57/60 (95%)	55 (96%)	2 (4%)	0	100	100
28	16	51/54 (94%)	49 (96%)	2 (4%)	0	100	100
28	26	51/54 (94%)	50 (98%)	1 (2%)	0	100	100
29	17	46/49 (94%)	45 (98%)	1 (2%)	0	100	100
29	27	46/49 (94%)	45 (98%)	0	1 (2%)	6	12
30	18	62/65 (95%)	62 (100%)	0	0	100	100
30	28	62/65 (95%)	62 (100%)	0	0	100	100
31	19	35/37 (95%)	35 (100%)	0	0	100	100
31	29	35/37 (95%)	35 (100%)	0	0	100	100
33	1b	229/256 (90%)	199 (87%)	24 (10%)	6 (3%)	5	9
33	2b	229/256 (90%)	195 (85%)	26 (11%)	8 (4%)	3	5
34	1c	204/239 (85%)	191 (94%)	12 (6%)	1 (0%)	29	52
34	2c	204/239 (85%)	186 (91%)	17 (8%)	1 (0%)	29	52
35	1d	206/209 (99%)	197 (96%)	8 (4%)	1 (0%)	29	52
35	2d	206/209 (99%)	199 (97%)	6 (3%)	1 (0%)	29	52
36	1e	146/162 (90%)	139 (95%)	5 (3%)	2 (1%)	11	22
36	2e	146/162 (90%)	139 (95%)	5 (3%)	2 (1%)	11	22
37	1f	98/101 (97%)	95 (97%)	3 (3%)	0	100	100
37	2f	98/101 (97%)	95 (97%)	3 (3%)	0	100	100
38	1g	153/156 (98%)	146 (95%)	4 (3%)	3 (2%)	7	14
38	2g	153/156 (98%)	142 (93%)	8 (5%)	3 (2%)	7	14
39	1h	135/138 (98%)	132 (98%)	3 (2%)	0	100	100
39	2h	135/138 (98%)	131 (97%)	3 (2%)	1 (1%)	22	43
40	1i	125/128 (98%)	112 (90%)	13 (10%)	0	100	100
40	2i	125/128 (98%)	111 (89%)	14 (11%)	0	100	100
41	1j	95/105 (90%)	81 (85%)	10 (10%)	4 (4%)	3	3
41	2j	94/105 (90%)	83 (88%)	7 (7%)	4 (4%)	2	3
42	1k	112/129 (87%)	107 (96%)	3 (3%)	2 (2%)	8	16
42	2k	112/129 (87%)	106 (95%)	4 (4%)	2 (2%)	8	16

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
43	1l	119/132 (90%)	113 (95%)	6 (5%)	0	100	100
43	2l	119/132 (90%)	111 (93%)	8 (7%)	0	100	100
44	1m	121/126 (96%)	110 (91%)	10 (8%)	1 (1%)	19	39
44	2m	120/126 (95%)	111 (92%)	8 (7%)	1 (1%)	19	39
45	1n	58/61 (95%)	55 (95%)	3 (5%)	0	100	100
45	2n	58/61 (95%)	54 (93%)	4 (7%)	0	100	100
46	1o	86/89 (97%)	83 (96%)	3 (4%)	0	100	100
46	2o	86/89 (97%)	82 (95%)	4 (5%)	0	100	100
47	1p	80/88 (91%)	72 (90%)	7 (9%)	1 (1%)	12	24
47	2p	80/88 (91%)	71 (89%)	8 (10%)	1 (1%)	12	24
48	1q	97/105 (92%)	95 (98%)	2 (2%)	0	100	100
48	2q	97/105 (92%)	94 (97%)	3 (3%)	0	100	100
49	1r	66/88 (75%)	64 (97%)	2 (3%)	0	100	100
49	2r	66/88 (75%)	64 (97%)	2 (3%)	0	100	100
50	1s	81/93 (87%)	72 (89%)	9 (11%)	0	100	100
50	2s	81/93 (87%)	72 (89%)	6 (7%)	3 (4%)	3	4
51	1t	94/106 (89%)	88 (94%)	2 (2%)	4 (4%)	2	3
51	2t	94/106 (89%)	87 (93%)	3 (3%)	4 (4%)	2	3
52	1u	21/27 (78%)	20 (95%)	1 (5%)	0	100	100
52	2u	21/27 (78%)	20 (95%)	1 (5%)	0	100	100
All	All	11368/12128 (94%)	10722 (94%)	551 (5%)	95 (1%)	19	39

5 of 95 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	1F	130	ALA
7	1H	126	PRO
26	14	53	GLU
26	14	61	ARG
26	14	62	ARG

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar



resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	1D	215/218 (99%)	205 (95%)	10 (5%)	26	50
3	2D	215/218 (99%)	210 (98%)	5 (2%)	50	75
4	1E	164/166 (99%)	151 (92%)	13 (8%)	12	24
4	2E	164/166 (99%)	152 (93%)	12 (7%)	14	28
5	1F	160/166 (96%)	153 (96%)	7 (4%)	28	53
5	2F	159/166 (96%)	152 (96%)	7 (4%)	28	53
6	1G	143/156 (92%)	140 (98%)	3 (2%)	53	77
6	2G	143/156 (92%)	138 (96%)	5 (4%)	36	62
7	1H	143/148 (97%)	139 (97%)	4 (3%)	43	69
7	2H	143/148 (97%)	140 (98%)	3 (2%)	53	77
8	1I	113/124 (91%)	108 (96%)	5 (4%)	28	53
8	2I	105/124 (85%)	101 (96%)	4 (4%)	33	59
9	1N	118/119 (99%)	114 (97%)	4 (3%)	37	63
9	2N	118/119 (99%)	114 (97%)	4 (3%)	37	63
10	1O	100/100 (100%)	100 (100%)	0	100	100
10	2O	100/100 (100%)	100 (100%)	0	100	100
11	1P	115/116 (99%)	113 (98%)	2 (2%)	60	81
11	2P	115/116 (99%)	113 (98%)	2 (2%)	60	81
12	1Q	111/111 (100%)	110 (99%)	1 (1%)	78	91
12	2Q	111/111 (100%)	106 (96%)	5 (4%)	27	52
13	1R	101/101 (100%)	91 (90%)	10 (10%)	8	15
13	2R	101/101 (100%)	94 (93%)	7 (7%)	15	31
14	1S	86/88 (98%)	85 (99%)	1 (1%)	71	87
14	2S	85/88 (97%)	84 (99%)	1 (1%)	71	87
15	1T	115/127 (91%)	114 (99%)	1 (1%)	78	91
15	2T	113/127 (89%)	111 (98%)	2 (2%)	59	80
16	1U	93/94 (99%)	90 (97%)	3 (3%)	39	65
16	2U	93/94 (99%)	93 (100%)	0	100	100
17	1V	80/82 (98%)	74 (92%)	6 (8%)	13	27

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
17	2V	80/82 (98%)	75 (94%)	5 (6%)	18	36
18	1W	90/92 (98%)	85 (94%)	5 (6%)	21	42
18	2W	90/92 (98%)	84 (93%)	6 (7%)	16	33
19	1X	77/78 (99%)	76 (99%)	1 (1%)	69	86
19	2X	77/78 (99%)	76 (99%)	1 (1%)	69	86
20	1Y	85/91 (93%)	83 (98%)	2 (2%)	49	74
20	2Y	85/91 (93%)	83 (98%)	2 (2%)	49	74
21	1Z	135/179 (75%)	133 (98%)	2 (2%)	65	83
21	2Z	137/179 (76%)	134 (98%)	3 (2%)	52	76
22	10	65/67 (97%)	63 (97%)	2 (3%)	40	66
22	20	65/67 (97%)	63 (97%)	2 (3%)	40	66
23	11	80/83 (96%)	79 (99%)	1 (1%)	69	86
23	21	80/83 (96%)	77 (96%)	3 (4%)	33	59
24	12	65/67 (97%)	65 (100%)	0	100	100
24	22	65/67 (97%)	65 (100%)	0	100	100
25	13	51/52 (98%)	50 (98%)	1 (2%)	55	78
25	23	50/52 (96%)	49 (98%)	1 (2%)	55	78
26	14	59/63 (94%)	57 (97%)	2 (3%)	37	63
26	24	53/63 (84%)	52 (98%)	1 (2%)	57	79
27	15	50/52 (96%)	46 (92%)	4 (8%)	12	24
27	25	50/52 (96%)	47 (94%)	3 (6%)	19	39
28	16	51/52 (98%)	50 (98%)	1 (2%)	55	78
28	26	50/52 (96%)	49 (98%)	1 (2%)	55	78
29	17	41/42 (98%)	38 (93%)	3 (7%)	14	28
29	27	41/42 (98%)	38 (93%)	3 (7%)	14	28
30	18	54/55 (98%)	51 (94%)	3 (6%)	21	42
30	28	54/55 (98%)	53 (98%)	1 (2%)	57	79
31	19	34/34 (100%)	34 (100%)	0	100	100
31	29	34/34 (100%)	34 (100%)	0	100	100
33	1b	192/220 (87%)	189 (98%)	3 (2%)	62	82
33	2b	187/220 (85%)	181 (97%)	6 (3%)	39	65

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
34	1c	142/188 (76%)	140 (99%)	2 (1%)	67	85
34	2c	140/188 (74%)	138 (99%)	2 (1%)	67	85
35	1d	169/181 (93%)	162 (96%)	7 (4%)	30	56
35	2d	173/181 (96%)	169 (98%)	4 (2%)	50	75
36	1e	113/123 (92%)	111 (98%)	2 (2%)	59	80
36	2e	114/123 (93%)	111 (97%)	3 (3%)	46	72
37	1f	84/90 (93%)	84 (100%)	0	100	100
37	2f	85/90 (94%)	85 (100%)	0	100	100
38	1g	119/127 (94%)	118 (99%)	1 (1%)	81	92
38	2g	120/127 (94%)	120 (100%)	0	100	100
39	1h	114/119 (96%)	113 (99%)	1 (1%)	78	91
39	2h	114/119 (96%)	113 (99%)	1 (1%)	78	91
40	1i	90/99 (91%)	88 (98%)	2 (2%)	52	76
40	2i	89/99 (90%)	86 (97%)	3 (3%)	37	63
41	1j	66/92 (72%)	65 (98%)	1 (2%)	65	83
41	2j	69/92 (75%)	67 (97%)	2 (3%)	42	68
42	1k	82/99 (83%)	80 (98%)	2 (2%)	49	74
42	2k	83/99 (84%)	83 (100%)	0	100	100
43	1l	96/108 (89%)	95 (99%)	1 (1%)	76	90
43	2l	96/108 (89%)	95 (99%)	1 (1%)	76	90
44	1m	93/101 (92%)	89 (96%)	4 (4%)	29	54
44	2m	92/101 (91%)	89 (97%)	3 (3%)	38	64
45	1n	49/50 (98%)	46 (94%)	3 (6%)	18	38
45	2n	49/50 (98%)	46 (94%)	3 (6%)	18	38
46	1o	78/80 (98%)	77 (99%)	1 (1%)	69	86
46	2o	78/80 (98%)	76 (97%)	2 (3%)	46	72
47	1p	69/74 (93%)	66 (96%)	3 (4%)	29	54
47	2p	68/74 (92%)	65 (96%)	3 (4%)	28	53
48	1q	94/97 (97%)	93 (99%)	1 (1%)	73	88
48	2q	94/97 (97%)	92 (98%)	2 (2%)	53	77
49	1r	59/77 (77%)	58 (98%)	1 (2%)	60	81

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
49	2r	59/77 (77%)	58 (98%)	1 (2%)	60	81
50	1s	69/80 (86%)	68 (99%)	1 (1%)	67	85
50	2s	67/80 (84%)	65 (97%)	2 (3%)	41	67
51	1t	70/82 (85%)	70 (100%)	0	100	100
51	2t	70/82 (85%)	70 (100%)	0	100	100
52	1u	18/22 (82%)	18 (100%)	0	100	100
52	2u	18/22 (82%)	18 (100%)	0	100	100
All	All	9301/10064 (92%)	9041 (97%)	260 (3%)	43	69

5 of 260 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
42	1k	31	THR
4	2E	116	VAL
40	2i	108	VAL
44	1m	102	ARG
50	1s	5	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 85 such sidechains are listed below:

Mol	Chain	Res	Type
4	2E	48	GLN
16	2U	94	ASN
46	2o	28	GLN
5	2F	40	GLN
12	2Q	57	HIS

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	1A	2860/2915 (98%)	427 (14%)	39 (1%)
1	2A	2788/2915 (95%)	476 (17%)	27 (0%)
2	1B	120/121 (99%)	9 (7%)	1 (0%)
2	2B	118/121 (97%)	26 (22%)	0
32	1a	1494/1521 (98%)	210 (14%)	0
32	2a	1498/1521 (98%)	233 (15%)	0
53	1v	12/24 (50%)	2 (16%)	0

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
53	2v	12/24 (50%)	1 (8%)	0
54	1w	71/76 (93%)	24 (33%)	0
54	1y	71/76 (93%)	21 (29%)	0
54	2w	68/76 (89%)	20 (29%)	0
54	2y	69/76 (90%)	23 (33%)	0
55	1x	75/77 (97%)	11 (14%)	0
55	2x	75/77 (97%)	11 (14%)	0
All	All	9331/9620 (96%)	1494 (16%)	67 (0%)

5 of 1494 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	1A	12	U
1	1A	13	A
1	1A	27	G
1	1A	28	A
1	1A	34	C

5 of 67 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	1A	2156	A
1	1A	2701	U
1	2A	2119	A
1	1A	2203	G
1	1A	2418	U

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

84 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
1	5MC	2A	1942	1	15,22,23	1.32	1 (6%)	19,32,35	1.29	3 (15%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
32	4OC	1a	1402	32	16,23,24	0.63	0	17,32,35	1.28	1 (5%)
1	2MA	1A	2515	1,56	17,25,26	1.25	2 (11%)	19,37,40	2.06	3 (15%)
32	5MC	1a	1404	32	15,22,23	1.32	1 (6%)	19,32,35	1.46	3 (15%)
32	PSU	1a	516	32	17,21,22	1.59	4 (23%)	20,30,33	3.14	6 (30%)
54	PSU	2w	32	54	17,21,22	1.50	2 (11%)	20,30,33	3.13	5 (25%)
32	UR3	1a	1498	32	14,22,23	0.83	1 (7%)	15,32,35	0.72	0
54	4SU	1w	8	54	14,21,22	1.24	1 (7%)	15,30,33	1.56	2 (13%)
1	2MA	2A	2503	1,56	17,25,26	1.30	2 (11%)	19,37,40	1.97	3 (15%)
1	5MU	1A	1961	1,56	15,22,23	1.07	2 (13%)	16,32,35	1.78	2 (12%)
54	PSU	1y	32	54	17,21,22	1.41	2 (11%)	20,30,33	3.16	6 (30%)
1	2MU	2A	2552	1,56	14,22,24	0.92	0	14,31,36	0.97	0
54	PSU	2w	55	54	17,21,22	1.42	2 (11%)	20,30,33	3.23	6 (30%)
1	5MU	2A	1939	1,56	15,22,23	1.08	2 (13%)	16,32,35	1.81	2 (12%)
32	UR3	2a	1498	32	14,22,23	0.83	1 (7%)	15,32,35	0.77	1 (6%)
54	PSU	1w	32	54	17,21,22	1.55	2 (11%)	20,30,33	3.14	6 (30%)
54	4SU	2w	8	54	14,21,22	1.23	1 (7%)	15,30,33	1.23	2 (13%)
32	2MG	2a	1207	32,56	19,26,27	1.23	2 (10%)	21,38,41	2.29	7 (33%)
32	MA6	2a	1518	32	19,26,27	1.02	1 (5%)	18,38,41	1.62	4 (22%)
1	4OC	2A	1920	1	15,22,24	0.62	0	17,31,35	1.29	2 (11%)
54	5MU	1w	54	54	15,22,23	1.15	1 (6%)	16,32,35	1.91	1 (6%)
1	5MC	1A	1984	1	15,22,23	1.32	1 (6%)	19,32,35	1.21	3 (15%)
32	MA6	1a	1519	32	19,26,27	1.02	1 (5%)	18,38,41	1.57	4 (22%)
54	4SU	1y	8	54	14,21,22	1.24	1 (7%)	15,30,33	1.68	2 (13%)
32	5MC	2a	1407	32,56	15,22,23	1.26	1 (6%)	19,32,35	1.45	3 (15%)
54	MIA	2y	37	54	18,24,32	1.15	2 (11%)	18,35,47	1.29	2 (11%)
54	PSU	1w	39	54	17,21,22	1.56	2 (11%)	20,30,33	3.08	5 (25%)
54	PSU	2y	55	54	17,21,22	1.53	2 (11%)	20,30,33	3.19	7 (35%)
1	PSU	2A	2605	1	17,21,22	1.50	2 (11%)	20,30,33	3.01	6 (30%)
1	PSU	1A	2617	1,56	17,21,22	1.78	3 (17%)	20,30,33	2.94	6 (30%)
54	PSU	1y	55	54	17,21,22	1.56	3 (17%)	20,30,33	3.10	6 (30%)
32	M2G	2a	966	32	20,27,28	1.39	3 (15%)	22,40,43	2.12	6 (27%)
55	5MC	2x	32	55	15,22,23	1.25	1 (6%)	19,32,35	1.46	2 (10%)
43	0TD	2l	92	43	4,9,10	3.13	1 (25%)	3,11,13	3.64	1 (33%)
54	PSU	1w	55	54	17,21,22	1.47	2 (11%)	20,30,33	3.34	6 (30%)
32	5MC	1a	967	32	15,22,23	1.33	1 (6%)	19,32,35	1.29	3 (15%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	5MC	1A	1964	1,56	15,22,23	1.25	1 (6%)	19,32,35	1.46	3 (15%)
1	OMG	2A	2251	1,55,56	18,26,27	1.28	2 (11%)	20,38,41	2.15	7 (35%)
32	MA6	1a	1518	32	19,26,27	0.94	1 (5%)	18,38,41	1.75	6 (33%)
1	OMG	1A	2263	1,55,56	18,26,27	1.23	2 (11%)	20,38,41	2.34	6 (30%)
54	PSU	2w	39	54	17,21,22	1.46	2 (11%)	20,30,33	3.24	6 (30%)
32	PSU	2a	516	32	17,21,22	1.46	2 (11%)	20,30,33	3.12	7 (35%)
54	PSU	2y	32	54	17,21,22	1.40	3 (17%)	20,30,33	3.20	5 (25%)
32	2MG	1a	1207	32	19,26,27	1.30	2 (10%)	21,38,41	2.38	8 (38%)
55	PSU	2x	55	55	17,21,22	1.58	2 (11%)	20,30,33	3.14	6 (30%)
54	7MG	1w	46	54	22,26,27	1.81	4 (18%)	28,39,42	2.86	9 (32%)
55	PSU	1x	55	55,56	17,21,22	1.58	2 (11%)	20,30,33	3.16	6 (30%)
32	5MC	1a	1400	32	15,22,23	1.31	1 (6%)	19,32,35	1.37	3 (15%)
1	5MC	2A	1962	1	15,22,23	1.30	1 (6%)	19,32,35	1.30	3 (15%)
1	5MU	2A	1915	1	15,22,23	1.10	1 (6%)	16,32,35	1.75	2 (12%)
55	4SU	1x	8	55	14,21,22	1.41	2 (14%)	15,30,33	2.58	2 (13%)
1	PSU	2A	1911	1	17,21,22	1.58	2 (11%)	20,30,33	3.21	6 (30%)
32	5MC	2a	967	32	15,22,23	1.39	1 (6%)	19,32,35	1.30	2 (10%)
54	4SU	2y	8	54	14,21,22	1.31	1 (7%)	15,30,33	1.31	2 (13%)
54	PSU	1y	39	54	17,21,22	1.46	2 (11%)	20,30,33	3.13	6 (30%)
54	MIA	1y	37	54	18,24,32	1.12	2 (11%)	18,35,47	1.27	2 (11%)
32	5MC	2a	1400	32	15,22,23	1.38	1 (6%)	19,32,35	1.35	3 (15%)
1	PSU	1A	1939	1	17,21,22	1.54	4 (23%)	20,30,33	3.02	6 (30%)
32	7MG	1a	527	32,56	22,26,27	1.77	4 (18%)	28,39,42	2.63	8 (28%)
32	5MC	1a	1407	32	15,22,23	1.24	1 (6%)	19,32,35	1.37	2 (10%)
32	MA6	2a	1519	32	19,26,27	1.03	2 (10%)	18,38,41	1.66	3 (16%)
54	5MU	1y	54	54	15,22,23	1.12	2 (13%)	16,32,35	2.11	2 (12%)
1	PSU	2A	1917	1,56	17,21,22	1.48	2 (11%)	20,30,33	3.24	6 (30%)
43	0TD	1l	92	43	4,9,10	3.15	1 (25%)	3,11,13	4.17	1 (33%)
54	7MG	1y	46	54	22,26,27	1.85	3 (13%)	28,39,42	2.96	9 (32%)
54	5MU	2w	54	54	15,22,23	1.09	1 (6%)	16,32,35	1.89	2 (12%)
55	5MU	1x	54	55,56	15,22,23	1.09	1 (6%)	16,32,35	2.02	2 (12%)
32	4OC	2a	1402	32	16,23,24	0.65	0	17,32,35	1.40	1 (5%)
54	7MG	2y	46	54	22,26,27	1.84	4 (18%)	28,39,42	3.10	12 (42%)
32	7MG	2a	527	32,56	22,26,27	1.78	4 (18%)	28,39,42	2.66	10 (35%)
54	MIA	2w	37	54	20,27,32	1.75	3 (15%)	22,39,47	1.82	7 (31%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	2MU	1A	2564	1,56	14,22,24	0.96	1 (7%)	14,31,36	0.72	0
1	5MU	1A	1937	1	15,22,23	1.06	1 (6%)	16,32,35	1.70	2 (12%)
1	4OC	1A	1942	1	15,22,24	0.68	0	17,31,35	1.61	3 (17%)
55	5MC	1x	32	55	15,22,23	1.23	1 (6%)	19,32,35	1.49	4 (21%)
54	MIA	1w	37	54	24,31,32	2.17	3 (12%)	26,44,47	2.64	9 (34%)
32	M2G	1a	966	32	20,27,28	1.46	3 (15%)	22,40,43	2.12	5 (22%)
55	4SU	2x	8	55,56	14,21,22	1.33	2 (14%)	15,30,33	2.33	2 (13%)
1	PSU	1A	1933	1	17,21,22	1.54	3 (17%)	20,30,33	3.05	6 (30%)
54	PSU	2y	39	54	17,21,22	1.54	2 (11%)	20,30,33	3.35	6 (30%)
54	7MG	2w	46	54	22,26,27	1.76	4 (18%)	28,39,42	2.65	9 (32%)
32	5MC	2a	1404	32	15,22,23	1.40	1 (6%)	19,32,35	1.30	3 (15%)
55	5MU	2x	54	55	15,22,23	1.09	1 (6%)	16,32,35	1.89	2 (12%)
54	5MU	2y	54	54	15,22,23	1.06	1 (6%)	16,32,35	1.95	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	5MC	2A	1942	1	-	0/5/25/26	0/2/2/2
32	4OC	1a	1402	32	-	2/9/29/30	0/2/2/2
1	2MA	1A	2515	1,56	-	2/3/25/26	0/3/3/3
32	5MC	1a	1404	32	-	0/5/25/26	0/2/2/2
32	PSU	1a	516	32	-	0/7/25/26	0/2/2/2
54	PSU	2w	32	54	-	1/7/25/26	0/2/2/2
32	UR3	1a	1498	32	-	0/5/25/26	0/2/2/2
54	4SU	1w	8	54	-	0/5/25/26	0/2/2/2
1	2MA	2A	2503	1,56	-	1/3/25/26	0/3/3/3
1	5MU	1A	1961	1,56	-	0/5/25/26	0/2/2/2
54	PSU	1y	32	54	-	0/7/25/26	0/2/2/2
1	2MU	2A	2552	1,56	-	0/7/27/28	0/2/2/2
54	PSU	2w	55	54	-	0/7/25/26	0/2/2/2
1	5MU	2A	1939	1,56	-	0/5/25/26	0/2/2/2
32	UR3	2a	1498	32	-	0/5/25/26	0/2/2/2
54	PSU	1w	32	54	-	0/7/25/26	0/2/2/2
54	4SU	2w	8	54	-	0/5/25/26	0/2/2/2
32	2MG	2a	1207	32,56	-	0/5/27/28	0/3/3/3
32	MA6	2a	1518	32	-	2/7/29/30	0/3/3/3

Continued on next page...



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	4OC	2A	1920	1	-	0/7/27/30	0/2/2/2
54	5MU	1w	54	54	-	0/5/25/26	0/2/2/2
1	5MC	1A	1984	1	-	2/5/25/26	0/2/2/2
32	MA6	1a	1519	32	-	4/7/29/30	0/3/3/3
54	4SU	1y	8	54	-	4/5/25/26	0/2/2/2
32	5MC	2a	1407	32,56	-	0/5/25/26	0/2/2/2
54	MIA	2y	37	54	-	3/3/25/34	0/3/3/3
54	PSU	1w	39	54	-	0/7/25/26	0/2/2/2
54	PSU	2y	55	54	-	6/7/25/26	0/2/2/2
1	PSU	2A	2605	1	-	0/7/25/26	0/2/2/2
1	PSU	1A	2617	1,56	-	0/7/25/26	0/2/2/2
54	PSU	1y	55	54	-	0/7/25/26	0/2/2/2
32	M2G	2a	966	32	-	0/7/29/30	0/3/3/3
55	5MC	2x	32	55	-	0/5/25/26	0/2/2/2
43	0TD	2l	92	43	-	2/3/12/14	-
54	PSU	1w	55	54	-	0/7/25/26	0/2/2/2
32	5MC	1a	967	32	-	2/5/25/26	0/2/2/2
1	5MC	1A	1964	1,56	-	0/5/25/26	0/2/2/2
1	OMG	2A	2251	1,55,56	-	0/5/27/28	0/3/3/3
32	MA6	1a	1518	32	-	1/7/29/30	0/3/3/3
1	OMG	1A	2263	1,55,56	-	0/5/27/28	0/3/3/3
54	PSU	2w	39	54	-	0/7/25/26	0/2/2/2
32	PSU	2a	516	32	-	0/7/25/26	0/2/2/2
54	PSU	2y	32	54	-	0/7/25/26	0/2/2/2
32	2MG	1a	1207	32	-	2/5/27/28	0/3/3/3
55	PSU	2x	55	55	-	0/7/25/26	0/2/2/2
54	7MG	1w	46	54	-	1/7/37/38	0/3/3/3
55	PSU	1x	55	55,56	-	0/7/25/26	0/2/2/2
32	5MC	1a	1400	32	-	0/5/25/26	0/2/2/2
1	5MC	2A	1962	1	-	4/5/25/26	0/2/2/2
1	5MU	2A	1915	1	-	0/5/25/26	0/2/2/2
55	4SU	1x	8	55	-	0/5/25/26	0/2/2/2
1	PSU	2A	1911	1	-	0/7/25/26	0/2/2/2
32	5MC	2a	967	32	-	0/5/25/26	0/2/2/2
54	4SU	2y	8	54	-	0/5/25/26	0/2/2/2
54	PSU	1y	39	54	-	0/7/25/26	0/2/2/2
54	MIA	1y	37	54	-	0/3/25/34	0/3/3/3
32	5MC	2a	1400	32	-	4/5/25/26	0/2/2/2
1	PSU	1A	1939	1	-	0/7/25/26	0/2/2/2
32	7MG	1a	527	32,56	-	3/7/37/38	0/3/3/3

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
32	5MC	1a	1407	32	-	0/5/25/26	0/2/2/2
32	MA6	2a	1519	32	-	5/7/29/30	0/3/3/3
54	5MU	1y	54	54	-	3/5/25/26	0/2/2/2
1	PSU	2A	1917	1,56	-	2/7/25/26	0/2/2/2
43	0TD	1l	92	43	-	2/3/12/14	-
54	7MG	1y	46	54	-	2/7/37/38	0/3/3/3
54	5MU	2w	54	54	-	0/5/25/26	0/2/2/2
55	5MU	1x	54	55,56	-	0/5/25/26	0/2/2/2
32	4OC	2a	1402	32	-	2/9/29/30	0/2/2/2
54	7MG	2y	46	54	-	3/7/37/38	0/3/3/3
32	7MG	2a	527	32,56	-	2/7/37/38	0/3/3/3
54	MIA	2w	37	54	-	2/7/29/34	0/3/3/3
1	2MU	1A	2564	1,56	-	0/7/27/28	0/2/2/2
1	5MU	1A	1937	1	-	0/5/25/26	0/2/2/2
1	4OC	1A	1942	1	-	3/7/27/30	0/2/2/2
55	5MC	1x	32	55	-	0/5/25/26	0/2/2/2
54	MIA	1w	37	54	-	1/11/33/34	0/3/3/3
32	M2G	1a	966	32	-	0/7/29/30	0/3/3/3
55	4SU	2x	8	55,56	-	0/5/25/26	0/2/2/2
1	PSU	1A	1933	1	-	0/7/25/26	0/2/2/2
54	PSU	2y	39	54	-	0/7/25/26	0/2/2/2
54	7MG	2w	46	54	-	4/7/37/38	0/3/3/3
32	5MC	2a	1404	32	-	0/5/25/26	0/2/2/2
55	5MU	2x	54	55	-	0/5/25/26	0/2/2/2
54	5MU	2y	54	54	-	2/5/25/26	0/2/2/2

The worst 5 of 148 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
54	1w	37	MIA	C13-C14	7.13	1.52	1.32
54	1w	37	MIA	C2-S10	-6.48	1.70	1.75
54	2w	37	MIA	C2-S10	-6.25	1.70	1.75
43	2l	92	0TD	CB-SB	-6.05	1.69	1.84
43	1l	92	0TD	CB-SB	-5.97	1.69	1.84

The worst 5 of 350 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	2y	46	7MG	N3-C4-N9	10.12	139.91	126.91

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
54	1y	46	7MG	N3-C4-N9	9.71	139.38	126.91
54	1w	46	7MG	N3-C4-N9	9.36	138.93	126.91
54	2y	32	PSU	N1-C2-N3	-8.98	121.29	128.43
32	2a	516	PSU	N1-C2-N3	-8.90	121.35	128.43

There are no chirality outliers.

5 of 79 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
32	2a	1518	MA6	C5-C6-N6-C9
1	1A	1984	5MC	O4'-C1'-N1-C6
1	1A	1984	5MC	C2'-C1'-N1-C6
32	1a	1519	MA6	O4'-C4'-C5'-O5'
54	1y	8	4SU	C2'-C1'-N1-C6

There are no ring outliers.

11 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	2A	2503	2MA	1	0
1	1A	1961	5MU	1	0
1	2A	2552	2MU	1	0
1	2A	1939	5MU	1	0
1	2A	1920	4OC	1	0
1	1A	2617	PSU	1	0
1	2A	2251	OMG	1	0
1	2A	1915	5MU	1	0
1	2A	1917	PSU	1	0
1	1A	2564	2MU	1	0
1	1A	1942	4OC	1	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 3049 ligands modelled in this entry, 3031 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and



the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
58	CPT	1I	3002	8	0,3,4	0.00	-	-		
58	CPT	2I	201	8	0,3,4	0.00	-	-		
58	CPT	2A	3918	1	0,2,4	0.00	-	-		
58	CPT	1A	4182	1	0,3,4	0.00	-	-		
58	CPT	2A	3919	1	0,3,4	0.00	-	-		
58	CPT	1a	1883	32	0,3,4	0.00	-	-		
58	CPT	1A	4179	1	0,3,4	0.00	-	-		
58	CPT	1A	4177	1	0,3,4	0.00	-	-		
58	CPT	2A	3916	1	0,3,4	0.00	-	-		
58	CPT	1A	4180	1	0,3,4	0.00	-	-		
58	CPT	1A	4181	1	0,2,4	0.00	-	-		
58	CPT	2A	3915	1	0,3,4	0.00	-	-		
60	SF4	1d	501	35	0,12,12	0.00	-	-		
58	CPT	2A	3914	1	0,3,4	0.00	-	-		
58	CPT	1A	4178	1	0,3,4	0.00	-	-		
58	CPT	2A	3917	1	0,3,4	0.00	-	-		
60	SF4	2d	302	35	0,12,12	0.00	-	-		
58	CPT	1a	1882	32	0,3,4	0.00	-	-		

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
60	SF4	2d	302	35	-	-	0/6/5/5
60	SF4	1d	501	35	-	-	0/6/5/5

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.


There are no ring outliers.

6 monomers are involved in 6 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
58	2I	201	CPT	1	0
58	2A	3919	CPT	1	0
58	1A	4179	CPT	1	0
58	1A	4180	CPT	1	0
58	1A	4181	CPT	1	0
58	2A	3917	CPT	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	1A	2860/2915 (98%)	0.38	43 (1%) 73 70	23, 44, 93, 105	0
1	2A	2789/2915 (95%)	-0.14	52 (1%) 66 62	28, 48, 91, 104	0
2	1B	120/121 (99%)	0.14	0 100 100	39, 61, 73, 91	0
2	2B	120/121 (99%)	-0.70	0 100 100	46, 67, 77, 91	0
3	1D	275/276 (99%)	0.51	4 (1%) 73 70	24, 42, 58, 81	0
3	2D	275/276 (99%)	0.41	5 (1%) 68 64	26, 44, 60, 80	0
4	1E	204/206 (99%)	0.60	5 (2%) 57 51	25, 48, 65, 80	0
4	2E	204/206 (99%)	0.41	2 (0%) 82 80	28, 51, 68, 80	0
5	1F	203/210 (96%)	0.35	0 100 100	24, 53, 74, 86	0
5	2F	203/210 (96%)	0.46	4 (1%) 65 60	27, 57, 76, 86	0
6	1G	181/182 (99%)	0.34	3 (1%) 70 66	51, 70, 80, 92	0
6	2G	181/182 (99%)	0.07	3 (1%) 70 66	55, 73, 83, 93	0
7	1H	173/180 (96%)	0.53	2 (1%) 79 76	53, 66, 76, 84	0
7	2H	173/180 (96%)	0.76	19 (10%) 5 3	57, 71, 80, 84	0
8	1I	146/148 (98%)	0.03	0 100 100	52, 74, 83, 90	0
8	2I	146/148 (98%)	0.52	7 (4%) 30 24	54, 74, 83, 86	0
9	1N	140/140 (100%)	0.52	0 100 100	33, 50, 69, 76	0
9	2N	140/140 (100%)	0.34	3 (2%) 63 58	37, 54, 70, 77	0
10	1O	122/122 (100%)	0.38	0 100 100	27, 40, 59, 66	0
10	2O	122/122 (100%)	0.51	2 (1%) 72 68	46, 61, 75, 78	0
11	1P	149/150 (99%)	0.36	1 (0%) 87 86	26, 56, 76, 82	0
11	2P	149/150 (99%)	0.47	7 (4%) 31 25	28, 60, 79, 83	0
12	1Q	141/141 (100%)	0.46	1 (0%) 87 86	37, 52, 69, 79	0
12	2Q	141/141 (100%)	0.32	5 (3%) 44 36	41, 58, 71, 81	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
13	1R	118/118 (100%)	0.38	0 100 100	30, 41, 55, 63	0
13	2R	118/118 (100%)	0.19	0 100 100	33, 44, 57, 66	0
14	1S	110/112 (98%)	0.40	0 100 100	47, 60, 71, 75	0
14	2S	110/112 (98%)	0.21	4 (3%) 42 35	51, 64, 75, 79	0
15	1T	131/146 (89%)	0.42	1 (0%) 86 84	39, 52, 73, 80	0
15	2T	131/146 (89%)	0.51	4 (3%) 49 42	44, 55, 75, 80	0
16	1U	116/118 (98%)	0.62	0 100 100	26, 42, 60, 72	0
16	2U	116/118 (98%)	0.28	2 (1%) 70 66	33, 47, 64, 74	0
17	1V	101/101 (100%)	0.40	1 (0%) 82 80	29, 52, 67, 76	0
17	2V	101/101 (100%)	0.40	5 (4%) 28 23	34, 58, 71, 76	0
18	1W	112/113 (99%)	0.56	1 (0%) 84 82	26, 37, 61, 85	0
18	2W	112/113 (99%)	0.48	3 (2%) 54 48	31, 40, 63, 87	0
19	1X	95/96 (98%)	0.44	0 100 100	30, 45, 64, 83	0
19	2X	95/96 (98%)	0.25	3 (3%) 47 40	33, 49, 67, 83	0
20	1Y	107/110 (97%)	0.46	1 (0%) 84 82	41, 59, 74, 83	0
20	2Y	107/110 (97%)	0.94	14 (13%) 3 2	44, 63, 76, 85	0
21	1Z	154/206 (74%)	0.33	5 (3%) 47 40	37, 65, 87, 93	0
21	2Z	160/206 (77%)	0.78	16 (10%) 7 4	67, 83, 93, 103	0
22	10	83/85 (97%)	0.48	6 (7%) 15 11	26, 40, 64, 76	0
22	20	83/85 (97%)	0.68	6 (7%) 15 11	53, 66, 77, 84	0
23	11	97/98 (98%)	0.33	2 (2%) 63 58	27, 46, 72, 81	0
23	21	97/98 (98%)	0.75	7 (7%) 15 11	37, 57, 76, 82	0
24	12	70/72 (97%)	0.58	2 (2%) 51 45	41, 58, 69, 79	0
24	22	70/72 (97%)	0.01	1 (1%) 75 71	46, 63, 72, 79	0
25	13	59/60 (98%)	0.41	0 100 100	33, 49, 67, 82	0
25	23	59/60 (98%)	0.32	3 (5%) 28 22	40, 54, 71, 84	0
26	14	69/71 (97%)	0.19	2 (2%) 51 45	65, 80, 89, 93	0
26	24	69/71 (97%)	-0.09	3 (4%) 35 28	70, 81, 90, 94	0
27	15	59/60 (98%)	0.42	1 (1%) 70 66	26, 37, 59, 70	0
27	25	59/60 (98%)	0.15	1 (1%) 70 66	30, 41, 62, 70	0
28	16	53/54 (98%)	0.27	0 100 100	39, 51, 67, 71	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
28	26	53/54 (98%)	0.15	0 100 100	41, 55, 65, 72	0
29	17	48/49 (97%)	0.87	4 (8%) 11 8	23, 32, 58, 71	0
29	27	48/49 (97%)	0.87	6 (12%) 3 2	25, 35, 60, 72	0
30	18	64/65 (98%)	0.41	0 100 100	33, 43, 54, 68	0
30	28	64/65 (98%)	0.40	2 (3%) 49 42	37, 46, 57, 68	0
31	19	37/37 (100%)	0.81	0 100 100	39, 52, 67, 71	0
31	29	37/37 (100%)	0.86	4 (10%) 5 3	46, 58, 69, 75	0
32	1a	1488/1521 (97%)	-0.17	18 (1%) 79 76	35, 67, 91, 106	0
32	2a	1491/1521 (98%)	-0.18	18 (1%) 79 76	49, 77, 95, 105	0
33	1b	231/256 (90%)	0.23	7 (3%) 50 43	65, 82, 89, 91	0
33	2b	231/256 (90%)	1.02	44 (19%) 1 0	67, 83, 90, 93	0
34	1c	206/239 (86%)	0.32	3 (1%) 73 70	67, 78, 85, 91	0
34	2c	206/239 (86%)	0.58	24 (11%) 4 3	69, 80, 87, 90	0
35	1d	208/209 (99%)	0.46	8 (3%) 40 33	59, 72, 80, 87	0
35	2d	208/209 (99%)	0.42	8 (3%) 40 33	60, 72, 80, 88	0
36	1e	148/162 (91%)	0.40	2 (1%) 75 71	58, 71, 81, 86	0
36	2e	148/162 (91%)	0.70	17 (11%) 4 3	62, 73, 82, 87	0
37	1f	100/101 (99%)	0.28	2 (2%) 65 60	52, 67, 77, 82	0
37	2f	100/101 (99%)	0.19	2 (2%) 65 60	59, 70, 80, 83	0
38	1g	155/156 (99%)	0.16	5 (3%) 47 40	65, 75, 84, 94	0
38	2g	155/156 (99%)	0.24	13 (8%) 11 7	66, 76, 85, 96	0
39	1h	137/138 (99%)	0.48	8 (5%) 23 17	60, 72, 78, 84	0
39	2h	137/138 (99%)	0.62	7 (5%) 28 22	62, 74, 80, 86	0
40	1i	127/128 (99%)	0.14	3 (2%) 59 53	52, 76, 85, 86	0
40	2i	127/128 (99%)	0.84	13 (10%) 6 4	67, 84, 90, 93	0
41	1j	97/105 (92%)	0.44	4 (4%) 37 30	57, 78, 87, 93	0
41	2j	96/105 (91%)	0.53	8 (8%) 11 8	73, 86, 92, 95	0
42	1k	114/129 (88%)	0.14	0 100 100	52, 70, 80, 83	0
42	2k	114/129 (88%)	0.24	4 (3%) 44 36	53, 71, 81, 83	0
43	1l	121/132 (91%)	0.38	3 (2%) 57 51	51, 61, 73, 81	0
43	2l	121/132 (91%)	0.35	5 (4%) 37 30	53, 64, 74, 82	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
44	1m	123/126 (97%)	0.13	2 (1%) 72 68	57, 70, 80, 88	0
44	2m	122/126 (96%)	0.48	12 (9%) 7 5	71, 84, 90, 92	0
45	1n	60/61 (98%)	0.30	1 (1%) 70 66	59, 68, 75, 78	0
45	2n	60/61 (98%)	1.18	10 (16%) 1 1	72, 84, 90, 93	0
46	1o	88/89 (98%)	0.54	3 (3%) 45 38	55, 69, 79, 82	0
46	2o	88/89 (98%)	0.53	4 (4%) 33 26	58, 70, 80, 83	0
47	1p	82/88 (93%)	0.44	2 (2%) 59 53	57, 71, 80, 83	0
47	2p	82/88 (93%)	0.74	8 (9%) 7 5	58, 71, 80, 83	0
48	1q	99/105 (94%)	0.40	4 (4%) 38 31	58, 71, 81, 84	0
48	2q	99/105 (94%)	0.79	11 (11%) 5 3	62, 72, 80, 85	0
49	1r	68/88 (77%)	0.46	3 (4%) 34 27	60, 69, 80, 81	0
49	2r	68/88 (77%)	0.28	2 (2%) 51 45	61, 70, 80, 83	0
50	1s	83/93 (89%)	0.01	2 (2%) 59 53	68, 79, 85, 91	0
50	2s	83/93 (89%)	0.42	5 (6%) 21 16	71, 81, 87, 91	0
51	1t	96/106 (90%)	0.23	0 100 100	61, 71, 82, 84	0
51	2t	96/106 (90%)	0.74	7 (7%) 15 11	61, 71, 82, 85	0
52	1u	23/27 (85%)	0.57	1 (4%) 35 28	69, 73, 77, 79	0
52	2u	23/27 (85%)	0.90	3 (13%) 3 2	73, 75, 79, 81	0
53	1v	13/24 (54%)	0.39	0 100 100	56, 67, 85, 95	0
53	2v	13/24 (54%)	0.70	2 (15%) 2 1	60, 72, 88, 95	0
54	1w	67/76 (88%)	0.81	8 (11%) 4 3	51, 88, 97, 101	0
54	1y	67/76 (88%)	-0.11	3 (4%) 33 26	37, 92, 99, 103	0
54	2w	65/76 (85%)	0.46	9 (13%) 2 1	63, 94, 101, 103	0
54	2y	66/76 (86%)	0.61	9 (13%) 3 1	50, 96, 100, 102	0
55	1x	72/77 (93%)	-0.16	0 100 100	33, 67, 85, 91	0
55	2x	72/77 (93%)	-0.43	0 100 100	53, 81, 90, 95	0
All	All	20873/21748 (95%)	0.25	615 (2%) 51 45	23, 63, 89, 106	0

The worst 5 of 615 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
44	2m	124	PRO	9.9
38	2g	82	GLY	8.6

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
44	2m	123	ALA	8.1
1	2A	2802	G	7.8
45	2n	39	LEU	7.8

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
54	7MG	2w	46	24/25	0.74	0.19	85,97,104,130	0
54	PSU	1y	55	20/21	0.79	0.24	86,96,105,118	0
54	7MG	2y	46	24/25	0.79	0.19	83,97,105,122	0
54	PSU	2y	55	20/21	0.79	0.28	88,97,113,114	0
54	MIA	2y	37	22/30	0.80	0.22	66,89,94,118	0
54	PSU	2y	32	20/21	0.80	0.15	67,90,100,108	0
54	7MG	1y	46	24/25	0.81	0.20	79,97,103,116	0
54	4SU	2w	8	20/21	0.81	0.19	85,97,111,115	0
54	7MG	1w	46	24/25	0.81	0.20	74,88,107,126	0
54	4SU	2y	8	20/21	0.81	0.14	82,99,109,121	0
54	4SU	1y	8	20/21	0.83	0.16	80,95,102,108	0
54	PSU	2w	55	20/21	0.85	0.16	73,84,98,98	0
54	5MU	1y	54	21/22	0.85	0.20	84,90,99,116	0
54	4SU	1w	8	20/21	0.86	0.19	80,86,108,116	0
54	5MU	2y	54	21/22	0.86	0.28	83,92,101,129	0
54	MIA	1y	37	22/30	0.88	0.15	77,86,92,97	0
55	4SU	2x	8	20/21	0.88	0.14	72,85,92,94	0
54	5MU	2w	54	21/22	0.88	0.14	71,81,87,95	0
54	PSU	1w	55	20/21	0.88	0.16	64,78,85,90	0
55	PSU	2x	55	20/21	0.89	0.14	77,86,93,98	0
54	PSU	2y	39	20/21	0.89	0.19	83,88,96,110	0
54	PSU	1y	32	20/21	0.90	0.16	76,91,99,99	0
32	2MG	2a	1207	24/25	0.90	0.14	73,86,90,101	0
55	5MU	2x	54	21/22	0.91	0.18	72,87,94,102	0
54	PSU	2w	32	20/21	0.91	0.20	66,80,98,99	0
54	PSU	1y	39	20/21	0.92	0.18	77,83,87,97	0
32	5MC	2a	967	21/22	0.92	0.14	66,74,80,89	0
55	PSU	1x	55	20/21	0.92	0.16	54,69,89,90	0
54	MIA	2w	37	25/30	0.92	0.17	61,76,85,87	0
43	0TD	1l	92	10/11	0.92	0.19	56,62,65,85	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
32	M2G	2a	966	25/26	0.93	0.19	55,70,86,91	0
43	0TD	2l	92	10/11	0.93	0.20	62,64,70,87	0
1	5MU	2A	1915	21/22	0.93	0.12	62,69,75,82	0
54	PSU	2w	39	20/21	0.93	0.24	72,83,93,94	0
32	PSU	2a	516	20/21	0.93	0.13	63,75,81,88	0
32	7MG	2a	527	24/25	0.95	0.14	52,60,75,82	0
1	PSU	2A	1917	20/21	0.95	0.15	56,65,69,73	0
1	5MU	1A	1937	21/22	0.95	0.18	57,65,71,73	0
55	5MC	2x	32	21/22	0.95	0.19	68,77,83,89	0
55	4SU	1x	8	20/21	0.95	0.16	58,70,80,91	0
1	PSU	2A	1911	20/21	0.95	0.14	53,61,67,68	0
55	5MU	1x	54	21/22	0.95	0.13	59,70,77,78	0
32	5MC	2a	1404	21/22	0.95	0.18	53,58,65,72	0
32	4OC	2a	1402	22/23	0.95	0.17	50,64,75,79	0
54	PSU	1w	32	20/21	0.95	0.16	58,70,78,82	0
32	MA6	2a	1519	24/25	0.96	0.23	44,68,73,79	0
32	5MC	2a	1407	21/22	0.96	0.18	40,56,69,76	0
1	PSU	1A	1933	20/21	0.96	0.21	50,57,63,64	0
32	MA6	2a	1518	24/25	0.96	0.20	53,67,75,80	0
54	5MU	1w	54	21/22	0.96	0.15	43,64,74,80	0
32	UR3	2a	1498	21/22	0.96	0.21	51,59,70,72	0
1	PSU	1A	1939	20/21	0.96	0.18	54,61,64,67	0
54	MIA	1w	37	29/30	0.96	0.20	46,57,69,76	0
32	7MG	1a	527	24/25	0.97	0.16	33,46,53,62	0
32	5MC	1a	1400	21/22	0.97	0.17	41,53,58,62	0
1	4OC	1A	1942	21/23	0.97	0.20	39,56,58,62	0
55	5MC	1x	32	21/22	0.97	0.18	49,54,65,69	0
1	5MC	2A	1962	21/22	0.97	0.17	28,44,54,61	0
1	5MC	2A	1942	21/22	0.97	0.15	49,54,59,64	0
54	PSU	1w	39	20/21	0.97	0.18	55,68,77,79	0
32	5MC	1a	1404	21/22	0.97	0.18	37,44,49,52	0
32	2MG	1a	1207	24/25	0.97	0.13	60,68,75,76	0
32	PSU	1a	516	20/21	0.97	0.15	48,58,65,70	0
32	5MC	1a	967	21/22	0.97	0.17	44,52,68,72	0
32	5MC	2a	1400	21/22	0.97	0.19	66,70,79,87	0
32	M2G	1a	966	25/26	0.97	0.17	44,57,68,77	0
1	OMG	1A	2263	24/25	0.98	0.21	26,30,36,39	0
1	5MU	2A	1939	21/22	0.98	0.18	29,36,40,43	0
1	4OC	2A	1920	21/23	0.98	0.16	45,57,62,65	0
1	2MU	1A	2564	21/23	0.98	0.22	26,35,40,42	0
1	PSU	2A	2605	20/21	0.98	0.18	29,35,43,48	0
1	PSU	1A	2617	20/21	0.98	0.20	27,32,41,41	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
1	2MA	2A	2503	23/24	0.98	0.18	24,29,34,40	0
32	5MC	1a	1407	21/22	0.98	0.19	34,42,47,48	0
1	5MC	1A	1984	21/22	0.98	0.19	27,41,49,56	0
32	MA6	1a	1519	24/25	0.98	0.21	38,45,51,54	0
32	4OC	1a	1402	22/23	0.98	0.18	38,47,55,64	0
1	2MU	2A	2552	21/23	0.98	0.17	32,36,44,51	0
1	2MA	1A	2515	23/24	0.98	0.23	19,26,31,32	0
1	5MC	1A	1964	21/22	0.98	0.19	45,50,57,58	0
1	OMG	2A	2251	24/25	0.98	0.18	29,35,40,47	0
32	MA6	1a	1518	24/25	0.98	0.20	30,41,50,51	0
32	UR3	1a	1498	21/22	0.99	0.18	35,46,50,57	0
1	5MU	1A	1961	21/22	0.99	0.22	28,34,41,42	0

### 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3805	1/1	0.18	0.40	54,54,54,54	0
56	MG	1A	4123	1/1	0.20	0.21	79,79,79,79	0
56	MG	1B	3027	1/1	0.27	0.20	87,87,87,87	0
56	MG	1A	4139	1/1	0.34	0.19	70,70,70,70	0
56	MG	2a	1743	1/1	0.36	0.20	72,72,72,72	0
56	MG	2A	3881	1/1	0.37	0.17	86,86,86,86	0
56	MG	2A	3700	1/1	0.40	0.56	68,68,68,68	0
56	MG	2A	3806	1/1	0.43	0.17	67,67,67,67	0
56	MG	1a	1846	1/1	0.43	0.16	74,74,74,74	0
56	MG	2A	3174	1/1	0.47	0.18	77,77,77,77	0
56	MG	2A	3212	1/1	0.47	1.16	74,74,74,74	0
56	MG	1A	3377	1/1	0.47	0.17	68,68,68,68	0
56	MG	2x	101	1/1	0.47	0.19	82,82,82,82	0
56	MG	1A	4053	1/1	0.47	0.18	67,67,67,67	0
56	MG	1Y	201	1/1	0.47	0.14	69,69,69,69	0
56	MG	1A	4092	1/1	0.48	0.10	76,76,76,76	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	4061	1/1	0.49	0.11	72,72,72,72	0
56	MG	2x	102	1/1	0.51	0.17	88,88,88,88	0
56	MG	1A	3297	1/1	0.52	0.19	58,58,58,58	0
56	MG	1B	3008	1/1	0.52	0.27	51,51,51,51	0
56	MG	1A	4038	1/1	0.52	0.39	97,97,97,97	0
56	MG	2A	3252	1/1	0.54	0.52	63,63,63,63	0
56	MG	2a	1794	1/1	0.54	0.33	101,101,101,101	0
56	MG	2a	1623	1/1	0.56	0.36	81,81,81,81	0
56	MG	1a	1844	1/1	0.57	0.09	59,59,59,59	0
56	MG	2a	1752	1/1	0.57	0.42	101,101,101,101	0
56	MG	1A	4089	1/1	0.57	0.10	62,62,62,62	0
56	MG	2A	3115	1/1	0.58	0.33	56,56,56,56	0
56	MG	2A	3669	1/1	0.58	0.18	70,70,70,70	0
56	MG	2a	1621	1/1	0.58	0.23	77,77,77,77	0
56	MG	1A	3779	1/1	0.58	0.26	80,80,80,80	0
56	MG	1a	1868	1/1	0.58	0.08	83,83,83,83	0
56	MG	2a	1706	1/1	0.59	0.17	82,82,82,82	0
56	MG	2a	1625	1/1	0.59	0.11	86,86,86,86	0
56	MG	2A	3376	1/1	0.59	0.33	68,68,68,68	0
56	MG	1A	4142	1/1	0.59	0.16	56,56,56,56	0
56	MG	2a	1701	1/1	0.60	0.26	84,84,84,84	0
56	MG	1A	3632	1/1	0.60	0.15	65,65,65,65	0
56	MG	1a	1831	1/1	0.60	0.15	88,88,88,88	0
56	MG	1A	3312	1/1	0.60	0.24	63,63,63,63	0
56	MG	1a	1693	1/1	0.61	0.28	63,63,63,63	0
56	MG	2a	1645	1/1	0.61	0.14	82,82,82,82	0
56	MG	2a	1667	1/1	0.61	0.16	70,70,70,70	0
56	MG	1A	3558	1/1	0.61	0.22	75,75,75,75	0
56	MG	1A	3263	1/1	0.61	0.17	76,76,76,76	0
56	MG	1A	3211	1/1	0.62	0.16	76,76,76,76	0
56	MG	1a	1877	1/1	0.62	0.10	76,76,76,76	0
56	MG	1a	1873	1/1	0.62	0.10	69,69,69,69	0
56	MG	2a	1631	1/1	0.62	0.47	74,74,74,74	0
56	MG	2A	3803	1/1	0.62	0.26	52,52,52,52	0
56	MG	2a	1725	1/1	0.62	0.17	75,75,75,75	0
56	MG	2j	8002	1/1	0.62	0.12	74,74,74,74	0
56	MG	1A	4055	1/1	0.62	0.32	81,81,81,81	0
56	MG	1A	3438	1/1	0.62	0.22	52,52,52,52	0
56	MG	2a	1656	1/1	0.63	0.36	86,86,86,86	0
56	MG	1A	3762	1/1	0.63	0.13	56,56,56,56	0
56	MG	2a	1728	1/1	0.63	0.23	63,63,63,63	0
56	MG	1A	3051	1/1	0.63	0.33	51,51,51,51	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3204	1/1	0.63	0.23	68,68,68,68	0
56	MG	2a	1798	1/1	0.64	0.07	85,85,85,85	0
56	MG	1n	102	1/1	0.64	0.27	69,69,69,69	0
56	MG	1a	1703	1/1	0.64	0.38	81,81,81,81	0
56	MG	1A	4084	1/1	0.64	0.45	94,94,94,94	0
56	MG	1y	103	1/1	0.64	0.15	89,89,89,89	0
56	MG	1A	3479	1/1	0.64	0.23	72,72,72,72	0
56	MG	1A	4209	1/1	0.64	0.10	84,84,84,84	0
56	MG	2A	3725	1/1	0.64	0.13	76,76,76,76	0
56	MG	2w	104	1/1	0.64	0.17	73,73,73,73	0
56	MG	2A	3399	1/1	0.65	0.18	60,60,60,60	0
56	MG	2A	3257	1/1	0.65	0.23	69,69,69,69	0
56	MG	1A	4014	1/1	0.65	0.10	69,69,69,69	0
56	MG	2y	3004	1/1	0.65	0.18	86,86,86,86	0
56	MG	2A	3368	1/1	0.65	0.22	69,69,69,69	0
56	MG	2a	1769	1/1	0.65	0.12	76,76,76,76	0
56	MG	2A	3876	1/1	0.65	0.20	61,61,61,61	0
56	MG	2A	3796	1/1	0.65	0.18	71,71,71,71	0
56	MG	2A	3179	1/1	0.65	0.14	44,44,44,44	0
56	MG	2A	3370	1/1	0.66	1.20	71,71,71,71	0
56	MG	1A	4124	1/1	0.66	0.24	86,86,86,86	0
56	MG	2A	3193	1/1	0.66	0.19	70,70,70,70	0
56	MG	2A	3056	1/1	0.66	0.18	56,56,56,56	0
56	MG	1A	3922	1/1	0.66	0.26	54,54,54,54	0
56	MG	1A	4033	1/1	0.66	0.26	80,80,80,80	0
56	MG	1A	3534	1/1	0.66	0.31	92,92,92,92	0
56	MG	2a	1756	1/1	0.67	0.12	95,95,95,95	0
56	MG	1A	4212	1/1	0.67	0.21	53,53,53,53	0
56	MG	17	102	1/1	0.67	0.26	70,70,70,70	0
56	MG	2a	1662	1/1	0.67	0.17	81,81,81,81	0
56	MG	1A	3437	1/1	0.67	0.32	60,60,60,60	0
56	MG	2w	102	1/1	0.68	0.15	81,81,81,81	0
56	MG	2a	1603	1/1	0.68	0.16	70,70,70,70	0
56	MG	1A	4042	1/1	0.68	0.24	74,74,74,74	0
56	MG	1w	110	1/1	0.68	0.16	85,85,85,85	0
56	MG	1A	3975	1/1	0.68	0.06	90,90,90,90	0
56	MG	2A	3697	1/1	0.68	0.11	43,43,43,43	0
56	MG	25	105	1/1	0.68	0.46	81,81,81,81	0
56	MG	2F	301	1/1	0.68	0.57	66,66,66,66	0
56	MG	2A	3912	1/1	0.68	0.27	88,88,88,88	0
56	MG	1A	3270	1/1	0.68	0.15	67,67,67,67	0
56	MG	2a	1749	1/1	0.68	0.16	68,68,68,68	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1a	1669	1/1	0.68	0.16	60,60,60,60	0
56	MG	2A	3038	1/1	0.68	0.16	61,61,61,61	0
56	MG	1A	3053	1/1	0.68	0.22	61,61,61,61	0
56	MG	2A	3385	1/1	0.68	0.28	70,70,70,70	0
56	MG	2A	3290	1/1	0.69	0.14	59,59,59,59	0
56	MG	2A	3559	1/1	0.69	0.10	43,43,43,43	0
56	MG	1A	3541	1/1	0.69	0.18	58,58,58,58	0
56	MG	2A	3215	1/1	0.69	0.12	78,78,78,78	0
56	MG	2A	3835	1/1	0.69	0.12	88,88,88,88	0
56	MG	2A	3268	1/1	0.69	0.27	75,75,75,75	0
56	MG	2A	3347	1/1	0.69	0.13	58,58,58,58	0
56	MG	2a	1736	1/1	0.69	0.23	69,69,69,69	0
56	MG	2A	3825	1/1	0.69	0.11	43,43,43,43	0
56	MG	2a	1735	1/1	0.69	0.36	72,72,72,72	0
56	MG	1A	3416	1/1	0.69	0.33	78,78,78,78	0
56	MG	1A	3434	1/1	0.69	0.86	56,56,56,56	0
56	MG	1A	3314	1/1	0.69	0.19	60,60,60,60	0
56	MG	1a	1670	1/1	0.69	0.22	72,72,72,72	0
56	MG	1A	3933	1/1	0.69	0.17	56,56,56,56	0
56	MG	1A	3131	1/1	0.69	0.29	55,55,55,55	0
56	MG	2a	1810	1/1	0.69	0.14	74,74,74,74	0
56	MG	1A	3229	1/1	0.69	0.29	56,56,56,56	0
56	MG	2a	1647	1/1	0.69	0.25	63,63,63,63	0
56	MG	2A	3282	1/1	0.70	0.18	67,67,67,67	0
56	MG	2A	3073	1/1	0.70	0.14	57,57,57,57	0
56	MG	1A	4051	1/1	0.70	0.11	93,93,93,93	0
56	MG	1A	3629	1/1	0.70	0.30	72,72,72,72	0
56	MG	1a	1654	1/1	0.70	0.19	81,81,81,81	0
56	MG	1A	3122	1/1	0.70	0.27	60,60,60,60	0
56	MG	1A	3454	1/1	0.70	0.46	55,55,55,55	0
56	MG	1a	1842	1/1	0.70	0.08	56,56,56,56	0
56	MG	1A	4039	1/1	0.70	0.13	80,80,80,80	0
56	MG	1A	4129	1/1	0.70	0.21	76,76,76,76	0
56	MG	2A	3913	1/1	0.70	0.15	68,68,68,68	0
56	MG	1A	3898	1/1	0.70	0.15	72,72,72,72	0
56	MG	1A	3976	1/1	0.70	0.10	75,75,75,75	0
56	MG	1A	3266	1/1	0.70	0.12	64,64,64,64	0
56	MG	1a	1708	1/1	0.70	0.21	66,66,66,66	0
56	MG	1A	3276	1/1	0.70	0.14	65,65,65,65	0
56	MG	2E	304	1/1	0.70	0.26	72,72,72,72	0
56	MG	1A	3484	1/1	0.70	0.18	73,73,73,73	0
56	MG	2A	3482	1/1	0.70	0.30	71,71,71,71	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3359	1/1	0.70	0.28	66,66,66,66	0
56	MG	1a	1672	1/1	0.71	0.19	71,71,71,71	0
56	MG	2A	3746	1/1	0.71	0.11	58,58,58,58	0
56	MG	1A	4088	1/1	0.71	0.10	89,89,89,89	0
56	MG	1A	3327	1/1	0.71	0.36	65,65,65,65	0
56	MG	1A	3988	1/1	0.71	0.13	65,65,65,65	0
56	MG	1A	3457	1/1	0.71	0.16	69,69,69,69	0
56	MG	1x	112	1/1	0.71	0.15	77,77,77,77	0
56	MG	2A	3245	1/1	0.71	0.38	56,56,56,56	0
56	MG	2a	1782	1/1	0.71	0.11	86,86,86,86	0
56	MG	1A	3190	1/1	0.71	0.29	67,67,67,67	0
56	MG	1a	1862	1/1	0.71	0.11	59,59,59,59	0
56	MG	2a	1665	1/1	0.71	0.54	90,90,90,90	0
56	MG	2A	3713	1/1	0.71	0.15	66,66,66,66	0
56	MG	2A	3264	1/1	0.71	0.40	63,63,63,63	0
56	MG	2A	3343	1/1	0.71	1.02	63,63,63,63	0
56	MG	1A	3585	1/1	0.71	0.14	68,68,68,68	0
56	MG	1A	3998	1/1	0.71	0.09	57,57,57,57	0
56	MG	1A	3423	1/1	0.71	0.20	59,59,59,59	0
56	MG	2a	1669	1/1	0.71	0.10	75,75,75,75	0
56	MG	1A	3149	1/1	0.72	0.53	51,51,51,51	0
56	MG	1A	3215	1/1	0.72	0.15	51,51,51,51	0
56	MG	1A	3093	1/1	0.72	0.12	50,50,50,50	0
56	MG	2A	3492	1/1	0.72	0.14	68,68,68,68	0
56	MG	2a	1657	1/1	0.72	0.22	67,67,67,67	0
56	MG	1A	3380	1/1	0.72	0.25	56,56,56,56	0
56	MG	2A	3278	1/1	0.72	0.27	64,64,64,64	0
56	MG	1A	3578	1/1	0.72	0.21	54,54,54,54	0
56	MG	2A	3214	1/1	0.72	0.25	64,64,64,64	0
56	MG	1A	3366	1/1	0.72	0.19	61,61,61,61	0
56	MG	2A	3197	1/1	0.73	0.11	60,60,60,60	0
56	MG	1A	3617	1/1	0.73	0.24	80,80,80,80	0
56	MG	2a	1845	1/1	0.73	0.18	74,74,74,74	0
56	MG	2A	3387	1/1	0.73	0.18	54,54,54,54	0
56	MG	2A	3458	1/1	0.73	0.17	57,57,57,57	0
56	MG	1a	1824	1/1	0.73	0.06	75,75,75,75	0
56	MG	2a	1767	1/1	0.73	0.10	99,99,99,99	0
56	MG	2A	3331	1/1	0.73	0.22	67,67,67,67	0
56	MG	1a	1724	1/1	0.73	0.21	74,74,74,74	0
56	MG	1A	4012	1/1	0.73	0.10	57,57,57,57	0
56	MG	2a	1731	1/1	0.73	0.28	80,80,80,80	0
56	MG	2A	3851	1/1	0.73	0.17	46,46,46,46	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1E	308	1/1	0.73	0.21	69,69,69,69	0
56	MG	2a	1629	1/1	0.73	0.83	88,88,88,88	0
56	MG	1A	3981	1/1	0.73	0.10	53,53,53,53	0
56	MG	1B	3006	1/1	0.73	0.12	70,70,70,70	0
56	MG	2A	3694	1/1	0.73	0.17	63,63,63,63	0
56	MG	2A	3502	1/1	0.73	0.10	69,69,69,69	0
56	MG	1a	1712	1/1	0.73	0.18	83,83,83,83	0
56	MG	2A	3231	1/1	0.73	0.14	58,58,58,58	0
56	MG	2A	3420	1/1	0.73	0.28	60,60,60,60	0
56	MG	2y	3005	1/1	0.73	0.11	94,94,94,94	0
56	MG	1a	1705	1/1	0.73	0.21	60,60,60,60	0
56	MG	1A	3414	1/1	0.73	0.44	62,62,62,62	0
56	MG	1w	103	1/1	0.73	0.16	79,79,79,79	0
56	MG	1A	3363	1/1	0.73	0.15	66,66,66,66	0
56	MG	1A	4035	1/1	0.73	0.12	79,79,79,79	0
56	MG	2a	1695	1/1	0.73	0.11	67,67,67,67	0
56	MG	1a	1838	1/1	0.74	0.12	61,61,61,61	0
56	MG	2A	3317	1/1	0.74	0.16	64,64,64,64	0
56	MG	1A	4031	1/1	0.74	0.10	76,76,76,76	0
56	MG	1A	3740	1/1	0.74	0.16	71,71,71,71	0
56	MG	2a	1658	1/1	0.74	0.21	81,81,81,81	0
56	MG	2A	3213	1/1	0.74	0.11	58,58,58,58	0
56	MG	2R	203	1/1	0.74	0.16	54,54,54,54	0
56	MG	2A	3032	1/1	0.74	0.14	47,47,47,47	0
56	MG	2A	3910	1/1	0.74	0.62	76,76,76,76	0
56	MG	2A	3396	1/1	0.74	0.14	58,58,58,58	0
56	MG	1A	4005	1/1	0.74	0.11	54,54,54,54	0
56	MG	1A	3386	1/1	0.74	0.60	60,60,60,60	0
56	MG	2A	3295	1/1	0.74	0.17	50,50,50,50	0
56	MG	1A	3260	1/1	0.74	0.24	64,64,64,64	0
56	MG	1A	3551	1/1	0.74	0.23	61,61,61,61	0
56	MG	20	101	1/1	0.74	0.12	71,71,71,71	0
56	MG	1w	102	1/1	0.74	0.15	78,78,78,78	0
56	MG	2A	3330	1/1	0.74	0.25	66,66,66,66	0
56	MG	1A	3787	1/1	0.74	0.16	53,53,53,53	0
56	MG	1A	3755	1/1	0.75	0.13	34,34,34,34	0
56	MG	1A	3329	1/1	0.75	0.18	59,59,59,59	0
56	MG	1A	4156	1/1	0.75	0.16	71,71,71,71	0
56	MG	2a	1730	1/1	0.75	0.13	76,76,76,76	0
56	MG	1a	1772	1/1	0.75	0.19	68,68,68,68	0
56	MG	2x	103	1/1	0.75	0.16	77,77,77,77	0
56	MG	1A	4036	1/1	0.75	0.12	84,84,84,84	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1B	3011	1/1	0.75	0.42	78,78,78,78	0
56	MG	1a	1630	1/1	0.75	0.16	65,65,65,65	0
56	MG	1A	4027	1/1	0.75	0.18	66,66,66,66	0
56	MG	2A	3812	1/1	0.75	0.15	51,51,51,51	0
56	MG	2A	3837	1/1	0.75	0.32	75,75,75,75	0
56	MG	1a	1751	1/1	0.75	0.18	70,70,70,70	0
56	MG	1A	3777	1/1	0.75	0.13	59,59,59,59	0
56	MG	1a	1847	1/1	0.75	0.09	79,79,79,79	0
56	MG	1A	3528	1/1	0.75	0.38	67,67,67,67	0
56	MG	2A	3892	1/1	0.75	0.12	39,39,39,39	0
56	MG	2A	3341	1/1	0.75	0.89	59,59,59,59	0
56	MG	1A	3478	1/1	0.75	0.15	71,71,71,71	0
56	MG	1A	4058	1/1	0.75	0.24	74,74,74,74	0
56	MG	2B	3008	1/1	0.75	0.15	69,69,69,69	0
56	MG	1A	3480	1/1	0.75	0.22	64,64,64,64	0
56	MG	2A	3300	1/1	0.75	0.14	68,68,68,68	0
56	MG	1A	4044	1/1	0.75	0.08	55,55,55,55	0
56	MG	1A	4196	1/1	0.75	0.21	64,64,64,64	0
56	MG	2a	1822	1/1	0.75	0.15	66,66,66,66	0
56	MG	1A	3145	1/1	0.76	0.24	52,52,52,52	0
56	MG	1Q	204	1/1	0.76	0.14	56,56,56,56	0
56	MG	1a	1875	1/1	0.76	0.10	83,83,83,83	0
56	MG	1A	3591	1/1	0.76	0.21	51,51,51,51	0
56	MG	2a	1718	1/1	0.76	0.15	66,66,66,66	0
56	MG	1A	4015	1/1	0.76	0.09	62,62,62,62	0
56	MG	2A	3092	1/1	0.76	0.65	53,53,53,53	0
56	MG	1A	3397	1/1	0.76	0.13	63,63,63,63	0
56	MG	1a	1746	1/1	0.76	0.25	70,70,70,70	0
56	MG	1A	3476	1/1	0.76	0.17	57,57,57,57	0
56	MG	1A	3908	1/1	0.76	0.17	67,67,67,67	0
56	MG	1A	3415	1/1	0.76	0.16	68,68,68,68	0
56	MG	1a	1839	1/1	0.76	0.06	88,88,88,88	0
56	MG	2A	3718	1/1	0.76	0.18	61,61,61,61	0
56	MG	2A	3065	1/1	0.76	0.34	58,58,58,58	0
56	MG	1A	3304	1/1	0.76	0.23	58,58,58,58	0
56	MG	2A	3811	1/1	0.76	0.23	56,56,56,56	0
56	MG	2A	3633	1/1	0.76	0.15	47,47,47,47	0
56	MG	1a	1691	1/1	0.76	0.32	69,69,69,69	0
56	MG	2a	1633	1/1	0.76	0.26	76,76,76,76	0
56	MG	1A	3854	1/1	0.76	0.16	64,64,64,64	0
56	MG	1a	1659	1/1	0.76	0.12	65,65,65,65	0
56	MG	1A	3286	1/1	0.76	0.22	59,59,59,59	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3788	1/1	0.76	0.26	80,80,80,80	0
56	MG	1A	3356	1/1	0.76	0.33	65,65,65,65	0
56	MG	1A	4151	1/1	0.76	0.27	51,51,51,51	0
56	MG	1A	4121	1/1	0.76	0.11	54,54,54,54	0
56	MG	1A	3504	1/1	0.76	0.08	66,66,66,66	0
56	MG	2A	3456	1/1	0.76	0.27	62,62,62,62	0
56	MG	2A	3689	1/1	0.76	0.21	52,52,52,52	0
56	MG	2A	3660	1/1	0.77	0.18	66,66,66,66	0
56	MG	2A	3823	1/1	0.77	0.23	54,54,54,54	0
56	MG	2A	3813	1/1	0.77	0.14	68,68,68,68	0
56	MG	1A	3974	1/1	0.77	0.10	38,38,38,38	0
56	MG	2A	3557	1/1	0.77	0.12	34,34,34,34	0
56	MG	2A	3384	1/1	0.77	0.29	64,64,64,64	0
56	MG	2A	3165	1/1	0.77	0.15	48,48,48,48	0
56	MG	1a	1826	1/1	0.77	0.19	89,89,89,89	0
56	MG	1A	3365	1/1	0.77	0.23	59,59,59,59	0
56	MG	1a	1676	1/1	0.77	0.35	80,80,80,80	0
56	MG	2A	3411	1/1	0.77	1.04	63,63,63,63	0
56	MG	1A	3489	1/1	0.77	0.31	49,49,49,49	0
56	MG	1A	3522	1/1	0.77	0.18	64,64,64,64	0
56	MG	2A	3325	1/1	0.77	0.68	53,53,53,53	0
56	MG	1A	3958	1/1	0.77	0.16	51,51,51,51	0
56	MG	1A	3016	1/1	0.77	0.21	61,61,61,61	0
56	MG	1A	3745	1/1	0.77	0.21	37,37,37,37	0
56	MG	1B	3028	1/1	0.77	0.18	82,82,82,82	0
56	MG	2w	103	1/1	0.77	0.43	75,75,75,75	0
56	MG	2A	3403	1/1	0.77	0.19	63,63,63,63	0
56	MG	1A	4137	1/1	0.77	0.13	67,67,67,67	0
56	MG	2A	3922	1/1	0.77	0.13	38,38,38,38	0
56	MG	1A	4132	1/1	0.77	0.68	62,62,62,62	0
56	MG	1a	1702	1/1	0.77	0.23	92,92,92,92	0
56	MG	2A	3840	1/1	0.77	0.06	64,64,64,64	0
56	MG	1A	3357	1/1	0.77	0.17	59,59,59,59	0
56	MG	2a	1737	1/1	0.77	0.34	64,64,64,64	0
56	MG	2y	3007	1/1	0.77	0.14	82,82,82,82	0
56	MG	1A	3439	1/1	0.77	0.15	55,55,55,55	0
56	MG	2a	1644	1/1	0.77	0.22	70,70,70,70	0
56	MG	2A	3845	1/1	0.77	0.11	54,54,54,54	0
56	MG	2A	3227	1/1	0.77	0.43	66,66,66,66	0
56	MG	2A	3124	1/1	0.77	0.16	58,58,58,58	0
56	MG	1a	1766	1/1	0.77	0.14	67,67,67,67	0
56	MG	1x	105	1/1	0.78	0.18	65,65,65,65	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3829	1/1	0.78	0.11	50,50,50,50	0
56	MG	2a	1833	1/1	0.78	0.15	79,79,79,79	0
56	MG	1A	3367	1/1	0.78	0.13	66,66,66,66	0
56	MG	1A	3718	1/1	0.78	0.15	60,60,60,60	0
56	MG	2A	3491	1/1	0.78	0.30	61,61,61,61	0
56	MG	1A	3315	1/1	0.78	0.15	68,68,68,68	0
56	MG	2B	3002	1/1	0.78	0.14	67,67,67,67	0
56	MG	2a	1759	1/1	0.78	0.16	91,91,91,91	0
56	MG	2A	3327	1/1	0.78	0.21	54,54,54,54	0
56	MG	23	101	1/1	0.78	0.64	57,57,57,57	0
56	MG	1a	1860	1/1	0.78	0.09	92,92,92,92	0
56	MG	1A	3256	1/1	0.78	0.13	61,61,61,61	0
56	MG	2a	1753	1/1	0.78	0.12	77,77,77,77	0
56	MG	1a	1604	1/1	0.78	0.14	68,68,68,68	0
56	MG	2A	3099	1/1	0.78	0.22	71,71,71,71	0
56	MG	2A	3423	1/1	0.78	0.20	77,77,77,77	0
56	MG	1A	3325	1/1	0.78	0.29	51,51,51,51	0
56	MG	2A	3859	1/1	0.78	0.07	49,49,49,49	0
56	MG	2A	3346	1/1	0.78	0.14	63,63,63,63	0
56	MG	1A	3565	1/1	0.78	0.11	60,60,60,60	0
56	MG	2A	3359	1/1	0.78	0.11	59,59,59,59	0
56	MG	1A	3825	1/1	0.78	0.20	24,24,24,24	0
56	MG	1A	4081	1/1	0.78	0.21	84,84,84,84	0
56	MG	2A	3340	1/1	0.78	0.34	74,74,74,74	0
56	MG	2A	3741	1/1	0.78	0.15	59,59,59,59	0
56	MG	2a	1661	1/1	0.78	0.13	69,69,69,69	0
56	MG	1a	1605	1/1	0.78	0.12	63,63,63,63	0
56	MG	2A	3194	1/1	0.78	0.26	63,63,63,63	0
56	MG	2A	3774	1/1	0.78	0.13	62,62,62,62	0
56	MG	1A	3464	1/1	0.78	0.10	69,69,69,69	0
56	MG	2a	1761	1/1	0.78	0.27	86,86,86,86	0
56	MG	2A	3706	1/1	0.78	0.15	51,51,51,51	0
56	MG	1A	3899	1/1	0.78	0.13	61,61,61,61	0
56	MG	2A	3512	1/1	0.78	0.26	68,68,68,68	0
56	MG	1A	4057	1/1	0.78	0.42	90,90,90,90	0
56	MG	2a	1627	1/1	0.78	0.15	74,74,74,74	0
56	MG	18	101	1/1	0.78	0.41	84,84,84,84	0
56	MG	1A	4017	1/1	0.78	0.15	53,53,53,53	0
56	MG	1A	3018	1/1	0.78	0.17	42,42,42,42	0
56	MG	2A	3199	1/1	0.78	0.19	56,56,56,56	0
56	MG	2A	3839	1/1	0.78	0.12	62,62,62,62	0
56	MG	1A	3144	1/1	0.78	0.21	64,64,64,64	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	25	102	1/1	0.78	0.12	60,60,60,60	0
56	MG	1A	3378	1/1	0.79	0.35	68,68,68,68	0
56	MG	2A	3202	1/1	0.79	0.12	56,56,56,56	0
56	MG	2A	3836	1/1	0.79	0.09	74,74,74,74	0
56	MG	2A	3417	1/1	0.79	0.17	56,56,56,56	0
56	MG	2A	3320	1/1	0.79	0.18	64,64,64,64	0
56	MG	2A	3571	1/1	0.79	0.13	42,42,42,42	0
56	MG	1A	4104	1/1	0.79	0.41	81,81,81,81	0
56	MG	2A	3931	1/1	0.79	0.39	44,44,44,44	0
56	MG	2A	3476	1/1	0.79	0.28	70,70,70,70	0
56	MG	1A	3630	1/1	0.79	0.29	60,60,60,60	0
56	MG	1A	3411	1/1	0.79	0.14	67,67,67,67	0
56	MG	2a	1787	1/1	0.79	0.15	63,63,63,63	0
56	MG	1A	3947	1/1	0.79	0.23	49,49,49,49	0
56	MG	2a	1783	1/1	0.79	0.07	87,87,87,87	0
56	MG	1a	1623	1/1	0.79	0.13	49,49,49,49	0
56	MG	2A	3681	1/1	0.79	0.11	45,45,45,45	0
56	MG	1a	1735	1/1	0.79	0.20	50,50,50,50	0
58	CPT	1A	4179	4/5	0.79	0.59	54,72,88,231	4
56	MG	1B	3002	1/1	0.79	0.24	58,58,58,58	0
56	MG	2a	1811	1/1	0.79	0.17	83,83,83,83	0
56	MG	1A	3023	1/1	0.79	0.15	59,59,59,59	0
56	MG	2A	3562	1/1	0.79	0.13	40,40,40,40	0
56	MG	1A	3653	1/1	0.79	0.17	62,62,62,62	0
56	MG	2a	1682	1/1	0.79	0.17	70,70,70,70	0
56	MG	2A	3764	1/1	0.79	0.10	63,63,63,63	0
56	MG	1A	4075	1/1	0.79	0.15	33,33,33,33	0
56	MG	2A	3729	1/1	0.79	0.65	66,66,66,66	0
56	MG	2A	3166	1/1	0.79	0.28	58,58,58,58	0
56	MG	1A	3173	1/1	0.79	0.19	66,66,66,66	0
56	MG	1A	3210	1/1	0.79	0.21	55,55,55,55	0
56	MG	2A	3095	1/1	0.79	0.13	58,58,58,58	0
56	MG	2A	3248	1/1	0.79	0.28	54,54,54,54	0
56	MG	2A	3846	1/1	0.79	0.17	65,65,65,65	0
56	MG	1a	1874	1/1	0.79	0.20	55,55,55,55	0
56	MG	2A	3079	1/1	0.79	0.13	62,62,62,62	0
56	MG	2A	3283	1/1	0.79	0.29	57,57,57,57	0
56	MG	1A	3257	1/1	0.79	0.28	40,40,40,40	0
56	MG	1A	3563	1/1	0.79	0.12	67,67,67,67	0
56	MG	1A	3562	1/1	0.80	0.15	60,60,60,60	0
56	MG	1a	1682	1/1	0.80	0.16	72,72,72,72	0
56	MG	2A	3769	1/1	0.80	0.10	58,58,58,58	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3944	1/1	0.80	0.23	58,58,58,58	0
56	MG	1A	3294	1/1	0.80	0.26	66,66,66,66	0
56	MG	2P	203	1/1	0.80	0.15	56,56,56,56	0
56	MG	2B	3013	1/1	0.80	0.18	77,77,77,77	0
56	MG	1A	3576	1/1	0.80	0.19	69,69,69,69	0
56	MG	1A	3254	1/1	0.80	0.34	61,61,61,61	0
56	MG	2A	3090	1/1	0.80	0.10	57,57,57,57	0
56	MG	2A	3328	1/1	0.80	0.21	66,66,66,66	0
56	MG	1a	1686	1/1	0.80	0.22	67,67,67,67	0
56	MG	1A	3409	1/1	0.80	0.22	49,49,49,49	0
56	MG	2A	3084	1/1	0.80	0.26	46,46,46,46	0
56	MG	1A	3525	1/1	0.80	0.31	39,39,39,39	0
56	MG	1A	3338	1/1	0.80	0.22	60,60,60,60	0
56	MG	2A	3451	1/1	0.80	0.14	59,59,59,59	0
56	MG	2A	3203	1/1	0.80	0.17	53,53,53,53	0
56	MG	2A	3261	1/1	0.80	0.33	72,72,72,72	0
56	MG	2S	201	1/1	0.80	0.23	83,83,83,83	0
56	MG	2A	3191	1/1	0.80	0.20	63,63,63,63	0
56	MG	1a	1713	1/1	0.80	0.22	73,73,73,73	0
56	MG	1y	105	1/1	0.80	0.12	88,88,88,88	0
56	MG	2a	1764	1/1	0.80	0.26	89,89,89,89	0
56	MG	1A	3451	1/1	0.80	0.21	46,46,46,46	0
56	MG	2A	3501	1/1	0.80	0.32	61,61,61,61	0
56	MG	2A	3515	1/1	0.80	0.10	50,50,50,50	0
56	MG	2A	3588	1/1	0.80	0.12	36,36,36,36	0
56	MG	2A	3875	1/1	0.80	0.05	68,68,68,68	0
56	MG	1A	3956	1/1	0.80	0.14	62,62,62,62	0
56	MG	1a	1792	1/1	0.80	0.18	57,57,57,57	0
56	MG	2A	3302	1/1	0.80	0.26	67,67,67,67	0
56	MG	1A	3575	1/1	0.80	0.23	63,63,63,63	0
56	MG	2A	3661	1/1	0.80	0.18	53,53,53,53	0
56	MG	2A	3292	1/1	0.80	1.00	58,58,58,58	0
56	MG	2a	1654	1/1	0.80	0.20	83,83,83,83	0
56	MG	1A	3446	1/1	0.80	0.17	67,67,67,67	0
56	MG	1A	3607	1/1	0.80	0.13	64,64,64,64	0
56	MG	2A	3242	1/1	0.80	0.38	61,61,61,61	0
56	MG	1a	1756	1/1	0.80	0.26	75,75,75,75	0
56	MG	1A	3892	1/1	0.80	0.33	55,55,55,55	0
56	MG	1a	1841	1/1	0.80	0.17	50,50,50,50	0
56	MG	2y	3006	1/1	0.80	0.15	104,104,104,104	0
56	MG	2A	3802	1/1	0.80	0.10	62,62,62,62	0
56	MG	2A	3303	1/1	0.80	0.19	63,63,63,63	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1a	1706	1/1	0.80	0.23	79,79,79,79	0
56	MG	16	103	1/1	0.80	0.20	69,69,69,69	0
56	MG	2A	3326	1/1	0.80	0.47	69,69,69,69	0
56	MG	2A	3625	1/1	0.80	0.16	60,60,60,60	0
56	MG	2A	3431	1/1	0.80	0.23	70,70,70,70	0
56	MG	2v	104	1/1	0.80	0.12	70,70,70,70	0
56	MG	1A	3717	1/1	0.80	0.18	30,30,30,30	0
56	MG	1B	3023	1/1	0.80	0.08	66,66,66,66	0
56	MG	2A	3867	1/1	0.80	0.11	66,66,66,66	0
56	MG	2a	1677	1/1	0.81	0.15	76,76,76,76	0
56	MG	1A	3420	1/1	0.81	0.09	65,65,65,65	0
56	MG	1A	3864	1/1	0.81	0.11	51,51,51,51	0
56	MG	2A	3339	1/1	0.81	0.21	64,64,64,64	0
56	MG	2A	3704	1/1	0.81	0.18	69,69,69,69	0
56	MG	2A	3241	1/1	0.81	0.11	53,53,53,53	0
56	MG	2A	3276	1/1	0.81	0.28	66,66,66,66	0
56	MG	2A	3739	1/1	0.81	0.10	56,56,56,56	0
56	MG	1a	1610	1/1	0.81	0.27	60,60,60,60	0
56	MG	1A	3837	1/1	0.81	0.22	33,33,33,33	0
56	MG	2A	3938	1/1	0.81	0.36	81,81,81,81	0
56	MG	2A	3487	1/1	0.81	0.33	65,65,65,65	0
56	MG	2A	3551	1/1	0.81	0.13	63,63,63,63	0
56	MG	1a	1716	1/1	0.81	0.13	75,75,75,75	0
56	MG	1B	3024	1/1	0.81	0.14	69,69,69,69	0
56	MG	2A	3656	1/1	0.81	0.19	45,45,45,45	0
56	MG	2a	1692	1/1	0.81	0.17	73,73,73,73	0
56	MG	2A	3635	1/1	0.81	0.17	73,73,73,73	0
56	MG	2a	1602	1/1	0.81	0.14	75,75,75,75	0
56	MG	1A	3389	1/1	0.81	0.12	53,53,53,53	0
56	MG	2A	3269	1/1	0.81	0.42	69,69,69,69	0
56	MG	2B	3003	1/1	0.81	0.32	75,75,75,75	0
56	MG	2A	3830	1/1	0.81	0.62	71,71,71,71	0
56	MG	2a	1789	1/1	0.81	0.27	76,76,76,76	0
56	MG	1l	202	1/1	0.81	0.14	82,82,82,82	0
56	MG	2A	3701	1/1	0.81	0.10	51,51,51,51	0
56	MG	2A	3817	1/1	0.81	0.05	53,53,53,53	0
56	MG	1a	1627	1/1	0.81	0.11	51,51,51,51	0
56	MG	1A	4091	1/1	0.81	0.10	71,71,71,71	0
56	MG	2A	3389	1/1	0.81	0.11	59,59,59,59	0
56	MG	1x	110	1/1	0.81	0.19	71,71,71,71	0
56	MG	2a	1604	1/1	0.81	0.16	80,80,80,80	0
56	MG	1A	3766	1/1	0.81	0.18	64,64,64,64	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3889	1/1	0.81	0.10	62,62,62,62	0
56	MG	2A	3616	1/1	0.81	0.17	36,36,36,36	0
56	MG	1I	104	1/1	0.81	0.19	66,66,66,66	0
56	MG	1A	3268	1/1	0.81	0.20	64,64,64,64	0
56	MG	1G	3005	1/1	0.81	0.17	69,69,69,69	0
56	MG	1B	3004	1/1	0.81	0.28	67,67,67,67	0
56	MG	1a	1856	1/1	0.81	0.16	63,63,63,63	0
56	MG	1a	1643	1/1	0.81	0.11	59,59,59,59	0
56	MG	1A	3306	1/1	0.81	0.23	38,38,38,38	0
56	MG	2A	3307	1/1	0.81	0.11	59,59,59,59	0
56	MG	1A	3498	1/1	0.81	0.20	52,52,52,52	0
56	MG	2A	3422	1/1	0.81	0.28	67,67,67,67	0
56	MG	1B	3034	1/1	0.81	0.25	82,82,82,82	0
56	MG	2A	3887	1/1	0.81	0.15	50,50,50,50	0
56	MG	1A	3490	1/1	0.81	0.17	48,48,48,48	0
56	MG	1A	3903	1/1	0.81	0.14	53,53,53,53	0
56	MG	1A	3547	1/1	0.81	0.19	50,50,50,50	0
56	MG	1A	4130	1/1	0.82	0.37	85,85,85,85	0
56	MG	1A	3511	1/1	0.82	0.14	58,58,58,58	0
56	MG	2A	3789	1/1	0.82	0.18	49,49,49,49	0
56	MG	1A	3044	1/1	0.82	0.15	42,42,42,42	0
56	MG	1a	1655	1/1	0.82	0.11	56,56,56,56	0
56	MG	1A	3612	1/1	0.82	0.11	67,67,67,67	0
56	MG	1A	4175	1/1	0.82	0.22	72,72,72,72	0
56	MG	1A	3360	1/1	0.82	0.15	64,64,64,64	0
56	MG	2a	1834	1/1	0.82	0.10	71,71,71,71	0
56	MG	2A	3471	1/1	0.82	0.15	58,58,58,58	0
56	MG	2a	1778	1/1	0.82	0.06	83,83,83,83	0
56	MG	1A	3300	1/1	0.82	0.27	54,54,54,54	0
56	MG	2A	3256	1/1	0.82	0.46	58,58,58,58	0
56	MG	1A	3862	1/1	0.82	0.12	73,73,73,73	0
56	MG	2A	3334	1/1	0.82	0.25	65,65,65,65	0
56	MG	1A	4106	1/1	0.82	0.08	50,50,50,50	0
56	MG	1A	3055	1/1	0.82	0.17	53,53,53,53	0
56	MG	1a	1658	1/1	0.82	0.09	79,79,79,79	0
56	MG	1A	3651	1/1	0.82	0.17	61,61,61,61	0
56	MG	2A	3348	1/1	0.82	0.12	75,75,75,75	0
56	MG	1a	1675	1/1	0.82	0.45	70,70,70,70	0
56	MG	1A	3684	1/1	0.82	0.11	33,33,33,33	0
56	MG	1A	3495	1/1	0.82	0.34	47,47,47,47	0
56	MG	2A	3497	1/1	0.82	0.14	53,53,53,53	0
56	MG	1a	1753	1/1	0.82	0.33	73,73,73,73	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1O	3005	1/1	0.82	0.25	66,66,66,66	0
56	MG	1a	1761	1/1	0.82	0.28	71,71,71,71	0
56	MG	2A	3222	1/1	0.82	0.27	58,58,58,58	0
56	MG	2A	3550	1/1	0.82	0.16	47,47,47,47	0
56	MG	2A	3426	1/1	0.82	0.14	52,52,52,52	0
56	MG	1E	303	1/1	0.82	0.22	39,39,39,39	0
56	MG	2a	1744	1/1	0.82	0.20	66,66,66,66	0
56	MG	1A	3533	1/1	0.82	0.25	50,50,50,50	0
56	MG	1A	3901	1/1	0.82	0.14	71,71,71,71	0
56	MG	1a	1871	1/1	0.82	0.11	72,72,72,72	0
56	MG	1A	3364	1/1	0.82	0.13	70,70,70,70	0
56	MG	1T	202	1/1	0.82	0.17	59,59,59,59	0
56	MG	2A	3469	1/1	0.82	0.13	67,67,67,67	0
56	MG	1a	1819	1/1	0.82	0.17	63,63,63,63	0
56	MG	2a	1666	1/1	0.82	0.25	69,69,69,69	0
56	MG	1A	4060	1/1	0.82	0.17	48,48,48,48	0
56	MG	1A	4166	1/1	0.82	0.10	56,56,56,56	0
56	MG	2B	3014	1/1	0.82	0.18	75,75,75,75	0
56	MG	1A	4111	1/1	0.82	0.10	63,63,63,63	0
56	MG	2a	1790	1/1	0.82	0.10	73,73,73,73	0
56	MG	1A	3599	1/1	0.82	0.21	48,48,48,48	0
56	MG	2A	3251	1/1	0.82	0.17	69,69,69,69	0
56	MG	1A	4018	1/1	0.82	0.11	45,45,45,45	0
56	MG	1a	1843	1/1	0.82	0.09	81,81,81,81	0
56	MG	1A	3333	1/1	0.82	0.14	44,44,44,44	0
56	MG	1A	3579	1/1	0.82	0.20	54,54,54,54	0
56	MG	2v	102	1/1	0.82	0.20	69,69,69,69	0
56	MG	2A	3711	1/1	0.82	0.11	65,65,65,65	0
56	MG	1r	101	1/1	0.82	0.20	71,71,71,71	0
56	MG	1a	1743	1/1	0.82	0.21	77,77,77,77	0
56	MG	2A	3780	1/1	0.82	0.36	63,63,63,63	0
56	MG	2A	3749	1/1	0.82	0.12	70,70,70,70	0
56	MG	1a	1726	1/1	0.82	0.14	63,63,63,63	0
56	MG	1A	3429	1/1	0.82	0.34	59,59,59,59	0
56	MG	2q	204	1/1	0.82	0.15	79,79,79,79	0
56	MG	2A	3605	1/1	0.82	0.13	70,70,70,70	0
56	MG	2a	1702	1/1	0.82	0.11	72,72,72,72	0
56	MG	2l	201	1/1	0.82	0.42	76,76,76,76	0
56	MG	1A	3856	1/1	0.82	0.13	67,67,67,67	0
56	MG	1a	1791	1/1	0.82	0.16	88,88,88,88	0
56	MG	1a	1829	1/1	0.82	0.25	73,73,73,73	0
56	MG	2a	1738	1/1	0.82	0.18	61,61,61,61	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3648	1/1	0.82	0.24	41,41,41,41	0
56	MG	2A	3629	1/1	0.82	0.17	33,33,33,33	0
56	MG	2a	1660	1/1	0.82	0.15	64,64,64,64	0
56	MG	1A	3233	1/1	0.83	0.47	55,55,55,55	0
56	MG	2A	3271	1/1	0.83	0.18	62,62,62,62	0
56	MG	2A	3064	1/1	0.83	0.12	74,74,74,74	0
56	MG	1a	1614	1/1	0.83	0.18	76,76,76,76	0
56	MG	1A	4068	1/1	0.83	0.28	80,80,80,80	0
56	MG	2A	3766	1/1	0.83	0.19	58,58,58,58	0
56	MG	1a	1864	1/1	0.83	0.10	61,61,61,61	0
56	MG	1A	3609	1/1	0.83	0.15	58,58,58,58	0
56	MG	2a	1763	1/1	0.83	0.18	85,85,85,85	0
56	MG	2A	3200	1/1	0.83	0.10	50,50,50,50	0
56	MG	1a	1886	1/1	0.83	0.21	71,71,71,71	0
56	MG	1a	1722	1/1	0.83	0.24	58,58,58,58	0
56	MG	1A	3992	1/1	0.83	0.07	51,51,51,51	0
56	MG	1a	1801	1/1	0.83	0.16	67,67,67,67	0
56	MG	28	101	1/1	0.83	0.18	54,54,54,54	0
56	MG	1A	3514	1/1	0.83	0.15	67,67,67,67	0
56	MG	1a	1821	1/1	0.83	0.08	81,81,81,81	0
56	MG	1A	3228	1/1	0.83	0.23	53,53,53,53	0
56	MG	1b	3001	1/1	0.83	0.15	75,75,75,75	0
56	MG	2a	1734	1/1	0.83	0.19	68,68,68,68	0
56	MG	1a	1608	1/1	0.83	0.24	66,66,66,66	0
56	MG	1A	3292	1/1	0.83	0.24	61,61,61,61	0
56	MG	1A	3057	1/1	0.83	0.16	65,65,65,65	0
56	MG	1a	1663	1/1	0.83	0.11	66,66,66,66	0
56	MG	1A	3596	1/1	0.83	0.38	69,69,69,69	0
56	MG	1A	3759	1/1	0.83	0.20	47,47,47,47	0
56	MG	2a	1688	1/1	0.83	0.47	72,72,72,72	0
56	MG	2A	3329	1/1	0.83	0.10	61,61,61,61	0
56	MG	2a	1635	1/1	0.83	0.17	62,62,62,62	0
56	MG	2a	1716	1/1	0.83	0.22	66,66,66,66	0
56	MG	2A	3272	1/1	0.83	0.13	68,68,68,68	0
56	MG	1A	3954	1/1	0.83	0.15	58,58,58,58	0
56	MG	2a	1821	1/1	0.83	0.11	74,74,74,74	0
56	MG	1a	1723	1/1	0.83	0.15	65,65,65,65	0
56	MG	1S	3003	1/1	0.83	0.24	74,74,74,74	0
56	MG	2A	3838	1/1	0.83	0.13	78,78,78,78	0
56	MG	1a	1830	1/1	0.83	0.10	79,79,79,79	0
56	MG	2A	3560	1/1	0.83	0.08	43,43,43,43	0
56	MG	1A	3390	1/1	0.83	0.19	51,51,51,51	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3879	1/1	0.83	0.07	42,42,42,42	0
56	MG	1A	3313	1/1	0.83	0.14	60,60,60,60	0
56	MG	2A	3472	1/1	0.83	0.20	61,61,61,61	0
56	MG	1B	3015	1/1	0.83	0.11	55,55,55,55	0
56	MG	1A	3497	1/1	0.83	0.09	55,55,55,55	0
56	MG	2A	3382	1/1	0.83	0.17	52,52,52,52	0
56	MG	1A	3937	1/1	0.83	0.26	45,45,45,45	0
56	MG	2A	3901	1/1	0.83	0.15	57,57,57,57	0
56	MG	1A	3456	1/1	0.83	0.32	48,48,48,48	0
56	MG	1P	203	1/1	0.83	0.32	53,53,53,53	0
56	MG	2Q	3002	1/1	0.83	0.16	44,44,44,44	0
56	MG	1A	3199	1/1	0.83	0.10	60,60,60,60	0
56	MG	1A	3920	1/1	0.83	0.15	52,52,52,52	0
56	MG	2a	1757	1/1	0.83	0.10	68,68,68,68	0
56	MG	1A	3319	1/1	0.83	0.11	57,57,57,57	0
56	MG	1A	3649	1/1	0.83	0.28	53,53,53,53	0
56	MG	2A	3053	1/1	0.83	0.15	64,64,64,64	0
56	MG	2A	3127	1/1	0.83	0.19	56,56,56,56	0
56	MG	1A	3501	1/1	0.83	0.63	58,58,58,58	0
56	MG	2a	1813	1/1	0.83	0.13	78,78,78,78	0
56	MG	2a	1648	1/1	0.83	0.10	80,80,80,80	0
56	MG	2A	3820	1/1	0.83	0.17	70,70,70,70	0
56	MG	1A	3623	1/1	0.83	0.17	44,44,44,44	0
56	MG	2A	3103	1/1	0.83	0.13	58,58,58,58	0
56	MG	2a	1817	1/1	0.83	0.10	73,73,73,73	0
56	MG	2A	3374	1/1	0.83	0.20	70,70,70,70	0
56	MG	1A	3299	1/1	0.83	0.10	61,61,61,61	0
56	MG	1a	1697	1/1	0.83	0.16	71,71,71,71	0
56	MG	2A	3094	1/1	0.83	0.17	40,40,40,40	0
56	MG	1a	1734	1/1	0.83	0.14	62,62,62,62	0
56	MG	1a	1657	1/1	0.83	0.19	60,60,60,60	0
56	MG	1A	4087	1/1	0.83	0.14	81,81,81,81	0
56	MG	1A	4120	1/1	0.83	0.16	52,52,52,52	0
56	MG	2A	3524	1/1	0.84	0.09	56,56,56,56	0
56	MG	1A	4115	1/1	0.84	0.18	35,35,35,35	0
56	MG	1F	307	1/1	0.84	0.33	67,67,67,67	0
56	MG	1a	1760	1/1	0.84	0.21	75,75,75,75	0
56	MG	2A	3508	1/1	0.84	0.23	64,64,64,64	0
56	MG	2A	3798	1/1	0.84	0.32	56,56,56,56	0
56	MG	2A	3490	1/1	0.84	0.11	68,68,68,68	0
56	MG	1A	3626	1/1	0.84	0.17	49,49,49,49	0
56	MG	1A	3820	1/1	0.84	0.17	36,36,36,36	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3481	1/1	0.84	0.27	61,61,61,61	0
56	MG	1B	3033	1/1	0.84	0.34	82,82,82,82	0
56	MG	1a	1863	1/1	0.84	0.06	63,63,63,63	0
56	MG	1A	3513	1/1	0.84	0.11	74,74,74,74	0
56	MG	1A	3369	1/1	0.84	0.33	63,63,63,63	0
56	MG	1A	4093	1/1	0.84	0.12	49,49,49,49	0
56	MG	1A	3469	1/1	0.84	0.27	60,60,60,60	0
56	MG	1a	1660	1/1	0.84	0.15	63,63,63,63	0
56	MG	1A	3611	1/1	0.84	0.10	61,61,61,61	0
56	MG	2y	3002	1/1	0.84	0.15	79,79,79,79	0
56	MG	1x	104	1/1	0.84	0.24	65,65,65,65	0
56	MG	2t	3001	1/1	0.84	0.14	54,54,54,54	0
56	MG	2A	3224	1/1	0.84	0.13	64,64,64,64	0
56	MG	2A	3058	1/1	0.84	0.18	65,65,65,65	0
56	MG	2a	1704	1/1	0.84	0.22	71,71,71,71	0
56	MG	2A	3155	1/1	0.84	0.10	47,47,47,47	0
56	MG	1A	3548	1/1	0.84	0.26	54,54,54,54	0
56	MG	1w	101	1/1	0.84	0.13	69,69,69,69	0
56	MG	1A	4114	1/1	0.84	0.21	41,41,41,41	0
56	MG	1A	3644	1/1	0.84	0.13	56,56,56,56	0
56	MG	1A	4002	1/1	0.84	0.21	55,55,55,55	0
56	MG	2A	3128	1/1	0.84	0.26	49,49,49,49	0
56	MG	1A	4173	1/1	0.84	0.17	50,50,50,50	0
56	MG	2A	3760	1/1	0.84	0.10	55,55,55,55	0
56	MG	2A	3357	1/1	0.84	0.15	53,53,53,53	0
56	MG	1A	3852	1/1	0.84	0.16	52,52,52,52	0
56	MG	2a	1653	1/1	0.84	0.31	66,66,66,66	0
56	MG	2A	3414	1/1	0.84	0.19	58,58,58,58	0
56	MG	1a	1668	1/1	0.84	0.14	63,63,63,63	0
56	MG	1A	4050	1/1	0.84	0.16	30,30,30,30	0
56	MG	1A	3385	1/1	0.84	0.26	74,74,74,74	0
56	MG	2A	3814	1/1	0.84	0.21	61,61,61,61	0
56	MG	2A	3265	1/1	0.84	0.61	70,70,70,70	0
56	MG	1A	3217	1/1	0.84	0.15	58,58,58,58	0
56	MG	1A	4223	1/1	0.84	0.18	35,35,35,35	0
56	MG	1B	3003	1/1	0.84	0.21	58,58,58,58	0
56	MG	2A	3826	1/1	0.84	0.26	56,56,56,56	0
56	MG	2a	1672	1/1	0.84	0.12	74,74,74,74	0
56	MG	1A	3996	1/1	0.84	0.14	52,52,52,52	0
56	MG	2A	3855	1/1	0.84	0.20	56,56,56,56	0
56	MG	1A	4013	1/1	0.84	0.26	53,53,53,53	0
56	MG	1A	3004	1/1	0.84	0.12	41,41,41,41	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3222	1/1	0.84	0.20	51,51,51,51	0
56	MG	2a	1681	1/1	0.84	0.09	54,54,54,54	0
56	MG	2A	3344	1/1	0.84	0.15	62,62,62,62	0
56	MG	1a	1709	1/1	0.84	0.22	62,62,62,62	0
56	MG	2A	3496	1/1	0.84	0.23	58,58,58,58	0
56	MG	2A	3218	1/1	0.84	0.16	53,53,53,53	0
56	MG	1A	3606	1/1	0.84	0.13	55,55,55,55	0
56	MG	2A	3929	1/1	0.84	0.13	53,53,53,53	0
56	MG	2A	3630	1/1	0.84	0.12	49,49,49,49	0
56	MG	1A	3320	1/1	0.84	0.17	52,52,52,52	0
56	MG	1A	3201	1/1	0.84	0.17	45,45,45,45	0
56	MG	2a	1785	1/1	0.84	0.08	89,89,89,89	0
56	MG	1A	4108	1/1	0.84	0.30	60,60,60,60	0
56	MG	1A	3924	1/1	0.84	0.12	45,45,45,45	0
56	MG	1l	203	1/1	0.84	0.13	57,57,57,57	0
56	MG	2a	1614	1/1	0.84	0.17	65,65,65,65	0
56	MG	1a	1740	1/1	0.84	0.18	72,72,72,72	0
56	MG	2A	3645	1/1	0.84	0.15	68,68,68,68	0
56	MG	1a	1859	1/1	0.84	0.15	65,65,65,65	0
56	MG	2A	3301	1/1	0.85	0.11	46,46,46,46	0
56	MG	1A	3472	1/1	0.85	0.37	64,64,64,64	0
56	MG	1I	3001	1/1	0.85	0.10	66,66,66,66	0
56	MG	2a	1714	1/1	0.85	0.11	76,76,76,76	0
56	MG	1a	1828	1/1	0.85	0.07	68,68,68,68	0
56	MG	2a	1739	1/1	0.85	0.24	71,71,71,71	0
56	MG	2A	3117	1/1	0.85	0.25	44,44,44,44	0
56	MG	2A	3884	1/1	0.85	0.12	51,51,51,51	0
56	MG	2A	3076	1/1	0.85	0.14	46,46,46,46	0
56	MG	1A	3271	1/1	0.85	0.26	57,57,57,57	0
56	MG	1A	3159	1/1	0.85	0.12	52,52,52,52	0
56	MG	1A	3608	1/1	0.85	0.20	60,60,60,60	0
56	MG	1A	3661	1/1	0.85	0.23	32,32,32,32	0
56	MG	1a	1767	1/1	0.85	0.29	66,66,66,66	0
56	MG	1a	1807	1/1	0.85	0.10	85,85,85,85	0
56	MG	1E	310	1/1	0.85	0.16	62,62,62,62	0
56	MG	1A	3334	1/1	0.85	0.12	65,65,65,65	0
56	MG	1A	3950	1/1	0.85	0.11	52,52,52,52	0
56	MG	1A	3218	1/1	0.85	0.28	49,49,49,49	0
56	MG	2A	3250	1/1	0.85	0.38	71,71,71,71	0
56	MG	2A	3192	1/1	0.85	0.10	59,59,59,59	0
56	MG	2A	3478	1/1	0.85	0.61	62,62,62,62	0
56	MG	1A	3298	1/1	0.85	0.09	59,59,59,59	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3321	1/1	0.85	0.29	58,58,58,58	0
56	MG	1a	1857	1/1	0.85	0.11	66,66,66,66	0
56	MG	1N	205	1/1	0.85	0.33	61,61,61,61	0
56	MG	2A	3415	1/1	0.85	0.23	61,61,61,61	0
56	MG	1A	3090	1/1	0.85	0.16	45,45,45,45	0
56	MG	1a	1749	1/1	0.85	0.22	61,61,61,61	0
56	MG	1A	3628	1/1	0.85	0.36	56,56,56,56	0
56	MG	1a	1752	1/1	0.85	0.32	65,65,65,65	0
56	MG	2A	3772	1/1	0.85	0.45	73,73,73,73	0
56	MG	2a	1729	1/1	0.85	0.12	75,75,75,75	0
56	MG	2v	103	1/1	0.85	0.19	60,60,60,60	0
56	MG	1A	3811	1/1	0.85	0.25	58,58,58,58	0
56	MG	2a	1750	1/1	0.85	0.36	83,83,83,83	0
56	MG	2F	306	1/1	0.85	0.08	51,51,51,51	0
56	MG	1A	4019	1/1	0.85	0.08	67,67,67,67	0
56	MG	2w	106	1/1	0.85	0.19	65,65,65,65	0
56	MG	1N	201	1/1	0.85	0.98	58,58,58,58	0
56	MG	1a	1840	1/1	0.85	0.16	61,61,61,61	0
56	MG	1A	3818	1/1	0.85	0.18	34,34,34,34	0
56	MG	1A	3984	1/1	0.85	0.19	37,37,37,37	0
56	MG	1A	3512	1/1	0.85	0.17	56,56,56,56	0
56	MG	1A	3560	1/1	0.85	0.27	63,63,63,63	0
56	MG	1a	1783	1/1	0.85	0.14	69,69,69,69	0
56	MG	1A	3462	1/1	0.85	0.15	50,50,50,50	0
56	MG	1A	3318	1/1	0.85	0.18	55,55,55,55	0
56	MG	1A	3087	1/1	0.85	0.21	59,59,59,59	0
56	MG	1A	3657	1/1	0.85	0.20	59,59,59,59	0
56	MG	2A	3324	1/1	0.85	0.52	51,51,51,51	0
56	MG	2A	3111	1/1	0.85	0.13	52,52,52,52	0
56	MG	2A	3067	1/1	0.85	0.20	59,59,59,59	0
56	MG	1A	3028	1/1	0.85	0.20	44,44,44,44	0
56	MG	2A	3089	1/1	0.85	0.12	62,62,62,62	0
56	MG	1A	4010	1/1	0.85	0.20	43,43,43,43	0
56	MG	1A	4086	1/1	0.85	0.10	60,60,60,60	0
56	MG	2a	1691	1/1	0.85	0.17	72,72,72,72	0
56	MG	2A	3878	1/1	0.85	0.08	68,68,68,68	0
56	MG	2A	3647	1/1	0.85	0.12	67,67,67,67	0
56	MG	1A	3645	1/1	0.85	0.24	51,51,51,51	0
58	CPT	2A	3918	3/5	0.85	0.20	62,62,65,108	3
56	MG	1A	3002	1/1	0.85	0.23	52,52,52,52	0
56	MG	2A	3016	1/1	0.85	0.11	64,64,64,64	0
56	MG	2A	3425	1/1	0.85	0.64	63,63,63,63	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1a	1747	1/1	0.85	0.29	70,70,70,70	0
56	MG	1A	3743	1/1	0.85	0.18	32,32,32,32	0
56	MG	1A	3450	1/1	0.85	0.23	54,54,54,54	0
56	MG	2A	3581	1/1	0.85	0.11	40,40,40,40	0
56	MG	2A	3612	1/1	0.85	0.18	58,58,58,58	0
56	MG	1A	3024	1/1	0.85	0.33	46,46,46,46	0
56	MG	2A	3372	1/1	0.85	0.28	68,68,68,68	0
56	MG	1B	3030	1/1	0.85	0.05	69,69,69,69	0
56	MG	2A	3352	1/1	0.85	0.09	67,67,67,67	0
56	MG	1A	3345	1/1	0.85	0.34	61,61,61,61	0
56	MG	1A	3486	1/1	0.85	0.20	48,48,48,48	0
56	MG	2a	1848	1/1	0.85	0.15	75,75,75,75	0
56	MG	2a	1670	1/1	0.85	0.19	71,71,71,71	0
56	MG	1N	202	1/1	0.85	0.18	47,47,47,47	0
56	MG	1a	1779	1/1	0.85	0.12	77,77,77,77	0
56	MG	1A	3536	1/1	0.85	0.10	80,80,80,80	0
56	MG	1F	306	1/1	0.85	0.16	46,46,46,46	0
56	MG	1A	3516	1/1	0.85	0.35	61,61,61,61	0
56	MG	1a	1611	1/1	0.85	0.12	64,64,64,64	0
56	MG	2E	302	1/1	0.85	0.18	54,54,54,54	0
56	MG	2B	3010	1/1	0.85	0.11	71,71,71,71	0
56	MG	2a	1741	1/1	0.85	0.25	69,69,69,69	0
56	MG	2a	1620	1/1	0.85	0.23	68,68,68,68	0
56	MG	18	102	1/1	0.85	0.34	54,54,54,54	0
56	MG	2a	1726	1/1	0.85	0.14	76,76,76,76	0
56	MG	2E	306	1/1	0.85	0.15	59,59,59,59	0
56	MG	1Q	203	1/1	0.85	0.16	64,64,64,64	0
56	MG	1A	3362	1/1	0.85	0.14	62,62,62,62	0
56	MG	1A	3017	1/1	0.85	0.23	41,41,41,41	0
56	MG	1A	3410	1/1	0.85	0.33	47,47,47,47	0
56	MG	1a	1827	1/1	0.85	0.29	92,92,92,92	0
56	MG	1A	3658	1/1	0.86	0.21	36,36,36,36	0
56	MG	10	104	1/1	0.86	0.19	57,57,57,57	0
56	MG	2a	1770	1/1	0.86	0.06	78,78,78,78	0
56	MG	1A	3205	1/1	0.86	0.08	46,46,46,46	0
56	MG	1A	3273	1/1	0.86	0.19	52,52,52,52	0
56	MG	2a	1755	1/1	0.86	0.07	65,65,65,65	0
56	MG	1A	3072	1/1	0.86	0.25	58,58,58,58	0
56	MG	1A	4011	1/1	0.86	0.05	57,57,57,57	0
56	MG	2B	3004	1/1	0.86	0.12	68,68,68,68	0
56	MG	1A	3422	1/1	0.86	0.31	63,63,63,63	0
56	MG	1F	305	1/1	0.86	0.28	50,50,50,50	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1w	105	1/1	0.86	0.12	75,75,75,75	0
56	MG	1A	4040	1/1	0.86	0.19	52,52,52,52	0
56	MG	2A	3367	1/1	0.86	0.10	62,62,62,62	0
56	MG	2a	1775	1/1	0.86	0.11	47,47,47,47	0
56	MG	2a	1671	1/1	0.86	0.16	60,60,60,60	0
56	MG	1A	3509	1/1	0.86	0.21	60,60,60,60	0
56	MG	1A	4037	1/1	0.86	0.12	74,74,74,74	0
56	MG	1A	3097	1/1	0.86	0.12	54,54,54,54	0
56	MG	2A	3509	1/1	0.86	0.13	62,62,62,62	0
56	MG	1a	1738	1/1	0.86	0.20	64,64,64,64	0
56	MG	2A	3410	1/1	0.86	0.14	65,65,65,65	0
56	MG	2A	3534	1/1	0.86	0.11	63,63,63,63	0
56	MG	1A	3597	1/1	0.86	0.14	48,48,48,48	0
56	MG	2A	3198	1/1	0.86	0.11	48,48,48,48	0
56	MG	2q	203	1/1	0.86	0.22	73,73,73,73	0
56	MG	1A	3555	1/1	0.86	0.27	46,46,46,46	0
56	MG	1a	1815	1/1	0.86	0.12	74,74,74,74	0
56	MG	1x	113	1/1	0.86	0.09	66,66,66,66	0
56	MG	2A	3087	1/1	0.86	0.32	53,53,53,53	0
56	MG	1A	3309	1/1	0.86	0.23	59,59,59,59	0
56	MG	1A	3482	1/1	0.86	0.18	59,59,59,59	0
56	MG	2a	1747	1/1	0.86	0.38	73,73,73,73	0
56	MG	2A	3049	1/1	0.86	0.36	43,43,43,43	0
56	MG	1a	1835	1/1	0.86	0.06	64,64,64,64	0
56	MG	2A	3259	1/1	0.86	0.13	63,63,63,63	0
56	MG	1A	3978	1/1	0.86	0.17	72,72,72,72	0
56	MG	1a	1763	1/1	0.86	0.17	67,67,67,67	0
56	MG	1A	4159	1/1	0.86	0.17	49,49,49,49	0
56	MG	1A	3253	1/1	0.86	0.14	53,53,53,53	0
56	MG	1a	1666	1/1	0.86	0.14	59,59,59,59	0
56	MG	1A	3459	1/1	0.86	0.20	49,49,49,49	0
56	MG	2A	3800	1/1	0.86	0.05	60,60,60,60	0
56	MG	1A	3812	1/1	0.86	0.20	60,60,60,60	0
56	MG	2A	3225	1/1	0.86	0.23	58,58,58,58	0
56	MG	1a	1771	1/1	0.86	0.13	55,55,55,55	0
56	MG	1A	3424	1/1	0.86	0.36	68,68,68,68	0
56	MG	2a	1626	1/1	0.86	0.55	71,71,71,71	0
56	MG	2y	3001	1/1	0.86	0.17	77,77,77,77	0
56	MG	1A	3671	1/1	0.86	0.17	45,45,45,45	0
56	MG	1A	3936	1/1	0.86	0.12	77,77,77,77	0
56	MG	1A	3088	1/1	0.86	0.19	50,50,50,50	0
56	MG	2A	3080	1/1	0.86	0.37	53,53,53,53	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2a	1842	1/1	0.86	0.46	75,75,75,75	0
56	MG	2r	3001	1/1	0.86	0.13	81,81,81,81	0
56	MG	1A	3642	1/1	0.86	0.23	62,62,62,62	0
56	MG	2A	3291	1/1	0.86	0.17	53,53,53,53	0
56	MG	1A	4183	1/1	0.86	0.14	38,38,38,38	0
56	MG	1a	1696	1/1	0.86	0.16	58,58,58,58	0
56	MG	2A	3873	1/1	0.86	0.06	66,66,66,66	0
56	MG	2A	3369	1/1	0.86	0.18	61,61,61,61	0
56	MG	2A	3335	1/1	0.86	0.10	68,68,68,68	0
56	MG	1A	3842	1/1	0.86	0.07	59,59,59,59	0
56	MG	1A	3824	1/1	0.86	0.16	40,40,40,40	0
56	MG	1A	3580	1/1	0.86	0.16	49,49,49,49	0
56	MG	1A	4062	1/1	0.86	0.17	56,56,56,56	0
56	MG	2A	3004	1/1	0.86	0.21	50,50,50,50	0
56	MG	2a	1606	1/1	0.86	0.19	68,68,68,68	0
56	MG	2A	3211	1/1	0.86	0.38	54,54,54,54	0
56	MG	1A	3121	1/1	0.86	0.20	40,40,40,40	0
56	MG	2A	3371	1/1	0.86	0.28	65,65,65,65	0
56	MG	1a	1836	1/1	0.86	0.05	75,75,75,75	0
56	MG	1A	3171	1/1	0.86	0.14	43,43,43,43	0
56	MG	1A	3592	1/1	0.86	0.19	49,49,49,49	0
56	MG	1A	3063	1/1	0.86	0.24	69,69,69,69	0
56	MG	1A	3252	1/1	0.86	0.10	68,68,68,68	0
56	MG	1A	3331	1/1	0.86	0.26	69,69,69,69	0
56	MG	2a	1617	1/1	0.86	0.10	71,71,71,71	0
56	MG	2A	3176	1/1	0.86	0.65	53,53,53,53	0
56	MG	2A	3405	1/1	0.86	0.11	60,60,60,60	0
56	MG	2A	3074	1/1	0.86	0.24	39,39,39,39	0
56	MG	1A	3492	1/1	0.86	0.23	62,62,62,62	0
56	MG	1A	4069	1/1	0.86	0.12	87,87,87,87	0
56	MG	1A	3401	1/1	0.86	0.30	67,67,67,67	0
56	MG	2A	3151	1/1	0.86	0.29	52,52,52,52	0
56	MG	2F	302	1/1	0.86	0.51	58,58,58,58	0
56	MG	1A	3115	1/1	0.86	0.39	42,42,42,42	0
56	MG	1A	3208	1/1	0.86	0.13	67,67,67,67	0
56	MG	2A	3695	1/1	0.86	0.08	58,58,58,58	0
56	MG	1A	3150	1/1	0.86	0.33	44,44,44,44	0
56	MG	1A	3847	1/1	0.86	0.22	59,59,59,59	0
56	MG	1A	3264	1/1	0.86	0.16	56,56,56,56	0
56	MG	2B	3011	1/1	0.86	0.10	69,69,69,69	0
56	MG	1A	3089	1/1	0.86	0.14	49,49,49,49	0
56	MG	13	102	1/1	0.86	0.10	51,51,51,51	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1a	1632	1/1	0.86	0.38	69,69,69,69	0
56	MG	2A	3893	1/1	0.86	0.13	60,60,60,60	0
56	MG	1Z	303	1/1	0.86	0.11	73,73,73,73	0
56	MG	1a	1620	1/1	0.86	0.08	58,58,58,58	0
56	MG	2A	3146	1/1	0.86	0.11	59,59,59,59	0
56	MG	2A	3353	1/1	0.86	0.22	61,61,61,61	0
56	MG	2a	1748	1/1	0.86	0.27	60,60,60,60	0
56	MG	1A	3216	1/1	0.86	0.13	50,50,50,50	0
56	MG	2a	1632	1/1	0.86	0.69	63,63,63,63	0
56	MG	2A	3356	1/1	0.86	0.12	58,58,58,58	0
56	MG	1A	3351	1/1	0.86	0.22	55,55,55,55	0
56	MG	1A	3965	1/1	0.86	0.19	61,61,61,61	0
56	MG	1A	3084	1/1	0.87	0.48	44,44,44,44	0
56	MG	1A	4100	1/1	0.87	0.22	60,60,60,60	0
56	MG	1A	3440	1/1	0.87	0.18	58,58,58,58	0
56	MG	1a	1759	1/1	0.87	0.12	79,79,79,79	0
56	MG	1a	1851	1/1	0.87	0.11	45,45,45,45	0
56	MG	1A	3001	1/1	0.87	0.17	51,51,51,51	0
56	MG	2B	3017	1/1	0.87	0.07	58,58,58,58	0
56	MG	2A	3928	1/1	0.87	0.16	48,48,48,48	0
56	MG	1A	4110	1/1	0.87	0.39	54,54,54,54	0
56	MG	1A	3426	1/1	0.87	0.15	50,50,50,50	0
56	MG	2A	3022	1/1	0.87	0.09	55,55,55,55	0
56	MG	1A	3156	1/1	0.87	0.20	46,46,46,46	0
56	MG	1A	3602	1/1	0.87	0.26	70,70,70,70	0
56	MG	1A	4127	1/1	0.87	0.08	71,71,71,71	0
56	MG	1A	3853	1/1	0.87	0.11	48,48,48,48	0
56	MG	1A	3337	1/1	0.87	0.31	64,64,64,64	0
56	MG	1A	4172	1/1	0.87	0.22	60,60,60,60	0
56	MG	1A	3209	1/1	0.87	0.13	49,49,49,49	0
56	MG	2a	1836	1/1	0.87	0.16	70,70,70,70	0
56	MG	2A	3747	1/1	0.87	0.19	50,50,50,50	0
56	MG	1A	3665	1/1	0.87	0.12	39,39,39,39	0
56	MG	2A	3758	1/1	0.87	0.06	78,78,78,78	0
56	MG	1A	3296	1/1	0.87	0.21	51,51,51,51	0
56	MG	1A	4162	1/1	0.87	0.16	42,42,42,42	0
56	MG	1A	3798	1/1	0.87	0.12	41,41,41,41	0
56	MG	1A	3867	1/1	0.87	0.17	57,57,57,57	0
56	MG	2A	3722	1/1	0.87	0.14	39,39,39,39	0
56	MG	1A	3353	1/1	0.87	0.13	46,46,46,46	0
56	MG	1A	3425	1/1	0.87	0.16	50,50,50,50	0
56	MG	1A	3355	1/1	0.87	0.19	62,62,62,62	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1a	1636	1/1	0.87	0.28	70,70,70,70	0
56	MG	2A	3842	1/1	0.87	0.10	54,54,54,54	0
56	MG	2a	1618	1/1	0.87	0.11	71,71,71,71	0
56	MG	2A	3445	1/1	0.87	0.28	49,49,49,49	0
56	MG	2A	3096	1/1	0.87	0.08	52,52,52,52	0
56	MG	2a	1684	1/1	0.87	0.14	67,67,67,67	0
56	MG	2A	3856	1/1	0.87	0.12	46,46,46,46	0
56	MG	2a	1655	1/1	0.87	0.16	79,79,79,79	0
56	MG	1a	1884	1/1	0.87	0.27	62,62,62,62	0
56	MG	1O	3001	1/1	0.87	0.29	70,70,70,70	0
56	MG	2B	3012	1/1	0.87	0.32	65,65,65,65	0
56	MG	2A	3594	1/1	0.87	0.19	60,60,60,60	0
56	MG	2A	3455	1/1	0.87	0.29	62,62,62,62	0
56	MG	1a	1730	1/1	0.87	0.31	72,72,72,72	0
56	MG	1A	3381	1/1	0.87	0.52	50,50,50,50	0
56	MG	1A	3977	1/1	0.87	0.30	77,77,77,77	0
56	MG	1U	204	1/1	0.87	0.30	38,38,38,38	0
56	MG	2A	3609	1/1	0.87	0.09	36,36,36,36	0
56	MG	1W	201	1/1	0.87	0.22	56,56,56,56	0
56	MG	2A	3186	1/1	0.87	0.12	50,50,50,50	0
56	MG	2A	3284	1/1	0.87	0.21	64,64,64,64	0
56	MG	1a	1628	1/1	0.87	0.12	75,75,75,75	0
56	MG	1A	3532	1/1	0.87	0.17	56,56,56,56	0
56	MG	2B	3015	1/1	0.87	0.20	70,70,70,70	0
56	MG	1a	1629	1/1	0.87	0.24	61,61,61,61	0
56	MG	1A	3341	1/1	0.87	0.16	60,60,60,60	0
56	MG	2A	3143	1/1	0.87	0.14	31,31,31,31	0
56	MG	2A	3819	1/1	0.87	0.05	78,78,78,78	0
56	MG	2A	3734	1/1	0.87	0.16	51,51,51,51	0
56	MG	1A	3750	1/1	0.87	0.16	32,32,32,32	0
56	MG	14	502	1/1	0.87	0.27	73,73,73,73	0
56	MG	1A	4073	1/1	0.87	0.20	22,22,22,22	0
56	MG	1A	3613	1/1	0.87	0.35	56,56,56,56	0
56	MG	2A	3322	1/1	0.87	0.12	67,67,67,67	0
56	MG	1A	3332	1/1	0.87	0.21	66,66,66,66	0
56	MG	2A	3047	1/1	0.87	0.11	47,47,47,47	0
56	MG	2R	202	1/1	0.87	0.24	57,57,57,57	0
56	MG	1A	3412	1/1	0.87	0.23	57,57,57,57	0
56	MG	1a	1755	1/1	0.87	0.30	83,83,83,83	0
56	MG	2x	104	1/1	0.87	0.22	56,56,56,56	0
56	MG	1A	3392	1/1	0.87	0.20	58,58,58,58	0
56	MG	1A	3128	1/1	0.87	0.26	53,53,53,53	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2N	8001	1/1	0.87	0.14	55,55,55,55	0
56	MG	1x	103	1/1	0.87	0.14	50,50,50,50	0
56	MG	2A	3244	1/1	0.87	0.21	40,40,40,40	0
56	MG	1A	3851	1/1	0.87	0.20	21,21,21,21	0
56	MG	1a	1855	1/1	0.87	0.17	83,83,83,83	0
56	MG	2A	3663	1/1	0.87	0.11	68,68,68,68	0
56	MG	2A	3619	1/1	0.87	0.15	50,50,50,50	0
56	MG	2a	1793	1/1	0.87	0.14	71,71,71,71	0
56	MG	1A	3754	1/1	0.87	0.17	36,36,36,36	0
56	MG	1A	3845	1/1	0.87	0.08	81,81,81,81	0
56	MG	1A	3079	1/1	0.87	0.26	44,44,44,44	0
56	MG	1A	4094	1/1	0.87	0.10	79,79,79,79	0
56	MG	1A	4003	1/1	0.87	0.10	67,67,67,67	0
56	MG	2A	3522	1/1	0.87	0.21	33,33,33,33	0
56	MG	2A	3464	1/1	0.87	0.08	69,69,69,69	0
56	MG	1A	3406	1/1	0.87	0.17	47,47,47,47	0
56	MG	2A	3475	1/1	0.87	0.16	56,56,56,56	0
56	MG	1A	3403	1/1	0.87	0.36	55,55,55,55	0
56	MG	1A	3052	1/1	0.87	0.11	52,52,52,52	0
56	MG	1A	4152	1/1	0.87	0.09	46,46,46,46	0
56	MG	1A	3483	1/1	0.87	0.32	58,58,58,58	0
56	MG	1A	4200	1/1	0.87	0.34	45,45,45,45	0
56	MG	1A	3943	1/1	0.87	0.06	49,49,49,49	0
56	MG	2A	3870	1/1	0.87	0.07	56,56,56,56	0
56	MG	1A	4052	1/1	0.87	0.08	58,58,58,58	0
56	MG	2A	3794	1/1	0.87	0.12	45,45,45,45	0
56	MG	1A	3048	1/1	0.87	0.17	43,43,43,43	0
56	MG	1a	1806	1/1	0.87	0.17	67,67,67,67	0
56	MG	2A	3494	1/1	0.88	0.39	57,57,57,57	0
56	MG	2A	3868	1/1	0.88	0.18	61,61,61,61	0
56	MG	1E	302	1/1	0.88	0.33	65,65,65,65	0
56	MG	2a	1634	1/1	0.88	0.18	67,67,67,67	0
56	MG	1A	3258	1/1	0.88	0.14	40,40,40,40	0
56	MG	1R	202	1/1	0.88	0.35	40,40,40,40	0
56	MG	1A	3876	1/1	0.88	0.15	34,34,34,34	0
56	MG	2a	1776	1/1	0.88	0.07	90,90,90,90	0
56	MG	1A	3430	1/1	0.88	0.16	60,60,60,60	0
56	MG	2A	3834	1/1	0.88	0.13	49,49,49,49	0
56	MG	2A	3183	1/1	0.88	0.12	43,43,43,43	0
56	MG	1a	1710	1/1	0.88	0.15	66,66,66,66	0
56	MG	1A	3496	1/1	0.88	0.16	55,55,55,55	0
56	MG	2y	3003	1/1	0.88	0.15	80,80,80,80	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3753	1/1	0.88	0.15	61,61,61,61	0
56	MG	1A	3148	1/1	0.88	0.17	41,41,41,41	0
56	MG	1A	4041	1/1	0.88	0.05	70,70,70,70	0
56	MG	1a	1622	1/1	0.88	0.10	79,79,79,79	0
56	MG	2A	3209	1/1	0.88	0.12	49,49,49,49	0
56	MG	1a	1765	1/1	0.88	0.22	64,64,64,64	0
56	MG	2A	3299	1/1	0.88	0.15	62,62,62,62	0
56	MG	1A	3194	1/1	0.88	0.15	53,53,53,53	0
56	MG	1A	3778	1/1	0.88	0.14	64,64,64,64	0
56	MG	2A	3144	1/1	0.88	0.22	58,58,58,58	0
56	MG	2A	3768	1/1	0.88	0.17	46,46,46,46	0
56	MG	1A	3408	1/1	0.88	0.11	55,55,55,55	0
56	MG	1a	1637	1/1	0.88	0.21	62,62,62,62	0
56	MG	1a	1721	1/1	0.88	0.37	70,70,70,70	0
56	MG	2A	3673	1/1	0.88	0.11	59,59,59,59	0
56	MG	1A	3531	1/1	0.88	0.21	66,66,66,66	0
56	MG	2A	3888	1/1	0.88	0.12	53,53,53,53	0
56	MG	1a	1680	1/1	0.88	0.10	73,73,73,73	0
56	MG	2A	3473	1/1	0.88	0.15	63,63,63,63	0
56	MG	1A	3187	1/1	0.88	0.14	49,49,49,49	0
56	MG	2A	3905	1/1	0.88	0.04	68,68,68,68	0
56	MG	2a	1807	1/1	0.88	0.14	66,66,66,66	0
56	MG	2A	3108	1/1	0.88	0.08	57,57,57,57	0
56	MG	2A	3923	1/1	0.88	0.18	39,39,39,39	0
56	MG	1A	3823	1/1	0.88	0.22	34,34,34,34	0
56	MG	2A	3654	1/1	0.88	0.13	37,37,37,37	0
56	MG	1f	3001	1/1	0.88	0.17	39,39,39,39	0
56	MG	2A	3481	1/1	0.88	0.18	68,68,68,68	0
56	MG	1A	3375	1/1	0.88	0.55	66,66,66,66	0
56	MG	1A	4149	1/1	0.88	0.21	30,30,30,30	0
56	MG	1A	3047	1/1	0.88	0.17	27,27,27,27	0
56	MG	2A	3877	1/1	0.88	0.11	57,57,57,57	0
56	MG	1A	3352	1/1	0.88	0.53	42,42,42,42	0
56	MG	1D	312	1/1	0.88	0.38	46,46,46,46	0
56	MG	2A	3315	1/1	0.88	0.28	53,53,53,53	0
59	ZN	2n	102	1/1	0.88	0.10	97,97,97,97	0
56	MG	2A	3383	1/1	0.88	0.12	64,64,64,64	0
56	MG	1N	206	1/1	0.88	0.18	46,46,46,46	0
56	MG	2P	202	1/1	0.88	0.14	51,51,51,51	0
56	MG	1A	3460	1/1	0.88	0.21	56,56,56,56	0
56	MG	2a	1612	1/1	0.88	0.14	79,79,79,79	0
56	MG	1A	3761	1/1	0.88	0.17	42,42,42,42	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3771	1/1	0.88	0.12	59,59,59,59	0
56	MG	2a	1795	1/1	0.88	0.09	81,81,81,81	0
56	MG	1A	3370	1/1	0.88	0.55	52,52,52,52	0
56	MG	2A	3304	1/1	0.88	0.22	63,63,63,63	0
56	MG	2A	3408	1/1	0.88	0.16	67,67,67,67	0
56	MG	2A	3105	1/1	0.88	0.12	46,46,46,46	0
56	MG	2A	3816	1/1	0.88	0.08	42,42,42,42	0
56	MG	1A	3639	1/1	0.88	0.31	63,63,63,63	0
56	MG	2q	201	1/1	0.88	0.15	61,61,61,61	0
56	MG	1a	1727	1/1	0.88	0.12	62,62,62,62	0
56	MG	1a	1729	1/1	0.88	0.12	65,65,65,65	0
56	MG	2A	3777	1/1	0.88	0.21	65,65,65,65	0
56	MG	2A	3862	1/1	0.88	0.09	65,65,65,65	0
56	MG	1A	3999	1/1	0.88	0.14	55,55,55,55	0
56	MG	2A	3365	1/1	0.88	0.13	65,65,65,65	0
56	MG	2A	3226	1/1	0.88	0.12	55,55,55,55	0
56	MG	2A	3232	1/1	0.88	0.17	59,59,59,59	0
56	MG	1Z	302	1/1	0.88	0.16	69,69,69,69	0
56	MG	1a	1744	1/1	0.88	0.16	67,67,67,67	0
56	MG	1a	1719	1/1	0.88	0.27	73,73,73,73	0
56	MG	1A	3371	1/1	0.88	0.36	62,62,62,62	0
56	MG	1A	3685	1/1	0.88	0.13	42,42,42,42	0
56	MG	2A	3507	1/1	0.88	0.16	50,50,50,50	0
56	MG	1A	3538	1/1	0.88	0.11	79,79,79,79	0
56	MG	2A	3849	1/1	0.88	0.15	51,51,51,51	0
56	MG	1x	106	1/1	0.88	0.15	67,67,67,67	0
56	MG	1a	1639	1/1	0.88	0.15	59,59,59,59	0
56	MG	2A	3077	1/1	0.88	0.22	32,32,32,32	0
56	MG	1A	3615	1/1	0.88	0.14	59,59,59,59	0
56	MG	1A	3166	1/1	0.88	0.32	44,44,44,44	0
56	MG	1A	3979	1/1	0.88	0.16	56,56,56,56	0
56	MG	1D	302	1/1	0.88	0.28	53,53,53,53	0
56	MG	2A	3196	1/1	0.88	0.18	41,41,41,41	0
56	MG	1A	4054	1/1	0.88	0.25	56,56,56,56	0
56	MG	1A	3130	1/1	0.88	0.14	76,76,76,76	0
56	MG	1A	3554	1/1	0.88	0.23	27,27,27,27	0
56	MG	2a	1708	1/1	0.88	0.14	83,83,83,83	0
56	MG	1a	1833	1/1	0.88	0.17	73,73,73,73	0
56	MG	1a	1707	1/1	0.88	0.14	68,68,68,68	0
56	MG	1A	3545	1/1	0.88	0.17	53,53,53,53	0
56	MG	2A	3731	1/1	0.88	0.16	57,57,57,57	0
56	MG	2A	3801	1/1	0.88	0.11	64,64,64,64	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3797	1/1	0.88	0.13	42,42,42,42	0
56	MG	2A	3782	1/1	0.88	0.16	51,51,51,51	0
56	MG	2p	101	1/1	0.88	0.23	65,65,65,65	0
56	MG	1A	3418	1/1	0.88	0.35	62,62,62,62	0
56	MG	2A	3086	1/1	0.88	0.16	44,44,44,44	0
56	MG	1A	3614	1/1	0.88	0.30	44,44,44,44	0
56	MG	2A	3189	1/1	0.88	0.17	47,47,47,47	0
56	MG	2A	3688	1/1	0.88	0.10	41,41,41,41	0
56	MG	1A	4028	1/1	0.88	0.38	58,58,58,58	0
56	MG	2A	3050	1/1	0.88	0.17	52,52,52,52	0
56	MG	2A	3023	1/1	0.88	0.14	60,60,60,60	0
56	MG	1A	3308	1/1	0.88	0.21	55,55,55,55	0
56	MG	1l	101	1/1	0.88	0.17	44,44,44,44	0
56	MG	2A	3421	1/1	0.88	0.14	65,65,65,65	0
56	MG	2A	3470	1/1	0.88	0.21	63,63,63,63	0
56	MG	1A	3693	1/1	0.88	0.23	41,41,41,41	0
56	MG	2A	3786	1/1	0.88	0.12	57,57,57,57	0
56	MG	1a	1711	1/1	0.88	0.10	58,58,58,58	0
56	MG	2A	3756	1/1	0.88	0.10	66,66,66,66	0
56	MG	2A	3402	1/1	0.88	0.28	48,48,48,48	0
56	MG	2a	1856	1/1	0.88	0.15	60,60,60,60	0
56	MG	1A	3694	1/1	0.88	0.15	65,65,65,65	0
56	MG	2a	1674	1/1	0.88	0.14	43,43,43,43	0
56	MG	1a	1667	1/1	0.88	0.13	71,71,71,71	0
56	MG	1A	3245	1/1	0.88	0.18	66,66,66,66	0
56	MG	2A	3097	1/1	0.88	0.15	37,37,37,37	0
56	MG	2a	1663	1/1	0.88	0.14	79,79,79,79	0
56	MG	2A	3235	1/1	0.88	0.51	55,55,55,55	0
56	MG	2A	3523	1/1	0.88	0.18	57,57,57,57	0
56	MG	2A	3785	1/1	0.88	0.10	59,59,59,59	0
56	MG	2A	3447	1/1	0.88	0.24	61,61,61,61	0
56	MG	1A	4176	1/1	0.88	0.18	54,54,54,54	0
56	MG	1A	3491	1/1	0.88	0.26	64,64,64,64	0
56	MG	1A	3698	1/1	0.88	0.17	64,64,64,64	0
56	MG	2A	3286	1/1	0.88	0.27	43,43,43,43	0
56	MG	1A	3265	1/1	0.88	0.15	64,64,64,64	0
56	MG	2A	3162	1/1	0.88	0.65	58,58,58,58	0
56	MG	1Q	205	1/1	0.88	0.12	44,44,44,44	0
56	MG	2A	3736	1/1	0.89	0.08	52,52,52,52	0
56	MG	1A	4122	1/1	0.89	0.18	34,34,34,34	0
56	MG	2A	3190	1/1	0.89	0.32	69,69,69,69	0
56	MG	1B	3019	1/1	0.89	0.09	58,58,58,58	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3342	1/1	0.89	0.22	58,58,58,58	0
56	MG	1a	1633	1/1	0.89	0.10	50,50,50,50	0
56	MG	2A	3930	1/1	0.89	0.35	58,58,58,58	0
56	MG	1A	3556	1/1	0.89	0.16	63,63,63,63	0
56	MG	2A	3275	1/1	0.89	0.28	48,48,48,48	0
56	MG	1a	1773	1/1	0.89	0.26	64,64,64,64	0
56	MG	2A	3908	1/1	0.89	0.26	71,71,71,71	0
56	MG	2A	3247	1/1	0.89	0.21	57,57,57,57	0
56	MG	2A	3132	1/1	0.89	0.20	66,66,66,66	0
56	MG	1A	3330	1/1	0.89	0.16	65,65,65,65	0
56	MG	2A	3536	1/1	0.89	0.16	63,63,63,63	0
56	MG	1A	3571	1/1	0.89	0.26	46,46,46,46	0
56	MG	1a	1641	1/1	0.89	0.47	61,61,61,61	0
56	MG	1a	1818	1/1	0.89	0.12	87,87,87,87	0
56	MG	2A	3030	1/1	0.89	0.14	43,43,43,43	0
56	MG	1a	1879	1/1	0.89	0.15	82,82,82,82	0
56	MG	1A	3132	1/1	0.89	0.29	54,54,54,54	0
56	MG	1A	3715	1/1	0.89	0.19	33,33,33,33	0
56	MG	1A	3863	1/1	0.89	0.23	51,51,51,51	0
56	MG	1a	1715	1/1	0.89	0.23	62,62,62,62	0
56	MG	2a	1699	1/1	0.89	0.17	57,57,57,57	0
56	MG	1A	3405	1/1	0.89	0.46	42,42,42,42	0
56	MG	1A	3966	1/1	0.89	0.26	44,44,44,44	0
56	MG	1A	3681	1/1	0.89	0.14	55,55,55,55	0
56	MG	1A	3527	1/1	0.89	0.17	34,34,34,34	0
56	MG	1A	3712	1/1	0.89	0.11	48,48,48,48	0
56	MG	2A	3028	1/1	0.89	0.20	49,49,49,49	0
56	MG	2A	3936	1/1	0.89	0.27	47,47,47,47	0
56	MG	1A	3535	1/1	0.89	0.16	75,75,75,75	0
56	MG	2A	3379	1/1	0.89	0.06	69,69,69,69	0
56	MG	1A	3559	1/1	0.89	0.31	62,62,62,62	0
56	MG	1A	3293	1/1	0.89	0.28	67,67,67,67	0
56	MG	1A	3610	1/1	0.89	0.09	63,63,63,63	0
56	MG	1A	3467	1/1	0.89	0.39	56,56,56,56	0
56	MG	1A	3220	1/1	0.89	0.16	58,58,58,58	0
56	MG	1A	3840	1/1	0.89	0.10	33,33,33,33	0
56	MG	1A	3086	1/1	0.89	0.27	41,41,41,41	0
56	MG	2A	3791	1/1	0.89	0.16	60,60,60,60	0
56	MG	2A	3253	1/1	0.89	0.11	67,67,67,67	0
56	MG	1A	3152	1/1	0.89	0.42	42,42,42,42	0
56	MG	1y	102	1/1	0.89	0.12	61,61,61,61	0
56	MG	1A	3060	1/1	0.89	0.12	53,53,53,53	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2a	1732	1/1	0.89	0.32	74,74,74,74	0
56	MG	1A	4030	1/1	0.89	0.10	59,59,59,59	0
56	MG	1a	1728	1/1	0.89	0.21	77,77,77,77	0
56	MG	2A	3046	1/1	0.89	0.18	45,45,45,45	0
56	MG	2A	3187	1/1	0.89	0.11	54,54,54,54	0
56	MG	2A	3499	1/1	0.89	0.22	59,59,59,59	0
56	MG	1A	3604	1/1	0.89	0.18	66,66,66,66	0
56	MG	2a	1758	1/1	0.89	0.09	83,83,83,83	0
56	MG	1A	3488	1/1	0.89	0.49	58,58,58,58	0
56	MG	2q	202	1/1	0.89	0.13	62,62,62,62	0
56	MG	1a	1832	1/1	0.89	0.13	65,65,65,65	0
56	MG	2A	3429	1/1	0.89	0.23	69,69,69,69	0
56	MG	1A	3493	1/1	0.89	0.23	68,68,68,68	0
56	MG	2A	3526	1/1	0.89	0.15	46,46,46,46	0
56	MG	1A	3643	1/1	0.89	0.09	70,70,70,70	0
56	MG	1a	1825	1/1	0.89	0.09	68,68,68,68	0
56	MG	1A	4216	1/1	0.89	0.39	40,40,40,40	0
56	MG	1A	4221	1/1	0.89	0.18	29,29,29,29	0
56	MG	2A	3691	1/1	0.89	0.07	43,43,43,43	0
56	MG	1A	3994	1/1	0.89	0.10	39,39,39,39	0
56	MG	1A	4007	1/1	0.89	0.16	67,67,67,67	0
56	MG	2a	1624	1/1	0.89	0.09	53,53,53,53	0
56	MG	2a	1646	1/1	0.89	0.24	67,67,67,67	0
56	MG	2A	3539	1/1	0.89	0.11	31,31,31,31	0
56	MG	2A	3255	1/1	0.89	0.12	64,64,64,64	0
56	MG	2A	3548	1/1	0.89	0.15	53,53,53,53	0
56	MG	1A	4107	1/1	0.89	0.26	64,64,64,64	0
56	MG	2A	3553	1/1	0.89	0.08	42,42,42,42	0
56	MG	1A	3346	1/1	0.89	0.23	54,54,54,54	0
56	MG	1a	1681	1/1	0.89	0.14	56,56,56,56	0
56	MG	2A	3852	1/1	0.89	0.22	44,44,44,44	0
56	MG	2A	3622	1/1	0.89	0.10	60,60,60,60	0
56	MG	2U	3001	1/1	0.89	0.34	56,56,56,56	0
56	MG	1A	3473	1/1	0.89	0.30	44,44,44,44	0
56	MG	1A	3185	1/1	0.89	0.17	56,56,56,56	0
56	MG	1a	1774	1/1	0.89	0.13	56,56,56,56	0
56	MG	1A	3508	1/1	0.89	0.32	34,34,34,34	0
56	MG	2A	3896	1/1	0.89	0.21	59,59,59,59	0
56	MG	1a	1645	1/1	0.89	0.21	63,63,63,63	0
56	MG	1A	3267	1/1	0.89	0.16	50,50,50,50	0
56	MG	1a	1665	1/1	0.89	0.29	69,69,69,69	0
56	MG	1A	3912	1/1	0.89	0.18	57,57,57,57	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	4168	1/1	0.89	0.16	57,57,57,57	0
56	MG	1A	3477	1/1	0.89	0.31	47,47,47,47	0
56	MG	17	104	1/1	0.89	0.14	60,60,60,60	0
56	MG	1A	4145	1/1	0.89	0.11	80,80,80,80	0
56	MG	1A	3112	1/1	0.89	0.26	38,38,38,38	0
56	MG	2a	1829	1/1	0.89	0.11	74,74,74,74	0
56	MG	1A	3884	1/1	0.89	0.16	64,64,64,64	0
56	MG	1A	3894	1/1	0.89	0.14	37,37,37,37	0
56	MG	2A	3345	1/1	0.89	0.09	58,58,58,58	0
56	MG	1A	3448	1/1	0.89	0.24	47,47,47,47	0
56	MG	1A	3428	1/1	0.89	0.12	39,39,39,39	0
56	MG	2a	1616	1/1	0.89	0.24	66,66,66,66	0
56	MG	2A	3537	1/1	0.89	0.14	51,51,51,51	0
56	MG	2a	1801	1/1	0.89	0.16	64,64,64,64	0
56	MG	1A	4135	1/1	0.89	0.13	64,64,64,64	0
56	MG	1a	1788	1/1	0.89	0.13	78,78,78,78	0
56	MG	1a	1606	1/1	0.89	0.28	61,61,61,61	0
56	MG	1A	3622	1/1	0.89	0.33	57,57,57,57	0
56	MG	2A	3039	1/1	0.89	0.17	56,56,56,56	0
56	MG	2a	1832	1/1	0.89	0.23	61,61,61,61	0
56	MG	2A	3121	1/1	0.89	0.12	56,56,56,56	0
56	MG	1A	3010	1/1	0.89	0.20	37,37,37,37	0
56	MG	1A	3636	1/1	0.89	0.13	35,35,35,35	0
56	MG	2A	3636	1/1	0.89	0.17	62,62,62,62	0
56	MG	2A	3061	1/1	0.89	0.09	50,50,50,50	0
56	MG	1A	3633	1/1	0.89	0.08	62,62,62,62	0
56	MG	2A	3171	1/1	0.89	0.10	58,58,58,58	0
56	MG	1A	3802	1/1	0.89	0.14	61,61,61,61	0
56	MG	1B	3013	1/1	0.89	0.13	62,62,62,62	0
56	MG	2A	3243	1/1	0.89	0.14	55,55,55,55	0
56	MG	1A	3419	1/1	0.89	0.20	43,43,43,43	0
56	MG	1D	311	1/1	0.89	0.12	78,78,78,78	0
56	MG	1A	4188	1/1	0.89	0.09	40,40,40,40	0
56	MG	1A	3523	1/1	0.90	0.12	72,72,72,72	0
56	MG	2A	3017	1/1	0.90	0.15	49,49,49,49	0
56	MG	2A	3511	1/1	0.90	0.09	61,61,61,61	0
56	MG	1x	108	1/1	0.90	0.17	58,58,58,58	0
56	MG	2A	3279	1/1	0.90	0.26	60,60,60,60	0
56	MG	1a	1613	1/1	0.90	0.18	52,52,52,52	0
56	MG	1a	1704	1/1	0.90	0.24	59,59,59,59	0
56	MG	1A	3870	1/1	0.90	0.10	67,67,67,67	0
56	MG	2A	3388	1/1	0.90	0.12	60,60,60,60	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3418	1/1	0.90	0.12	67,67,67,67	0
56	MG	2A	3409	1/1	0.90	0.12	62,62,62,62	0
56	MG	2A	3338	1/1	0.90	0.11	57,57,57,57	0
56	MG	2D	305	1/1	0.90	0.52	47,47,47,47	0
56	MG	1A	3601	1/1	0.90	0.22	61,61,61,61	0
56	MG	2A	3466	1/1	0.90	0.16	51,51,51,51	0
56	MG	2A	3467	1/1	0.90	0.22	49,49,49,49	0
56	MG	2A	3147	1/1	0.90	0.14	47,47,47,47	0
56	MG	1G	3003	1/1	0.90	0.07	67,67,67,67	0
56	MG	1A	3302	1/1	0.90	0.33	59,59,59,59	0
56	MG	2A	3561	1/1	0.90	0.12	56,56,56,56	0
56	MG	1A	3069	1/1	0.90	0.23	39,39,39,39	0
56	MG	2a	1687	1/1	0.90	0.16	76,76,76,76	0
56	MG	2A	3898	1/1	0.90	0.28	53,53,53,53	0
56	MG	1A	4078	1/1	0.90	0.10	46,46,46,46	0
56	MG	1A	3897	1/1	0.90	0.08	71,71,71,71	0
56	MG	1A	3188	1/1	0.90	0.38	49,49,49,49	0
56	MG	2A	3377	1/1	0.90	0.15	67,67,67,67	0
56	MG	2g	8001	1/1	0.90	0.20	82,82,82,82	0
56	MG	2A	3043	1/1	0.90	0.17	46,46,46,46	0
56	MG	1A	4158	1/1	0.90	0.18	45,45,45,45	0
56	MG	1a	1814	1/1	0.90	0.12	58,58,58,58	0
56	MG	1A	3620	1/1	0.90	0.38	56,56,56,56	0
56	MG	1a	1850	1/1	0.90	0.09	62,62,62,62	0
56	MG	1A	3860	1/1	0.90	0.13	34,34,34,34	0
56	MG	1N	203	1/1	0.90	0.22	53,53,53,53	0
56	MG	1A	3663	1/1	0.90	0.22	21,21,21,21	0
56	MG	2A	3229	1/1	0.90	0.16	60,60,60,60	0
56	MG	1V	201	1/1	0.90	0.19	59,59,59,59	0
56	MG	2A	3184	1/1	0.90	0.16	43,43,43,43	0
56	MG	1A	3034	1/1	0.90	0.16	51,51,51,51	0
56	MG	1A	3961	1/1	0.90	0.15	59,59,59,59	0
56	MG	1a	1640	1/1	0.90	1.38	94,94,94,94	0
56	MG	2A	3063	1/1	0.90	0.10	59,59,59,59	0
56	MG	1A	3769	1/1	0.90	0.14	47,47,47,47	0
56	MG	2A	3850	1/1	0.90	0.11	28,28,28,28	0
56	MG	2a	1745	1/1	0.90	0.15	64,64,64,64	0
56	MG	1U	203	1/1	0.90	0.28	49,49,49,49	0
56	MG	1A	3295	1/1	0.90	0.24	31,31,31,31	0
56	MG	2A	3448	1/1	0.90	0.21	56,56,56,56	0
56	MG	2a	1680	1/1	0.90	0.23	48,48,48,48	0
56	MG	2a	1694	1/1	0.90	0.17	72,72,72,72	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3662	1/1	0.90	0.15	59,59,59,59	0
56	MG	1A	3674	1/1	0.90	0.16	50,50,50,50	0
56	MG	1A	3074	1/1	0.90	0.12	28,28,28,28	0
56	MG	2A	3221	1/1	0.90	0.16	58,58,58,58	0
56	MG	2A	3002	1/1	0.90	0.20	59,59,59,59	0
56	MG	2F	304	1/1	0.90	0.27	51,51,51,51	0
56	MG	1A	3234	1/1	0.90	0.12	61,61,61,61	0
56	MG	2A	3748	1/1	0.90	0.09	51,51,51,51	0
56	MG	2A	3416	1/1	0.90	0.21	51,51,51,51	0
56	MG	1a	1770	1/1	0.90	0.37	66,66,66,66	0
56	MG	2A	3674	1/1	0.90	0.10	46,46,46,46	0
56	MG	2a	1742	1/1	0.90	0.21	68,68,68,68	0
56	MG	1A	3091	1/1	0.90	0.09	53,53,53,53	0
56	MG	2A	3719	1/1	0.90	0.11	51,51,51,51	0
56	MG	2A	3201	1/1	0.90	0.25	42,42,42,42	0
56	MG	2A	3750	1/1	0.90	0.14	81,81,81,81	0
56	MG	2A	3289	1/1	0.90	0.32	53,53,53,53	0
56	MG	2A	3015	1/1	0.90	0.18	40,40,40,40	0
56	MG	2A	3575	1/1	0.90	0.17	40,40,40,40	0
56	MG	1A	3537	1/1	0.90	0.13	67,67,67,67	0
56	MG	1A	3466	1/1	0.90	0.22	62,62,62,62	0
56	MG	2A	3897	1/1	0.90	0.13	67,67,67,67	0
56	MG	1A	3282	1/1	0.90	0.55	46,46,46,46	0
56	MG	1w	108	1/1	0.90	0.12	73,73,73,73	0
56	MG	2a	1780	1/1	0.90	0.20	75,75,75,75	0
56	MG	1A	3886	1/1	0.90	0.16	47,47,47,47	0
56	MG	2a	1685	1/1	0.90	0.26	66,66,66,66	0
56	MG	2A	3318	1/1	0.90	0.12	64,64,64,64	0
56	MG	1A	4098	1/1	0.90	0.11	38,38,38,38	0
56	MG	1a	1651	1/1	0.90	0.09	59,59,59,59	0
56	MG	2F	305	1/1	0.90	0.28	42,42,42,42	0
56	MG	1A	3054	1/1	0.90	0.18	42,42,42,42	0
56	MG	2a	1724	1/1	0.90	0.24	57,57,57,57	0
56	MG	1A	3376	1/1	0.90	0.28	64,64,64,64	0
56	MG	2A	3519	1/1	0.90	0.15	60,60,60,60	0
56	MG	2a	1777	1/1	0.90	0.07	75,75,75,75	0
56	MG	1A	3704	1/1	0.90	0.12	65,65,65,65	0
56	MG	2A	3477	1/1	0.90	0.19	60,60,60,60	0
56	MG	1a	1750	1/1	0.90	0.28	63,63,63,63	0
56	MG	1w	111	1/1	0.90	0.10	74,74,74,74	0
56	MG	2A	3287	1/1	0.90	0.14	54,54,54,54	0
56	MG	2a	1819	1/1	0.90	0.12	63,63,63,63	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3391	1/1	0.90	0.20	75,75,75,75	0
56	MG	2A	3153	1/1	0.90	0.21	57,57,57,57	0
56	MG	1a	1661	1/1	0.90	0.20	57,57,57,57	0
56	MG	2A	3119	1/1	0.90	0.22	40,40,40,40	0
56	MG	1a	1602	1/1	0.90	0.21	62,62,62,62	0
56	MG	1a	1692	1/1	0.90	0.35	57,57,57,57	0
56	MG	2A	3088	1/1	0.90	0.27	58,58,58,58	0
56	MG	1A	3702	1/1	0.90	0.16	39,39,39,39	0
56	MG	1A	3455	1/1	0.90	0.24	62,62,62,62	0
56	MG	1a	1699	1/1	0.90	0.33	68,68,68,68	0
56	MG	2d	301	1/1	0.90	0.31	65,65,65,65	0
56	MG	1a	1601	1/1	0.90	0.14	47,47,47,47	0
56	MG	1A	3006	1/1	0.90	0.19	56,56,56,56	0
56	MG	2A	3759	1/1	0.90	0.12	44,44,44,44	0
56	MG	2a	1673	1/1	0.90	0.09	79,79,79,79	0
56	MG	1E	307	1/1	0.90	0.25	73,73,73,73	0
56	MG	2A	3395	1/1	0.90	0.14	65,65,65,65	0
56	MG	2A	3510	1/1	0.90	0.28	61,61,61,61	0
56	MG	2A	3285	1/1	0.90	0.13	40,40,40,40	0
56	MG	2A	3280	1/1	0.90	0.15	60,60,60,60	0
56	MG	2A	3236	1/1	0.90	0.27	56,56,56,56	0
56	MG	1A	3772	1/1	0.90	0.17	52,52,52,52	0
56	MG	1A	3581	1/1	0.90	0.19	45,45,45,45	0
56	MG	1A	3530	1/1	0.90	0.12	53,53,53,53	0
56	MG	1A	3505	1/1	0.90	0.20	73,73,73,73	0
56	MG	1A	3007	1/1	0.90	0.12	45,45,45,45	0
56	MG	1A	3099	1/1	0.90	0.23	52,52,52,52	0
56	MG	2G	3001	1/1	0.90	0.14	60,60,60,60	0
56	MG	2A	3170	1/1	0.90	0.12	58,58,58,58	0
56	MG	1A	3589	1/1	0.90	0.23	45,45,45,45	0
56	MG	1A	3925	1/1	0.90	0.20	45,45,45,45	0
56	MG	1a	1687	1/1	0.90	0.32	60,60,60,60	0
56	MG	1A	3336	1/1	0.90	0.14	64,64,64,64	0
56	MG	1D	305	1/1	0.90	0.21	49,49,49,49	0
56	MG	1A	4032	1/1	0.90	0.15	78,78,78,78	0
56	MG	1A	3834	1/1	0.90	0.12	54,54,54,54	0
56	MG	1A	3902	1/1	0.90	0.09	52,52,52,52	0
56	MG	1A	3776	1/1	0.90	0.13	78,78,78,78	0
56	MG	2A	3857	1/1	0.90	0.13	37,37,37,37	0
56	MG	1A	3991	1/1	0.90	0.16	60,60,60,60	0
56	MG	2A	3757	1/1	0.90	0.20	54,54,54,54	0
56	MG	2A	3808	1/1	0.90	0.09	44,44,44,44	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1D	308	1/1	0.90	0.17	48,48,48,48	0
56	MG	1A	3398	1/1	0.90	0.77	49,49,49,49	0
56	MG	1A	4099	1/1	0.90	0.10	54,54,54,54	0
56	MG	2a	1608	1/1	0.90	0.20	72,72,72,72	0
56	MG	1a	1775	1/1	0.90	0.21	65,65,65,65	0
56	MG	1A	3189	1/1	0.90	0.64	51,51,51,51	0
56	MG	1a	1758	1/1	0.90	0.32	76,76,76,76	0
56	MG	2A	3342	1/1	0.90	0.62	54,54,54,54	0
56	MG	1A	3916	1/1	0.90	0.12	53,53,53,53	0
56	MG	2A	3404	1/1	0.90	0.16	55,55,55,55	0
56	MG	1A	4090	1/1	0.90	0.40	77,77,77,77	0
56	MG	1A	3873	1/1	0.90	0.18	60,60,60,60	0
56	MG	1A	3399	1/1	0.90	0.33	52,52,52,52	0
56	MG	1A	4167	1/1	0.91	0.11	46,46,46,46	0
56	MG	1l	105	1/1	0.91	0.28	65,65,65,65	0
56	MG	1a	1854	1/1	0.91	0.06	86,86,86,86	0
56	MG	1A	3586	1/1	0.91	0.20	62,62,62,62	0
56	MG	2A	3540	1/1	0.91	0.16	53,53,53,53	0
56	MG	1A	3635	1/1	0.91	0.18	51,51,51,51	0
56	MG	1A	3716	1/1	0.91	0.17	26,26,26,26	0
56	MG	2a	1717	1/1	0.91	0.29	58,58,58,58	0
56	MG	2A	3333	1/1	0.91	0.16	60,60,60,60	0
56	MG	2A	3400	1/1	0.91	0.30	52,52,52,52	0
56	MG	2A	3430	1/1	0.91	0.15	62,62,62,62	0
56	MG	1A	3458	1/1	0.91	0.18	64,64,64,64	0
56	MG	2A	3270	1/1	0.91	0.12	57,57,57,57	0
56	MG	1O	3002	1/1	0.91	0.45	55,55,55,55	0
56	MG	2A	3207	1/1	0.91	0.20	56,56,56,56	0
56	MG	2w	107	1/1	0.91	0.06	78,78,78,78	0
56	MG	1A	3198	1/1	0.91	0.10	56,56,56,56	0
56	MG	2A	3208	1/1	0.91	0.12	50,50,50,50	0
56	MG	1A	3652	1/1	0.91	0.34	42,42,42,42	0
56	MG	2A	3433	1/1	0.91	0.20	53,53,53,53	0
56	MG	1a	1798	1/1	0.91	0.09	61,61,61,61	0
56	MG	2B	3001	1/1	0.91	0.11	65,65,65,65	0
56	MG	2A	3069	1/1	0.91	0.15	31,31,31,31	0
56	MG	1A	4025	1/1	0.91	0.20	23,23,23,23	0
56	MG	2A	3538	1/1	0.91	0.06	62,62,62,62	0
56	MG	1a	1615	1/1	0.91	0.15	58,58,58,58	0
56	MG	2B	3007	1/1	0.91	0.17	57,57,57,57	0
56	MG	1A	4207	1/1	0.91	0.15	24,24,24,24	0
56	MG	2A	3795	1/1	0.91	0.09	48,48,48,48	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3556	1/1	0.91	0.09	43,43,43,43	0
56	MG	1A	3236	1/1	0.91	0.15	53,53,53,53	0
56	MG	1A	3878	1/1	0.91	0.14	39,39,39,39	0
56	MG	2A	3909	1/1	0.91	0.45	72,72,72,72	0
56	MG	2A	3593	1/1	0.91	0.13	48,48,48,48	0
56	MG	1A	3904	1/1	0.91	0.18	56,56,56,56	0
56	MG	2A	3621	1/1	0.91	0.14	57,57,57,57	0
56	MG	2A	3319	1/1	0.91	0.46	57,57,57,57	0
56	MG	1A	3373	1/1	0.91	0.14	64,64,64,64	0
56	MG	2A	3366	1/1	0.91	0.54	59,59,59,59	0
56	MG	1A	3494	1/1	0.91	0.15	54,54,54,54	0
56	MG	1a	1679	1/1	0.91	0.11	58,58,58,58	0
56	MG	1A	3255	1/1	0.91	0.21	67,67,67,67	0
56	MG	2a	1651	1/1	0.91	0.21	71,71,71,71	0
56	MG	2A	3866	1/1	0.91	0.09	62,62,62,62	0
56	MG	1A	3224	1/1	0.91	0.42	60,60,60,60	0
56	MG	1a	1631	1/1	0.91	0.22	75,75,75,75	0
56	MG	2A	3595	1/1	0.91	0.18	48,48,48,48	0
56	MG	2B	3006	1/1	0.91	0.22	71,71,71,71	0
56	MG	1a	1803	1/1	0.91	0.14	51,51,51,51	0
56	MG	2A	3525	1/1	0.91	0.14	39,39,39,39	0
56	MG	1A	3918	1/1	0.91	0.14	72,72,72,72	0
56	MG	2a	1697	1/1	0.91	0.26	69,69,69,69	0
56	MG	2a	1826	1/1	0.91	0.08	77,77,77,77	0
56	MG	1A	3929	1/1	0.91	0.20	52,52,52,52	0
56	MG	1A	3906	1/1	0.91	0.22	56,56,56,56	0
56	MG	1F	302	1/1	0.91	0.22	51,51,51,51	0
56	MG	1A	3328	1/1	0.91	0.25	62,62,62,62	0
56	MG	1X	104	1/1	0.91	0.24	52,52,52,52	0
56	MG	1A	3655	1/1	0.91	0.09	69,69,69,69	0
56	MG	1n	104	1/1	0.91	0.17	50,50,50,50	0
56	MG	1A	3445	1/1	0.91	0.11	62,62,62,62	0
56	MG	1R	203	1/1	0.91	0.27	44,44,44,44	0
56	MG	1A	3826	1/1	0.91	0.11	62,62,62,62	0
56	MG	2A	3685	1/1	0.91	0.08	66,66,66,66	0
56	MG	1A	3247	1/1	0.91	0.57	63,63,63,63	0
56	MG	1G	3002	1/1	0.91	0.14	56,56,56,56	0
56	MG	1B	3007	1/1	0.91	0.15	65,65,65,65	0
56	MG	2A	3100	1/1	0.91	0.21	59,59,59,59	0
56	MG	1a	1800	1/1	0.91	0.13	61,61,61,61	0
56	MG	2A	3296	1/1	0.91	0.11	53,53,53,53	0
56	MG	2A	3114	1/1	0.91	0.24	61,61,61,61	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1Y	203	1/1	0.91	0.14	62,62,62,62	0
56	MG	2A	3442	1/1	0.91	0.31	60,60,60,60	0
56	MG	1a	1635	1/1	0.91	0.21	64,64,64,64	0
56	MG	2a	1792	1/1	0.91	0.13	72,72,72,72	0
56	MG	1a	1732	1/1	0.91	0.08	66,66,66,66	0
56	MG	1A	3080	1/1	0.91	0.16	46,46,46,46	0
56	MG	2a	1760	1/1	0.91	0.17	80,80,80,80	0
56	MG	1a	1671	1/1	0.91	0.10	72,72,72,72	0
56	MG	2A	3337	1/1	0.91	0.77	69,69,69,69	0
56	MG	1A	3729	1/1	0.91	0.14	27,27,27,27	0
56	MG	1U	207	1/1	0.91	0.11	56,56,56,56	0
56	MG	2A	3479	1/1	0.91	0.16	49,49,49,49	0
56	MG	19	101	1/1	0.91	0.18	49,49,49,49	0
56	MG	2A	3582	1/1	0.91	0.10	48,48,48,48	0
56	MG	2A	3474	1/1	0.91	0.21	61,61,61,61	0
56	MG	1A	3640	1/1	0.91	0.17	53,53,53,53	0
56	MG	1A	3804	1/1	0.91	0.17	43,43,43,43	0
56	MG	2A	3543	1/1	0.91	0.11	24,24,24,24	0
56	MG	2A	3698	1/1	0.91	0.13	49,49,49,49	0
56	MG	1A	3517	1/1	0.91	0.15	58,58,58,58	0
56	MG	2d	303	1/1	0.91	0.09	65,65,65,65	0
56	MG	1A	3161	1/1	0.91	0.27	42,42,42,42	0
56	MG	2a	1762	1/1	0.91	0.15	62,62,62,62	0
56	MG	2A	3535	1/1	0.91	0.12	33,33,33,33	0
56	MG	1O	3004	1/1	0.91	0.25	56,56,56,56	0
56	MG	1A	4020	1/1	0.91	0.16	34,34,34,34	0
56	MG	1A	3995	1/1	0.91	0.15	43,43,43,43	0
56	MG	1B	3026	1/1	0.91	0.14	41,41,41,41	0
56	MG	2A	3068	1/1	0.91	0.18	39,39,39,39	0
56	MG	1A	3971	1/1	0.91	0.18	48,48,48,48	0
56	MG	1A	3807	1/1	0.91	0.14	45,45,45,45	0
56	MG	2a	1613	1/1	0.91	0.18	67,67,67,67	0
56	MG	2a	1805	1/1	0.91	0.13	84,84,84,84	0
56	MG	2E	301	1/1	0.91	0.20	69,69,69,69	0
56	MG	1A	3543	1/1	0.91	0.37	36,36,36,36	0
56	MG	1A	3687	1/1	0.91	0.15	38,38,38,38	0
56	MG	2A	3900	1/1	0.91	0.56	41,41,41,41	0
56	MG	1A	3923	1/1	0.91	0.37	47,47,47,47	0
56	MG	2A	3920	1/1	0.91	0.30	39,39,39,39	0
56	MG	1w	104	1/1	0.91	0.14	45,45,45,45	0
56	MG	2A	3911	1/1	0.91	0.16	70,70,70,70	0
56	MG	2A	3057	1/1	0.91	0.17	58,58,58,58	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3131	1/1	0.91	0.27	81,81,81,81	0
56	MG	2A	3148	1/1	0.91	0.25	33,33,33,33	0
56	MG	1E	311	1/1	0.91	0.34	48,48,48,48	0
56	MG	1a	1816	1/1	0.91	0.12	72,72,72,72	0
56	MG	1A	3244	1/1	0.91	0.20	57,57,57,57	0
59	ZN	24	501	1/1	0.91	0.11	95,95,95,95	0
56	MG	2A	3428	1/1	0.91	0.22	55,55,55,55	0
56	MG	1A	3627	1/1	0.91	0.21	49,49,49,49	0
56	MG	1a	1621	1/1	0.91	0.12	36,36,36,36	0
56	MG	1a	1642	1/1	0.91	0.18	67,67,67,67	0
56	MG	2A	3116	1/1	0.91	0.07	52,52,52,52	0
56	MG	1A	3485	1/1	0.91	0.20	63,63,63,63	0
56	MG	2A	3903	1/1	0.91	0.12	62,62,62,62	0
56	MG	2A	3753	1/1	0.91	0.08	55,55,55,55	0
56	MG	1x	111	1/1	0.91	0.07	73,73,73,73	0
56	MG	1A	3869	1/1	0.91	0.17	27,27,27,27	0
56	MG	1A	3324	1/1	0.91	0.18	64,64,64,64	0
56	MG	2A	3392	1/1	0.91	0.19	67,67,67,67	0
56	MG	2A	3592	1/1	0.91	0.16	52,52,52,52	0
56	MG	2A	3883	1/1	0.91	0.16	41,41,41,41	0
56	MG	2A	3853	1/1	0.91	0.14	30,30,30,30	0
56	MG	1e	3001	1/1	0.91	0.19	72,72,72,72	0
56	MG	1A	3227	1/1	0.91	0.25	53,53,53,53	0
56	MG	1l	102	1/1	0.91	0.12	56,56,56,56	0
56	MG	1A	3358	1/1	0.91	0.18	66,66,66,66	0
56	MG	1A	3801	1/1	0.91	0.15	47,47,47,47	0
56	MG	2a	1615	1/1	0.91	0.25	73,73,73,73	0
56	MG	2a	1740	1/1	0.91	0.21	67,67,67,67	0
56	MG	1a	1720	1/1	0.91	0.15	60,60,60,60	0
56	MG	2A	3380	1/1	0.91	0.26	62,62,62,62	0
56	MG	1A	3940	1/1	0.91	0.21	49,49,49,49	0
56	MG	2x	105	1/1	0.91	0.20	63,63,63,63	0
56	MG	2A	3824	1/1	0.91	0.09	59,59,59,59	0
56	MG	2A	3597	1/1	0.91	0.10	49,49,49,49	0
56	MG	2A	3723	1/1	0.91	0.07	62,62,62,62	0
56	MG	1A	3106	1/1	0.91	0.27	44,44,44,44	0
56	MG	2a	1846	1/1	0.91	0.12	63,63,63,63	0
56	MG	1A	4116	1/1	0.91	0.45	47,47,47,47	0
56	MG	1U	202	1/1	0.91	1.22	88,88,88,88	0
56	MG	1A	3624	1/1	0.91	0.27	61,61,61,61	0
56	MG	1A	3259	1/1	0.91	0.44	54,54,54,54	0
56	MG	1A	3938	1/1	0.91	0.19	38,38,38,38	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3368	1/1	0.91	0.15	57,57,57,57	0
56	MG	1x	118	1/1	0.91	0.20	72,72,72,72	0
56	MG	1A	4083	1/1	0.91	0.09	56,56,56,56	0
56	MG	2a	1837	1/1	0.91	0.12	71,71,71,71	0
56	MG	1A	3786	1/1	0.91	0.07	70,70,70,70	0
56	MG	2A	3093	1/1	0.91	0.10	39,39,39,39	0
56	MG	2A	3565	1/1	0.91	0.10	58,58,58,58	0
56	MG	2a	1851	1/1	0.91	0.09	71,71,71,71	0
56	MG	2A	3312	1/1	0.91	0.13	60,60,60,60	0
56	MG	1A	3191	1/1	0.91	0.42	47,47,47,47	0
56	MG	2A	3118	1/1	0.91	0.12	59,59,59,59	0
56	MG	2A	3052	1/1	0.91	0.12	54,54,54,54	0
57	K	1A	3577	1/1	0.91	0.12	56,56,56,56	0
56	MG	2A	3726	1/1	0.91	0.18	67,67,67,67	0
56	MG	2A	3205	1/1	0.91	0.10	57,57,57,57	0
56	MG	2A	3122	1/1	0.91	0.08	52,52,52,52	0
56	MG	1A	3427	1/1	0.91	0.30	56,56,56,56	0
56	MG	2A	3034	1/1	0.91	0.12	36,36,36,36	0
56	MG	1A	3374	1/1	0.91	0.41	48,48,48,48	0
56	MG	2a	1773	1/1	0.91	0.08	52,52,52,52	0
56	MG	1A	3708	1/1	0.91	0.12	58,58,58,58	0
56	MG	1b	3002	1/1	0.91	0.15	69,69,69,69	0
56	MG	1a	1885	1/1	0.91	0.09	48,48,48,48	0
56	MG	2a	1828	1/1	0.91	0.08	69,69,69,69	0
56	MG	1A	3935	1/1	0.91	0.11	42,42,42,42	0
56	MG	2A	3610	1/1	0.91	0.08	54,54,54,54	0
56	MG	2a	1815	1/1	0.91	0.15	63,63,63,63	0
56	MG	1A	3625	1/1	0.91	0.11	70,70,70,70	0
56	MG	1A	3105	1/1	0.91	0.13	32,32,32,32	0
56	MG	2A	3072	1/1	0.92	0.09	41,41,41,41	0
56	MG	1A	4213	1/1	0.92	0.47	49,49,49,49	0
56	MG	2a	1715	1/1	0.92	0.16	60,60,60,60	0
56	MG	1a	1685	1/1	0.92	0.20	60,60,60,60	0
56	MG	2A	3457	1/1	0.92	0.16	54,54,54,54	0
56	MG	2A	3260	1/1	0.92	0.08	53,53,53,53	0
56	MG	1A	3891	1/1	0.92	0.18	73,73,73,73	0
56	MG	1A	4063	1/1	0.92	0.19	41,41,41,41	0
56	MG	1a	1869	1/1	0.92	0.08	66,66,66,66	0
56	MG	2A	3532	1/1	0.92	0.10	57,57,57,57	0
56	MG	1A	3621	1/1	0.92	0.15	48,48,48,48	0
56	MG	2A	3500	1/1	0.92	0.17	59,59,59,59	0
56	MG	1a	1820	1/1	0.92	0.13	76,76,76,76	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1a	1690	1/1	0.92	0.26	51,51,51,51	0
56	MG	2A	3779	1/1	0.92	0.10	52,52,52,52	0
56	MG	1a	1754	1/1	0.92	0.29	61,61,61,61	0
56	MG	1A	3659	1/1	0.92	0.21	34,34,34,34	0
56	MG	2A	3351	1/1	0.92	0.11	50,50,50,50	0
56	MG	1A	3738	1/1	0.92	0.19	36,36,36,36	0
56	MG	1A	3393	1/1	0.92	0.20	57,57,57,57	0
56	MG	1A	3796	1/1	0.92	0.23	23,23,23,23	0
56	MG	2a	1719	1/1	0.92	0.14	77,77,77,77	0
56	MG	2A	3362	1/1	0.92	0.12	59,59,59,59	0
56	MG	2A	3558	1/1	0.92	0.11	36,36,36,36	0
56	MG	1A	3960	1/1	0.92	0.11	74,74,74,74	0
56	MG	2A	3169	1/1	0.92	0.10	52,52,52,52	0
56	MG	1A	3749	1/1	0.92	0.10	40,40,40,40	0
56	MG	1a	1649	1/1	0.92	0.16	40,40,40,40	0
56	MG	2a	1630	1/1	0.92	0.18	70,70,70,70	0
56	MG	2A	3223	1/1	0.92	0.09	62,62,62,62	0
56	MG	1a	1849	1/1	0.92	0.14	75,75,75,75	0
56	MG	1A	3932	1/1	0.92	0.22	55,55,55,55	0
56	MG	1B	3031	1/1	0.92	0.20	54,54,54,54	0
56	MG	1A	4008	1/1	0.92	0.12	59,59,59,59	0
56	MG	2A	3921	1/1	0.92	0.23	38,38,38,38	0
56	MG	2f	3002	1/1	0.92	0.07	65,65,65,65	0
56	MG	2A	3527	1/1	0.92	0.15	21,21,21,21	0
56	MG	12	101	1/1	0.92	0.20	56,56,56,56	0
56	MG	2A	3157	1/1	0.92	0.17	56,56,56,56	0
56	MG	2A	3640	1/1	0.92	0.12	59,59,59,59	0
56	MG	2a	1723	1/1	0.92	0.12	87,87,87,87	0
56	MG	2a	1722	1/1	0.92	0.12	71,71,71,71	0
56	MG	2a	1659	1/1	0.92	0.12	80,80,80,80	0
56	MG	1a	1808	1/1	0.92	0.14	59,59,59,59	0
56	MG	1A	4021	1/1	0.92	0.40	58,58,58,58	0
56	MG	2A	3788	1/1	0.92	0.14	36,36,36,36	0
56	MG	1A	3985	1/1	0.92	0.16	49,49,49,49	0
56	MG	1A	3843	1/1	0.92	0.09	49,49,49,49	0
56	MG	1A	3453	1/1	0.92	0.32	45,45,45,45	0
56	MG	2A	3008	1/1	0.92	0.10	48,48,48,48	0
56	MG	2A	3724	1/1	0.92	0.09	55,55,55,55	0
56	MG	2A	3406	1/1	0.92	0.12	62,62,62,62	0
56	MG	1A	4059	1/1	0.92	0.09	45,45,45,45	0
56	MG	2a	1779	1/1	0.92	0.08	61,61,61,61	0
56	MG	1A	3155	1/1	0.92	0.47	45,45,45,45	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3446	1/1	0.92	0.30	56,56,56,56	0
56	MG	2A	3841	1/1	0.92	0.11	51,51,51,51	0
56	MG	2a	1649	1/1	0.92	0.16	69,69,69,69	0
56	MG	1E	304	1/1	0.92	0.20	29,29,29,29	0
56	MG	1A	3098	1/1	0.92	0.22	74,74,74,74	0
56	MG	2A	3693	1/1	0.92	0.11	68,68,68,68	0
56	MG	1D	310	1/1	0.92	0.39	34,34,34,34	0
56	MG	2B	3016	1/1	0.92	0.18	70,70,70,70	0
56	MG	1A	3784	1/1	0.92	0.16	31,31,31,31	0
56	MG	1A	3417	1/1	0.92	0.12	53,53,53,53	0
56	MG	1A	3239	1/1	0.92	0.14	58,58,58,58	0
56	MG	1a	1626	1/1	0.92	0.20	62,62,62,62	0
56	MG	2A	3424	1/1	0.92	0.10	68,68,68,68	0
56	MG	2A	3541	1/1	0.92	0.14	35,35,35,35	0
56	MG	1A	3742	1/1	0.92	0.15	50,50,50,50	0
56	MG	1A	3722	1/1	0.92	0.09	32,32,32,32	0
56	MG	2A	3583	1/1	0.92	0.10	38,38,38,38	0
56	MG	1A	3921	1/1	0.92	0.08	54,54,54,54	0
56	MG	2A	3615	1/1	0.92	0.18	49,49,49,49	0
56	MG	1A	3882	1/1	0.92	0.12	56,56,56,56	0
56	MG	2a	1768	1/1	0.92	0.11	72,72,72,72	0
56	MG	1A	4157	1/1	0.92	0.26	44,44,44,44	0
56	MG	1a	1741	1/1	0.92	0.12	61,61,61,61	0
56	MG	2A	3484	1/1	0.92	0.49	55,55,55,55	0
56	MG	1A	4125	1/1	0.92	0.14	17,17,17,17	0
56	MG	2A	3436	1/1	0.92	0.25	53,53,53,53	0
56	MG	2a	1802	1/1	0.92	0.05	73,73,73,73	0
56	MG	2A	3680	1/1	0.92	0.12	32,32,32,32	0
56	MG	1A	3603	1/1	0.92	0.11	60,60,60,60	0
56	MG	2A	3443	1/1	0.92	0.41	58,58,58,58	0
56	MG	2A	3513	1/1	0.92	0.08	70,70,70,70	0
56	MG	1A	3461	1/1	0.92	0.20	58,58,58,58	0
56	MG	1A	3463	1/1	0.92	0.15	66,66,66,66	0
56	MG	2A	3517	1/1	0.92	0.11	60,60,60,60	0
56	MG	2A	3441	1/1	0.92	0.32	48,48,48,48	0
56	MG	2A	3101	1/1	0.92	0.13	58,58,58,58	0
56	MG	2A	3454	1/1	0.92	0.20	53,53,53,53	0
56	MG	2A	3160	1/1	0.92	0.18	56,56,56,56	0
56	MG	1A	3221	1/1	0.92	0.13	52,52,52,52	0
56	MG	2A	3336	1/1	0.92	0.10	47,47,47,47	0
56	MG	2A	3778	1/1	0.92	0.07	42,42,42,42	0
56	MG	2A	3650	1/1	0.92	0.25	48,48,48,48	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	4161	1/1	0.92	0.15	47,47,47,47	0
56	MG	1a	1684	1/1	0.92	0.12	73,73,73,73	0
56	MG	2A	3677	1/1	0.92	0.17	57,57,57,57	0
56	MG	1A	3822	1/1	0.92	0.16	43,43,43,43	0
56	MG	2a	1843	1/1	0.92	0.10	64,64,64,64	0
56	MG	1A	3872	1/1	0.92	0.11	55,55,55,55	0
56	MG	1A	3964	1/1	0.92	0.14	46,46,46,46	0
56	MG	1a	1739	1/1	0.92	0.11	70,70,70,70	0
56	MG	2a	1772	1/1	0.92	0.06	75,75,75,75	0
56	MG	1a	1700	1/1	0.92	0.28	62,62,62,62	0
56	MG	2v	101	1/1	0.92	0.16	68,68,68,68	0
56	MG	1a	1683	1/1	0.92	0.14	69,69,69,69	0
56	MG	1A	3763	1/1	0.92	0.08	59,59,59,59	0
56	MG	1a	1809	1/1	0.92	0.11	56,56,56,56	0
56	MG	1A	3963	1/1	0.92	0.17	67,67,67,67	0
56	MG	1D	301	1/1	0.92	0.25	29,29,29,29	0
56	MG	2a	1841	1/1	0.92	0.17	72,72,72,72	0
56	MG	1A	3081	1/1	0.92	0.32	46,46,46,46	0
56	MG	1A	4049	1/1	0.92	0.17	36,36,36,36	0
56	MG	2a	1831	1/1	0.92	0.20	75,75,75,75	0
56	MG	1A	3311	1/1	0.92	0.24	58,58,58,58	0
56	MG	1A	3631	1/1	0.92	0.19	66,66,66,66	0
56	MG	1A	3083	1/1	0.92	0.17	34,34,34,34	0
56	MG	2A	3827	1/1	0.92	0.22	40,40,40,40	0
56	MG	2A	3308	1/1	0.92	0.09	54,54,54,54	0
56	MG	1A	3637	1/1	0.92	0.21	42,42,42,42	0
56	MG	2A	3714	1/1	0.92	0.22	60,60,60,60	0
56	MG	2A	3055	1/1	0.92	0.36	56,56,56,56	0
56	MG	1A	3695	1/1	0.92	0.19	31,31,31,31	0
56	MG	2A	3288	1/1	0.92	0.44	55,55,55,55	0
56	MG	2a	1638	1/1	0.92	0.28	86,86,86,86	0
56	MG	1A	3288	1/1	0.92	0.46	52,52,52,52	0
56	MG	2A	3040	1/1	0.92	0.12	52,52,52,52	0
56	MG	1A	3250	1/1	0.92	0.20	55,55,55,55	0
56	MG	1a	1698	1/1	0.92	0.14	61,61,61,61	0
56	MG	2a	1713	1/1	0.92	0.12	69,69,69,69	0
56	MG	1A	3200	1/1	0.92	0.37	46,46,46,46	0
56	MG	1B	3017	1/1	0.92	0.12	36,36,36,36	0
56	MG	2A	3628	1/1	0.92	0.15	34,34,34,34	0
56	MG	2A	3240	1/1	0.92	0.46	56,56,56,56	0
56	MG	1A	3049	1/1	0.92	0.21	41,41,41,41	0
56	MG	10	102	1/1	0.92	0.13	52,52,52,52	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2a	1751	1/1	0.92	0.16	54,54,54,54	0
56	MG	1U	201	1/1	0.92	0.18	43,43,43,43	0
56	MG	2A	3790	1/1	0.92	0.15	55,55,55,55	0
56	MG	1A	3914	1/1	0.92	0.20	78,78,78,78	0
56	MG	1A	3767	1/1	0.92	0.26	64,64,64,64	0
56	MG	2A	3172	1/1	0.92	0.06	60,60,60,60	0
56	MG	1A	3791	1/1	0.92	0.11	53,53,53,53	0
56	MG	2A	3005	1/1	0.92	0.30	57,57,57,57	0
56	MG	1X	101	1/1	0.92	0.36	45,45,45,45	0
56	MG	2A	3354	1/1	0.92	0.28	63,63,63,63	0
56	MG	1G	3001	1/1	0.92	0.18	47,47,47,47	0
56	MG	1A	3213	1/1	0.92	0.18	60,60,60,60	0
56	MG	2A	3809	1/1	0.92	0.18	55,55,55,55	0
56	MG	1A	3877	1/1	0.92	0.21	42,42,42,42	0
56	MG	2A	3882	1/1	0.92	0.06	67,67,67,67	0
56	MG	1A	3499	1/1	0.92	0.17	57,57,57,57	0
56	MG	1A	4096	1/1	0.92	0.09	75,75,75,75	0
56	MG	2A	3025	1/1	0.92	0.34	50,50,50,50	0
56	MG	1A	3909	1/1	0.92	0.20	32,32,32,32	0
56	MG	2A	3071	1/1	0.92	0.12	44,44,44,44	0
56	MG	2A	3563	1/1	0.92	0.13	42,42,42,42	0
56	MG	2A	3164	1/1	0.92	0.10	54,54,54,54	0
56	MG	1A	3982	1/1	0.92	0.08	59,59,59,59	0
56	MG	1A	3503	1/1	0.92	0.50	60,60,60,60	0
56	MG	1A	3154	1/1	0.92	0.15	35,35,35,35	0
56	MG	1A	3404	1/1	0.92	0.42	55,55,55,55	0
56	MG	1a	1813	1/1	0.92	0.11	55,55,55,55	0
56	MG	1A	3335	1/1	0.92	0.23	53,53,53,53	0
56	MG	2a	1668	1/1	0.92	0.28	53,53,53,53	0
56	MG	1A	3561	1/1	0.92	0.08	43,43,43,43	0
56	MG	1a	1799	1/1	0.92	0.13	45,45,45,45	0
56	MG	2A	3708	1/1	0.92	0.10	42,42,42,42	0
56	MG	1A	3719	1/1	0.92	0.16	47,47,47,47	0
56	MG	2A	3266	1/1	0.92	0.13	64,64,64,64	0
56	MG	2A	3463	1/1	0.92	0.17	65,65,65,65	0
56	MG	1A	3805	1/1	0.92	0.17	61,61,61,61	0
56	MG	2A	3776	1/1	0.92	0.23	70,70,70,70	0
56	MG	2A	3613	1/1	0.92	0.31	48,48,48,48	0
56	MG	1A	3066	1/1	0.92	0.23	58,58,58,58	0
56	MG	1A	3225	1/1	0.92	0.43	44,44,44,44	0
56	MG	1A	3638	1/1	0.92	0.32	70,70,70,70	0
56	MG	2a	1727	1/1	0.92	0.18	54,54,54,54	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3703	1/1	0.92	0.10	36,36,36,36	0
56	MG	1A	3207	1/1	0.92	0.20	38,38,38,38	0
56	MG	2a	1664	1/1	0.92	0.51	78,78,78,78	0
56	MG	1A	3830	1/1	0.92	0.08	57,57,57,57	0
56	MG	1A	3605	1/1	0.92	0.24	55,55,55,55	0
56	MG	1A	3223	1/1	0.92	0.14	59,59,59,59	0
56	MG	1x	101	1/1	0.92	0.08	56,56,56,56	0
56	MG	1A	3881	1/1	0.92	0.12	51,51,51,51	0
56	MG	1A	3890	1/1	0.92	0.15	60,60,60,60	0
56	MG	1A	3183	1/1	0.92	0.11	59,59,59,59	0
56	MG	2A	3394	1/1	0.92	0.34	51,51,51,51	0
56	MG	2A	3687	1/1	0.92	0.12	49,49,49,49	0
56	MG	2A	3432	1/1	0.92	0.21	45,45,45,45	0
56	MG	1A	4170	1/1	0.92	0.19	44,44,44,44	0
56	MG	2a	1816	1/1	0.92	0.21	71,71,71,71	0
56	MG	2A	3294	1/1	0.92	0.33	53,53,53,53	0
56	MG	2A	3574	1/1	0.92	0.16	32,32,32,32	0
56	MG	2A	3313	1/1	0.92	0.07	61,61,61,61	0
56	MG	1A	3452	1/1	0.92	0.58	52,52,52,52	0
56	MG	2A	3239	1/1	0.92	0.24	56,56,56,56	0
56	MG	1B	3009	1/1	0.93	0.36	59,59,59,59	0
56	MG	2A	3029	1/1	0.93	0.14	40,40,40,40	0
56	MG	2A	3364	1/1	0.93	0.26	57,57,57,57	0
56	MG	1A	3697	1/1	0.93	0.09	59,59,59,59	0
56	MG	2l	203	1/1	0.93	0.14	76,76,76,76	0
56	MG	1a	1662	1/1	0.93	0.13	71,71,71,71	0
56	MG	1A	4197	1/1	0.93	0.20	50,50,50,50	0
56	MG	1A	3249	1/1	0.93	0.39	41,41,41,41	0
56	MG	1A	3110	1/1	0.93	0.22	38,38,38,38	0
56	MG	2A	3643	1/1	0.93	0.13	49,49,49,49	0
56	MG	1A	3212	1/1	0.93	0.17	43,43,43,43	0
56	MG	1A	3880	1/1	0.93	0.11	55,55,55,55	0
56	MG	2A	3133	1/1	0.93	0.19	48,48,48,48	0
56	MG	1A	3471	1/1	0.93	0.27	50,50,50,50	0
56	MG	1A	3907	1/1	0.93	0.14	67,67,67,67	0
56	MG	1A	3942	1/1	0.93	0.15	52,52,52,52	0
56	MG	2A	3258	1/1	0.93	0.10	59,59,59,59	0
56	MG	1A	4034	1/1	0.93	0.20	42,42,42,42	0
56	MG	2a	1827	1/1	0.93	0.11	74,74,74,74	0
56	MG	1A	3237	1/1	0.93	0.76	45,45,45,45	0
56	MG	2Q	3004	1/1	0.93	0.17	61,61,61,61	0
56	MG	1A	3816	1/1	0.93	0.21	23,23,23,23	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3735	1/1	0.93	0.07	44,44,44,44	0
56	MG	2P	201	1/1	0.93	0.09	45,45,45,45	0
56	MG	1A	3085	1/1	0.93	0.61	41,41,41,41	0
56	MG	1A	4047	1/1	0.93	0.20	37,37,37,37	0
56	MG	1A	3510	1/1	0.93	0.24	52,52,52,52	0
56	MG	1A	3206	1/1	0.93	0.19	36,36,36,36	0
56	MG	2A	3934	1/1	0.93	0.52	44,44,44,44	0
56	MG	2w	101	1/1	0.93	0.23	66,66,66,66	0
56	MG	1A	3660	1/1	0.93	0.13	54,54,54,54	0
56	MG	1A	3261	1/1	0.93	0.15	67,67,67,67	0
56	MG	1A	3747	1/1	0.93	0.22	39,39,39,39	0
56	MG	1A	3789	1/1	0.93	0.14	44,44,44,44	0
56	MG	1A	3764	1/1	0.93	0.17	48,48,48,48	0
56	MG	2A	3569	1/1	0.93	0.10	69,69,69,69	0
56	MG	1A	4186	1/1	0.93	0.25	40,40,40,40	0
56	MG	2A	3885	1/1	0.93	0.12	53,53,53,53	0
56	MG	2X	101	1/1	0.93	0.15	52,52,52,52	0
56	MG	1A	3953	1/1	0.93	0.17	38,38,38,38	0
56	MG	2A	3603	1/1	0.93	0.25	51,51,51,51	0
56	MG	1A	3323	1/1	0.93	0.32	41,41,41,41	0
56	MG	1w	106	1/1	0.93	0.12	81,81,81,81	0
56	MG	2A	3818	1/1	0.93	0.10	51,51,51,51	0
56	MG	2a	1679	1/1	0.93	0.17	58,58,58,58	0
56	MG	1A	3793	1/1	0.93	0.13	54,54,54,54	0
56	MG	1A	3102	1/1	0.93	0.28	41,41,41,41	0
56	MG	1A	4171	1/1	0.93	0.19	41,41,41,41	0
56	MG	1E	305	1/1	0.93	0.25	59,59,59,59	0
56	MG	1A	4046	1/1	0.93	0.17	31,31,31,31	0
56	MG	2Q	3003	1/1	0.93	0.16	51,51,51,51	0
56	MG	2A	3498	1/1	0.93	0.26	54,54,54,54	0
56	MG	1A	4071	1/1	0.93	0.10	58,58,58,58	0
56	MG	1B	3025	1/1	0.93	0.11	43,43,43,43	0
56	MG	23	102	1/1	0.93	0.24	53,53,53,53	0
56	MG	2A	3886	1/1	0.93	0.28	67,67,67,67	0
56	MG	2A	3943	1/1	0.93	0.12	39,39,39,39	0
56	MG	1A	3442	1/1	0.93	0.17	53,53,53,53	0
56	MG	1W	202	1/1	0.93	0.15	50,50,50,50	0
56	MG	2A	3386	1/1	0.93	0.32	51,51,51,51	0
56	MG	2A	3773	1/1	0.93	0.61	48,48,48,48	0
56	MG	1A	3809	1/1	0.93	0.09	44,44,44,44	0
56	MG	1A	3572	1/1	0.93	0.21	37,37,37,37	0
56	MG	1a	1603	1/1	0.93	0.13	74,74,74,74	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3945	1/1	0.93	0.16	43,43,43,43	0
56	MG	2A	3589	1/1	0.93	0.12	41,41,41,41	0
56	MG	1a	1646	1/1	0.93	0.24	71,71,71,71	0
56	MG	2A	3754	1/1	0.93	0.09	54,54,54,54	0
56	MG	2A	3375	1/1	0.93	0.22	66,66,66,66	0
56	MG	1A	4022	1/1	0.93	0.08	68,68,68,68	0
56	MG	2a	1607	1/1	0.93	0.14	77,77,77,77	0
56	MG	1x	102	1/1	0.93	0.14	58,58,58,58	0
56	MG	1B	3036	1/1	0.93	0.15	38,38,38,38	0
56	MG	2A	3381	1/1	0.93	0.19	66,66,66,66	0
56	MG	2B	3020	1/1	0.93	0.08	76,76,76,76	0
56	MG	1A	4155	1/1	0.93	0.20	48,48,48,48	0
56	MG	1a	1678	1/1	0.93	0.10	58,58,58,58	0
56	MG	1A	3129	1/1	0.93	0.12	34,34,34,34	0
56	MG	1A	3913	1/1	0.93	0.34	43,43,43,43	0
56	MG	1a	1634	1/1	0.93	0.23	52,52,52,52	0
56	MG	2A	3083	1/1	0.93	0.17	46,46,46,46	0
56	MG	2a	1854	1/1	0.93	0.23	58,58,58,58	0
56	MG	2a	1771	1/1	0.93	0.09	66,66,66,66	0
56	MG	11	103	1/1	0.93	0.13	40,40,40,40	0
56	MG	1A	3587	1/1	0.93	0.13	67,67,67,67	0
56	MG	2A	3390	1/1	0.93	0.40	46,46,46,46	0
56	MG	2A	3652	1/1	0.93	0.19	43,43,43,43	0
56	MG	15	102	1/1	0.93	0.33	44,44,44,44	0
56	MG	1A	3278	1/1	0.93	0.17	59,59,59,59	0
56	MG	1a	1802	1/1	0.93	0.12	53,53,53,53	0
56	MG	2A	3460	1/1	0.93	0.11	65,65,65,65	0
56	MG	2A	3104	1/1	0.93	0.21	57,57,57,57	0
56	MG	1a	1733	1/1	0.93	0.25	74,74,74,74	0
56	MG	1A	4117	1/1	0.93	0.10	69,69,69,69	0
56	MG	1A	3619	1/1	0.93	0.28	63,63,63,63	0
56	MG	1A	3931	1/1	0.93	0.39	46,46,46,46	0
56	MG	1A	3855	1/1	0.93	0.06	57,57,57,57	0
56	MG	1A	4154	1/1	0.93	0.41	49,49,49,49	0
56	MG	1A	3821	1/1	0.93	0.22	34,34,34,34	0
56	MG	2A	3696	1/1	0.93	0.11	72,72,72,72	0
56	MG	1a	1674	1/1	0.93	0.18	74,74,74,74	0
56	MG	2a	1711	1/1	0.93	0.11	69,69,69,69	0
56	MG	2A	3493	1/1	0.93	0.42	55,55,55,55	0
56	MG	1x	117	1/1	0.93	0.08	79,79,79,79	0
56	MG	2A	3234	1/1	0.93	0.42	46,46,46,46	0
56	MG	2a	1796	1/1	0.93	0.12	71,71,71,71	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1F	301	1/1	0.93	0.27	78,78,78,78	0
56	MG	2A	3180	1/1	0.93	0.12	60,60,60,60	0
56	MG	2a	1781	1/1	0.93	0.09	82,82,82,82	0
56	MG	2A	3267	1/1	0.93	0.13	52,52,52,52	0
56	MG	1A	3158	1/1	0.93	0.17	41,41,41,41	0
56	MG	1A	3449	1/1	0.93	0.41	63,63,63,63	0
56	MG	2A	3699	1/1	0.93	0.07	61,61,61,61	0
56	MG	1A	3164	1/1	0.93	0.31	49,49,49,49	0
56	MG	2a	1809	1/1	0.93	0.26	54,54,54,54	0
56	MG	1y	104	1/1	0.93	0.38	79,79,79,79	0
56	MG	1A	3339	1/1	0.93	0.22	54,54,54,54	0
56	MG	1A	3277	1/1	0.93	0.31	44,44,44,44	0
56	MG	1A	3394	1/1	0.93	0.35	35,35,35,35	0
56	MG	1A	4143	1/1	0.93	0.14	48,48,48,48	0
56	MG	1A	4095	1/1	0.93	0.06	70,70,70,70	0
56	MG	2A	3233	1/1	0.93	0.16	61,61,61,61	0
56	MG	1A	3810	1/1	0.93	0.25	63,63,63,63	0
56	MG	2A	3136	1/1	0.93	0.10	46,46,46,46	0
56	MG	2A	3793	1/1	0.93	0.12	66,66,66,66	0
56	MG	2D	302	1/1	0.93	0.22	58,58,58,58	0
56	MG	2A	3427	1/1	0.93	0.13	68,68,68,68	0
56	MG	2E	307	1/1	0.93	0.36	49,49,49,49	0
56	MG	2a	1619	1/1	0.93	0.13	62,62,62,62	0
56	MG	2A	3742	1/1	0.93	0.11	34,34,34,34	0
56	MG	2A	3904	1/1	0.93	0.17	57,57,57,57	0
56	MG	1A	3100	1/1	0.93	0.22	58,58,58,58	0
56	MG	2A	3631	1/1	0.93	0.09	51,51,51,51	0
56	MG	2a	1705	1/1	0.93	0.18	65,65,65,65	0
56	MG	1a	1769	1/1	0.93	0.32	60,60,60,60	0
56	MG	1A	3124	1/1	0.93	0.44	46,46,46,46	0
56	MG	1A	3711	1/1	0.93	0.14	68,68,68,68	0
56	MG	1a	1673	1/1	0.93	0.21	74,74,74,74	0
56	MG	1A	3973	1/1	0.93	0.13	56,56,56,56	0
56	MG	1A	3238	1/1	0.93	0.27	42,42,42,42	0
56	MG	2A	3858	1/1	0.93	0.04	56,56,56,56	0
56	MG	2A	3082	1/1	0.93	0.28	50,50,50,50	0
56	MG	2A	3599	1/1	0.93	0.15	42,42,42,42	0
56	MG	2A	3765	1/1	0.93	0.14	67,67,67,67	0
56	MG	2A	3733	1/1	0.93	0.19	48,48,48,48	0
56	MG	1A	3600	1/1	0.93	0.23	58,58,58,58	0
56	MG	1A	3730	1/1	0.93	0.21	33,33,33,33	0
56	MG	1a	1768	1/1	0.93	0.28	69,69,69,69	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2T	202	1/1	0.93	0.21	55,55,55,55	0
56	MG	2w	108	1/1	0.93	0.19	70,70,70,70	0
56	MG	1A	3515	1/1	0.93	0.21	46,46,46,46	0
56	MG	1A	3248	1/1	0.93	0.24	59,59,59,59	0
56	MG	2A	3363	1/1	0.93	0.21	71,71,71,71	0
56	MG	1a	1725	1/1	0.93	0.32	72,72,72,72	0
56	MG	1A	3584	1/1	0.93	0.20	35,35,35,35	0
56	MG	1A	3546	1/1	0.93	0.25	52,52,52,52	0
56	MG	2a	1850	1/1	0.93	0.08	55,55,55,55	0
56	MG	2A	3902	1/1	0.93	0.57	51,51,51,51	0
56	MG	25	101	1/1	0.93	0.11	49,49,49,49	0
56	MG	1a	1647	1/1	0.93	0.16	62,62,62,62	0
56	MG	1A	3045	1/1	0.93	0.14	38,38,38,38	0
56	MG	1A	3165	1/1	0.93	0.15	53,53,53,53	0
56	MG	1v	3001	1/1	0.93	0.16	70,70,70,70	0
56	MG	1A	3654	1/1	0.93	0.38	46,46,46,46	0
56	MG	2A	3360	1/1	0.93	0.08	55,55,55,55	0
56	MG	2A	3783	1/1	0.93	0.09	46,46,46,46	0
56	MG	1A	3182	1/1	0.93	0.41	41,41,41,41	0
56	MG	1A	3176	1/1	0.93	0.48	42,42,42,42	0
56	MG	2A	3895	1/1	0.93	0.18	52,52,52,52	0
56	MG	1A	3192	1/1	0.93	0.26	44,44,44,44	0
56	MG	1A	3678	1/1	0.93	0.17	34,34,34,34	0
56	MG	1A	3402	1/1	0.93	0.22	65,65,65,65	0
56	MG	1A	3874	1/1	0.93	0.14	33,33,33,33	0
56	MG	2A	3332	1/1	0.93	0.17	52,52,52,52	0
56	MG	1A	4009	1/1	0.93	0.12	62,62,62,62	0
56	MG	1A	3433	1/1	0.93	0.10	46,46,46,46	0
56	MG	2A	3894	1/1	0.93	0.08	38,38,38,38	0
56	MG	1A	3197	1/1	0.93	0.44	45,45,45,45	0
56	MG	2A	3632	1/1	0.93	0.13	35,35,35,35	0
56	MG	2a	1709	1/1	0.93	0.09	57,57,57,57	0
56	MG	2A	3634	1/1	0.93	0.19	39,39,39,39	0
56	MG	2A	3614	1/1	0.93	0.13	50,50,50,50	0
56	MG	2A	3590	1/1	0.93	0.08	36,36,36,36	0
56	MG	2A	3579	1/1	0.93	0.14	30,30,30,30	0
56	MG	2A	3767	1/1	0.93	0.34	53,53,53,53	0
56	MG	1A	3757	1/1	0.93	0.13	45,45,45,45	0
56	MG	1U	205	1/1	0.93	0.35	33,33,33,33	0
56	MG	1A	3828	1/1	0.93	0.19	34,34,34,34	0
56	MG	1A	3521	1/1	0.93	0.25	59,59,59,59	0
56	MG	1A	3557	1/1	0.93	0.34	61,61,61,61	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3792	1/1	0.93	0.21	70,70,70,70	0
56	MG	1A	3634	1/1	0.93	0.40	41,41,41,41	0
56	MG	2A	3657	1/1	0.93	0.15	35,35,35,35	0
56	MG	1a	1786	1/1	0.93	0.15	43,43,43,43	0
56	MG	2A	3468	1/1	0.93	0.27	56,56,56,56	0
56	MG	2a	1605	1/1	0.93	0.17	64,64,64,64	0
56	MG	1A	3186	1/1	0.93	0.09	72,72,72,72	0
56	MG	1A	3487	1/1	0.93	0.32	48,48,48,48	0
56	MG	2A	3514	1/1	0.93	0.09	54,54,54,54	0
56	MG	1A	4076	1/1	0.93	0.12	29,29,29,29	0
56	MG	2a	1675	1/1	0.93	0.13	67,67,67,67	0
56	MG	2a	1818	1/1	0.93	0.23	64,64,64,64	0
56	MG	2A	3639	1/1	0.93	0.14	39,39,39,39	0
56	MG	1A	4128	1/1	0.93	0.14	52,52,52,52	0
56	MG	2A	3010	1/1	0.93	0.08	48,48,48,48	0
56	MG	1B	3012	1/1	0.93	0.09	55,55,55,55	0
56	MG	1A	4045	1/1	0.93	0.19	27,27,27,27	0
56	MG	1U	208	1/1	0.94	0.42	44,44,44,44	0
56	MG	2A	3123	1/1	0.94	0.22	64,64,64,64	0
56	MG	1A	3850	1/1	0.94	0.21	30,30,30,30	0
56	MG	1A	3143	1/1	0.94	0.07	59,59,59,59	0
56	MG	1A	3025	1/1	0.94	0.09	54,54,54,54	0
56	MG	2A	3419	1/1	0.94	0.20	58,58,58,58	0
56	MG	2A	3637	1/1	0.94	0.17	66,66,66,66	0
56	MG	1A	4066	1/1	0.94	0.17	19,19,19,19	0
56	MG	1A	3303	1/1	0.94	0.38	38,38,38,38	0
56	MG	1A	3379	1/1	0.94	0.17	65,65,65,65	0
56	MG	1A	3666	1/1	0.94	0.13	59,59,59,59	0
56	MG	10	105	1/1	0.94	0.19	63,63,63,63	0
56	MG	2a	1609	1/1	0.94	0.17	68,68,68,68	0
56	MG	1A	3841	1/1	0.94	0.07	55,55,55,55	0
56	MG	1a	1781	1/1	0.94	0.14	48,48,48,48	0
56	MG	2A	3051	1/1	0.94	0.17	51,51,51,51	0
56	MG	1A	3526	1/1	0.94	0.52	48,48,48,48	0
56	MG	1A	3119	1/1	0.94	0.21	46,46,46,46	0
56	MG	2A	3528	1/1	0.94	0.08	54,54,54,54	0
56	MG	1A	3519	1/1	0.94	0.29	42,42,42,42	0
56	MG	2D	301	1/1	0.94	0.17	46,46,46,46	0
56	MG	2A	3860	1/1	0.94	0.12	38,38,38,38	0
58	CPT	1A	4181	3/5	0.94	0.19	61,61,64,93	3
56	MG	1A	3590	1/1	0.94	0.10	71,71,71,71	0
56	MG	2A	3833	1/1	0.94	0.08	68,68,68,68	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2a	1652	1/1	0.94	0.15	61,61,61,61	0
56	MG	2A	3297	1/1	0.94	0.10	67,67,67,67	0
56	MG	1A	3595	1/1	0.94	0.22	59,59,59,59	0
56	MG	1A	3290	1/1	0.94	0.21	56,56,56,56	0
56	MG	2A	3804	1/1	0.94	0.09	53,53,53,53	0
56	MG	2A	3567	1/1	0.94	0.18	40,40,40,40	0
56	MG	1A	3064	1/1	0.94	0.24	44,44,44,44	0
56	MG	1A	3387	1/1	0.94	0.19	32,32,32,32	0
56	MG	1A	3813	1/1	0.94	0.19	16,16,16,16	0
56	MG	2a	1838	1/1	0.94	0.18	58,58,58,58	0
56	MG	2A	3869	1/1	0.94	0.09	43,43,43,43	0
56	MG	1A	3322	1/1	0.94	0.28	46,46,46,46	0
56	MG	2A	3755	1/1	0.94	0.10	76,76,76,76	0
56	MG	2A	3545	1/1	0.94	0.08	52,52,52,52	0
56	MG	1A	3688	1/1	0.94	0.17	35,35,35,35	0
56	MG	1D	307	1/1	0.94	0.25	41,41,41,41	0
56	MG	1A	3951	1/1	0.94	0.27	38,38,38,38	0
56	MG	1A	3181	1/1	0.94	0.15	38,38,38,38	0
56	MG	2A	3254	1/1	0.94	0.19	49,49,49,49	0
56	MG	2A	3461	1/1	0.94	0.25	60,60,60,60	0
56	MG	2A	3349	1/1	0.94	0.08	64,64,64,64	0
56	MG	1A	3316	1/1	0.94	0.26	56,56,56,56	0
56	MG	2A	3692	1/1	0.94	0.06	59,59,59,59	0
56	MG	1A	3980	1/1	0.94	0.11	57,57,57,57	0
56	MG	1R	201	1/1	0.94	0.18	50,50,50,50	0
56	MG	1a	1694	1/1	0.94	0.25	57,57,57,57	0
56	MG	2A	3305	1/1	0.94	0.13	57,57,57,57	0
56	MG	1A	3911	1/1	0.94	0.12	43,43,43,43	0
56	MG	2a	1686	1/1	0.94	0.08	68,68,68,68	0
56	MG	1A	3952	1/1	0.94	0.13	55,55,55,55	0
56	MG	2A	3874	1/1	0.94	0.24	66,66,66,66	0
56	MG	2A	3228	1/1	0.94	0.12	59,59,59,59	0
56	MG	2A	3828	1/1	0.94	0.18	60,60,60,60	0
56	MG	2A	3506	1/1	0.94	0.07	61,61,61,61	0
56	MG	1A	4118	1/1	0.94	0.11	42,42,42,42	0
56	MG	2A	3716	1/1	0.94	0.08	46,46,46,46	0
56	MG	1O	3006	1/1	0.94	0.14	83,83,83,83	0
56	MG	1A	3388	1/1	0.94	0.27	45,45,45,45	0
56	MG	2A	3672	1/1	0.94	0.10	61,61,61,61	0
56	MG	2A	3156	1/1	0.94	0.14	46,46,46,46	0
56	MG	2A	3054	1/1	0.94	0.10	55,55,55,55	0
56	MG	2A	3137	1/1	0.94	0.33	46,46,46,46	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3682	1/1	0.94	0.08	46,46,46,46	0
56	MG	1A	3539	1/1	0.94	0.32	56,56,56,56	0
56	MG	1A	3518	1/1	0.94	0.27	59,59,59,59	0
56	MG	2A	3584	1/1	0.94	0.10	38,38,38,38	0
56	MG	1A	3598	1/1	0.94	0.27	51,51,51,51	0
56	MG	2A	3641	1/1	0.94	0.10	43,43,43,43	0
56	MG	1A	3146	1/1	0.94	0.26	35,35,35,35	0
56	MG	1A	3283	1/1	0.94	0.47	45,45,45,45	0
56	MG	1A	3895	1/1	0.94	0.25	53,53,53,53	0
56	MG	2A	3797	1/1	0.94	0.07	56,56,56,56	0
56	MG	1A	4226	1/1	0.94	0.14	42,42,42,42	0
56	MG	2A	3518	1/1	0.94	0.11	36,36,36,36	0
56	MG	1a	1823	1/1	0.94	0.12	57,57,57,57	0
56	MG	2a	1640	1/1	0.94	0.21	49,49,49,49	0
56	MG	1A	3713	1/1	0.94	0.16	32,32,32,32	0
56	MG	1A	3669	1/1	0.94	0.14	45,45,45,45	0
56	MG	1a	1865	1/1	0.94	0.14	55,55,55,55	0
56	MG	2A	3459	1/1	0.94	0.11	49,49,49,49	0
56	MG	1A	3020	1/1	0.94	0.15	26,26,26,26	0
56	MG	2A	3249	1/1	0.94	0.40	59,59,59,59	0
56	MG	2a	1700	1/1	0.94	0.23	59,59,59,59	0
56	MG	2Z	8001	1/1	0.94	0.14	79,79,79,79	0
56	MG	2A	3505	1/1	0.94	0.17	59,59,59,59	0
56	MG	2a	1698	1/1	0.94	0.10	60,60,60,60	0
56	MG	2A	3831	1/1	0.94	0.15	58,58,58,58	0
56	MG	1A	3588	1/1	0.94	0.10	49,49,49,49	0
56	MG	2A	3070	1/1	0.94	0.10	41,41,41,41	0
56	MG	1a	1718	1/1	0.94	0.26	51,51,51,51	0
56	MG	1A	4217	1/1	0.94	0.42	47,47,47,47	0
56	MG	2B	3005	1/1	0.94	0.17	68,68,68,68	0
56	MG	1A	3350	1/1	0.94	0.24	48,48,48,48	0
56	MG	2a	1690	1/1	0.94	0.12	65,65,65,65	0
56	MG	1t	3001	1/1	0.94	0.14	56,56,56,56	0
56	MG	2A	3848	1/1	0.94	0.11	69,69,69,69	0
56	MG	1Z	301	1/1	0.94	0.32	46,46,46,46	0
56	MG	2A	3591	1/1	0.94	0.13	36,36,36,36	0
56	MG	2A	3145	1/1	0.94	0.12	66,66,66,66	0
56	MG	1A	3384	1/1	0.94	0.15	43,43,43,43	0
56	MG	1A	3917	1/1	0.94	0.10	64,64,64,64	0
56	MG	2A	3011	1/1	0.94	0.09	46,46,46,46	0
56	MG	1A	3008	1/1	0.94	0.22	31,31,31,31	0
56	MG	2a	1601	1/1	0.94	0.23	59,59,59,59	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3138	1/1	0.94	0.45	40,40,40,40	0
56	MG	1A	3160	1/1	0.94	0.38	38,38,38,38	0
56	MG	2a	1746	1/1	0.94	0.20	71,71,71,71	0
56	MG	1A	3737	1/1	0.94	0.23	30,30,30,30	0
56	MG	1A	3073	1/1	0.94	0.13	29,29,29,29	0
56	MG	1A	3677	1/1	0.94	0.18	51,51,51,51	0
56	MG	1A	3594	1/1	0.94	0.30	32,32,32,32	0
56	MG	1A	3946	1/1	0.94	0.23	36,36,36,36	0
56	MG	1A	3690	1/1	0.94	0.19	31,31,31,31	0
56	MG	1A	3058	1/1	0.94	0.31	49,49,49,49	0
56	MG	2a	1806	1/1	0.94	0.24	73,73,73,73	0
56	MG	2a	1823	1/1	0.94	0.19	68,68,68,68	0
56	MG	1A	3732	1/1	0.94	0.20	33,33,33,33	0
56	MG	1A	4201	1/1	0.94	0.54	43,43,43,43	0
56	MG	2A	3361	1/1	0.94	0.10	58,58,58,58	0
56	MG	2A	3219	1/1	0.94	0.45	49,49,49,49	0
56	MG	1A	4109	1/1	0.94	0.13	28,28,28,28	0
56	MG	1A	3905	1/1	0.94	0.20	21,21,21,21	0
56	MG	2A	3684	1/1	0.94	0.28	52,52,52,52	0
56	MG	2A	3787	1/1	0.94	0.11	36,36,36,36	0
56	MG	1A	3101	1/1	0.94	0.17	30,30,30,30	0
56	MG	1D	309	1/1	0.94	0.12	43,43,43,43	0
56	MG	1A	4097	1/1	0.94	0.21	50,50,50,50	0
56	MG	1A	3879	1/1	0.94	0.13	46,46,46,46	0
56	MG	2A	3730	1/1	0.94	0.12	31,31,31,31	0
56	MG	2A	3107	1/1	0.94	0.12	36,36,36,36	0
56	MG	2A	3771	1/1	0.94	0.09	41,41,41,41	0
56	MG	1A	3204	1/1	0.94	0.13	32,32,32,32	0
56	MG	1A	3656	1/1	0.94	0.09	70,70,70,70	0
56	MG	1A	3721	1/1	0.94	0.20	30,30,30,30	0
56	MG	1A	3280	1/1	0.94	0.18	31,31,31,31	0
56	MG	1a	1812	1/1	0.94	0.11	72,72,72,72	0
56	MG	1A	3567	1/1	0.94	0.22	31,31,31,31	0
56	MG	1B	3021	1/1	0.94	0.21	65,65,65,65	0
56	MG	1A	3274	1/1	0.94	0.36	55,55,55,55	0
56	MG	2A	3021	1/1	0.94	0.23	40,40,40,40	0
56	MG	1B	3018	1/1	0.94	0.35	30,30,30,30	0
56	MG	1A	4210	1/1	0.94	0.32	45,45,45,45	0
56	MG	1A	3285	1/1	0.94	0.32	40,40,40,40	0
56	MG	1A	3468	1/1	0.94	0.19	61,61,61,61	0
56	MG	2A	3822	1/1	0.94	0.07	73,73,73,73	0
56	MG	1A	3944	1/1	0.94	0.20	34,34,34,34	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1a	1805	1/1	0.94	0.07	65,65,65,65	0
56	MG	1A	3540	1/1	0.94	0.13	53,53,53,53	0
56	MG	1a	1878	1/1	0.94	0.28	64,64,64,64	0
56	MG	1A	4112	1/1	0.94	0.10	49,49,49,49	0
56	MG	1A	4056	1/1	0.94	0.17	44,44,44,44	0
56	MG	1A	3114	1/1	0.94	0.33	54,54,54,54	0
56	MG	2B	3009	1/1	0.94	0.14	65,65,65,65	0
56	MG	1A	3792	1/1	0.94	0.16	47,47,47,47	0
56	MG	2A	3306	1/1	0.94	0.09	51,51,51,51	0
56	MG	1A	4001	1/1	0.94	0.16	28,28,28,28	0
56	MG	2F	307	1/1	0.94	0.69	53,53,53,53	0
56	MG	2A	3705	1/1	0.94	0.08	59,59,59,59	0
56	MG	2A	3044	1/1	0.94	0.09	52,52,52,52	0
56	MG	1A	4193	1/1	0.94	0.14	41,41,41,41	0
56	MG	2a	1825	1/1	0.94	0.15	76,76,76,76	0
56	MG	1a	1876	1/1	0.94	0.09	74,74,74,74	0
56	MG	1a	1625	1/1	0.94	0.26	50,50,50,50	0
56	MG	1A	3650	1/1	0.94	0.13	52,52,52,52	0
56	MG	1a	1795	1/1	0.94	0.09	75,75,75,75	0
56	MG	1A	4194	1/1	0.94	0.35	47,47,47,47	0
56	MG	2T	201	1/1	0.94	0.49	64,64,64,64	0
56	MG	2a	1733	1/1	0.94	0.15	48,48,48,48	0
56	MG	2A	3020	1/1	0.94	0.13	34,34,34,34	0
56	MG	2A	3743	1/1	0.94	0.11	71,71,71,71	0
56	MG	2A	3323	1/1	0.94	0.07	60,60,60,60	0
56	MG	1A	3013	1/1	0.94	0.28	33,33,33,33	0
56	MG	1A	3168	1/1	0.94	0.16	36,36,36,36	0
56	MG	2A	3134	1/1	0.94	0.08	37,37,37,37	0
56	MG	1A	3836	1/1	0.94	0.23	70,70,70,70	0
56	MG	1A	3470	1/1	0.94	0.10	63,63,63,63	0
56	MG	1A	4103	1/1	0.94	0.08	52,52,52,52	0
56	MG	1A	3465	1/1	0.94	0.19	46,46,46,46	0
56	MG	1A	3582	1/1	0.94	0.20	43,43,43,43	0
56	MG	2A	3168	1/1	0.94	0.18	36,36,36,36	0
56	MG	1A	3865	1/1	0.94	0.11	51,51,51,51	0
56	MG	1a	1736	1/1	0.94	0.12	65,65,65,65	0
56	MG	1A	4105	1/1	0.94	0.06	41,41,41,41	0
56	MG	1A	3941	1/1	0.94	0.19	52,52,52,52	0
56	MG	16	101	1/1	0.94	0.26	62,62,62,62	0
56	MG	2A	3738	1/1	0.94	0.06	57,57,57,57	0
56	MG	1A	3957	1/1	0.94	0.11	42,42,42,42	0
56	MG	2A	3026	1/1	0.94	0.14	37,37,37,37	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3503	1/1	0.94	0.09	63,63,63,63	0
56	MG	2A	3041	1/1	0.94	0.17	41,41,41,41	0
56	MG	2A	3906	1/1	0.94	0.13	52,52,52,52	0
56	MG	1A	3391	1/1	0.94	0.16	52,52,52,52	0
56	MG	2A	3110	1/1	0.94	0.19	38,38,38,38	0
56	MG	1A	3243	1/1	0.94	0.32	45,45,45,45	0
56	MG	1A	3817	1/1	0.94	0.13	45,45,45,45	0
56	MG	2n	101	1/1	0.94	0.15	74,74,74,74	0
56	MG	2A	3465	1/1	0.94	0.09	53,53,53,53	0
56	MG	1A	3151	1/1	0.94	0.23	38,38,38,38	0
56	MG	2D	304	1/1	0.94	0.81	45,45,45,45	0
56	MG	2a	1835	1/1	0.94	0.22	77,77,77,77	0
56	MG	1A	3725	1/1	0.94	0.14	35,35,35,35	0
56	MG	2A	3642	1/1	0.94	0.20	46,46,46,46	0
56	MG	1a	1607	1/1	0.94	0.12	58,58,58,58	0
56	MG	2A	3401	1/1	0.94	0.22	45,45,45,45	0
56	MG	2A	3807	1/1	0.94	0.09	41,41,41,41	0
56	MG	1A	4006	1/1	0.94	0.16	57,57,57,57	0
56	MG	1a	1837	1/1	0.94	0.17	53,53,53,53	0
56	MG	1A	3568	1/1	0.94	0.24	54,54,54,54	0
56	MG	1A	3075	1/1	0.94	0.33	48,48,48,48	0
56	MG	2A	3206	1/1	0.94	0.10	48,48,48,48	0
56	MG	1A	3059	1/1	0.94	0.10	65,65,65,65	0
56	MG	1A	3343	1/1	0.94	0.21	65,65,65,65	0
56	MG	1A	3970	1/1	0.94	0.17	54,54,54,54	0
56	MG	2A	3181	1/1	0.94	0.27	53,53,53,53	0
56	MG	2A	3188	1/1	0.94	0.22	66,66,66,66	0
56	MG	2a	1712	1/1	0.94	0.06	69,69,69,69	0
56	MG	1A	3668	1/1	0.94	0.21	47,47,47,47	0
56	MG	1A	3542	1/1	0.94	0.26	47,47,47,47	0
56	MG	1A	3174	1/1	0.94	0.18	47,47,47,47	0
56	MG	2A	3781	1/1	0.94	0.07	66,66,66,66	0
56	MG	1A	3502	1/1	0.94	0.16	50,50,50,50	0
56	MG	1a	1664	1/1	0.94	0.09	52,52,52,52	0
56	MG	2A	3397	1/1	0.94	0.20	40,40,40,40	0
56	MG	1a	1616	1/1	0.94	0.09	55,55,55,55	0
56	MG	2A	3081	1/1	0.94	0.10	59,59,59,59	0
56	MG	1A	3400	1/1	0.94	0.29	68,68,68,68	0
56	MG	1a	1881	1/1	0.94	0.14	47,47,47,47	0
56	MG	2A	3486	1/1	0.94	0.13	64,64,64,64	0
56	MG	1A	4126	1/1	0.94	0.04	69,69,69,69	0
56	MG	1A	4082	1/1	0.94	0.18	46,46,46,46	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3744	1/1	0.94	0.20	28,28,28,28	0
56	MG	2A	3238	1/1	0.94	0.70	56,56,56,56	0
56	MG	2a	1849	1/1	0.94	0.20	82,82,82,82	0
56	MG	1A	4101	1/1	0.95	0.08	48,48,48,48	0
56	MG	1A	3967	1/1	0.95	0.27	42,42,42,42	0
56	MG	1A	3959	1/1	0.95	0.20	29,29,29,29	0
56	MG	2A	3707	1/1	0.95	0.12	47,47,47,47	0
56	MG	1a	1688	1/1	0.95	0.17	69,69,69,69	0
56	MG	1A	4079	1/1	0.95	0.07	46,46,46,46	0
56	MG	1a	1848	1/1	0.95	0.11	47,47,47,47	0
56	MG	1a	1648	1/1	0.95	0.16	53,53,53,53	0
56	MG	2a	1643	1/1	0.95	0.09	79,79,79,79	0
56	MG	1B	3010	1/1	0.95	0.15	40,40,40,40	0
56	MG	2A	3485	1/1	0.95	0.17	59,59,59,59	0
56	MG	1A	3887	1/1	0.95	0.16	58,58,58,58	0
56	MG	1A	3707	1/1	0.95	0.05	42,42,42,42	0
56	MG	1A	3790	1/1	0.95	0.21	45,45,45,45	0
56	MG	1A	3507	1/1	0.95	0.22	52,52,52,52	0
56	MG	1S	3002	1/1	0.95	0.36	61,61,61,61	0
56	MG	1A	3348	1/1	0.95	0.40	60,60,60,60	0
56	MG	2A	3035	1/1	0.95	0.11	43,43,43,43	0
56	MG	1A	3839	1/1	0.95	0.14	48,48,48,48	0
56	MG	1E	301	1/1	0.95	0.19	25,25,25,25	0
56	MG	1A	3833	1/1	0.95	0.17	28,28,28,28	0
56	MG	2A	3126	1/1	0.95	0.10	55,55,55,55	0
56	MG	1A	3289	1/1	0.95	0.10	49,49,49,49	0
56	MG	2A	3407	1/1	0.95	0.08	69,69,69,69	0
56	MG	1x	115	1/1	0.95	0.28	64,64,64,64	0
56	MG	1A	3232	1/1	0.95	0.41	47,47,47,47	0
56	MG	1a	1624	1/1	0.95	0.18	60,60,60,60	0
56	MG	1A	3118	1/1	0.95	0.39	55,55,55,55	0
56	MG	2A	3941	1/1	0.95	0.13	28,28,28,28	0
56	MG	2A	3310	1/1	0.95	0.88	57,57,57,57	0
56	MG	2A	3167	1/1	0.95	0.08	49,49,49,49	0
56	MG	1A	3340	1/1	0.95	0.18	52,52,52,52	0
56	MG	1A	3139	1/1	0.95	0.09	36,36,36,36	0
56	MG	1a	1780	1/1	0.95	0.20	51,51,51,51	0
56	MG	1A	3153	1/1	0.95	0.29	49,49,49,49	0
56	MG	2E	303	1/1	0.95	0.12	44,44,44,44	0
56	MG	1A	3889	1/1	0.95	0.14	42,42,42,42	0
56	MG	2A	3720	1/1	0.95	0.06	55,55,55,55	0
56	MG	1A	3800	1/1	0.95	0.20	59,59,59,59	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3516	1/1	0.95	0.11	44,44,44,44	0
56	MG	2a	1808	1/1	0.95	0.13	56,56,56,56	0
56	MG	1E	309	1/1	0.95	0.23	40,40,40,40	0
56	MG	2A	3891	1/1	0.95	0.11	54,54,54,54	0
56	MG	2A	3316	1/1	0.95	0.16	62,62,62,62	0
56	MG	2a	1799	1/1	0.95	0.17	65,65,65,65	0
56	MG	1A	3680	1/1	0.95	0.12	57,57,57,57	0
56	MG	2A	3066	1/1	0.95	0.11	46,46,46,46	0
56	MG	1A	3783	1/1	0.95	0.08	51,51,51,51	0
56	MG	1a	1689	1/1	0.95	0.27	42,42,42,42	0
56	MG	1a	1776	1/1	0.95	0.13	50,50,50,50	0
56	MG	2a	1847	1/1	0.95	0.09	74,74,74,74	0
56	MG	2A	3566	1/1	0.95	0.18	37,37,37,37	0
56	MG	1A	4024	1/1	0.95	0.13	52,52,52,52	0
56	MG	19	103	1/1	0.95	0.55	64,64,64,64	0
56	MG	1A	4131	1/1	0.95	0.19	42,42,42,42	0
56	MG	2A	3062	1/1	0.95	0.17	56,56,56,56	0
56	MG	2a	1721	1/1	0.95	0.09	69,69,69,69	0
56	MG	1a	1793	1/1	0.95	0.13	47,47,47,47	0
56	MG	2A	3890	1/1	0.95	0.17	31,31,31,31	0
56	MG	2A	3163	1/1	0.95	0.08	49,49,49,49	0
56	MG	2A	3865	1/1	0.95	0.11	53,53,53,53	0
56	MG	1A	3125	1/1	0.95	0.48	48,48,48,48	0
56	MG	2A	3504	1/1	0.95	0.14	69,69,69,69	0
56	MG	1A	4222	1/1	0.95	0.23	45,45,45,45	0
56	MG	1A	3949	1/1	0.95	0.10	53,53,53,53	0
56	MG	10	101	1/1	0.95	0.08	45,45,45,45	0
56	MG	2E	305	1/1	0.95	0.22	55,55,55,55	0
56	MG	2U	3003	1/1	0.95	0.65	48,48,48,48	0
56	MG	2j	8001	1/1	0.95	0.15	66,66,66,66	0
56	MG	1A	4191	1/1	0.95	0.16	45,45,45,45	0
56	MG	1B	3029	1/1	0.95	0.07	64,64,64,64	0
56	MG	1A	4023	1/1	0.95	0.18	44,44,44,44	0
56	MG	15	103	1/1	0.95	0.09	57,57,57,57	0
56	MG	1a	1638	1/1	0.95	0.30	56,56,56,56	0
56	MG	1A	3203	1/1	0.95	0.22	45,45,45,45	0
56	MG	1F	303	1/1	0.95	0.26	38,38,38,38	0
56	MG	2A	3653	1/1	0.95	0.12	39,39,39,39	0
56	MG	1A	3962	1/1	0.95	0.18	34,34,34,34	0
56	MG	2A	3871	1/1	0.95	0.15	53,53,53,53	0
56	MG	1A	3196	1/1	0.95	0.44	36,36,36,36	0
56	MG	1A	3751	1/1	0.95	0.17	47,47,47,47	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3667	1/1	0.95	0.20	52,52,52,52	0
56	MG	2A	3075	1/1	0.95	0.19	29,29,29,29	0
56	MG	1A	3395	1/1	0.95	0.29	47,47,47,47	0
56	MG	1A	3310	1/1	0.95	0.14	35,35,35,35	0
56	MG	1a	1737	1/1	0.95	0.09	52,52,52,52	0
56	MG	1A	3241	1/1	0.95	0.15	42,42,42,42	0
56	MG	1A	3015	1/1	0.95	0.19	39,39,39,39	0
56	MG	1A	3765	1/1	0.95	0.13	50,50,50,50	0
56	MG	2A	3649	1/1	0.95	0.21	36,36,36,36	0
56	MG	2a	1800	1/1	0.95	0.08	74,74,74,74	0
56	MG	2A	3854	1/1	0.95	0.09	44,44,44,44	0
56	MG	2A	3435	1/1	0.95	0.27	40,40,40,40	0
56	MG	2A	3158	1/1	0.95	0.20	37,37,37,37	0
56	MG	1B	3022	1/1	0.95	0.09	58,58,58,58	0
56	MG	2A	3775	1/1	0.95	0.19	54,54,54,54	0
56	MG	1A	3421	1/1	0.95	0.32	51,51,51,51	0
56	MG	2A	3309	1/1	0.95	0.26	59,59,59,59	0
56	MG	2A	3413	1/1	0.95	0.10	56,56,56,56	0
56	MG	1A	4199	1/1	0.95	0.23	41,41,41,41	0
56	MG	1w	109	1/1	0.95	0.09	68,68,68,68	0
56	MG	2a	1839	1/1	0.95	0.17	59,59,59,59	0
56	MG	1A	3583	1/1	0.95	0.34	63,63,63,63	0
56	MG	1A	4004	1/1	0.95	0.21	61,61,61,61	0
56	MG	1A	3574	1/1	0.95	0.18	43,43,43,43	0
59	ZN	29	501	1/1	0.95	0.12	67,67,67,67	0
56	MG	2A	3033	1/1	0.95	0.09	47,47,47,47	0
56	MG	2A	3024	1/1	0.95	1.09	53,53,53,53	0
56	MG	1A	3686	1/1	0.95	0.18	20,20,20,20	0
56	MG	1A	3705	1/1	0.95	0.16	42,42,42,42	0
56	MG	1A	3829	1/1	0.95	0.10	37,37,37,37	0
56	MG	1a	1789	1/1	0.95	0.10	59,59,59,59	0
56	MG	1A	3443	1/1	0.95	0.18	49,49,49,49	0
56	MG	2A	3412	1/1	0.95	0.30	48,48,48,48	0
56	MG	2A	3611	1/1	0.95	0.12	46,46,46,46	0
56	MG	1Y	204	1/1	0.95	0.10	71,71,71,71	0
56	MG	1a	1617	1/1	0.95	0.12	46,46,46,46	0
56	MG	1A	3866	1/1	0.95	0.08	67,67,67,67	0
56	MG	1Q	202	1/1	0.95	0.24	46,46,46,46	0
56	MG	1P	202	1/1	0.95	0.24	29,29,29,29	0
56	MG	2A	3450	1/1	0.95	0.16	49,49,49,49	0
56	MG	2a	1642	1/1	0.95	0.37	41,41,41,41	0
56	MG	2A	3398	1/1	0.95	0.24	58,58,58,58	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2a	1844	1/1	0.95	0.07	72,72,72,72	0
56	MG	1X	103	1/1	0.95	0.40	45,45,45,45	0
56	MG	1A	3646	1/1	0.95	0.18	35,35,35,35	0
56	MG	1A	3235	1/1	0.95	0.14	53,53,53,53	0
56	MG	2A	3102	1/1	0.95	0.15	32,32,32,32	0
56	MG	1A	3728	1/1	0.95	0.19	32,32,32,32	0
56	MG	2A	3220	1/1	0.95	0.10	52,52,52,52	0
56	MG	1A	3317	1/1	0.95	0.32	63,63,63,63	0
56	MG	2a	1628	1/1	0.95	0.38	61,61,61,61	0
56	MG	2A	3152	1/1	0.95	0.20	46,46,46,46	0
56	MG	2A	3648	1/1	0.95	0.10	56,56,56,56	0
56	MG	1a	1822	1/1	0.95	0.12	64,64,64,64	0
56	MG	1A	3361	1/1	0.95	0.15	58,58,58,58	0
56	MG	1A	3120	1/1	0.95	0.55	49,49,49,49	0
56	MG	2a	1788	1/1	0.95	0.13	73,73,73,73	0
56	MG	1a	1866	1/1	0.95	0.06	65,65,65,65	0
56	MG	2A	3373	1/1	0.95	0.15	60,60,60,60	0
56	MG	1A	4225	1/1	0.95	0.20	58,58,58,58	0
56	MG	1A	3679	1/1	0.95	0.23	57,57,57,57	0
56	MG	1A	3246	1/1	0.95	0.32	65,65,65,65	0
56	MG	1A	3780	1/1	0.95	0.10	44,44,44,44	0
56	MG	1a	1644	1/1	0.95	0.14	48,48,48,48	0
56	MG	2a	1814	1/1	0.95	0.16	69,69,69,69	0
56	MG	1A	3506	1/1	0.95	0.44	52,52,52,52	0
56	MG	1A	3140	1/1	0.95	0.27	47,47,47,47	0
56	MG	1A	3915	1/1	0.95	0.08	48,48,48,48	0
56	MG	1A	3019	1/1	0.95	0.17	41,41,41,41	0
56	MG	2A	3129	1/1	0.95	0.21	48,48,48,48	0
56	MG	1A	3900	1/1	0.95	0.07	56,56,56,56	0
56	MG	2A	3042	1/1	0.95	0.12	55,55,55,55	0
56	MG	1a	1764	1/1	0.95	0.06	67,67,67,67	0
56	MG	1A	3647	1/1	0.95	0.29	53,53,53,53	0
56	MG	2A	3843	1/1	0.95	0.10	53,53,53,53	0
56	MG	13	101	1/1	0.95	0.28	48,48,48,48	0
56	MG	1A	3226	1/1	0.95	0.21	51,51,51,51	0
56	MG	1x	109	1/1	0.95	0.15	57,57,57,57	0
56	MG	1A	4065	1/1	0.95	0.21	32,32,32,32	0
56	MG	1A	3553	1/1	0.95	0.35	58,58,58,58	0
56	MG	1A	4029	1/1	0.95	0.09	59,59,59,59	0
56	MG	1A	3969	1/1	0.95	0.15	44,44,44,44	0
56	MG	2A	3059	1/1	0.95	0.13	49,49,49,49	0
56	MG	1A	3746	1/1	0.95	0.07	72,72,72,72	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2a	1803	1/1	0.95	0.13	46,46,46,46	0
56	MG	2a	1791	1/1	0.95	0.13	84,84,84,84	0
56	MG	2A	3350	1/1	0.95	0.63	57,57,57,57	0
56	MG	2A	3624	1/1	0.95	0.17	43,43,43,43	0
56	MG	1A	3710	1/1	0.95	0.14	44,44,44,44	0
56	MG	2A	3001	1/1	0.95	0.28	61,61,61,61	0
56	MG	2A	3712	1/1	0.95	0.11	51,51,51,51	0
56	MG	1A	3178	1/1	0.95	0.18	32,32,32,32	0
56	MG	1A	3184	1/1	0.95	0.12	65,65,65,65	0
56	MG	2A	3085	1/1	0.95	0.10	56,56,56,56	0
56	MG	2A	3864	1/1	0.95	0.11	58,58,58,58	0
56	MG	2A	3572	1/1	0.95	0.18	43,43,43,43	0
56	MG	1A	3301	1/1	0.95	0.14	41,41,41,41	0
56	MG	1D	306	1/1	0.95	0.22	34,34,34,34	0
56	MG	17	101	1/1	0.95	0.09	38,38,38,38	0
56	MG	1A	3005	1/1	0.95	0.13	50,50,50,50	0
56	MG	1a	1656	1/1	0.95	0.10	66,66,66,66	0
56	MG	2A	3587	1/1	0.95	0.11	46,46,46,46	0
56	MG	2a	1693	1/1	0.95	0.16	73,73,73,73	0
56	MG	1x	116	1/1	0.95	0.10	73,73,73,73	0
56	MG	17	103	1/1	0.95	0.09	50,50,50,50	0
56	MG	2A	3355	1/1	0.95	0.10	57,57,57,57	0
56	MG	27	101	1/1	0.95	0.10	43,43,43,43	0
56	MG	2A	3159	1/1	0.95	0.09	45,45,45,45	0
56	MG	1a	1810	1/1	0.95	0.12	55,55,55,55	0
56	MG	2A	3573	1/1	0.95	0.10	38,38,38,38	0
56	MG	2A	3732	1/1	0.95	0.20	65,65,65,65	0
56	MG	1A	3082	1/1	0.95	0.22	46,46,46,46	0
56	MG	1A	3641	1/1	0.95	0.33	67,67,67,67	0
56	MG	2A	3549	1/1	0.95	0.17	54,54,54,54	0
56	MG	1A	3219	1/1	0.95	0.65	51,51,51,51	0
56	MG	1A	3067	1/1	0.95	0.26	30,30,30,30	0
56	MG	2A	3293	1/1	0.95	0.39	55,55,55,55	0
56	MG	1A	3520	1/1	0.95	0.16	61,61,61,61	0
56	MG	1A	3831	1/1	0.95	0.11	46,46,46,46	0
56	MG	2A	3150	1/1	0.95	0.11	64,64,64,64	0
56	MG	1A	3564	1/1	0.95	0.13	56,56,56,56	0
56	MG	2A	3799	1/1	0.95	0.05	51,51,51,51	0
56	MG	2A	3623	1/1	0.95	0.09	49,49,49,49	0
56	MG	1A	3670	1/1	0.95	0.18	19,19,19,19	0
56	MG	2A	3675	1/1	0.95	0.10	49,49,49,49	0
56	MG	1A	3062	1/1	0.95	0.18	38,38,38,38	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3580	1/1	0.95	0.16	31,31,31,31	0
56	MG	26	101	1/1	0.95	0.14	61,61,61,61	0
56	MG	1a	1858	1/1	0.95	0.05	70,70,70,70	0
59	ZN	2Y	501	1/1	0.95	0.15	80,80,80,80	0
56	MG	2f	3001	1/1	0.95	0.15	45,45,45,45	0
56	MG	2A	3139	1/1	0.95	0.10	48,48,48,48	0
56	MG	2A	3710	1/1	0.95	0.11	27,27,27,27	0
56	MG	2a	1840	1/1	0.95	0.11	73,73,73,73	0
56	MG	2A	3120	1/1	0.95	0.19	45,45,45,45	0
56	MG	2a	1622	1/1	0.95	0.10	65,65,65,65	0
56	MG	1A	3832	1/1	0.95	0.10	33,33,33,33	0
56	MG	2A	3141	1/1	0.95	0.08	57,57,57,57	0
56	MG	1S	3001	1/1	0.95	0.70	54,54,54,54	0
56	MG	1A	3727	1/1	0.95	0.13	25,25,25,25	0
56	MG	2A	3091	1/1	0.95	0.30	42,42,42,42	0
56	MG	1B	3005	1/1	0.95	0.11	40,40,40,40	0
56	MG	2A	3452	1/1	0.95	0.33	61,61,61,61	0
56	MG	1a	1745	1/1	0.96	0.11	60,60,60,60	0
56	MG	2A	3521	1/1	0.96	0.14	56,56,56,56	0
56	MG	1A	3108	1/1	0.96	0.21	39,39,39,39	0
56	MG	1A	3383	1/1	0.96	0.51	44,44,44,44	0
56	MG	2A	3048	1/1	0.96	0.16	31,31,31,31	0
56	MG	2A	3626	1/1	0.96	0.27	60,60,60,60	0
56	MG	2A	3060	1/1	0.96	0.18	55,55,55,55	0
56	MG	2A	3125	1/1	0.96	0.06	51,51,51,51	0
56	MG	1A	3096	1/1	0.96	0.18	27,27,27,27	0
56	MG	1a	1790	1/1	0.96	0.10	52,52,52,52	0
56	MG	2A	3161	1/1	0.96	0.15	53,53,53,53	0
56	MG	1A	3117	1/1	0.96	0.23	37,37,37,37	0
56	MG	1a	1796	1/1	0.96	0.20	65,65,65,65	0
56	MG	2A	3662	1/1	0.96	0.09	43,43,43,43	0
56	MG	2a	1820	1/1	0.96	0.19	73,73,73,73	0
56	MG	2A	3678	1/1	0.96	0.08	53,53,53,53	0
56	MG	1A	3033	1/1	0.96	0.39	39,39,39,39	0
56	MG	2A	3751	1/1	0.96	0.14	62,62,62,62	0
56	MG	2a	1784	1/1	0.96	0.09	48,48,48,48	0
56	MG	1a	1845	1/1	0.96	0.10	50,50,50,50	0
56	MG	1A	3756	1/1	0.96	0.13	24,24,24,24	0
56	MG	2A	3453	1/1	0.96	0.26	64,64,64,64	0
56	MG	2A	3031	1/1	0.96	0.11	40,40,40,40	0
56	MG	1A	3038	1/1	0.96	0.73	39,39,39,39	0
56	MG	2A	3618	1/1	0.96	0.12	56,56,56,56	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3781	1/1	0.96	0.18	55,55,55,55	0
56	MG	2A	3014	1/1	0.96	0.23	38,38,38,38	0
56	MG	2A	3666	1/1	0.96	0.36	47,47,47,47	0
56	MG	1A	3752	1/1	0.96	0.25	33,33,33,33	0
56	MG	1A	3291	1/1	0.96	0.24	54,54,54,54	0
56	MG	1A	3078	1/1	0.96	0.16	63,63,63,63	0
56	MG	1A	4198	1/1	0.96	0.27	34,34,34,34	0
56	MG	1A	4080	1/1	0.96	0.16	35,35,35,35	0
56	MG	2A	3709	1/1	0.96	0.16	47,47,47,47	0
56	MG	1a	1714	1/1	0.96	0.19	42,42,42,42	0
56	MG	10	106	1/1	0.96	0.10	58,58,58,58	0
56	MG	1a	1609	1/1	0.96	0.06	52,52,52,52	0
56	MG	2a	1824	1/1	0.96	0.20	72,72,72,72	0
56	MG	1a	1612	1/1	0.96	0.14	23,23,23,23	0
56	MG	1a	1748	1/1	0.96	0.25	69,69,69,69	0
56	MG	2a	1853	1/1	0.96	0.17	52,52,52,52	0
56	MG	1A	3930	1/1	0.96	0.26	45,45,45,45	0
56	MG	2A	3651	1/1	0.96	0.16	45,45,45,45	0
56	MG	1W	204	1/1	0.96	0.14	41,41,41,41	0
56	MG	2A	3185	1/1	0.96	0.11	44,44,44,44	0
56	MG	1A	3806	1/1	0.96	0.11	44,44,44,44	0
56	MG	1A	3785	1/1	0.96	0.13	23,23,23,23	0
56	MG	1A	3844	1/1	0.96	0.19	40,40,40,40	0
56	MG	2A	3378	1/1	0.96	0.19	63,63,63,63	0
56	MG	2A	3006	1/1	0.96	0.24	56,56,56,56	0
58	CPT	1A	4178	4/5	0.96	0.20	54,68,71,73	4
56	MG	1A	3815	1/1	0.96	0.12	56,56,56,56	0
56	MG	2a	1707	1/1	0.96	0.23	69,69,69,69	0
56	MG	1A	3934	1/1	0.96	0.15	37,37,37,37	0
56	MG	2A	3106	1/1	0.96	0.23	50,50,50,50	0
58	CPT	2A	3915	4/5	0.96	0.17	54,71,73,90	4
56	MG	1A	3009	1/1	0.96	0.19	23,23,23,23	0
56	MG	1A	3279	1/1	0.96	0.41	36,36,36,36	0
56	MG	1A	4195	1/1	0.96	0.16	29,29,29,29	0
56	MG	2A	3576	1/1	0.96	0.11	68,68,68,68	0
56	MG	1a	1777	1/1	0.96	0.16	63,63,63,63	0
56	MG	2a	1637	1/1	0.96	0.14	76,76,76,76	0
56	MG	1A	4072	1/1	0.96	0.16	26,26,26,26	0
56	MG	2A	3321	1/1	0.96	0.13	57,57,57,57	0
56	MG	1A	4208	1/1	0.96	0.54	50,50,50,50	0
56	MG	1A	3733	1/1	0.96	0.17	27,27,27,27	0
56	MG	2A	3665	1/1	0.96	0.11	45,45,45,45	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3488	1/1	0.96	0.27	50,50,50,50	0
56	MG	2A	3262	1/1	0.96	0.18	54,54,54,54	0
56	MG	1A	3021	1/1	0.96	0.11	35,35,35,35	0
56	MG	2A	3933	1/1	0.96	0.24	47,47,47,47	0
56	MG	2A	3358	1/1	0.96	0.15	60,60,60,60	0
56	MG	1A	3736	1/1	0.96	0.12	59,59,59,59	0
56	MG	1A	3135	1/1	0.96	0.10	39,39,39,39	0
56	MG	2A	3018	1/1	0.96	0.17	35,35,35,35	0
56	MG	1A	3875	1/1	0.96	0.19	38,38,38,38	0
56	MG	1A	3709	1/1	0.96	0.08	45,45,45,45	0
56	MG	1A	3011	1/1	0.96	0.14	42,42,42,42	0
56	MG	2A	3601	1/1	0.96	0.13	58,58,58,58	0
56	MG	1A	3987	1/1	0.96	0.11	34,34,34,34	0
56	MG	2A	3434	1/1	0.96	0.28	49,49,49,49	0
56	MG	1A	3030	1/1	0.96	0.19	32,32,32,32	0
56	MG	2A	3483	1/1	0.96	0.50	59,59,59,59	0
56	MG	2A	3578	1/1	0.96	0.15	45,45,45,45	0
56	MG	1A	3990	1/1	0.96	0.16	9,9,9,9	0
57	K	2A	3939	1/1	0.96	0.08	75,75,75,75	0
56	MG	1A	3230	1/1	0.96	0.29	40,40,40,40	0
56	MG	1A	4211	1/1	0.96	0.40	43,43,43,43	0
56	MG	1A	3593	1/1	0.96	0.28	58,58,58,58	0
56	MG	2A	3679	1/1	0.96	0.07	50,50,50,50	0
56	MG	1A	3109	1/1	0.96	0.11	51,51,51,51	0
56	MG	2A	3942	1/1	0.96	0.10	54,54,54,54	0
56	MG	2X	102	1/1	0.96	0.16	56,56,56,56	0
56	MG	1A	3500	1/1	0.96	0.21	52,52,52,52	0
56	MG	2A	3217	1/1	0.96	0.29	69,69,69,69	0
56	MG	1A	3251	1/1	0.96	0.21	46,46,46,46	0
56	MG	1A	3524	1/1	0.96	0.30	32,32,32,32	0
56	MG	2A	3045	1/1	0.96	0.14	46,46,46,46	0
56	MG	1A	3349	1/1	0.96	0.52	50,50,50,50	0
56	MG	1A	3116	1/1	0.96	0.31	38,38,38,38	0
56	MG	1V	202	1/1	0.96	0.05	59,59,59,59	0
56	MG	1a	1695	1/1	0.96	0.21	54,54,54,54	0
56	MG	1a	1717	1/1	0.96	0.14	53,53,53,53	0
56	MG	1A	3167	1/1	0.96	0.38	41,41,41,41	0
56	MG	2A	3670	1/1	0.96	0.20	50,50,50,50	0
56	MG	2a	1610	1/1	0.96	0.29	92,92,92,92	0
56	MG	1P	201	1/1	0.96	0.25	38,38,38,38	0
56	MG	2A	3263	1/1	0.96	0.06	50,50,50,50	0
56	MG	2a	1855	1/1	0.96	0.12	46,46,46,46	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3546	1/1	0.96	0.17	29,29,29,29	0
56	MG	2a	1765	1/1	0.96	0.07	69,69,69,69	0
56	MG	2A	3311	1/1	0.96	0.17	52,52,52,52	0
56	MG	2A	3177	1/1	0.96	0.13	53,53,53,53	0
56	MG	2a	1797	1/1	0.96	0.11	70,70,70,70	0
56	MG	2F	303	1/1	0.96	0.27	44,44,44,44	0
56	MG	1A	3193	1/1	0.96	0.26	36,36,36,36	0
56	MG	2A	3112	1/1	0.96	0.11	54,54,54,54	0
56	MG	2A	3281	1/1	0.96	0.29	54,54,54,54	0
56	MG	1A	3180	1/1	0.96	0.18	27,27,27,27	0
56	MG	1A	3029	1/1	0.96	0.30	35,35,35,35	0
56	MG	1A	3724	1/1	0.96	0.17	38,38,38,38	0
56	MG	1A	3043	1/1	0.96	0.10	38,38,38,38	0
56	MG	2A	3761	1/1	0.96	0.10	55,55,55,55	0
56	MG	1A	3618	1/1	0.96	0.21	49,49,49,49	0
56	MG	1A	3031	1/1	0.96	0.30	32,32,32,32	0
56	MG	2a	1676	1/1	0.96	0.13	57,57,57,57	0
56	MG	1A	3432	1/1	0.96	0.16	35,35,35,35	0
56	MG	1a	1872	1/1	0.96	0.08	47,47,47,47	0
56	MG	1A	4224	1/1	0.96	0.37	50,50,50,50	0
56	MG	1T	201	1/1	0.96	0.16	62,62,62,62	0
56	MG	2A	3007	1/1	0.96	0.13	48,48,48,48	0
56	MG	1A	3773	1/1	0.96	0.14	38,38,38,38	0
56	MG	2A	3737	1/1	0.96	0.09	51,51,51,51	0
59	ZN	14	501	1/1	0.96	0.19	84,84,84,84	0
56	MG	1D	304	1/1	0.96	0.25	33,33,33,33	0
56	MG	2A	3555	1/1	0.96	0.18	61,61,61,61	0
56	MG	1A	3104	1/1	0.96	0.17	45,45,45,45	0
56	MG	1A	3968	1/1	0.96	0.19	32,32,32,32	0
56	MG	1B	3014	1/1	0.96	0.19	53,53,53,53	0
56	MG	1B	3001	1/1	0.96	0.18	42,42,42,42	0
56	MG	2A	3659	1/1	0.96	0.15	39,39,39,39	0
56	MG	2A	3027	1/1	0.96	0.39	46,46,46,46	0
56	MG	2A	3832	1/1	0.96	0.11	55,55,55,55	0
56	MG	2A	3277	1/1	0.96	0.21	64,64,64,64	0
56	MG	1A	3714	1/1	0.96	0.16	35,35,35,35	0
56	MG	1A	3731	1/1	0.96	0.16	34,34,34,34	0
56	MG	2A	3230	1/1	0.96	0.40	44,44,44,44	0
56	MG	1A	3795	1/1	0.96	0.09	48,48,48,48	0
56	MG	1A	4165	1/1	0.96	0.33	43,43,43,43	0
56	MG	1A	4085	1/1	0.96	0.08	81,81,81,81	0
56	MG	1a	1757	1/1	0.96	0.09	69,69,69,69	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2A	3520	1/1	0.96	0.07	41,41,41,41	0
56	MG	2A	3439	1/1	0.96	0.23	36,36,36,36	0
56	MG	2a	1812	1/1	0.96	0.14	66,66,66,66	0
56	MG	1A	3474	1/1	0.96	0.14	50,50,50,50	0
56	MG	2A	3495	1/1	0.96	0.12	50,50,50,50	0
56	MG	1A	3883	1/1	0.96	0.17	41,41,41,41	0
56	MG	10	103	1/1	0.96	0.38	49,49,49,49	0
56	MG	1A	4048	1/1	0.96	0.17	25,25,25,25	0
56	MG	1X	105	1/1	0.96	0.17	35,35,35,35	0
56	MG	1A	3195	1/1	0.96	0.42	49,49,49,49	0
56	MG	1a	1834	1/1	0.96	0.10	53,53,53,53	0
56	MG	1A	3111	1/1	0.96	0.15	43,43,43,43	0
56	MG	1A	3123	1/1	0.96	0.33	44,44,44,44	0
56	MG	2A	3480	1/1	0.96	0.12	58,58,58,58	0
56	MG	2A	3627	1/1	0.96	0.08	47,47,47,47	0
56	MG	2a	1611	1/1	0.96	0.15	75,75,75,75	0
56	MG	1A	3739	1/1	0.96	0.16	31,31,31,31	0
56	MG	20	102	1/1	0.96	0.13	58,58,58,58	0
56	MG	1a	1811	1/1	0.96	0.24	66,66,66,66	0
56	MG	1A	3344	1/1	0.96	0.35	49,49,49,49	0
56	MG	1A	3107	1/1	0.96	0.35	40,40,40,40	0
56	MG	2A	3715	1/1	0.96	0.11	70,70,70,70	0
56	MG	1A	3846	1/1	0.96	0.14	65,65,65,65	0
56	MG	2A	3752	1/1	0.96	0.05	73,73,73,73	0
56	MG	2A	3596	1/1	0.96	0.18	22,22,22,22	0
56	MG	2A	3182	1/1	0.96	0.18	46,46,46,46	0
56	MG	2A	3638	1/1	0.96	0.15	52,52,52,52	0
56	MG	2A	3585	1/1	0.96	0.07	51,51,51,51	0
56	MG	1D	303	1/1	0.96	0.37	51,51,51,51	0
56	MG	1A	3272	1/1	0.96	0.18	52,52,52,52	0
56	MG	2Q	3001	1/1	0.96	0.11	56,56,56,56	0
56	MG	1A	3127	1/1	0.96	0.31	41,41,41,41	0
56	MG	1a	1852	1/1	0.96	0.10	65,65,65,65	0
56	MG	1A	4220	1/1	0.96	0.46	42,42,42,42	0
56	MG	2A	3703	1/1	0.96	0.15	78,78,78,78	0
56	MG	2A	3552	1/1	0.96	0.06	52,52,52,52	0
56	MG	1A	3689	1/1	0.96	0.11	49,49,49,49	0
56	MG	18	103	1/1	0.96	0.23	48,48,48,48	0
56	MG	1A	3170	1/1	0.96	0.21	58,58,58,58	0
56	MG	1A	3347	1/1	0.96	0.23	51,51,51,51	0
56	MG	2a	1636	1/1	0.96	0.08	81,81,81,81	0
56	MG	1A	3706	1/1	0.96	0.18	37,37,37,37	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1x	107	1/1	0.96	0.20	68,68,68,68	0
56	MG	2A	3216	1/1	0.96	0.12	50,50,50,50	0
56	MG	1A	3726	1/1	0.96	0.10	42,42,42,42	0
56	MG	2A	3003	1/1	0.96	0.15	40,40,40,40	0
56	MG	2A	3606	1/1	0.96	0.05	56,56,56,56	0
56	MG	1A	3269	1/1	0.96	0.23	47,47,47,47	0
56	MG	1y	101	1/1	0.96	0.31	43,43,43,43	0
56	MG	1A	3326	1/1	0.96	0.19	60,60,60,60	0
56	MG	2A	3113	1/1	0.96	0.14	56,56,56,56	0
56	MG	2a	1696	1/1	0.96	0.17	56,56,56,56	0
56	MG	1A	3077	1/1	0.96	0.21	23,23,23,23	0
56	MG	1A	3993	1/1	0.96	0.13	33,33,33,33	0
56	MG	2A	3927	1/1	0.96	0.12	43,43,43,43	0
56	MG	2A	3644	1/1	0.96	0.20	31,31,31,31	0
56	MG	2A	3564	1/1	0.96	0.16	37,37,37,37	0
56	MG	2A	3529	1/1	0.96	0.17	29,29,29,29	0
56	MG	2a	1703	1/1	0.96	0.19	37,37,37,37	0
56	MG	1A	3042	1/1	0.96	0.18	32,32,32,32	0
56	MG	2A	3533	1/1	0.96	0.08	48,48,48,48	0
56	MG	2A	3449	1/1	0.96	0.24	56,56,56,56	0
56	MG	1A	4138	1/1	0.96	0.08	59,59,59,59	0
56	MG	1A	3475	1/1	0.96	0.15	51,51,51,51	0
56	MG	2A	3721	1/1	0.96	0.14	73,73,73,73	0
56	MG	1A	3056	1/1	0.96	0.22	33,33,33,33	0
56	MG	1A	3039	1/1	0.96	0.22	60,60,60,60	0
56	MG	2U	3002	1/1	0.97	0.64	54,54,54,54	0
56	MG	1A	3835	1/1	0.97	0.17	60,60,60,60	0
56	MG	2A	3658	1/1	0.97	0.10	58,58,58,58	0
56	MG	1F	304	1/1	0.97	0.33	36,36,36,36	0
56	MG	1a	1619	1/1	0.97	0.15	45,45,45,45	0
56	MG	1A	3134	1/1	0.97	0.19	45,45,45,45	0
56	MG	2A	3924	1/1	0.97	0.52	49,49,49,49	0
56	MG	1A	3447	1/1	0.97	0.16	41,41,41,41	0
56	MG	1a	1650	1/1	0.97	0.17	40,40,40,40	0
56	MG	2A	3274	1/1	0.97	0.07	67,67,67,67	0
56	MG	1A	3071	1/1	0.97	0.19	16,16,16,16	0
56	MG	2a	1754	1/1	0.97	0.11	72,72,72,72	0
56	MG	2a	1710	1/1	0.97	0.27	47,47,47,47	0
56	MG	2A	3763	1/1	0.97	0.08	64,64,64,64	0
56	MG	2A	3863	1/1	0.97	0.10	54,54,54,54	0
56	MG	1A	3014	1/1	0.97	0.14	31,31,31,31	0
56	MG	1a	1782	1/1	0.97	0.12	67,67,67,67	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	4185	1/1	0.97	0.18	30,30,30,30	0
56	MG	1a	1677	1/1	0.97	0.07	72,72,72,72	0
56	MG	1A	4202	1/1	0.97	0.28	35,35,35,35	0
56	MG	2A	3655	1/1	0.97	0.26	50,50,50,50	0
56	MG	1A	3095	1/1	0.97	0.16	36,36,36,36	0
56	MG	1A	3092	1/1	0.97	0.23	22,22,22,22	0
56	MG	2A	3667	1/1	0.97	0.16	53,53,53,53	0
56	MG	2A	3770	1/1	0.97	0.22	48,48,48,48	0
56	MG	2A	3078	1/1	0.97	0.16	35,35,35,35	0
56	MG	1A	3126	1/1	0.97	0.66	48,48,48,48	0
56	MG	2A	3668	1/1	0.97	0.11	63,63,63,63	0
56	MG	1A	3955	1/1	0.97	0.20	44,44,44,44	0
56	MG	1A	3720	1/1	0.97	0.15	36,36,36,36	0
56	MG	2A	3671	1/1	0.97	0.07	30,30,30,30	0
56	MG	2A	3907	1/1	0.97	0.52	39,39,39,39	0
56	MG	2A	3237	1/1	0.97	0.34	46,46,46,46	0
56	MG	2A	3676	1/1	0.97	0.10	48,48,48,48	0
56	MG	1A	3407	1/1	0.97	0.12	50,50,50,50	0
56	MG	1a	1880	1/1	0.97	0.27	39,39,39,39	0
56	MG	1A	3036	1/1	0.97	0.20	24,24,24,24	0
56	MG	1G	3004	1/1	0.97	0.10	53,53,53,53	0
56	MG	1a	1785	1/1	0.97	0.23	41,41,41,41	0
56	MG	1A	3382	1/1	0.97	0.11	51,51,51,51	0
56	MG	1A	3986	1/1	0.97	0.16	50,50,50,50	0
56	MG	1B	3035	1/1	0.97	0.15	66,66,66,66	0
56	MG	1A	3172	1/1	0.97	0.91	54,54,54,54	0
56	MG	1A	3723	1/1	0.97	0.18	27,27,27,27	0
56	MG	1A	3770	1/1	0.97	0.26	36,36,36,36	0
56	MG	1A	4150	1/1	0.97	0.19	30,30,30,30	0
56	MG	2A	3130	1/1	0.97	0.38	41,41,41,41	0
56	MG	1A	3040	1/1	0.97	0.10	54,54,54,54	0
56	MG	2A	3462	1/1	0.97	0.21	56,56,56,56	0
56	MG	1A	3849	1/1	0.97	0.21	23,23,23,23	0
56	MG	1A	3444	1/1	0.97	0.31	58,58,58,58	0
56	MG	1A	3616	1/1	0.97	0.07	51,51,51,51	0
56	MG	1A	3919	1/1	0.97	0.18	30,30,30,30	0
56	MG	2e	3001	1/1	0.97	0.12	73,73,73,73	0
58	CPT	2I	201	4/5	0.97	0.21	38,50,68,87	4
56	MG	2A	3899	1/1	0.97	0.19	52,52,52,52	0
56	MG	1A	3281	1/1	0.97	0.26	39,39,39,39	0
56	MG	1A	3179	1/1	0.97	0.18	32,32,32,32	0
56	MG	1A	4146	1/1	0.97	0.10	60,60,60,60	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	4174	1/1	0.97	0.12	53,53,53,53	0
56	MG	1A	3819	1/1	0.97	0.18	46,46,46,46	0
56	MG	1A	3157	1/1	0.97	0.52	43,43,43,43	0
56	MG	1A	3741	1/1	0.97	0.18	33,33,33,33	0
56	MG	1A	3240	1/1	0.97	0.14	34,34,34,34	0
56	MG	1A	3838	1/1	0.97	0.06	70,70,70,70	0
56	MG	2A	3138	1/1	0.97	0.51	42,42,42,42	0
56	MG	1A	3701	1/1	0.97	0.13	31,31,31,31	0
56	MG	1a	1804	1/1	0.97	0.34	38,38,38,38	0
56	MG	1A	4016	1/1	0.97	0.10	62,62,62,62	0
56	MG	1A	3848	1/1	0.97	0.18	52,52,52,52	0
56	MG	2A	3717	1/1	0.97	0.05	51,51,51,51	0
56	MG	1a	1653	1/1	0.97	0.20	63,63,63,63	0
56	MG	1A	3566	1/1	0.97	0.22	34,34,34,34	0
56	MG	1A	3549	1/1	0.97	0.25	49,49,49,49	0
56	MG	1A	3983	1/1	0.97	0.15	60,60,60,60	0
56	MG	1A	3550	1/1	0.97	0.29	45,45,45,45	0
56	MG	2D	303	1/1	0.97	0.13	32,32,32,32	0
56	MG	2A	3273	1/1	0.97	0.13	53,53,53,53	0
56	MG	1A	4134	1/1	0.97	0.12	20,20,20,20	0
56	MG	1A	4184	1/1	0.97	0.17	57,57,57,57	0
56	MG	1A	3175	1/1	0.97	0.29	42,42,42,42	0
56	MG	1A	3827	1/1	0.97	0.17	21,21,21,21	0
56	MG	1A	3799	1/1	0.97	0.15	19,19,19,19	0
56	MG	1a	1652	1/1	0.97	0.15	49,49,49,49	0
56	MG	25	104	1/1	0.97	0.36	49,49,49,49	0
56	MG	1A	3989	1/1	0.97	0.08	58,58,58,58	0
56	MG	1A	3032	1/1	0.97	0.55	37,37,37,37	0
56	MG	1A	4043	1/1	0.97	0.16	66,66,66,66	0
56	MG	1B	3020	1/1	0.97	0.13	57,57,57,57	0
56	MG	2A	3702	1/1	0.97	0.07	53,53,53,53	0
56	MG	2A	3683	1/1	0.97	0.11	37,37,37,37	0
56	MG	2A	3586	1/1	0.97	0.10	36,36,36,36	0
56	MG	1A	3885	1/1	0.97	0.25	57,57,57,57	0
56	MG	1a	1861	1/1	0.97	0.08	55,55,55,55	0
56	MG	2A	3744	1/1	0.97	0.09	61,61,61,61	0
59	ZN	1n	103	1/1	0.97	0.16	63,63,63,63	0
56	MG	1A	3431	1/1	0.97	0.17	40,40,40,40	0
56	MG	2A	3109	1/1	0.97	0.25	59,59,59,59	0
56	MG	1N	204	1/1	0.97	0.50	55,55,55,55	0
56	MG	1A	3142	1/1	0.97	0.21	13,13,13,13	0
56	MG	1A	4227	1/1	0.97	0.23	41,41,41,41	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2B	3019	1/1	0.97	0.22	79,79,79,79	0
58	CPT	2A	3914	4/5	0.97	0.19	44,54,55,67	4
56	MG	2A	3437	1/1	0.97	0.35	55,55,55,55	0
56	MG	2A	3937	1/1	0.97	0.59	41,41,41,41	0
56	MG	1A	3022	1/1	0.97	0.13	27,27,27,27	0
56	MG	1a	1762	1/1	0.97	0.29	66,66,66,66	0
56	MG	2E	309	1/1	0.97	0.15	56,56,56,56	0
56	MG	2A	3393	1/1	0.97	0.09	47,47,47,47	0
56	MG	1A	3061	1/1	0.97	0.19	53,53,53,53	0
56	MG	1A	4160	1/1	0.97	0.39	34,34,34,34	0
56	MG	2V	201	1/1	0.97	0.12	62,62,62,62	0
56	MG	1A	3774	1/1	0.97	0.14	44,44,44,44	0
56	MG	1w	107	1/1	0.97	0.07	58,58,58,58	0
56	MG	1a	1787	1/1	0.97	0.11	55,55,55,55	0
56	MG	2A	3617	1/1	0.97	0.21	50,50,50,50	0
56	MG	2A	3246	1/1	0.97	0.36	40,40,40,40	0
56	MG	1A	3441	1/1	0.97	0.25	44,44,44,44	0
56	MG	1A	3552	1/1	0.97	0.26	32,32,32,32	0
56	MG	2w	105	1/1	0.97	0.08	74,74,74,74	0
56	MG	1A	4204	1/1	0.97	0.23	38,38,38,38	0
56	MG	1A	3214	1/1	0.97	0.45	39,39,39,39	0
56	MG	2A	3019	1/1	0.97	0.09	40,40,40,40	0
56	MG	1A	4144	1/1	0.97	0.09	53,53,53,53	0
56	MG	2A	3926	1/1	0.97	0.40	47,47,47,47	0
58	CPT	2A	3919	4/5	0.97	0.17	68,86,92,111	4
56	MG	2A	3444	1/1	0.97	0.26	39,39,39,39	0
56	MG	1A	3065	1/1	0.97	0.17	35,35,35,35	0
56	MG	1A	4218	1/1	0.97	0.11	32,32,32,32	0
56	MG	1A	3948	1/1	0.97	0.14	19,19,19,19	0
56	MG	1A	3692	1/1	0.97	0.08	50,50,50,50	0
56	MG	2a	1678	1/1	0.97	0.22	58,58,58,58	0
56	MG	1A	3113	1/1	0.97	0.14	42,42,42,42	0
56	MG	2A	3547	1/1	0.97	0.17	48,48,48,48	0
56	MG	2A	3940	1/1	0.97	0.19	50,50,50,50	0
56	MG	1A	3664	1/1	0.97	0.11	59,59,59,59	0
56	MG	1a	1797	1/1	0.97	0.20	57,57,57,57	0
56	MG	2A	3570	1/1	0.97	0.10	43,43,43,43	0
56	MG	1A	4074	1/1	0.97	0.11	31,31,31,31	0
56	MG	1A	4148	1/1	0.97	0.25	42,42,42,42	0
56	MG	1a	1618	1/1	0.97	0.10	40,40,40,40	0
56	MG	1A	3169	1/1	0.97	0.32	43,43,43,43	0
56	MG	2a	1639	1/1	0.97	0.19	68,68,68,68	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1O	3003	1/1	0.97	0.13	53,53,53,53	0
56	MG	2A	3935	1/1	0.97	0.09	53,53,53,53	0
56	MG	2A	3577	1/1	0.97	0.07	55,55,55,55	0
56	MG	1A	3141	1/1	0.97	0.23	35,35,35,35	0
56	MG	1A	3683	1/1	0.97	0.10	54,54,54,54	0
56	MG	1A	3676	1/1	0.97	0.21	37,37,37,37	0
56	MG	1A	3673	1/1	0.97	0.17	35,35,35,35	0
56	MG	1A	3436	1/1	0.97	0.12	64,64,64,64	0
56	MG	1A	3768	1/1	0.97	0.19	20,20,20,20	0
56	MG	2A	3664	1/1	0.97	0.30	45,45,45,45	0
56	MG	1A	3803	1/1	0.97	0.11	47,47,47,47	0
56	MG	1A	4205	1/1	0.97	0.18	35,35,35,35	0
56	MG	1A	4000	1/1	0.97	0.09	42,42,42,42	0
56	MG	2A	3544	1/1	0.97	0.22	50,50,50,50	0
59	ZN	26	102	1/1	0.97	0.18	63,63,63,63	0
56	MG	1A	3939	1/1	0.97	0.17	40,40,40,40	0
56	MG	2A	3604	1/1	0.97	0.08	46,46,46,46	0
56	MG	1A	3413	1/1	0.97	0.28	56,56,56,56	0
56	MG	1A	3893	1/1	0.97	0.12	64,64,64,64	0
56	MG	1A	3372	1/1	0.97	0.43	51,51,51,51	0
56	MG	1A	3027	1/1	0.97	0.32	33,33,33,33	0
56	MG	1A	4219	1/1	0.97	0.23	35,35,35,35	0
56	MG	1A	3928	1/1	0.97	0.22	36,36,36,36	0
56	MG	2A	3554	1/1	0.97	0.14	44,44,44,44	0
56	MG	2a	1683	1/1	0.97	0.13	49,49,49,49	0
56	MG	1A	3868	1/1	0.97	0.18	52,52,52,52	0
56	MG	2A	3175	1/1	0.97	0.14	48,48,48,48	0
56	MG	2O	8001	1/1	0.97	0.14	50,50,50,50	0
56	MG	1A	3046	1/1	0.97	0.15	34,34,34,34	0
56	MG	1A	3699	1/1	0.97	0.26	28,28,28,28	0
56	MG	1A	3050	1/1	0.97	0.23	38,38,38,38	0
56	MG	1A	3735	1/1	0.97	0.11	52,52,52,52	0
56	MG	1A	4113	1/1	0.97	0.17	36,36,36,36	0
56	MG	1A	4140	1/1	0.98	0.13	57,57,57,57	0
56	MG	1X	102	1/1	0.98	0.27	52,52,52,52	0
56	MG	1A	3163	1/1	0.98	0.44	34,34,34,34	0
56	MG	1B	3016	1/1	0.98	0.20	47,47,47,47	0
56	MG	2A	3149	1/1	0.98	0.13	36,36,36,36	0
56	MG	2a	1804	1/1	0.98	0.07	77,77,77,77	0
56	MG	1a	1853	1/1	0.98	0.08	59,59,59,59	0
56	MG	1A	3136	1/1	0.98	0.08	48,48,48,48	0
56	MG	1a	1742	1/1	0.98	0.28	59,59,59,59	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3041	1/1	0.98	0.19	40,40,40,40	0
58	CPT	1A	4182	4/5	0.98	0.20	64,84,85,87	4
56	MG	1B	3032	1/1	0.98	0.13	48,48,48,48	0
56	MG	1A	3137	1/1	0.98	0.32	32,32,32,32	0
56	MG	1A	3305	1/1	0.98	0.26	35,35,35,35	0
56	MG	1A	3012	1/1	0.98	0.13	30,30,30,30	0
56	MG	1A	4206	1/1	0.98	0.22	44,44,44,44	0
56	MG	2A	3602	1/1	0.98	0.15	37,37,37,37	0
56	MG	1A	3396	1/1	0.98	0.16	37,37,37,37	0
56	MG	1A	3068	1/1	0.98	0.16	17,17,17,17	0
59	ZN	1Y	202	1/1	0.98	0.16	64,64,64,64	0
56	MG	1A	4169	1/1	0.98	0.19	49,49,49,49	0
56	MG	2A	3620	1/1	0.98	0.13	54,54,54,54	0
56	MG	2A	3646	1/1	0.98	0.16	41,41,41,41	0
56	MG	1A	3696	1/1	0.98	0.17	10,10,10,10	0
56	MG	1l	201	1/1	0.98	0.19	39,39,39,39	0
56	MG	2A	3690	1/1	0.98	0.14	34,34,34,34	0
56	MG	1Z	304	1/1	0.98	0.15	56,56,56,56	0
56	MG	2A	3195	1/1	0.98	0.12	52,52,52,52	0
56	MG	1A	4203	1/1	0.98	0.40	31,31,31,31	0
56	MG	2A	3740	1/1	0.98	0.13	50,50,50,50	0
56	MG	2A	3210	1/1	0.98	0.10	51,51,51,51	0
56	MG	2A	3142	1/1	0.98	0.21	41,41,41,41	0
56	MG	2A	3173	1/1	0.98	0.09	53,53,53,53	0
56	MG	1A	4026	1/1	0.98	0.12	45,45,45,45	0
56	MG	2a	1830	1/1	0.98	0.16	60,60,60,60	0
56	MG	2A	3607	1/1	0.98	0.18	66,66,66,66	0
59	ZN	25	103	1/1	0.98	0.19	53,53,53,53	0
56	MG	2A	3727	1/1	0.98	0.13	53,53,53,53	0
56	MG	1A	3103	1/1	0.98	0.11	52,52,52,52	0
56	MG	1A	3076	1/1	0.98	0.26	33,33,33,33	0
56	MG	2a	1786	1/1	0.98	0.13	66,66,66,66	0
56	MG	1A	3758	1/1	0.98	0.19	31,31,31,31	0
56	MG	2A	3932	1/1	0.98	0.35	39,39,39,39	0
56	MG	1A	3570	1/1	0.98	0.46	41,41,41,41	0
56	MG	1a	1731	1/1	0.98	0.14	68,68,68,68	0
56	MG	1a	1867	1/1	0.98	0.09	59,59,59,59	0
56	MG	1A	3760	1/1	0.98	0.17	40,40,40,40	0
56	MG	1A	3035	1/1	0.98	0.23	33,33,33,33	0
56	MG	1x	114	1/1	0.98	0.20	76,76,76,76	0
56	MG	2A	3037	1/1	0.98	0.14	36,36,36,36	0
56	MG	2E	308	1/1	0.98	0.09	45,45,45,45	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	3691	1/1	0.98	0.16	32,32,32,32	0
58	CPT	2A	3917	4/5	0.98	0.15	59,63,68,93	4
56	MG	1a	1817	1/1	0.98	0.09	43,43,43,43	0
56	MG	1A	3162	1/1	0.98	0.26	35,35,35,35	0
56	MG	2A	3568	1/1	0.98	0.14	62,62,62,62	0
56	MG	1A	4153	1/1	0.98	0.18	27,27,27,27	0
56	MG	1A	3070	1/1	0.98	0.34	35,35,35,35	0
56	MG	2A	3810	1/1	0.98	0.11	48,48,48,48	0
56	MG	2A	3880	1/1	0.98	0.14	34,34,34,34	0
56	MG	1a	1778	1/1	0.98	0.18	47,47,47,47	0
56	MG	2A	3745	1/1	0.98	0.08	39,39,39,39	0
58	CPT	1A	4180	4/5	0.98	0.20	60,66,67,81	4
56	MG	1A	4190	1/1	0.98	0.32	40,40,40,40	0
56	MG	2a	1689	1/1	0.98	0.17	69,69,69,69	0
56	MG	1A	4141	1/1	0.98	0.25	17,17,17,17	0
56	MG	1A	3003	1/1	0.98	0.20	29,29,29,29	0
56	MG	1A	3794	1/1	0.98	0.14	44,44,44,44	0
56	MG	2a	1641	1/1	0.98	0.27	52,52,52,52	0
56	MG	1A	3734	1/1	0.98	0.19	42,42,42,42	0
56	MG	1A	3814	1/1	0.98	0.16	52,52,52,52	0
56	MG	1A	4187	1/1	0.98	0.26	33,33,33,33	0
56	MG	2a	1650	1/1	0.98	0.18	60,60,60,60	0
56	MG	2A	3762	1/1	0.98	0.35	30,30,30,30	0
56	MG	1A	3037	1/1	0.98	0.20	35,35,35,35	0
56	MG	2a	1774	1/1	0.98	0.18	52,52,52,52	0
56	MG	1A	3910	1/1	0.98	0.22	29,29,29,29	0
56	MG	2A	3784	1/1	0.98	0.09	55,55,55,55	0
56	MG	1A	3997	1/1	0.98	0.15	41,41,41,41	0
56	MG	2A	3728	1/1	0.98	0.11	27,27,27,27	0
56	MG	1A	4164	1/1	0.98	0.21	33,33,33,33	0
56	MG	2A	3438	1/1	0.98	0.29	42,42,42,42	0
56	MG	1A	3896	1/1	0.98	0.12	45,45,45,45	0
56	MG	2A	3542	1/1	0.98	0.11	47,47,47,47	0
56	MG	1A	4215	1/1	0.98	0.33	33,33,33,33	0
59	ZN	15	101	1/1	0.98	0.27	61,61,61,61	0
56	MG	1A	4064	1/1	0.98	0.14	9,9,9,9	0
56	MG	1A	3861	1/1	0.98	0.24	37,37,37,37	0
56	MG	1A	3026	1/1	0.98	0.14	51,51,51,51	0
56	MG	1A	3242	1/1	0.98	0.34	34,34,34,34	0
56	MG	2A	3847	1/1	0.98	0.06	35,35,35,35	0
56	MG	1a	1701	1/1	0.98	0.34	62,62,62,62	0
56	MG	2B	3018	1/1	0.98	0.14	61,61,61,61	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	2a	1766	1/1	0.98	0.10	69,69,69,69	0
56	MG	2R	201	1/1	0.98	0.10	47,47,47,47	0
56	MG	2A	3821	1/1	0.98	0.12	39,39,39,39	0
56	MG	1n	101	1/1	0.98	0.28	52,52,52,52	0
56	MG	2l	202	1/1	0.98	0.10	64,64,64,64	0
56	MG	2A	3925	1/1	0.98	0.71	43,43,43,43	0
56	MG	1A	3808	1/1	0.98	0.18	33,33,33,33	0
56	MG	1A	3147	1/1	0.98	0.28	34,34,34,34	0
56	MG	1A	4192	1/1	0.98	0.32	38,38,38,38	0
56	MG	1A	4067	1/1	0.98	0.14	29,29,29,29	0
56	MG	2A	3140	1/1	0.98	0.18	41,41,41,41	0
58	CPT	1a	1883	4/5	0.98	0.14	75,75,78,117	4
58	CPT	1l	3002	4/5	0.98	0.19	40,48,69,81	4
56	MG	1A	4189	1/1	0.98	0.30	46,46,46,46	0
56	MG	2A	3489	1/1	0.98	0.16	56,56,56,56	0
56	MG	1A	3307	1/1	0.98	0.25	47,47,47,47	0
56	MG	1A	3231	1/1	0.98	0.29	45,45,45,45	0
56	MG	1A	3287	1/1	0.98	0.22	52,52,52,52	0
56	MG	2A	3135	1/1	0.98	0.14	46,46,46,46	0
56	MG	1A	3202	1/1	0.98	0.29	28,28,28,28	0
56	MG	2A	3598	1/1	0.98	0.12	64,64,64,64	0
56	MG	2A	3531	1/1	0.98	0.21	56,56,56,56	0
56	MG	1A	3888	1/1	0.98	0.10	42,42,42,42	0
56	MG	2A	3686	1/1	0.98	0.17	32,32,32,32	0
56	MG	1A	3133	1/1	0.98	0.29	34,34,34,34	0
56	MG	1A	3858	1/1	0.98	0.23	30,30,30,30	0
56	MG	1A	4119	1/1	0.98	0.08	53,53,53,53	0
56	MG	1A	3094	1/1	0.98	0.33	50,50,50,50	0
56	MG	1A	4133	1/1	0.98	0.16	31,31,31,31	0
56	MG	2A	3844	1/1	0.98	0.08	53,53,53,53	0
56	MG	1a	1784	1/1	0.98	0.11	33,33,33,33	0
56	MG	1A	4070	1/1	0.98	0.07	74,74,74,74	0
56	MG	1A	3859	1/1	0.98	0.13	45,45,45,45	0
56	MG	1A	3275	1/1	0.98	0.36	35,35,35,35	0
56	MG	1A	3262	1/1	0.98	0.14	56,56,56,56	0
56	MG	1A	3927	1/1	0.98	0.17	30,30,30,30	0
56	MG	1A	3544	1/1	0.98	0.29	50,50,50,50	0
56	MG	1A	3675	1/1	0.98	0.12	59,59,59,59	0
56	MG	1A	3857	1/1	0.98	0.16	30,30,30,30	0
56	MG	1A	3748	1/1	0.98	0.20	59,59,59,59	0
56	MG	1U	206	1/1	0.98	0.25	29,29,29,29	0
58	CPT	1A	4177	4/5	0.98	0.24	33,49,52,60	4

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
56	MG	1A	4102	1/1	0.98	0.16	20,20,20,20	0
56	MG	2A	3440	1/1	0.98	0.23	47,47,47,47	0
56	MG	2A	3154	1/1	0.99	0.13	55,55,55,55	0
56	MG	1A	4214	1/1	0.99	0.16	44,44,44,44	0
56	MG	2A	3298	1/1	0.99	0.21	68,68,68,68	0
56	MG	1A	4077	1/1	0.99	0.07	38,38,38,38	0
56	MG	1A	3775	1/1	0.99	0.17	24,24,24,24	0
56	MG	2A	3009	1/1	0.99	0.16	34,34,34,34	0
56	MG	1A	3871	1/1	0.99	0.23	32,32,32,32	0
56	MG	1A	3672	1/1	0.99	0.13	11,11,11,11	0
56	MG	2a	1720	1/1	0.99	0.17	72,72,72,72	0
56	MG	2A	3530	1/1	0.99	0.07	34,34,34,34	0
56	MG	1Q	201	1/1	0.99	0.20	36,36,36,36	0
56	MG	1A	4163	1/1	0.99	0.41	35,35,35,35	0
56	MG	2A	3314	1/1	0.99	0.14	59,59,59,59	0
56	MG	1A	3573	1/1	0.99	0.31	40,40,40,40	0
56	MG	1A	3782	1/1	0.99	0.14	40,40,40,40	0
58	CPT	2A	3916	4/5	0.99	0.28	62,65,84,86	4
56	MG	1A	3682	1/1	0.99	0.23	30,30,30,30	0
56	MG	2A	3036	1/1	0.99	0.16	40,40,40,40	0
56	MG	1a	1870	1/1	0.99	0.15	30,30,30,30	0
56	MG	1Y	205	1/1	0.99	0.40	49,49,49,49	0
56	MG	1A	3177	1/1	0.99	0.38	42,42,42,42	0
56	MG	2A	3608	1/1	0.99	0.14	35,35,35,35	0
56	MG	1A	3972	1/1	0.99	0.33	49,49,49,49	0
56	MG	2A	3013	1/1	0.99	0.07	37,37,37,37	0
56	MG	2A	3861	1/1	0.99	0.12	34,34,34,34	0
56	MG	2A	3600	1/1	0.99	0.13	42,42,42,42	0
56	MG	2A	3872	1/1	0.99	0.16	34,34,34,34	0
56	MG	1A	3700	1/1	0.99	0.17	38,38,38,38	0
56	MG	1A	3926	1/1	0.99	0.21	44,44,44,44	0
56	MG	1A	3284	1/1	0.99	0.49	46,46,46,46	0
56	MG	2A	3098	1/1	0.99	0.21	46,46,46,46	0
56	MG	1A	3529	1/1	0.99	0.34	34,34,34,34	0
56	MG	1E	306	1/1	0.99	0.16	38,38,38,38	0
56	MG	1A	4147	1/1	0.99	0.17	10,10,10,10	0
56	MG	2A	3815	1/1	0.99	0.09	64,64,64,64	0
56	MG	1A	3569	1/1	0.99	0.17	27,27,27,27	0
56	MG	1A	4136	1/1	0.99	0.12	57,57,57,57	0
56	MG	2A	3178	1/1	0.99	0.21	34,34,34,34	0
60	SF4	2d	302	8/8	0.99	0.14	61,66,79,85	0
56	MG	1a	1794	1/1	0.99	0.10	35,35,35,35	0


*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
60	SF4	1d	501	8/8	0.99	0.17	57,62,70,72	0
56	MG	1W	203	1/1	0.99	0.40	34,34,34,34	0
56	MG	2a	1852	1/1	0.99	0.11	64,64,64,64	0
56	MG	1A	3435	1/1	0.99	0.24	66,66,66,66	0
56	MG	1A	3354	1/1	0.99	0.36	39,39,39,39	0
56	MG	2A	3012	1/1	0.99	0.10	32,32,32,32	0
59	ZN	19	102	1/1	1.00	0.17	36,36,36,36	0
58	CPT	1a	1882	4/5	1.00	0.21	60,68,79,89	0
59	ZN	16	102	1/1	1.00	0.21	40,40,40,40	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers ⓘ

There are no such residues in this entry.