



# Full wwPDB X-ray Structure Validation Report i

May 22, 2020 – 06:38 pm BST

PDB ID : 5J9R  
Title : Structure of Penicillin V acylase from Agrobacterium tumefaciens  
Authors : Ramasamy, S.; Avinash, V.S.; Pundle, A.V.  
Deposited on : 2016-04-11  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION


The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 9937 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Choloylglycine hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	317	Total	C 2476	N 1576	O 417	S 474	9	0	0
1	B	317	Total	C 2476	N 1576	O 417	S 474	9	0	0
1	D	317	Total	C 2476	N 1576	O 417	S 474	9	0	0
1	C	317	Total	C 2476	N 1576	O 417	S 474	9	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	9	Total O 9 9	0	0
2	B	9	Total O 9 9	0	0
2	D	6	Total O 6 6	0	0
2	C	9	Total O 9 9	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Choloylglycine hydrolase




- Molecule 1: Choloylglycine hydrolase




- Molecule 1: Choloylglycine hydrolase



- Molecule 1: Choloylglycine hydrolase





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	50.66 Å   134.77 Å   215.07 Å 90.00°   90.00°   90.00°	Depositor
Resolution (Å)	38.07 – 2.80 38.07 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.8 (38.07-2.80) 99.9 (38.07-2.80)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	3.37 (at 2.81 Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
$R$ , $R_{free}$	0.208 , 0.245 0.212 , 0.246	Depositor DCC
$R_{free}$ test set	2000 reflections (5.37%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	40.5	Xtriage
Anisotropy	0.124	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 29.7	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.49$ , $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	9937	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.03% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.62	0/2535	0.80	3/3449 (0.1%)
1	B	0.62	1/2535 (0.0%)	0.81	4/3449 (0.1%)
1	C	0.63	1/2535 (0.0%)	0.81	5/3449 (0.1%)
1	D	0.62	0/2535	0.78	1/3449 (0.0%)
All	All	0.62	2/10140 (0.0%)	0.80	13/13796 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	179	ASP	CB-CG	6.59	1.65	1.51
1	C	146	ASP	CB-CG	-5.06	1.41	1.51

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	179	ASP	CB-CG-OD1	7.70	125.23	118.30
1	A	14	MET	CA-CB-CG	7.23	125.60	113.30
1	B	179	ASP	OD1-CG-OD2	-6.81	110.36	123.30
1	B	179	ASP	CB-CG-OD2	6.53	124.17	118.30
1	C	1	CYS	N-CA-C	6.43	128.36	111.00
1	D	1	CYS	N-CA-C	6.37	128.20	111.00
1	A	1	CYS	N-CA-C	6.35	128.13	111.00
1	B	1	CYS	N-CA-C	6.20	127.74	111.00
1	C	19	MET	CA-CB-CG	-6.12	102.90	113.30
1	A	146	ASP	CB-CA-C	-6.02	98.36	110.40
1	C	146	ASP	CB-CA-C	-5.99	98.42	110.40
1	C	61	TYR	CB-CA-C	5.61	121.61	110.40
1	C	167	ARG	NE-CZ-NH1	5.26	122.93	120.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2476	0	2424	26	0
1	B	2476	0	2424	64	0
1	C	2476	0	2424	28	0
1	D	2476	0	2424	60	0
2	A	9	0	0	3	0
2	B	9	0	0	1	0
2	C	9	0	0	1	0
2	D	6	0	0	2	0
All	All	9937	0	9696	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:175:SER:HB3	1:D:176:PRO:CD	1.58	1.32
1:B:94:PRO:O	1:B:125:ILE:CG2	1.90	1.18
1:B:127:VAL:HG13	1:B:128:THR:H	1.05	1.17
1:D:175:SER:CB	1:D:176:PRO:HD3	1.73	1.16
1:B:121:LYS:O	1:B:122:ASN:HB2	1.36	1.11
1:A:17:ARG:NH2	1:A:19:MET:SD	2.26	1.09
1:B:94:PRO:O	1:B:125:ILE:HG21	1.50	1.09
1:B:97:SER:HA	1:B:127:VAL:CG1	1.86	1.06
1:A:200:THR:HG22	1:A:205:ASP:OD2	1.57	1.05
1:B:235:ARG:NH1	1:B:270:GLU:OE2	1.91	1.03
1:D:1:CYT:CB	1:D:174:ASN:OD1	2.06	1.02
1:D:175:SER:HB2	1:D:203:ALA:CB	1.93	0.98
1:A:200:THR:CG2	1:A:205:ASP:OD2	2.14	0.95
1:C:14:MET:HE1	1:C:227:ILE:HD13	1.49	0.94
1:D:175:SER:CB	1:D:203:ALA:CB	2.48	0.92
1:B:97:SER:HA	1:B:127:VAL:HG11	1.51	0.92
1:B:121:LYS:O	1:B:122:ASN:CB	2.18	0.92
1:B:126:ILE:HD12	1:B:156:TYR:CE1	2.06	0.91
1:D:1:CYT:HB3	1:D:174:ASN:OD1	1.70	0.90

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:121:LYS:O	1:D:123:PRO:HD3	1.72	0.89
1:C:121:LYS:O	1:C:123:PRO:HD3	1.72	0.89
1:B:14:MET:HE1	1:B:227:ILE:HD13	1.52	0.89
1:B:127:VAL:HG13	1:B:128:THR:N	1.88	0.89
1:B:95:GLY:HA2	1:B:125:ILE:HG23	1.55	0.87
1:D:49:TRP:HH2	1:D:107:ASP:OD2	1.60	0.83
1:D:80:TRP:O	1:D:174:ASN:ND2	2.11	0.82
1:B:97:SER:HA	1:B:127:VAL:HG12	1.61	0.81
1:D:175:SER:HB2	1:D:203:ALA:HB1	1.64	0.80
1:A:90:ASP:CG	2:A:401:HOH:O	2.20	0.79
1:A:92:LYS:N	2:A:401:HOH:O	2.14	0.79
1:D:2:THR:HG21	1:D:237:VAL:CG1	2.12	0.79
1:B:94:PRO:O	1:B:125:ILE:HG22	1.80	0.79
1:C:25:VAL:O	1:C:60:GLY:O	2.01	0.79
1:A:17:ARG:CZ	1:A:19:MET:SD	2.70	0.78
1:C:27:THR:HG22	1:C:59:SER:O	1.83	0.78
1:D:49:TRP:CH2	1:D:107:ASP:OD2	2.36	0.78
1:D:175:SER:OG	1:D:203:ALA:CB	2.32	0.77
1:B:17:ARG:NH2	1:B:19:MET:SD	2.58	0.77
1:B:127:VAL:O	1:B:128:THR:OG1	2.03	0.77
1:B:122:ASN:N	1:B:123:PRO:CD	2.48	0.76
1:B:173:THR:HG22	1:B:181:GLN:CD	2.08	0.74
1:D:175:SER:CB	1:D:203:ALA:HB3	2.16	0.74
1:D:1:CYS:CA	1:D:174:ASN:OD1	2.35	0.74
1:B:122:ASN:N	1:B:123:PRO:HD2	2.03	0.74
1:D:175:SER:OG	1:D:203:ALA:HB3	1.88	0.73
1:B:127:VAL:CG1	1:B:128:THR:H	1.88	0.72
1:D:1:CYS:SG	1:D:174:ASN:ND2	2.62	0.72
1:B:14:MET:CE	1:B:227:ILE:HD13	2.21	0.71
1:D:82:VAL:H	1:D:139:THR:HG23	1.58	0.69
1:B:19:MET:HG3	1:B:256:TRP:CZ2	2.27	0.69
1:C:14:MET:CE	1:C:227:ILE:HD13	2.21	0.69
1:D:1:CYS:SG	1:D:174:ASN:CG	2.71	0.68
1:D:1:CYS:SG	1:D:174:ASN:OD1	2.52	0.67
1:D:295:LYS:HE3	1:D:317:ASP:OD1	1.94	0.67
1:C:295:LYS:HE3	1:C:317:ASP:OD1	1.95	0.66
1:A:295:LYS:HE3	1:A:317:ASP:OD1	1.95	0.66
1:B:126:ILE:HD12	1:B:156:TYR:CZ	2.29	0.66
1:B:295:LYS:HE3	1:B:317:ASP:OD1	1.95	0.66
1:D:175:SER:HB3	1:D:176:PRO:HD3	0.76	0.65
1:D:175:SER:CB	1:D:176:PRO:CD	2.47	0.65

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:2:THR:HG21	1:D:237:VAL:HG13	1.78	0.64
1:A:19:MET:HG3	1:A:256:TRP:CZ2	2.34	0.62
1:B:95:GLY:HA2	1:B:125:ILE:CG2	2.28	0.62
1:B:164:HIS:NE2	1:B:179:ASP:OD2	2.32	0.62
1:A:3:ARG:HH22	1:A:151:SER:HB3	1.65	0.61
1:D:175:SER:OG	1:D:203:ALA:HB2	2.01	0.61
1:D:49:TRP:CZ3	1:D:107:ASP:CB	2.84	0.61
1:B:2:THR:HG21	1:B:237:VAL:CG1	2.31	0.60
1:B:164:HIS:HE2	1:B:179:ASP:CG	2.04	0.60
1:D:63:VAL:HG13	1:D:324:LEU:HB2	1.83	0.59
1:D:121:LYS:O	1:D:123:PRO:CD	2.49	0.59
1:D:284:LYS:CD	1:D:310:MET:HE1	2.33	0.59
1:D:34:ARG:HG3	1:D:287:LEU:O	2.03	0.58
1:C:121:LYS:O	1:C:123:PRO:CD	2.48	0.58
1:D:49:TRP:HZ3	1:D:107:ASP:HB3	1.69	0.58
1:B:3:ARG:HH22	1:B:151:SER:HB3	1.68	0.57
1:C:10:ASN:HB2	1:C:221:GLU:OE2	2.04	0.57
1:D:201:ASN:O	1:D:206:ARG:NH1	2.38	0.56
1:B:125:ILE:O	1:B:125:ILE:HG23	2.07	0.55
1:C:12:GLN:OE1	1:C:221:GLU:HA	2.07	0.55
1:A:37:GLU:HG2	1:A:50:THR:CG2	2.35	0.55
1:B:98:ILE:H	1:B:127:VAL:CG1	2.19	0.55
1:D:3:ARG:HH22	1:D:151:SER:HB3	1.73	0.54
1:B:127:VAL:C	1:B:128:THR:OG1	2.47	0.53
1:C:279:TRP:NE1	1:C:310:MET:HG2	2.24	0.53
1:D:1:CYS:SG	1:D:20:ASP:HB2	2.49	0.53
1:B:126:ILE:CD1	1:B:156:TYR:CE1	2.87	0.52
1:D:49:TRP:CZ3	1:D:107:ASP:HB3	2.44	0.52
1:B:173:THR:HG22	1:B:181:GLN:NE2	2.26	0.51
1:B:1:CYS:HB2	1:B:20:ASP:CG	2.31	0.51
1:A:1:CYS:SG	1:A:20:ASP:HB2	2.51	0.50
1:D:175:SER:CB	1:D:203:ALA:HB2	2.39	0.50
1:D:80:TRP:CE3	1:D:138:ALA:CB	2.95	0.50
1:B:1:CYS:SG	1:B:20:ASP:HB2	2.52	0.49
1:D:1:CYS:HB2	1:D:20:ASP:CG	2.32	0.49
1:A:1:CYS:HB2	1:A:20:ASP:CG	2.32	0.49
1:C:141:HIS:CE1	1:C:156:TYR:H	2.30	0.49
1:C:1:CYS:SG	1:C:20:ASP:HB2	2.53	0.49
1:A:36:MET:CE	1:A:38:ARG:HH21	2.26	0.49
1:D:36:MET:CE	1:D:38:ARG:HH21	2.26	0.48
1:D:235:ARG:HD3	1:C:235:ARG:HD3	1.95	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:122:ASN:H	1:B:123:PRO:HD2	1.77	0.48
1:B:98:ILE:H	1:B:127:VAL:HG12	1.79	0.48
1:D:49:TRP:HZ3	1:D:107:ASP:CB	2.26	0.48
1:A:200:THR:HG23	1:A:205:ASP:OD2	2.11	0.47
1:B:126:ILE:HG22	1:B:128:THR:HG23	1.96	0.47
1:B:98:ILE:N	1:B:127:VAL:HG12	2.30	0.47
1:D:284:LYS:HD2	1:D:310:MET:CE	2.44	0.47
1:B:97:SER:CA	1:B:127:VAL:HG12	2.40	0.46
1:B:34:ARG:HG2	1:B:287:LEU:O	2.14	0.46
1:C:34:ARG:HG2	1:C:287:LEU:O	2.15	0.46
1:A:38:ARG:NH1	1:A:103:GLN:HG2	2.30	0.46
1:B:2:THR:HG21	1:B:237:VAL:HG13	1.97	0.46
1:D:38:ARG:NH1	1:D:103:GLN:HG2	2.31	0.46
1:A:141:HIS:CE1	1:A:156:TYR:H	2.34	0.46
1:B:97:SER:CA	1:B:127:VAL:HG11	2.33	0.46
1:D:1:CYS:HA	1:D:174:ASN:OD1	2.14	0.46
1:D:67:ASP:OD2	1:D:258:THR:HG21	2.16	0.46
1:B:14:MET:HE1	1:B:227:ILE:CD1	2.36	0.45
1:B:17:ARG:CZ	1:B:19:MET:SD	3.04	0.45
1:C:27:THR:CG2	1:C:59:SER:O	2.62	0.45
1:D:206:ARG:HD2	1:D:237:VAL:O	2.16	0.45
1:C:10:ASN:CB	1:C:221:GLU:OE2	2.65	0.45
1:B:67:ASP:OD2	1:B:258:THR:HG21	2.17	0.45
1:B:176:PRO:HG2	1:B:180:GLU:HB3	1.99	0.44
1:D:213:TYR:CE1	1:C:243:ILE:CD1	3.01	0.44
1:B:97:SER:CA	1:B:127:VAL:CG1	2.78	0.44
1:B:173:THR:HG23	1:B:175:SER:H	1.82	0.44
1:A:200:THR:HG21	1:A:202:ARG:NH2	2.32	0.44
1:C:1:CYS:HB2	1:C:20:ASP:CG	2.38	0.44
1:C:19:MET:HG3	1:C:20:ASP:N	2.33	0.44
1:D:284:LYS:HD2	1:D:310:MET:HE1	1.99	0.44
1:D:279:TRP:NE1	1:D:310:MET:HG2	2.32	0.44
1:B:289:LYS:HG3	2:B:407:HOH:O	2.18	0.44
1:A:111:THR:HA	1:A:146:ASP:OD1	2.17	0.43
1:B:89:TYR:CD1	1:B:125:ILE:HG12	2.54	0.43
1:A:1:CYS:HB2	1:A:20:ASP:OD2	2.18	0.43
1:B:121:LYS:HA	1:B:121:LYS:HD3	1.34	0.43
1:B:127:VAL:HG22	1:B:128:THR:N	2.33	0.43
1:B:19:MET:HG3	1:B:256:TRP:CH2	2.53	0.43
1:B:1:CYS:HB2	1:B:20:ASP:OD2	2.18	0.43
1:C:14:MET:HE1	1:C:227:ILE:CD1	2.32	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:45:ASN:O	1:C:94:PRO:HA	2.18	0.43
1:A:37:GLU:HG2	1:A:50:THR:HG22	2.01	0.43
1:D:90:ASP:OD1	2:D:401:HOH:O	2.20	0.43
1:D:122:ASN:CG	2:D:405:HOH:O	2.57	0.43
1:A:198:PRO:HB2	1:A:205:ASP:CG	2.40	0.43
1:C:111:THR:HA	1:C:146:ASP:OD1	2.18	0.43
1:C:168:GLN:CD	2:C:408:HOH:O	2.57	0.42
1:D:1:CYS:HB2	1:D:20:ASP:OD2	2.18	0.42
1:D:45:ASN:O	1:D:94:PRO:HA	2.20	0.42
1:B:198:PRO:HB2	1:B:205:ASP:CG	2.40	0.42
1:A:21:TRP:HZ3	1:A:81:LEU:HG	1.85	0.42
1:A:45:ASN:O	1:A:94:PRO:HA	2.19	0.42
1:B:126:ILE:CG2	1:B:128:THR:HG23	2.49	0.42
1:C:146:ASP:HB3	1:C:148:SER:H	1.84	0.42
1:B:45:ASN:O	1:B:94:PRO:HA	2.20	0.42
1:A:17:ARG:CG	1:A:18:SER:N	2.81	0.41
1:B:25:VAL:HG12	1:B:25:VAL:O	2.20	0.41
1:C:198:PRO:HB2	1:C:205:ASP:CG	2.41	0.41
1:D:1:CYS:HB2	1:D:20:ASP:HB2	2.02	0.41
1:D:79:LEU:HB3	1:D:174:ASN:HB3	2.02	0.41
1:B:1:CYS:HB2	1:B:20:ASP:CB	2.51	0.41
1:B:52:LYS:HB3	1:B:52:LYS:HE2	1.98	0.41
1:A:93:SER:N	2:A:401:HOH:O	2.41	0.41
1:D:1:CYS:HB2	1:D:20:ASP:CB	2.50	0.41
1:C:289:LYS:O	1:C:289:LYS:HG3	2.19	0.41
1:C:21:TRP:HZ3	1:C:81:LEU:HG	1.86	0.41
1:D:25:VAL:O	1:D:25:VAL:HG12	2.20	0.41
1:A:291:THR:OG1	1:A:291:THR:O	2.32	0.40
1:B:89:TYR:HD1	1:B:125:ILE:HD11	1.86	0.40
1:D:17:ARG:CG	1:D:18:SER:N	2.79	0.40
1:D:198:PRO:HB2	1:D:205:ASP:CG	2.42	0.40
1:D:21:TRP:HZ3	1:D:81:LEU:HG	1.86	0.40
1:B:21:TRP:HZ3	1:B:81:LEU:HG	1.85	0.40
1:C:2:THR:OG1	1:C:206:ARG:NH1	2.55	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	313/326 (96%)	303 (97%)	10 (3%)	0	100 100
1	B	313/326 (96%)	300 (96%)	10 (3%)	3 (1%)	15 44
1	C	313/326 (96%)	304 (97%)	8 (3%)	1 (0%)	41 72
1	D	313/326 (96%)	303 (97%)	8 (3%)	2 (1%)	25 56
All	All	1252/1304 (96%)	1210 (97%)	36 (3%)	6 (0%)	29 61

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	122	ASN
1	D	122	ASN
1	D	175	SER
1	C	122	ASN
1	B	127	VAL
1	B	123	PRO

### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	269/277 (97%)	260 (97%)	9 (3%)	38 72
1	B	269/277 (97%)	257 (96%)	12 (4%)	27 60
1	C	269/277 (97%)	262 (97%)	7 (3%)	46 79
1	D	269/277 (97%)	258 (96%)	11 (4%)	30 64

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1076/1108 (97%)	1037 (96%)	39 (4%)	35 69

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ARG
1	A	29	LEU
1	A	39	SER
1	A	50	THR
1	A	151	SER
1	A	177	THR
1	A	211	SER
1	A	244	THR
1	A	248	GLN
1	B	3	ARG
1	B	29	LEU
1	B	39	SER
1	B	94	PRO
1	B	121	LYS
1	B	125	ILE
1	B	151	SER
1	B	173	THR
1	B	211	SER
1	B	237	VAL
1	B	244	THR
1	B	258	THR
1	D	3	ARG
1	D	39	SER
1	D	63	VAL
1	D	127	VAL
1	D	151	SER
1	D	162	VAL
1	D	175	SER
1	D	237	VAL
1	D	244	THR
1	D	245	THR
1	D	258	THR
1	C	3	ARG
1	C	39	SER
1	C	94	PRO
1	C	139	THR
1	C	179	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	211	SER
1	C	244	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	161	GLN
1	B	108	ASN
1	B	201	ASN
1	B	302	ASN
1	B	305	HIS
1	D	10	ASN
1	D	161	GLN
1	D	201	ASN
1	D	215	ASN
1	D	303	GLN
1	C	10	ASN
1	C	161	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

### 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	317/326 (97%)	0.01	8 (2%) 57 47	22, 39, 66, 88	0
1	B	317/326 (97%)	0.01	16 (5%) 28 19	22, 37, 70, 121	0
1	C	317/326 (97%)	-0.16	8 (2%) 57 47	20, 34, 62, 78	0
1	D	317/326 (97%)	-0.25	6 (1%) 66 59	20, 32, 61, 96	0
All	All	1268/1304 (97%)	-0.10	38 (2%) 50 40	20, 35, 66, 121	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	124	PHE	9.6
1	C	1	CYS	4.9
1	C	61	TYR	4.3
1	D	175	SER	4.2
1	B	122	ASN	4.1
1	D	247	ASP	3.6
1	A	1	CYS	3.4
1	C	90	ASP	3.3
1	C	158	ASP	3.1
1	D	1	CYS	3.0
1	B	1	CYS	3.0
1	C	92	LYS	3.0
1	D	174	ASN	2.9
1	B	247	ASP	2.8
1	C	88	ASP	2.8
1	B	19	MET	2.7
1	A	258	THR	2.7
1	B	246	PRO	2.7
1	A	19	MET	2.6
1	B	326	LEU	2.6
1	B	245	THR	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	248	GLN	2.5
1	A	325	GLY	2.4
1	B	123	PRO	2.3
1	B	138	ALA	2.3
1	B	157	ILE	2.3
1	C	221	GLU	2.3
1	C	159	GLY	2.3
1	B	127	VAL	2.2
1	D	43	GLY	2.2
1	B	220	SER	2.2
1	A	270	GLU	2.2
1	B	92	LYS	2.2
1	B	325	GLY	2.1
1	A	291	THR	2.1
1	B	271	SER	2.1
1	A	18	SER	2.1
1	A	290	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.