



# Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 10:46 am BST

PDB ID : 1JFG  
Title : TRICHODIENE SYNTHASE FROM FUSARIUM SPOROTRICHIOIDES  
COMPLEXED WITH DIPHOSPHATE  
Authors : Rynkiewicz, M.J.; Cane, D.E.; Christianson, D.W.  
Deposited on : 2001-06-20  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	374	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 1%, orange 1%, yellow 24%, green 69%, grey 5%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>%</span> <span>69%</span> <span>24%</span> <span>• 5%</span> </div> </div>
1	B	374	<div> <div style="width: 100%; height: 10px; background: linear-gradient(to right, red 3%, orange 1%, yellow 29%, green 64%, grey 5%);"></div> <div style="display: flex; justify-content: space-between; width: 100%;"> <span>3%</span> <span>64%</span> <span>29%</span> <span>• • 5%</span> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	A	750	-	X	-	-
2	GOL	A	752	-	X	-	-
2	GOL	B	751	-	X	-	-

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6202 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TRICHODIENE SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	354	Total	C	N	O	S	0	0	0
			2940	1882	493	547	18			
1	B	354	Total	C	N	O	S	0	0	0
			2940	1882	493	547	18			

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			6	3	3		
2	A	1	Total	C	O	0	0
			6	3	3		
2	B	1	Total	C	O	0	0
			6	3	3		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	3	Total Mg 3 3	0	0

- Molecule 4 is PYROPHOSPHATE 2- (three-letter code: POP) (formula:  $\text{H}_2\text{O}_7\text{P}_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total O P 9 7 2	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	166	Total O 166 166	0	0
5	B	126	Total O 126 126	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: TRICHODIENE SYNTHASE



#### • Molecule 1: TRICHODIENE SYNTHASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	122.57Å 122.57Å 150.87Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	14.90 – 2.50 24.47 – 2.50	Depositor EDS
% Data completeness (in resolution range)	(Not available) (14.90-2.50) 92.2 (24.47-2.50)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.42 (at 2.50Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.217 , 0.254 0.211 , 0.247	Depositor DCC
$R_{free}$ test set	3333 reflections (7.29%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	30.3	Xtriage
Anisotropy	0.017	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 41.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.024 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6202	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.56% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, MG, POP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.52	5/3025 (0.2%)	0.66	7/4106 (0.2%)
1	B	0.52	6/3025 (0.2%)	0.65	7/4106 (0.2%)
All	All	0.52	11/6050 (0.2%)	0.66	14/8212 (0.2%)

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	342	GLU	CD-OE1	-9.43	1.15	1.25
1	B	342	GLU	CD-OE1	-9.13	1.15	1.25
1	B	32	ARG	CZ-NH1	-8.25	1.22	1.33
1	B	259	LEU	CG-CD2	-7.15	1.25	1.51
1	A	32	ARG	CZ-NH1	-7.04	1.23	1.33
1	B	32	ARG	CG-CD	-6.81	1.34	1.51
1	A	259	LEU	CG-CD2	-6.60	1.27	1.51
1	A	32	ARG	CG-CD	-6.50	1.35	1.51
1	B	221	MET	CG-SD	-5.59	1.66	1.81
1	A	342	GLU	CD-OE2	-5.44	1.19	1.25
1	B	342	GLU	CD-OE2	-5.30	1.19	1.25

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	32	ARG	NE-CZ-NH2	10.62	125.61	120.30
1	A	342	GLU	OE1-CD-OE2	-10.12	111.15	123.30
1	B	342	GLU	OE1-CD-OE2	-9.28	112.16	123.30
1	B	32	ARG	NE-CZ-NH2	8.76	124.68	120.30
1	B	32	ARG	CG-CD-NE	6.46	125.37	111.80
1	B	259	LEU	CB-CG-CD1	6.25	121.62	111.00
1	A	221	MET	CG-SD-CE	6.15	110.04	100.20
1	A	259	LEU	CB-CG-CD1	5.66	120.61	111.00

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	221	MET	CA-CB-CG	5.48	122.61	113.30
1	B	259	LEU	CA-CB-CG	5.46	127.87	115.30
1	A	221	MET	CB-CG-SD	5.44	128.72	112.40
1	B	259	LEU	CB-CG-CD2	-5.30	101.98	111.00
1	B	342	GLU	CG-CD-OE2	5.14	128.58	118.30
1	A	342	GLU	CG-CD-OE2	5.09	128.48	118.30

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2940	0	2793	70	0
1	B	2940	0	2793	91	0
2	A	12	0	9	5	0
2	B	6	0	4	0	0
3	B	3	0	0	0	0
4	B	9	0	0	0	0
5	A	166	0	0	11	0
5	B	126	0	0	4	0
All	All	6202	0	5599	165	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (165) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:750:GOL:C1	2:A:750:GOL:O1	1.68	1.38
1:B:167:ASN:HA	1:B:241:ILE:CD1	1.77	1.15
1:A:304:ARG:HB2	1:A:304:ARG:HH11	1.15	1.07
1:B:225:ASN:HD22	1:B:299:HIS:HE1	1.10	1.00
1:B:29:ARG:HH11	1:B:29:ARG:HG3	1.24	0.99
1:A:225:ASN:HD22	1:A:299:HIS:HE1	1.12	0.96

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:17:LEU:HD21	1:A:296:VAL:HG11	1.48	0.95
1:B:167:ASN:CA	1:B:241:ILE:HD11	1.98	0.93
1:B:12:THR:HG21	1:B:259:LEU:HD12	1.50	0.93
1:A:54:GLN:NE2	5:A:1086:HOH:O	2.01	0.93
1:B:29:ARG:CG	1:B:29:ARG:HH11	1.83	0.92
1:B:167:ASN:CA	1:B:241:ILE:CD1	2.51	0.88
1:A:304:ARG:HB2	1:A:304:ARG:NH1	1.91	0.86
1:B:167:ASN:HA	1:B:241:ILE:HD11	1.56	0.85
1:B:225:ASN:HD22	1:B:299:HIS:CE1	1.96	0.82
1:A:225:ASN:HD22	1:A:299:HIS:CE1	1.97	0.80
1:A:104:ASP:O	1:A:106:PRO:HD3	1.84	0.78
1:A:319:THR:O	1:A:323:GLN:HG3	1.86	0.76
1:B:167:ASN:C	1:B:241:ILE:HD11	2.04	0.76
1:A:233:GLU:HG2	5:A:1058:HOH:O	1.86	0.75
1:A:259:LEU:O	1:A:263:THR:HG23	1.88	0.74
2:A:752:GOL:H11	5:A:1070:HOH:O	1.87	0.73
1:B:225:ASN:ND2	1:B:299:HIS:HE1	1.86	0.71
1:A:319:THR:HG22	5:A:1000:HOH:O	1.91	0.70
2:A:750:GOL:O1	5:A:1064:HOH:O	2.09	0.70
1:B:350:GLN:O	1:B:354:VAL:HG23	1.91	0.70
1:A:314:VAL:HA	1:A:317:GLU:HG3	1.75	0.69
1:A:225:ASN:ND2	1:A:299:HIS:HE1	1.89	0.69
1:A:28:THR:OG1	1:A:31:GLU:HG3	1.93	0.68
1:A:350:GLN:O	1:A:354:VAL:HG23	1.94	0.67
1:A:80:LYS:HE3	1:A:286:ASP:OD2	1.93	0.67
1:A:263:THR:HG21	5:A:1015:HOH:O	1.93	0.67
1:A:324:LYS:HD3	5:A:1085:HOH:O	1.96	0.66
1:B:167:ASN:HA	1:B:241:ILE:HD12	1.72	0.65
1:A:217:MET:O	1:A:221:MET:HB2	1.96	0.64
1:B:259:LEU:O	1:B:263:THR:HG23	1.96	0.64
1:B:80:LYS:HE3	1:B:286:ASP:OD2	1.96	0.64
1:A:304:ARG:CB	1:A:304:ARG:HH11	2.01	0.63
1:B:153:SER:HB3	1:B:190:CYS:HB2	1.80	0.63
1:A:117:LEU:HD21	2:A:752:GOL:H12	1.81	0.63
1:B:203:GLU:HB2	5:B:911:HOH:O	1.98	0.62
1:B:29:ARG:NH1	1:B:29:ARG:HG3	2.02	0.61
1:B:240:GLN:OE1	1:B:245:LYS:HE2	2.01	0.61
1:B:10:LEU:O	1:B:14:VAL:HG23	2.01	0.61
1:A:107:TYR:HB3	1:A:108:PRO:HD3	1.83	0.60
1:A:276:VAL:O	1:A:280:LYS:HD3	2.02	0.60
1:B:167:ASN:C	1:B:241:ILE:CD1	2.68	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:314:VAL:HB	1:B:322:ALA:HB1	1.82	0.60
1:A:153:SER:HB3	1:A:190:CYS:HB2	1.83	0.59
1:B:14:VAL:O	1:B:18:GLU:HB2	2.04	0.58
1:A:228:MET:CE	1:A:296:VAL:HG13	2.33	0.58
1:B:276:VAL:O	1:B:280:LYS:HD3	2.03	0.58
1:A:177:TYR:HB3	1:A:178:PRO:HD3	1.85	0.56
1:B:16:LEU:HD13	1:B:266:THR:HG22	1.86	0.56
1:A:107:TYR:HB3	1:A:108:PRO:CD	2.36	0.56
1:A:199:GLU:HB2	5:A:817:HOH:O	2.04	0.56
1:A:327:LYS:O	1:A:331:GLN:HG3	2.06	0.56
1:B:335:VAL:HG23	1:B:336:GLY:N	2.20	0.56
1:B:228:MET:CE	1:B:296:VAL:HG13	2.35	0.56
1:A:21:ARG:HH21	1:A:274:VAL:HG13	1.70	0.56
1:B:29:ARG:CG	1:B:29:ARG:NH1	2.52	0.55
1:B:177:TYR:HB3	1:B:178:PRO:HD3	1.89	0.54
1:B:353:ASN:O	1:B:353:ASN:ND2	2.40	0.54
1:A:10:LEU:HD11	1:A:314:VAL:HG11	1.88	0.54
1:A:263:THR:O	1:A:267:LEU:HG	2.08	0.54
1:B:285:MET:O	1:B:289:GLU:HB2	2.08	0.54
1:B:228:MET:HE1	1:B:296:VAL:HG13	1.89	0.54
1:B:333:ALA:O	1:B:337:ALA:CB	2.56	0.53
1:B:12:THR:CG2	1:B:263:THR:HG21	2.37	0.53
1:A:295:TYR:O	1:A:299:HIS:HD2	1.91	0.53
1:B:263:THR:O	1:B:267:LEU:HG	2.09	0.53
2:A:750:GOL:HO1	2:A:750:GOL:C1	2.12	0.52
1:B:160:GLY:O	1:B:164:GLU:HG3	2.09	0.52
1:A:160:GLY:O	1:A:164:GLU:HG3	2.10	0.52
1:B:333:ALA:O	1:B:337:ALA:HB3	2.10	0.52
1:A:353:ASN:O	1:A:353:ASN:ND2	2.41	0.52
1:A:59:ASP:OD1	5:A:1063:HOH:O	2.19	0.52
1:B:24:ASP:HB2	1:B:297:THR:OG1	2.09	0.51
1:B:164:GLU:OE1	1:B:238:ARG:NH2	2.43	0.51
1:B:274:VAL:O	1:B:278:SER:OG	2.27	0.51
1:B:295:TYR:O	1:B:299:HIS:HD2	1.94	0.51
1:B:229:SER:HA	5:B:1024:HOH:O	2.11	0.50
1:A:12:THR:HG21	1:A:263:THR:HB	1.93	0.50
1:B:260:GLU:HG3	1:B:264:GLN:HE21	1.75	0.50
1:B:58:VAL:HG13	1:B:62:ARG:NH2	2.26	0.50
1:B:97:LEU:HD11	1:B:304:ARG:CZ	2.42	0.50
1:B:234:PHE:HA	1:B:245:LYS:NZ	2.27	0.50
1:A:46:HIS:HE1	1:A:95:TYR:OH	1.96	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:142:PHE:CE2	1:A:194:SER:HA	2.47	0.49
1:A:152:ARG:NH2	1:A:189:HIS:ND1	2.54	0.49
1:B:12:THR:HG22	1:B:263:THR:HG21	1.94	0.49
1:B:142:PHE:CE2	1:B:194:SER:HA	2.46	0.49
1:B:152:ARG:NH2	1:B:189:HIS:ND1	2.55	0.49
1:B:27:TYR:HD2	1:B:32:ARG:NH1	2.11	0.49
1:A:56:LEU:HG	1:A:58:VAL:CG2	2.43	0.48
1:B:167:ASN:CG	1:B:241:ILE:HD11	2.33	0.48
1:A:301:CYS:SG	1:A:336:GLY:HA3	2.53	0.48
1:A:221:MET:HE3	1:A:222:VAL:HG13	1.96	0.48
1:B:58:VAL:HG13	1:B:62:ARG:HH21	1.78	0.48
1:B:18:GLU:OE2	1:B:324:LYS:HD2	2.14	0.48
1:B:199:GLU:HB3	1:B:200:GLN:NE2	2.29	0.47
1:B:333:ALA:HB2	5:B:933:HOH:O	2.13	0.47
1:B:177:TYR:O	1:B:180:PHE:HB3	2.15	0.47
1:B:56:LEU:HG	1:B:58:VAL:CG2	2.45	0.47
1:B:28:THR:OG1	1:B:31:GLU:HG3	2.14	0.47
1:A:274:VAL:O	1:A:278:SER:OG	2.29	0.47
1:B:46:HIS:HE1	1:B:95:TYR:OH	1.96	0.47
1:A:199:GLU:HB3	1:A:200:GLN:NE2	2.31	0.46
1:B:38:TYR:CD2	1:B:83:LYS:HB3	2.51	0.46
1:B:46:HIS:O	1:B:52:GLN:HG3	2.15	0.46
1:A:52:GLN:OE1	1:A:95:TYR:OH	2.31	0.46
1:B:335:VAL:CG2	1:B:336:GLY:N	2.79	0.45
1:B:314:VAL:HG23	1:B:326:CYS:SG	2.56	0.45
1:B:76:TYR:O	1:B:294:GLY:HA3	2.16	0.45
1:A:38:TYR:CD2	1:A:83:LYS:HB3	2.52	0.45
1:A:12:THR:CG2	1:A:263:THR:HB	2.47	0.45
1:B:8:TYR:OH	1:B:260:GLU:OE1	2.35	0.45
1:B:254:SER:OG	1:B:257:GLU:HG3	2.16	0.44
1:B:16:LEU:CD2	1:B:227:LEU:HD23	2.48	0.44
1:B:223:TRP:CZ3	1:B:265:ASP:HB3	2.52	0.44
1:A:46:HIS:HA	1:A:49:GLN:HE21	1.83	0.44
1:B:1:MET:CE	1:B:1:MET:HA	2.47	0.44
1:A:228:MET:HE1	1:A:296:VAL:HG13	1.99	0.44
1:B:50:PRO:HG2	5:B:1051:HOH:O	2.16	0.44
1:B:167:ASN:HA	1:B:241:ILE:HD13	1.85	0.43
1:A:285:MET:O	1:A:289:GLU:HB2	2.18	0.43
1:A:210:ILE:O	1:A:214:ILE:HG13	2.18	0.43
1:B:73:MET:HB2	1:B:298:TRP:CZ2	2.53	0.43
1:A:82:SER:O	1:A:86:MET:HG3	2.19	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:177:TYR:O	1:A:180:PHE:HB3	2.18	0.43
1:B:82:SER:O	1:B:86:MET:HG3	2.19	0.43
1:B:242:SER:O	1:B:246:ASN:ND2	2.52	0.43
1:B:28:THR:O	1:B:29:ARG:C	2.56	0.43
1:A:206:LEU:HD22	1:A:209:GLU:HG3	2.00	0.43
1:B:5:PRO:O	1:B:6:THR:C	2.58	0.43
1:A:10:LEU:O	1:A:14:VAL:HG23	2.19	0.42
1:B:4:PHE:HA	1:B:5:PRO:HD3	1.87	0.42
1:A:186:GLY:O	1:A:187:LEU:HB2	2.19	0.42
1:A:319:THR:HG22	1:A:320:GLU:N	2.34	0.42
1:A:61:LYS:NZ	5:A:899:HOH:O	2.47	0.42
1:B:232:LYS:HE3	1:B:233:GLU:HG2	2.02	0.42
1:A:52:GLN:HG2	5:A:983:HOH:O	2.20	0.42
1:B:103:LYS:HA	1:B:165:GLN:OE1	2.20	0.42
1:B:8:TYR:CZ	1:B:256:HIS:CE1	3.07	0.42
1:B:24:ASP:HB2	1:B:297:THR:HG1	1.82	0.42
1:B:260:GLU:HG3	1:B:264:GLN:NE2	2.34	0.42
1:B:77:SER:HB3	1:B:291:PHE:CD1	2.55	0.42
1:A:28:THR:HG1	1:A:31:GLU:HG3	1.85	0.42
1:B:232:LYS:HE3	1:B:233:GLU:CG	2.51	0.41
1:B:105:ASP:HA	1:B:106:PRO:HD3	1.73	0.41
1:A:254:SER:OG	1:A:257:GLU:HG3	2.19	0.41
1:A:223:TRP:CZ3	1:A:265:ASP:HB3	2.56	0.41
1:A:339:SER:HA	1:A:340:PRO:HD3	1.94	0.41
1:A:73:MET:HB2	1:A:298:TRP:CZ2	2.56	0.41
1:A:76:TYR:O	1:A:294:GLY:HA3	2.21	0.41
1:B:107:TYR:HB3	1:B:108:PRO:CD	2.51	0.41
1:B:353:ASN:C	1:B:353:ASN:ND2	2.74	0.41
1:A:206:LEU:HB3	1:A:209:GLU:HG2	2.03	0.41
1:B:210:ILE:O	1:B:214:ILE:HG13	2.21	0.40
1:A:353:ASN:ND2	1:A:353:ASN:C	2.74	0.40
1:B:19:TYR:OH	1:B:271:LYS:HB2	2.20	0.40
1:B:69:THR:HA	1:B:302:ASP:OD2	2.20	0.40
1:A:77:SER:HB3	1:A:291:PHE:CD1	2.56	0.40
1:A:46:HIS:O	1:A:52:GLN:HG3	2.21	0.40
1:B:6:THR:O	1:B:10:LEU:HG	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	352/374 (94%)	341 (97%)	11 (3%)	0	100	100
1	B	352/374 (94%)	335 (95%)	15 (4%)	2 (1%)	25	43
All	All	704/748 (94%)	676 (96%)	26 (4%)	2 (0%)	41	61

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	2	GLU
1	B	306	ARG

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	320/340 (94%)	313 (98%)	7 (2%)	52	77
1	B	320/340 (94%)	309 (97%)	11 (3%)	37	63
All	All	640/680 (94%)	622 (97%)	18 (3%)	43	70

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	TYR
1	A	32	ARG
1	A	60	PRO
1	A	135	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	137	ASN
1	A	304	ARG
1	A	353	ASN
1	B	29	ARG
1	B	32	ARG
1	B	58	VAL
1	B	60	PRO
1	B	135	PHE
1	B	137	ASN
1	B	232	LYS
1	B	238	ARG
1	B	259	LEU
1	B	306	ARG
1	B	353	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	46	HIS
1	A	49	GLN
1	A	137	ASN
1	A	200	GLN
1	A	299	HIS
1	A	350	GLN
1	B	46	HIS
1	B	49	GLN
1	B	137	ASN
1	B	256	HIS
1	B	264	GLN
1	B	299	HIS
1	B	350	GLN
1	B	353	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 3 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	GOL	B	751	-	5,5,5	4.69	5 (100%)	5,5,5	5.77	3 (60%)
4	POP	B	700	3	6,8,8	1.57	1 (16%)	13,13,13	1.73	4 (30%)
2	GOL	A	750	-	5,5,5	6.38	4 (80%)	5,5,5	8.64	5 (100%)
2	GOL	A	752	-	5,5,5	4.20	4 (80%)	5,5,5	5.76	4 (80%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	B	751	-	-	3/4/4/4	-
4	POP	B	700	3	-	0/6/6/6	-
2	GOL	A	750	-	-	1/4/4/4	-
2	GOL	A	752	-	-	3/4/4/4	-

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	750	GOL	C3-C2	-11.45	1.04	1.51
2	B	751	GOL	C3-C2	-7.88	1.19	1.51
2	A	752	GOL	C3-C2	-6.40	1.25	1.51
2	A	750	GOL	O1-C1	6.20	1.68	1.42
2	A	750	GOL	O2-C2	4.99	1.58	1.43
2	A	752	GOL	O1-C1	4.68	1.62	1.42

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	751	GOL	O1-C1	4.26	1.60	1.42
2	A	752	GOL	O3-C3	3.65	1.57	1.42
2	B	751	GOL	C1-C2	-3.45	1.37	1.51
2	A	752	GOL	O2-C2	-3.45	1.33	1.43
2	B	751	GOL	O3-C3	3.22	1.56	1.42
2	A	750	GOL	O3-C3	2.97	1.54	1.42
4	B	700	POP	P2-O6	-2.83	1.43	1.54
2	B	751	GOL	O2-C2	-2.77	1.35	1.43

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	750	GOL	O3-C3-C2	12.91	172.09	110.20
2	A	750	GOL	O2-C2-C3	12.23	163.00	109.12
2	B	751	GOL	O3-C3-C2	10.03	158.28	110.20
2	A	752	GOL	O3-C3-C2	9.29	154.74	110.20
2	A	752	GOL	O2-C2-C3	7.87	143.77	109.12
2	B	751	GOL	O2-C2-C3	7.35	141.48	109.12
2	A	750	GOL	O1-C1-C2	4.98	134.08	110.20
2	A	750	GOL	C3-C2-C1	-4.76	93.19	111.70
4	B	700	POP	O2-P1-O	4.63	120.15	104.64
2	A	752	GOL	O1-C1-C2	3.39	126.44	110.20
2	A	750	GOL	O2-C2-C1	-3.10	95.48	109.12
2	B	751	GOL	O1-C1-C2	3.04	124.77	110.20
4	B	700	POP	O6-P2-O5	2.17	115.91	107.64
2	A	752	GOL	C3-C2-C1	-2.16	103.30	111.70
4	B	700	POP	P2-O-P1	-2.11	125.57	132.83
4	B	700	POP	O3-P1-O	-2.08	97.67	104.64

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	751	GOL	C1-C2-C3-O3
2	A	752	GOL	C1-C2-C3-O3
2	A	750	GOL	O1-C1-C2-C3
2	B	751	GOL	O1-C1-C2-C3
2	B	751	GOL	O1-C1-C2-O2
2	A	752	GOL	O1-C1-C2-O2
2	A	752	GOL	O2-C2-C3-O3

There are no ring outliers.

2 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	750	GOL	3	0
2	A	752	GOL	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	354/374 (94%)	-0.26	5 (1%) 75 77	20, 31, 52, 79	0
1	B	354/374 (94%)	-0.11	12 (3%) 45 48	20, 33, 62, 90	0
All	All	708/748 (94%)	-0.18	17 (2%) 59 62	20, 32, 58, 90	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	MET	6.6
1	B	1	MET	5.9
1	B	354	VAL	5.4
1	A	26	ASN	4.4
1	A	354	VAL	4.3
1	B	2	GLU	4.1
1	B	316	GLU	3.8
1	B	318	LYS	3.2
1	A	2	GLU	3.1
1	B	353	ASN	2.8
1	B	319	THR	2.5
1	B	3	ASN	2.5
1	B	303	ARG	2.4
1	B	337	ALA	2.3
1	B	237	GLU	2.2
1	B	8	TYR	2.2
1	A	303	ARG	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GOL	B	751	6/6	0.77	0.30	61,62,63,65	0
2	GOL	A	752	6/6	0.78	0.36	64,64,65,66	0
2	GOL	A	750	6/6	0.85	0.23	59,59,59,59	0
3	MG	B	702	1/1	0.92	0.06	21,21,21,21	0
3	MG	B	703	1/1	0.96	0.14	37,37,37,37	0
4	POP	B	700	9/9	0.96	0.10	39,40,44,45	0
3	MG	B	701	1/1	0.99	0.15	14,14,14,14	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.