



# wwPDB X-ray Structure Validation Summary Report ⓘ

May 25, 2020 – 09:21 pm BST

PDB ID : 2JIZ  
Title : The Structure of F1-ATPase inhibited by resveratrol.  
Authors : Gledhill, J.R.; Montgomery, M.G.; Leslie, A.G.W.; Walker, J.E.  
Deposited on : 2007-07-03  
Resolution : 2.30 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Mol	Chain	Length	Quality of chain
1	A	510	
1	B	510	
1	C	510	
1	H	510	
1	I	510	
1	J	510	
2	D	482	
2	E	482	
2	F	482	

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	K	482	<div><div></div><div>88%9%</div><div></div></div>
2	L	482	<div><div></div><div>83%11%</div><div></div></div>
2	M	482	<div><div></div><div>88%7%</div><div></div></div>
3	G	272	<div><div></div><div>58%11%</div><div>29%</div></div>
3	N	272	<div><div></div><div>60%9%</div><div>29%</div></div>

## 2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 50811 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	487	Total	C	N	O	S	0	0	0
			3715	2341	656	706	12			
1	B	479	Total	C	N	O	S	0	0	0
			3658	2305	647	694	12			
1	C	495	Total	C	N	O	S	0	0	0
			3768	2374	664	718	12			
1	H	487	Total	C	N	O	S	0	0	0
			3715	2341	656	706	12			
1	I	479	Total	C	N	O	S	0	0	0
			3658	2305	647	694	12			
1	J	495	Total	C	N	O	S	0	0	0
			3768	2374	664	718	12			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLU	GLN	SEE REMARK 999	UNP P19483
B	1	GLU	GLN	SEE REMARK 999	UNP P19483
C	1	GLU	GLN	SEE REMARK 999	UNP P19483
H	1	GLU	GLN	SEE REMARK 999	UNP P19483
I	1	GLU	GLN	SEE REMARK 999	UNP P19483
J	1	GLU	GLN	SEE REMARK 999	UNP P19483

- Molecule 2 is a protein called ATP SYNTHASE SUBUNIT BETA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	D	467	Total	C	N	O	S	0	0	0
			3539	2243	601	684	11			
2	E	466	Total	C	N	O	S	0	0	0
			3530	2238	600	681	11			
2	F	466	Total	C	N	O	S	0	0	0
			3530	2238	600	681	11			

*Continued on next page...*


Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	K	467	Total	C	N	O	S	0	0	0
			3539	2243	601	684	11			
2	L	466	Total	C	N	O	S	0	0	0
			3530	2238	600	681	11			
2	M	466	Total	C	N	O	S	0	0	0
			3530	2238	600	681	11			

- Molecule 3 is a protein called ATP SYNTHASE GAMMA CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	G	192	Total	C	N	O	S	0	0	0
			1492	942	268	275	7			
3	N	192	Total	C	N	O	S	0	0	0
			1492	942	268	275	7			

- Molecule 4 is PHOSPHOAMINOPHOSPHONIC ACID-ADENYLATE ESTER (three-letter code: ANP) (formula: C<sub>10</sub>H<sub>17</sub>N<sub>6</sub>O<sub>12</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
4	B	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
4	C	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
4	F	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	H	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
4	I	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
4	J	1	Total	C	N	O	P	0	0
			31	10	6	12	3		
4	M	1	Total	C	N	O	P	0	0
			31	10	6	12	3		

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	J	1	Total	Mg	0	0
			1	1		
5	D	1	Total	Mg	0	0
			1	1		
5	K	1	Total	Mg	0	0
			1	1		
5	H	1	Total	Mg	0	0
			1	1		
5	B	1	Total	Mg	0	0
			1	1		
5	I	1	Total	Mg	0	0
			1	1		
5	C	1	Total	Mg	0	0
			1	1		
5	A	1	Total	Mg	0	0
			1	1		
5	F	1	Total	Mg	0	0
			1	1		
5	M	1	Total	Mg	0	0
			1	1		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	B	1	Total	C	O	0	0
			6	3	3		
6	C	1	Total	C	O	0	0
			6	3	3		
6	D	1	Total	C	O	0	0
			6	3	3		
6	H	1	Total	C	O	0	0
			6	3	3		
6	H	1	Total	C	O	0	0
			6	3	3		
6	I	1	Total	C	O	0	0
			6	3	3		
6	J	1	Total	C	O	0	0
			6	3	3		
6	K	1	Total	C	O	0	0
			6	3	3		
6	K	1	Total	C	O	0	0
			6	3	3		

- Molecule 7 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
7	K	1	Total	C	N	O	P	0	0
			27	10	5	10	2		


- Molecule 8 is AZIDE ION (three-letter code: AZI) (formula: N<sub>3</sub>).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	D	1	Total	N	0	0
			3	3		
8	K	1	Total	N	0	0
			3	3		




- Molecule 9 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	E	1	Total	O	P	0	0
			5	4	1		
9	L	1	Total	O	P	0	0
			5	4	1		

- Molecule 10 is RESVERATROL (three-letter code: STL) (formula: C<sub>14</sub>H<sub>12</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	G	1	Total	C	O	0	1
			34	28	6		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	N	1	Total	C	O	0	1
			34	28	6		


- Molecule 11 is water.


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	A	342	Total	O		0	0
			342	342			
11	B	284	Total	O		0	0
			284	284			
11	C	354	Total	O		0	0
			354	354			
11	D	299	Total	O		0	0
			299	299			
11	E	212	Total	O		0	0
			212	212			
11	F	328	Total	O		0	0
			328	328			
11	G	74	Total	O		0	0
			74	74			
11	H	336	Total	O		0	0
			336	336			
11	I	299	Total	O		0	0
			299	299			
11	J	363	Total	O		0	0
			363	363			
11	K	332	Total	O		0	0
			332	332			
11	L	250	Total	O		0	0
			250	250			
11	M	333	Total	O		0	0
			333	333			
11	N	73	Total	O		0	0
			73	73			

### 3 Residue-property plots


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM

Chain A: 





#### • Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM

Chain B: 




#### • Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM


Chain C: 




- Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM




- Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM




- Molecule 1: ATP SYNTHASE SUBUNIT ALPHA HEART ISOFORM




- Molecule 2: ATP SYNTHASE SUBUNIT BETA





- Molecule 2: ATP SYNTHASE SUBUNIT BETA

Chain E:  84% 11% . .





• Molecule 2: ATP SYNTHASE SUBUNIT BETA

Chain F:  89% 7% . .




• Molecule 2: ATP SYNTHASE SUBUNIT BETA

Chain K:  88% 9% .





• Molecule 2: ATP SYNTHASE SUBUNIT BETA

Chain L:  83% 11% . .




• Molecule 2: ATP SYNTHASE SUBUNIT BETA


Chain M:  88% 7% . .



• Molecule 3: ATP SYNTHASE GAMMA CHAIN



• Molecule 3: ATP SYNTHASE GAMMA CHAIN



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	106.78Å 277.37Å 137.83Å 90.00° 90.19° 90.00°	Depositor
Resolution (Å)	138.68 – 2.30 66.88 – 2.30	Depositor EDS
% Data completeness (in resolution range)	84.6 (138.68-2.30) 83.8 (66.88-2.30)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.97 (at 2.29Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.160 , 0.217 0.164 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.8	Xtriage
Anisotropy	0.031	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 39.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	0.387 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	50811	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.01% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: AZI, MG, ADP, GOL, STL, PO4, ANP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.47	0/3766	0.60	0/5080
1	B	0.46	0/3706	0.61	1/4998 (0.0%)
1	C	0.49	0/3819	0.62	1/5153 (0.0%)
1	H	0.46	0/3766	0.60	1/5080 (0.0%)
1	I	0.46	0/3706	0.60	1/4998 (0.0%)
1	J	0.50	0/3819	0.63	1/5153 (0.0%)
2	D	0.47	0/3596	0.59	1/4879 (0.0%)
2	E	0.43	0/3587	0.59	3/4867 (0.1%)
2	F	0.47	0/3587	0.61	1/4867 (0.0%)
2	K	0.48	0/3596	0.60	1/4879 (0.0%)
2	L	0.43	0/3587	0.59	2/4867 (0.0%)
2	M	0.47	0/3587	0.63	3/4867 (0.1%)
3	G	0.41	0/1502	0.52	0/2006
3	N	0.39	0/1502	0.51	0/2006
All	All	0.46	0/47126	0.60	16/63700 (0.0%)

There are no bond length outliers.

The worst 5 of 16 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	237	LEU	CA-CB-CG	8.32	134.44	115.30
2	F	237	LEU	CA-CB-CG	7.94	133.56	115.30
1	I	371	VAL	CB-CA-C	-6.28	99.47	111.40
2	K	97	VAL	CB-CA-C	-6.17	99.68	111.40
1	J	216	LEU	CA-CB-CG	6.02	129.15	115.30

There are no chirality outliers.

There are no planarity outliers.



## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3715	0	3812	40	0
1	B	3658	0	3767	45	0
1	C	3768	0	3867	35	0
1	H	3715	0	3812	33	0
1	I	3658	0	3767	39	0
1	J	3768	0	3867	42	0
2	D	3539	0	3592	23	0
2	E	3530	0	3587	49	0
2	F	3530	0	3586	21	0
2	K	3539	0	3592	31	0
2	L	3530	0	3587	45	0
2	M	3530	0	3586	30	0
3	G	1492	0	1587	15	0
3	N	1492	0	1587	16	0
4	A	31	0	13	0	0
4	B	31	0	13	0	0
4	C	31	0	13	0	0
4	F	31	0	13	1	0
4	H	31	0	13	0	0
4	I	31	0	13	0	0
4	J	31	0	13	0	0
4	M	31	0	13	1	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0
5	D	1	0	0	0	0
5	F	1	0	0	0	0
5	H	1	0	0	0	0
5	I	1	0	0	0	0
5	J	1	0	0	0	0
5	K	1	0	0	0	0
5	M	1	0	0	0	0
6	A	12	0	16	1	0
6	B	12	0	16	1	0
6	C	6	0	8	0	0
6	D	6	0	8	1	0
6	H	12	0	16	3	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	I	6	0	8	0	0
6	J	6	0	8	0	0
6	K	12	0	16	2	0
7	D	27	0	12	1	0
7	K	27	0	12	0	0
8	D	3	0	0	1	0
8	K	3	0	0	1	0
9	E	5	0	0	0	0
9	L	5	0	0	0	0
10	G	34	0	20	0	0
10	N	34	0	19	1	0
11	A	342	0	0	1	0
11	B	284	0	0	5	0
11	C	354	0	0	4	0
11	D	299	0	0	3	0
11	E	212	0	0	5	0
11	F	328	0	0	3	0
11	G	74	0	0	4	0
11	H	336	0	0	3	0
11	I	299	0	0	2	0
11	J	363	0	0	2	0
11	K	332	0	0	7	0
11	L	250	0	0	2	0
11	M	333	0	0	3	0
11	N	73	0	0	1	0
All	All	50811	0	47859	443	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 443 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:ILE:HD11	1:A:128:ARG:HG2	1.42	1.00
1:A:74:VAL:HG13	1:A:241:PRO:HG3	1.43	0.98
2:E:203:SER:HB2	2:E:420:VAL:HG22	1.46	0.95
2:L:223:ASN:HD22	2:L:223:ASN:H	1.14	0.89
2:M:223:ASN:H	2:M:223:ASN:HD22	1.22	0.86

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	485/510 (95%)	474 (98%)	11 (2%)	0	100	100
1	B	475/510 (93%)	466 (98%)	8 (2%)	1 (0%)	47	58
1	C	493/510 (97%)	480 (97%)	11 (2%)	2 (0%)	34	42
1	H	485/510 (95%)	475 (98%)	9 (2%)	1 (0%)	47	58
1	I	475/510 (93%)	464 (98%)	11 (2%)	0	100	100
1	J	493/510 (97%)	482 (98%)	9 (2%)	2 (0%)	34	42
2	D	465/482 (96%)	448 (96%)	16 (3%)	1 (0%)	47	58
2	E	464/482 (96%)	445 (96%)	18 (4%)	1 (0%)	47	58
2	F	464/482 (96%)	449 (97%)	14 (3%)	1 (0%)	47	58
2	K	465/482 (96%)	447 (96%)	17 (4%)	1 (0%)	47	58
2	L	464/482 (96%)	448 (97%)	15 (3%)	1 (0%)	47	58
2	M	464/482 (96%)	452 (97%)	11 (2%)	1 (0%)	47	58
3	G	180/272 (66%)	176 (98%)	4 (2%)	0	100	100
3	N	180/272 (66%)	176 (98%)	4 (2%)	0	100	100
All	All	6052/6496 (93%)	5882 (97%)	158 (3%)	12 (0%)	47	58

5 of 12 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	409	ASP
1	C	407	GLY
2	D	385	GLN
1	J	407	GLY
1	J	409	ASP

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	393/413 (95%)	378 (96%)	15 (4%)	33	47
1	B	389/413 (94%)	377 (97%)	12 (3%)	40	55
1	C	399/413 (97%)	380 (95%)	19 (5%)	25	36
1	H	393/413 (95%)	380 (97%)	13 (3%)	38	53
1	I	389/413 (94%)	380 (98%)	9 (2%)	50	67
1	J	399/413 (97%)	377 (94%)	22 (6%)	21	30
2	D	377/386 (98%)	374 (99%)	3 (1%)	81	91
2	E	376/386 (97%)	361 (96%)	15 (4%)	31	44
2	F	376/386 (97%)	364 (97%)	12 (3%)	39	54
2	K	377/386 (98%)	375 (100%)	2 (0%)	88	95
2	L	376/386 (97%)	360 (96%)	16 (4%)	29	40
2	M	376/386 (97%)	366 (97%)	10 (3%)	44	61
3	G	162/230 (70%)	145 (90%)	17 (10%)	7	8
3	N	162/230 (70%)	154 (95%)	8 (5%)	25	35
All	All	4944/5254 (94%)	4771 (96%)	173 (4%)	36	50

5 of 173 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	G	67	LEU
1	H	141	SER
2	M	166	ILE
3	G	88	GLN
3	G	212	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 53 such sidechains are listed below:

Mol	Chain	Res	Type
3	G	88	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	I	466	ASN
2	M	419	GLN
3	G	211	ASN
1	H	432	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

### 5.6 Ligand geometry ⓘ

Of 40 ligands modelled in this entry, 10 are monoatomic - leaving 30 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	GOL	K	1479	-	5,5,5	0.35	0	5,5,5	0.31	0
6	GOL	J	1513	-	5,5,5	0.41	0	5,5,5	0.48	0
10	STL	N	1273[A]	-	18,18,18	0.46	0	24,24,24	0.79	1 (4%)
6	GOL	B	1513	-	5,5,5	0.34	0	5,5,5	1.11	0
10	STL	N	1273[B]	-	18,18,18	0.43	0	24,24,24	0.64	0
4	ANP	I	1510	5	29,33,33	1.81	9 (31%)	31,52,52	2.06	5 (16%)
4	ANP	J	1511	5	29,33,33	1.76	7 (24%)	31,52,52	2.30	7 (22%)
6	GOL	A	1513	-	5,5,5	0.33	0	5,5,5	0.51	0
6	GOL	D	1479	-	5,5,5	0.41	0	5,5,5	0.25	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	ANP	A	1511	5	29,33,33	1.85	6 (20%)	31,52,52	1.82	6 (19%)
8	AZI	D	1478	-	0,2,2	0.00	-	0,1,1	0.00	-
6	GOL	C	1513	-	5,5,5	0.42	0	5,5,5	0.56	0
9	PO4	L	1475	-	4,4,4	0.84	0	6,6,6	0.48	0
6	GOL	K	1480	-	5,5,5	0.42	0	5,5,5	0.25	0
4	ANP	H	1511	5	29,33,33	1.89	8 (27%)	31,52,52	2.00	6 (19%)
6	GOL	B	1512	-	5,5,5	0.36	0	5,5,5	0.32	0
9	PO4	E	1475	-	4,4,4	0.91	0	6,6,6	0.41	0
6	GOL	H	1513	-	5,5,5	0.32	0	5,5,5	0.58	0
4	ANP	C	1511	5	29,33,33	1.94	9 (31%)	31,52,52	1.98	6 (19%)
10	STL	G	1273[A]	-	18,18,18	0.50	0	24,24,24	0.76	1 (4%)
10	STL	G	1273[B]	-	18,18,18	0.50	0	24,24,24	0.72	0
4	ANP	F	1475	5	29,33,33	1.93	8 (27%)	31,52,52	1.90	7 (22%)
8	AZI	K	1478	-	0,2,2	0.00	-	0,1,1	0.00	-
7	ADP	D	1476	5	24,29,29	0.96	1 (4%)	29,45,45	1.16	2 (6%)
6	GOL	I	1512	-	5,5,5	0.31	0	5,5,5	0.30	0
4	ANP	M	1475	5	29,33,33	1.96	9 (31%)	31,52,52	1.97	7 (22%)
6	GOL	H	1514	-	5,5,5	0.35	0	5,5,5	0.77	0
4	ANP	B	1510	5	29,33,33	1.81	7 (24%)	31,52,52	1.71	6 (19%)
7	ADP	K	1476	5	24,29,29	0.96	1 (4%)	29,45,45	1.24	2 (6%)
6	GOL	A	1514	-	5,5,5	0.38	0	5,5,5	0.78	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	K	1479	-	-	4/4/4/4	-
6	GOL	J	1513	-	-	2/4/4/4	-
10	STL	N	1273[A]	-	-	0/5/5/5	0/2/2/2
6	GOL	B	1513	-	-	3/4/4/4	-
10	STL	N	1273[B]	-	-	0/5/5/5	0/2/2/2
4	ANP	I	1510	5	-	2/14/38/38	0/3/3/3
4	ANP	J	1511	5	-	2/14/38/38	0/3/3/3
6	GOL	A	1513	-	-	2/4/4/4	-
6	GOL	D	1479	-	-	4/4/4/4	-
4	ANP	A	1511	5	-	3/14/38/38	0/3/3/3
6	GOL	C	1513	-	-	2/4/4/4	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	K	1480	-	-	4/4/4/4	-
4	ANP	H	1511	5	-	2/14/38/38	0/3/3/3
6	GOL	B	1512	-	-	0/4/4/4	-
6	GOL	H	1513	-	-	2/4/4/4	-
4	ANP	C	1511	5	-	2/14/38/38	0/3/3/3
10	STL	G	1273[A]	-	-	2/5/5/5	0/2/2/2
10	STL	G	1273[B]	-	-	4/5/5/5	0/2/2/2
4	ANP	F	1475	5	-	2/14/38/38	0/3/3/3
7	ADP	D	1476	5	-	3/12/32/32	0/3/3/3
6	GOL	I	1512	-	-	0/4/4/4	-
4	ANP	M	1475	5	-	3/14/38/38	0/3/3/3
6	GOL	H	1514	-	-	4/4/4/4	-
4	ANP	B	1510	5	-	3/14/38/38	0/3/3/3
7	ADP	K	1476	5	-	2/12/32/32	0/3/3/3
6	GOL	A	1514	-	-	4/4/4/4	-

The worst 5 of 65 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	1510	ANP	PB-N3B	5.03	1.76	1.63
4	B	1510	ANP	PG-N3B	4.78	1.75	1.63
4	H	1511	ANP	PB-N3B	4.68	1.75	1.63
4	I	1510	ANP	PG-N3B	4.65	1.75	1.63
4	C	1511	ANP	PG-N3B	4.64	1.75	1.63

The worst 5 of 56 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	J	1511	ANP	O1G-PG-N3B	-9.63	97.59	111.77
4	I	1510	ANP	O1G-PG-N3B	-8.31	99.53	111.77
4	C	1511	ANP	O1G-PG-N3B	-7.67	100.47	111.77
4	M	1475	ANP	O1G-PG-N3B	-7.38	100.90	111.77
4	F	1475	ANP	O1G-PG-N3B	-6.65	101.98	111.77

There are no chirality outliers.

5 of 61 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	K	1479	GOL	O1-C1-C2-C3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
6	K	1479	GOL	C1-C2-C3-O3
4	F	1475	ANP	PG-N3B-PB-O1B
4	F	1475	ANP	PG-N3B-PB-O3A
6	B	1513	GOL	O1-C1-C2-O2


There are no ring outliers.


13 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	K	1479	GOL	1	0
6	B	1513	GOL	1	0
10	N	1273[B]	STL	1	0
6	D	1479	GOL	1	0
8	D	1478	AZI	1	0
6	K	1480	GOL	1	0
6	H	1513	GOL	2	0
4	F	1475	ANP	1	0
8	K	1478	AZI	1	0
7	D	1476	ADP	1	0
4	M	1475	ANP	1	0
6	H	1514	GOL	1	0
6	A	1514	GOL	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

















## Ligand ANP F 1475




Bond lengths



Bond angles




Torsions




Rings


## Ligand ADP D 1476




Bond lengths




Bond angles




Torsions




Rings




## Ligand ANP B 1510




Bond lengths



Bond angles




Torsions




Rings


## Ligand ADP K 1476




Bond lengths



Bond angles



Torsions



Rings



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.


### 6.3 Carbohydrates ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands ⓘ




Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around ANP I 1510:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ANP J 1511:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ANP A 1511:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around ANP H 1511:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around ANP C 1511:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ADP D 1476:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around ANP M 1475:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around ANP B 1510:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ADP K 1476:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.