



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 08:46 am BST

PDB ID : 1JOD
Title : Crystal Structure of Murine Olfactory Marker Protein in Spacegroup P43212
Authors : Smith, P.; Hunt, J.F.
Deposited on : 2001-07-27
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	162	
1	B	162	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 2683 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Olfactory Marker Protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	160	Total	C	N	O	Se	0	0	0
			1305	826	226	248	5			
1	B	160	Total	C	N	O	Se	0	0	0
			1305	826	226	248	5			


There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	113	MSE	MET	modified residue	UNP Q64288
A	125	MSE	MET	modified residue	UNP Q64288
A	195	MSE	MET	modified residue	UNP Q64288
A	215	MSE	MET	modified residue	UNP Q64288
A	239	MSE	MET	modified residue	UNP Q64288
B	1113	MSE	MET	modified residue	UNP Q64288
B	1125	MSE	MET	modified residue	UNP Q64288
B	1195	MSE	MET	modified residue	UNP Q64288
B	1215	MSE	MET	modified residue	UNP Q64288
B	1239	MSE	MET	modified residue	UNP Q64288

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	8	Total	Zn	0	0
			8	8		
2	A	14	Total	Zn	0	0
			14	14		

- Molecule 3 is CACODYLATE ION (three-letter code: CAC) (formula: C₂H₆AsO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	As	C	O	0	0
			5	1	2	2		
3	A	1	Total	As	C	O	0	0
			5	1	2	2		
3	A	1	Total	As	C	O	0	0
			5	1	2	2		
3	B	1	Total	As	C	O	0	0
			5	1	2	2		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	17	Total	O	0	0
			17	17		
4	B	14	Total	O	0	0
			14	14		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Olfactory Marker Protein



• Molecule 1: Olfactory Marker Protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	89.13Å 89.13Å 158.98Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 3.20 38.87 – 3.05	Depositor EDS
% Data completeness (in resolution range)	80.5 (40.00-3.20) 93.7 (38.87-3.05)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.60 (at 3.06Å)	Xtriage
Refinement program	X-PLOR 3.851	Depositor
R, R_{free}	0.256 , 0.326 0.298 , 0.362	Depositor DCC
R_{free} test set	1321 reflections (10.31%)	wwPDB-VP
Wilson B-factor (Å ²)	39.6	Xtriage
Anisotropy	0.271	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.78	EDS
Total number of atoms	2683	wwPDB-VP
Average B, all atoms (Å ²)	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CAC, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.55	0/1324	0.83	2/1778 (0.1%)
1	B	0.56	0/1324	0.80	1/1778 (0.1%)
All	All	0.56	0/2648	0.81	3/3556 (0.1%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1255	LYS	N-CA-C	-5.84	95.23	111.00
1	A	130	GLU	N-CA-C	-5.66	95.71	111.00
1	A	255	LYS	N-CA-C	-5.42	96.36	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1305	0	1303	58	0
1	B	1305	0	1303	43	0
2	A	14	0	0	0	0
2	B	8	0	0	0	0
3	A	15	0	0	1	0
3	B	5	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	17	0	0	0	0
4	B	14	0	0	0	0
All	All	2683	0	2606	99	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (99) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1115:LEU:HG	1:B:1256:ALA:O	1.75	0.86
1:A:113:MSE:HE1	1:A:157:PHE:HD2	1.39	0.86
1:A:115:LEU:HG	1:A:256:ALA:O	1.75	0.86
1:A:129:VAL:HG12	1:A:145:LEU:HD22	1.58	0.86
1:B:1139:LYS:HD3	1:B:1145:LEU:HD12	1.58	0.85
1:A:195:MSE:HB2	1:A:198:GLN:HG3	1.57	0.84
1:A:113:MSE:HE1	1:A:157:PHE:CD2	2.21	0.75
1:A:130:GLU:O	1:A:132:LEU:N	2.20	0.74
1:B:1113:MSE:HE1	1:B:1157:PHE:HD2	1.51	0.73
1:B:1117:LEU:HG	1:B:1119:GLN:HG3	1.71	0.72
1:B:1125:MSE:HE3	1:B:1152:VAL:HG21	1.69	0.72
1:A:117:LEU:HG	1:A:119:GLN:HG3	1.70	0.71
1:B:1208:ARG:HH21	1:B:1213:ASP:HA	1.54	0.71
1:A:208:ARG:HH21	1:A:213:ASP:HA	1.56	0.71
1:B:1111:LEU:HD11	1:B:1262:GLN:HE21	1.55	0.70
1:B:1113:MSE:HE1	1:B:1157:PHE:CD2	2.27	0.69
1:A:183:THR:HB	1:A:240:TYR:O	1.93	0.68
1:A:125:MSE:HE3	1:A:152:VAL:HG21	1.76	0.67
1:A:113:MSE:HE2	1:A:260:PHE:CE1	2.31	0.65
1:B:1125:MSE:HE3	1:B:1152:VAL:CG2	2.26	0.64
1:A:167:HIS:CE1	1:A:259:VAL:HG21	2.33	0.64
1:B:1239:MSE:HG2	1:B:1241:PHE:CZ	2.32	0.64
1:A:239:MSE:HG2	1:A:241:PHE:CZ	2.34	0.63
1:B:1141:ASP:O	1:B:1195:MSE:HE1	1.98	0.63
1:B:1183:THR:HB	1:B:1240:TYR:O	1.98	0.63
1:B:1139:LYS:HD3	1:B:1145:LEU:CD1	2.26	0.63
1:B:1196:THR:O	1:B:1196:THR:HG22	1.98	0.63
1:A:111:LEU:HD11	1:A:262:GLN:HE21	1.64	0.63
1:A:112:GLU:HG2	1:A:257:SER:HB2	1.81	0.62
1:B:1112:GLU:HG2	1:B:1257:SER:HB2	1.80	0.62
1:A:188:THR:HB	1:A:191:LEU:HG	1.82	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:164:GLN:HB3	1:A:261:ASN:HB2	1.82	0.62
1:B:1164:GLN:HB3	1:B:1261:ASN:HB2	1.81	0.60
1:A:144:LYS:HD3	1:A:144:LYS:C	2.20	0.60
1:B:1144:LYS:C	1:B:1144:LYS:HD3	2.22	0.59
1:B:1104:ASP:N	3:B:353:CAC:C1	2.66	0.59
1:A:239:MSE:HG2	1:A:241:PHE:CE1	2.40	0.56
1:A:127:LEU:O	1:A:130:GLU:HB2	2.06	0.56
1:B:1179:THR:HG23	1:B:1205:ILE:HG12	1.87	0.55
1:A:125:MSE:HE3	1:A:152:VAL:CG2	2.36	0.55
1:A:179:THR:HG23	1:A:205:ILE:HG12	1.89	0.55
1:A:167:HIS:NE2	1:A:259:VAL:HG21	2.23	0.54
1:A:155:LEU:HB3	1:A:239:MSE:HB3	1.88	0.54
1:B:1113:MSE:HE2	1:B:1260:PHE:CE1	2.42	0.54
1:A:157:PHE:CZ	1:A:239:MSE:HB2	2.42	0.53
1:B:1239:MSE:HG2	1:B:1241:PHE:CE1	2.42	0.53
1:A:139:LYS:HE3	1:A:141:ASP:O	2.08	0.53
1:A:140:GLN:HB3	1:A:143:GLU:HB2	1.91	0.52
1:A:157:PHE:CE1	1:A:239:MSE:HB2	2.45	0.52
1:B:1131:SER:O	1:B:1135:ARG:HG2	2.09	0.52
1:A:186:ASN:HB3	1:B:1210:GLU:OE2	2.10	0.51
1:B:1155:LEU:HB3	1:B:1239:MSE:HB3	1.91	0.51
1:B:1118:ASP:OD1	1:B:1121:LEU:HB3	2.09	0.51
1:A:112:GLU:HG3	1:A:259:VAL:HG22	1.93	0.50
1:B:1129:VAL:HG12	1:B:1145:LEU:HD22	1.94	0.49
1:B:1157:PHE:CE1	1:B:1239:MSE:HB2	2.46	0.49
1:B:1208:ARG:NH2	1:B:1213:ASP:HA	2.24	0.49
1:A:118:ASP:OD1	1:A:121:LEU:HB3	2.13	0.49
1:B:1135:ARG:HB3	1:B:1137:GLU:OE2	2.13	0.48
1:B:1157:PHE:CZ	1:B:1239:MSE:HB2	2.48	0.48
1:A:208:ARG:NH2	1:A:213:ASP:HA	2.26	0.48
1:A:187:TRP:CD1	1:A:192:THR:HB	2.48	0.48
1:A:130:GLU:O	1:A:131:SER:C	2.52	0.48
1:A:135:ARG:HB3	1:A:137:GLU:OE2	2.14	0.48
1:A:124:GLN:NE2	3:A:351:CAC:C2	2.77	0.48
1:B:1171:VAL:HA	1:B:1215:MSE:HE2	1.96	0.48
1:A:129:VAL:HG12	1:A:145:LEU:CD2	2.35	0.47
1:A:195:MSE:HB3	1:A:197:ARG:HG2	1.97	0.47
1:A:187:TRP:HD1	1:A:192:THR:HB	1.80	0.47
1:A:125:MSE:HE2	1:A:187:TRP:HH2	1.80	0.46
1:A:164:GLN:OE1	1:A:263:LEU:HD21	2.16	0.46
1:A:164:GLN:O	1:A:165:PHE:HB3	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:1195:MSE:C	1:B:1197:ARG:H	2.19	0.46
1:A:126:ARG:O	1:A:129:VAL:HG22	2.16	0.46
1:B:1112:GLU:HG3	1:B:1259:VAL:HG22	1.99	0.45
1:B:1164:GLN:OE1	1:B:1263:LEU:HD21	2.17	0.45
1:A:164:GLN:HB2	1:A:263:LEU:HD21	1.99	0.45
1:A:167:HIS:HD2	1:A:168:TRP:O	2.00	0.44
1:A:207:TRP:CZ3	1:A:217:TRP:HA	2.53	0.44
1:A:121:LEU:O	1:A:125:MSE:HG3	2.16	0.44
1:A:159:GLN:HE22	1:A:262:GLN:NE2	2.15	0.44
1:B:1183:THR:HG21	1:B:1187:TRP:HE3	1.83	0.44
1:A:183:THR:HG21	1:A:187:TRP:HE3	1.84	0.43
1:B:1188:THR:HG22	1:B:1190:ASP:OD2	2.19	0.43
1:A:201:ASP:HA	1:A:202:PRO:HA	1.72	0.43
1:A:165:PHE:CZ	1:A:226:GLY:HA3	2.54	0.43
1:A:105:GLY:C	1:A:107:GLN:H	2.21	0.42
1:A:159:GLN:O	1:A:163:LEU:HG	2.20	0.42
1:B:1159:GLN:O	1:B:1163:LEU:HG	2.19	0.42
1:B:1201:ASP:HA	1:B:1202:PRO:HA	1.71	0.42
1:A:190:ASP:HB3	1:B:1177:LYS:HD3	2.02	0.42
1:B:1159:GLN:HE22	1:B:1262:GLN:NE2	2.18	0.42
1:B:1114:PRO:HA	1:B:1257:SER:HA	2.03	0.41
1:B:1210:GLU:O	1:B:1210:GLU:HG2	2.20	0.41
1:A:115:LEU:HD22	1:A:155:LEU:HB2	2.02	0.41
1:A:167:HIS:CE1	1:A:259:VAL:HG11	2.55	0.41
1:A:211:ASP:O	1:A:212:SER:HB2	2.20	0.40
1:A:167:HIS:CE1	1:A:259:VAL:CG2	3.04	0.40
1:B:1196:THR:O	1:B:1196:THR:CG2	2.68	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	158/162 (98%)	135 (85%)	15 (10%)	8 (5%)	2	15
1	B	158/162 (98%)	135 (85%)	18 (11%)	5 (3%)	4	26
All	All	316/324 (98%)	270 (85%)	33 (10%)	13 (4%)	3	21

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	131	SER
1	A	210	GLU
1	A	212	SER
1	A	130	GLU
1	A	141	ASP
1	A	219	GLU
1	A	108	LYS
1	A	160	GLN
1	B	1108	LYS
1	B	1196	THR
1	B	1219	GLU
1	B	1160	GLN
1	B	1165	PHE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	143/139 (103%)	132 (92%)	11 (8%)	13	44
1	B	143/139 (103%)	135 (94%)	8 (6%)	21	57
All	All	286/278 (103%)	267 (93%)	19 (7%)	16	51

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	104	ASP
1	A	108	LYS
1	A	116	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	137	GLU
1	A	144	LYS
1	A	183	THR
1	A	192	THR
1	A	193	ASN
1	A	196	THR
1	A	213	ASP
1	A	239	MSE
1	B	1104	ASP
1	B	1108	LYS
1	B	1116	VAL
1	B	1137	GLU
1	B	1144	LYS
1	B	1183	THR
1	B	1190	ASP
1	B	1239	MSE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	124	GLN
1	A	186	ASN
1	A	261	ASN
1	A	262	GLN
1	B	1164	GLN
1	B	1186	ASN
1	B	1262	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry

Of 26 ligands modelled in this entry, 22 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	CAC	B	353	2	0,4,4	0.00	-	0,6,6	0.00	-
3	CAC	A	351	2	0,4,4	0.00	-	0,6,6	0.00	-
3	CAC	A	354	2	0,4,4	0.00	-	0,6,6	0.00	-
3	CAC	A	352	2	0,4,4	0.00	-	0,6,6	0.00	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	353	CAC	1	0
3	A	351	CAC	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers

Unable to reproduce the depositors R factor - this section is therefore empty.