



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 07:25 pm BST

PDB ID : 6JW0
Title : Universal RVD R* accommodates cytosine via water-mediated interactions
Authors : Liu, L.; Yi, C.
Deposited on : 2019-04-18
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	498	<div> <div>3%</div> <div>84%</div> <div>13%</div> <div>••</div> </div>
1	B	498	<div> <div>7%</div> <div>81%</div> <div>14%</div> <div>••</div> </div>
2	C	17	<div> <div>6%</div> <div>88%</div> <div>12%</div> </div>
2	I	17	<div> <div>6%</div> <div>76%</div> <div>24%</div> </div>
3	D	17	<div> <div>6%</div> <div>71%</div> <div>29%</div> </div>
3	J	17	<div> <div>12%</div> <div>71%</div> <div>29%</div> </div>

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 8739 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called TAL effector.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	496	Total	C	N	O	S	0	0	0
			3606	2253	675	666	12			
1	B	496	Total	C	N	O	S	0	0	0
			3606	2253	675	666	12			

- Molecule 2 is a DNA chain called DNA (5'-D(*TP*GP*TP*CP*CP*CP*TP*TP*CP*GP*CP*GP*TP*CP*TP*CP*T)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	I	17	Total	C	N	O	P	0	0	0
			335	162	50	107	16			
2	C	17	Total	C	N	O	P	0	0	0
			335	162	50	107	16			

- Molecule 3 is a DNA chain called DNA (5'-D(*AP*GP*AP*GP*AP*CP*GP*CP*GP*AP*AP*GP*GP*GP*AP*CP*A)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	J	17	Total	C	N	O	P	0	0	0
			355	167	79	93	16			
3	D	17	Total	C	N	O	P	0	0	0
			355	167	79	93	16			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	50	Total	O	0	0
			50	50		
4	I	19	Total	O	0	0
			19	19		
4	J	3	Total	O	0	0
			3	3		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	48	Total 48	O 48	0	0
4	C	21	Total 21	O 21	0	0
4	D	6	Total 6	O 6	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($\text{RSRZ} > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: TAL effector




• Molecule 1: TAL effector




• Molecule 2: DNA (5'-D(*TP*GP*TP*CP*CP*CP*TP*TP*CP*GP*CP*GP*TP*CP*TP*CP*T)-3')



- Molecule 2: DNA (5'-D(*TP*GP*TP*CP*CP*CP*TP*TP*CP*GP*CP*GP*TP*CP*TP*CP*T)-3')



- Molecule 3: DNA (5'-D(*AP*GP*AP*GP*AP*CP*GP*CP*GP*AP*AP*GP*GP*GP*AP*CP*A)-3')



- Molecule 3: DNA (5'-D(*AP*GP*AP*GP*AP*CP*GP*CP*GP*AP*AP*GP*GP*GP*AP*CP*A)-3')



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	85.84Å 87.40Å 88.14Å 90.00° 104.12° 90.00°	Depositor
Resolution (Å)	85.47 – 2.20 32.28 – 2.20	Depositor EDS
% Data completeness (in resolution range)	97.0 (85.47-2.20) 97.1 (32.28-2.20)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.21 (at 2.20Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.222 , 0.263 0.227 , 0.264	Depositor DCC
R_{free} test set	3193 reflections (5.14%)	wwPDB-VP
Wilson B-factor (Å ²)	32.7	Xtriage
Anisotropy	0.434	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 38.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.018 for l,-k,h	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8739	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.37% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.69	1/3661 (0.0%)	0.85	8/5001 (0.2%)
1	B	0.65	0/3661	0.87	8/5001 (0.2%)
2	C	0.67	0/371	1.06	0/569
2	I	0.66	0/371	0.97	2/569 (0.4%)
3	D	0.56	0/402	0.84	1/620 (0.2%)
3	J	0.64	0/402	0.86	0/620
All	All	0.67	1/8868 (0.0%)	0.87	19/12380 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	8
1	B	0	4
All	All	0	12

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	278	TRP	CB-CG	-5.33	1.40	1.50

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	549	ARG	NE-CZ-NH2	-11.49	114.56	120.30
1	B	549	ARG	NE-CZ-NH1	10.60	125.60	120.30
1	A	549	ARG	NE-CZ-NH1	-9.65	115.47	120.30
1	A	549	ARG	NE-CZ-NH2	9.48	125.04	120.30
1	B	384	VAL	CB-CA-C	-7.74	96.69	111.40
2	I	7	DG	O5'-P-OP2	-6.35	99.98	105.70
1	B	689	ARG	NE-CZ-NH1	6.28	123.44	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	241	LEU	CA-CB-CG	6.01	129.13	115.30
1	B	301	ASP	CB-CG-OD1	5.84	123.56	118.30
1	A	312	ARG	NE-CZ-NH1	5.74	123.17	120.30
1	A	278	TRP	CA-CB-CG	5.68	124.49	113.70
1	B	694	LEU	CA-CB-CG	5.68	128.36	115.30
1	A	369	ASP	CB-CG-OD1	5.43	123.19	118.30
1	A	617	ARG	NE-CZ-NH2	5.39	123.00	120.30
1	A	335	ASP	CB-CG-OD1	5.37	123.13	118.30
2	I	1	DC	C1'-O4'-C4'	-5.29	104.81	110.10
3	D	-6	DG	C1'-O4'-C4'	-5.17	104.94	110.10
1	A	251	PRO	C-N-CD	-5.10	109.38	120.60
1	B	452	VAL	CB-CA-C	-5.00	101.90	111.40

There are no chirality outliers.

All (12) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	232	TRP	Peptide
1	A	236	ARG	Peptide
1	A	251	PRO	Mainchain,Peptide
1	A	285	ALA	Mainchain,Peptide
1	A	689	ARG	Peptide
1	A	691	ASP	Peptide
1	B	251	PRO	Peptide
1	B	692	PRO	Peptide
1	B	693	ALA	Peptide
1	B	695	ALA	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3606	0	3740	45	0
1	B	3606	0	3740	64	0
2	C	335	0	193	9	0
2	I	335	0	193	9	0
3	D	355	0	189	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	J	355	0	189	4	0
4	A	50	0	0	5	0
4	B	48	0	0	2	0
4	C	21	0	0	0	0
4	D	6	0	0	0	0
4	I	19	0	0	0	0
4	J	3	0	0	0	0
All	All	8739	0	8244	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:720:LEU:O	2:C:14:DT:C4	2.06	1.08
1:A:723:HIS:HB3	3:D:-14:DA:C6	1.90	1.05
1:B:418:VAL:HG23	4:B:806:HOH:O	1.54	1.05
2:I:13:DC:C2'	2:I:14:DT:H5''	1.91	0.99
1:A:724:HIS:HB3	2:C:14:DT:C4	1.96	0.99
2:I:13:DC:H2''	2:I:14:DT:H5''	1.47	0.96
1:A:723:HIS:N	2:C:14:DT:O2	1.99	0.95
1:A:720:LEU:O	2:C:14:DT:O4	1.89	0.90
1:B:249:ARG:HH12	1:B:257:THR:HG22	1.36	0.90
1:B:691:ASP:O	1:B:694:LEU:HB3	1.77	0.84
2:C:14:DT:H2'	2:C:14:DT:O2	1.78	0.83
1:B:691:ASP:HB3	1:B:692:PRO:HD2	1.60	0.83
1:A:724:HIS:HB3	2:C:14:DT:O4	1.79	0.81
1:B:685:ALA:O	1:B:688:SER:O	2.00	0.80
1:B:285:ALA:HB1	1:B:286:PRO:CD	2.14	0.76
1:B:287:LEU:HD21	1:B:311:GLN:HA	1.68	0.75
1:A:723:HIS:HB3	3:D:-14:DA:N6	2.00	0.75
1:B:691:ASP:HB3	1:B:692:PRO:CD	2.17	0.74
3:D:-14:DA:H2''	3:D:-13:DG:OP2	1.87	0.73
2:I:13:DC:H2'	2:I:14:DT:H5''	1.70	0.71
1:A:287:LEU:HD21	1:A:311:GLN:HA	1.72	0.70
1:B:238:LEU:HD21	1:B:241:LEU:HD12	1.73	0.70
1:B:561:THR:H	1:B:564:GLN:NE2	1.89	0.70
1:A:716:ALA:O	1:A:720:LEU:HD12	1.91	0.70
1:B:692:PRO:O	1:B:694:LEU:N	2.27	0.67
1:A:265:LYS:HE2	3:J:-4:DA:OP2	1.94	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:671:ALA:O	4:A:801:HOH:O	2.13	0.67
2:I:13:DC:C2'	2:I:14:DT:C5'	2.74	0.65
1:B:714:LEU:O	1:B:717:VAL:HB	1.96	0.64
3:D:-9:DC:H2''	3:D:-8:DG:H5'	1.79	0.63
1:B:689:ARG:HH11	1:B:689:ARG:HG2	1.65	0.61
1:B:285:ALA:CB	1:B:286:PRO:CD	2.78	0.61
1:A:686:GLN:O	1:A:690:PRO:HA	2.00	0.60
1:B:249:ARG:NH1	1:B:257:THR:HG22	2.15	0.60
2:C:14:DT:C2'	2:C:14:DT:O2	2.49	0.60
1:B:693:ALA:O	1:B:694:LEU:HD12	2.02	0.59
1:B:462:GLN:HG2	1:B:463:GLN:N	2.18	0.58
1:B:285:ALA:HB1	1:B:286:PRO:HD2	1.83	0.58
1:A:590:GLN:HB3	4:A:843:HOH:O	2.04	0.57
2:I:14:DT:O4	3:J:-14:DA:N6	2.30	0.57
1:A:278:TRP:HD1	1:A:282:LEU:HD11	1.71	0.56
1:A:576:GLN:HB3	1:A:609:LYS:HD3	1.86	0.56
1:B:252:PRO:HB2	1:B:283:THR:HG21	1.87	0.56
1:B:576:GLN:HB3	1:B:609:LYS:HD3	1.87	0.56
1:B:719:LYS:H	1:B:719:LYS:HD2	1.69	0.55
1:A:509:ALA:O	1:A:513:VAL:HG13	2.06	0.55
1:B:509:ALA:O	1:B:513:VAL:HG13	2.08	0.54
1:A:370:GLY:CA	4:A:806:HOH:O	2.56	0.54
1:A:252:PRO:HB2	1:A:283:THR:HG21	1.90	0.54
1:A:691:ASP:O	1:A:693:ALA:N	2.41	0.53
1:A:692:PRO:O	1:A:694:LEU:N	2.42	0.53
1:B:384:VAL:HG22	4:B:831:HOH:O	2.08	0.53
2:I:14:DT:H4'	1:B:720:LEU:O	2.08	0.53
1:A:365:ILE:HG22	1:A:375:LEU:HD13	1.91	0.52
1:A:689:ARG:O	1:A:690:PRO:C	2.47	0.52
1:A:692:PRO:O	1:A:693:ALA:C	2.47	0.52
1:B:629:THR:HG23	1:B:632:GLN:H	1.75	0.51
1:B:365:ILE:HG22	1:B:375:LEU:HD13	1.93	0.51
1:B:689:ARG:O	1:B:690:PRO:C	2.50	0.51
1:B:693:ALA:C	1:B:694:LEU:HG	2.32	0.51
1:B:285:ALA:HB1	1:B:286:PRO:HD3	1.91	0.50
1:A:297:ILE:CG2	1:A:307:LEU:HD13	2.41	0.50
1:A:438:GLY:N	4:A:805:HOH:O	2.44	0.50
3:J:-9:DC:H2''	3:J:-8:DG:H5'	1.93	0.50
1:A:517:LEU:HB3	1:A:518:PRO:HD3	1.93	0.50
1:B:610:GLN:HB3	1:B:643:LYS:HD3	1.95	0.49
1:A:434:ALA:HB2	1:A:443:LEU:HD11	1.94	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:686:GLN:O	1:B:690:PRO:HA	2.12	0.49
2:I:13:DC:H2''	2:I:14:DT:C5'	2.30	0.49
1:A:610:GLN:HB3	1:A:643:LYS:HD3	1.95	0.48
1:A:697:LEU:HD11	1:A:717:VAL:HG21	1.96	0.48
1:A:297:ILE:HG22	1:A:307:LEU:HD13	1.96	0.48
1:B:434:ALA:HB2	1:B:443:LEU:HD11	1.95	0.48
1:A:589:CYS:HA	1:A:594:LEU:O	2.14	0.48
1:B:561:THR:H	1:B:564:GLN:HE21	1.61	0.48
1:A:371:GLY:N	4:A:806:HOH:O	2.46	0.47
1:B:285:ALA:CB	1:B:286:PRO:HD2	2.42	0.47
2:I:14:DT:H1'	1:B:725:HIS:HB2	1.96	0.47
1:B:645:ALA:O	1:B:649:VAL:HG12	2.14	0.47
1:B:249:ARG:HH22	1:B:257:THR:HG23	1.80	0.47
1:B:551:LEU:HB3	1:B:552:PRO:HD3	1.96	0.47
1:B:629:THR:CG2	1:B:632:GLN:HG3	2.45	0.47
1:B:660:HIS:CD2	1:B:687:LEU:HB3	2.50	0.47
2:I:14:DT:O3'	1:B:719:LYS:C	2.53	0.46
1:A:716:ALA:C	1:A:720:LEU:HD12	2.34	0.46
1:B:589:CYS:HA	1:B:594:LEU:O	2.15	0.46
1:A:297:ILE:HD13	1:A:310:VAL:HG21	1.97	0.46
1:B:261:LEU:HG	1:B:265:LYS:HD3	1.97	0.46
1:A:722:HIS:C	2:C:14:DT:O2	2.51	0.46
1:A:693:ALA:O	1:A:694:LEU:HD12	2.16	0.46
1:B:240:ALA:O	1:B:242:LEU:N	2.48	0.46
1:B:249:ARG:HH22	1:B:257:THR:CG2	2.28	0.46
1:A:720:LEU:HD22	1:B:713:ALA:HA	1.98	0.45
1:B:629:THR:OG1	1:B:631:GLU:OE1	2.34	0.45
1:B:722:HIS:O	1:B:723:HIS:CD2	2.70	0.45
2:C:13:DC:H2''	2:C:14:DT:C4'	2.47	0.44
1:B:629:THR:HG22	1:B:632:GLN:OE1	2.17	0.44
1:B:689:ARG:HH11	1:B:689:ARG:CG	2.29	0.44
1:A:660:HIS:CD2	1:A:687:LEU:HB3	2.52	0.44
1:A:365:ILE:CG2	1:A:375:LEU:HD13	2.48	0.43
1:B:230:MET:O	1:B:238:LEU:HD12	2.18	0.43
3:J:-10:DA:H2'	3:J:-9:DC:C6	2.54	0.43
1:B:297:ILE:CG2	1:B:307:LEU:HD13	2.48	0.43
1:B:697:LEU:HG	1:B:701:HIS:ND1	2.33	0.43
1:A:551:LEU:HB3	1:A:552:PRO:HD3	2.01	0.43
1:B:513:VAL:O	1:B:517:LEU:HB2	2.19	0.42
1:A:551:LEU:HD12	1:A:551:LEU:O	2.19	0.42
1:B:689:ARG:N	1:B:690:PRO:CD	2.82	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:232:TRP:O	1:B:233:SER:CB	2.67	0.42
1:B:691:ASP:CB	1:B:692:PRO:CD	2.92	0.42
1:B:248:LEU:HD21	1:B:276:HIS:HA	2.01	0.42
1:B:605:ASN:HB3	1:B:640:ASP:OD1	2.19	0.41
1:A:416:LEU:HB3	1:A:417:PRO:HD3	2.02	0.41
1:A:680:LEU:O	1:A:683:ILE:HG22	2.21	0.41
1:B:365:ILE:CG2	1:B:375:LEU:HD13	2.50	0.41
1:B:691:ASP:O	1:B:694:LEU:HD23	2.20	0.41
1:B:517:LEU:HD13	1:B:531:VAL:HG11	2.02	0.41
1:B:551:LEU:HD12	1:B:551:LEU:O	2.20	0.41
1:A:305:GLN:HB3	1:A:338:LYS:HD2	2.01	0.41
1:B:416:LEU:N	1:B:417:PRO:CD	2.84	0.40
1:A:605:ASN:HB3	1:A:640:ASP:OD1	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	494/498 (99%)	471 (95%)	15 (3%)	8 (2%)	9	7
1	B	494/498 (99%)	467 (94%)	16 (3%)	11 (2%)	6	4
All	All	988/996 (99%)	938 (95%)	31 (3%)	19 (2%)	8	5

All (19) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	691	ASP
1	A	693	ALA
1	B	252	PRO
1	B	285	ALA
1	B	693	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	694	LEU
1	B	719	LYS
1	A	252	PRO
1	A	690	PRO
1	A	692	PRO
1	B	233	SER
1	B	239	GLU
1	B	241	LEU
1	B	690	PRO
1	A	723	HIS
1	A	286	PRO
1	A	689	ARG
1	B	691	ASP
1	B	723	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	380/384 (99%)	356 (94%)	24 (6%)	18	20
1	B	380/384 (99%)	348 (92%)	32 (8%)	11	11
All	All	760/768 (99%)	704 (93%)	56 (7%)	13	14

All (56) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	278	TRP
1	A	283	THR
1	A	287	LEU
1	A	307	LEU
1	A	326	GLN
1	A	345	GLN
1	A	353	GLN
1	A	375	LEU
1	A	447	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	453	LEU
1	A	483	LEU
1	A	513	VAL
1	A	526	LEU
1	A	553	VAL
1	A	585	LEU
1	A	588	LEU
1	A	618	LEU
1	A	677	ARG
1	A	683	ILE
1	A	705	LEU
1	A	714	LEU
1	A	718	LYS
1	A	722	HIS
1	A	724	HIS
1	B	241	LEU
1	B	283	THR
1	B	287	LEU
1	B	307	LEU
1	B	345	GLN
1	B	353	GLN
1	B	375	LEU
1	B	384	VAL
1	B	447	GLN
1	B	453	LEU
1	B	455	GLN
1	B	462	GLN
1	B	483	LEU
1	B	513	VAL
1	B	526	LEU
1	B	585	LEU
1	B	588	LEU
1	B	597	GLU
1	B	618	LEU
1	B	629	THR
1	B	665	GLN
1	B	667	VAL
1	B	677	ARG
1	B	683	ILE
1	B	689	ARG
1	B	694	LEU
1	B	697	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	705	LEU
1	B	714	LEU
1	B	717	VAL
1	B	719	LYS
1	B	722	HIS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	311	GLN
1	A	423	HIS
1	A	462	GLN
1	A	699	ASN
1	A	724	HIS
1	B	564	GLN
1	B	582	GLN
1	B	699	ASN
1	B	723	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	496/498 (99%)	-0.04	13 (2%) 56 53	26, 41, 75, 139	0
1	B	496/498 (99%)	0.51	33 (6%) 17 16	27, 44, 92, 239	0
2	C	17/17 (100%)	-0.17	1 (5%) 22 21	30, 35, 67, 141	0
2	I	17/17 (100%)	-0.55	1 (5%) 22 21	28, 32, 92, 150	0
3	D	17/17 (100%)	0.00	1 (5%) 22 21	37, 47, 78, 137	0
3	J	17/17 (100%)	-0.25	2 (11%) 4 4	32, 44, 90, 112	0
All	All	1060/1064 (99%)	0.20	51 (4%) 30 29	26, 43, 88, 239	0

All (51) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	724	HIS	14.7
1	B	235	ALA	14.1
1	B	232	TRP	14.0
1	B	239	GLU	13.7
1	B	234	GLY	13.5
1	B	720	LEU	13.1
1	B	725	HIS	12.7
1	B	722	HIS	12.3
1	A	232	TRP	10.1
1	B	238	LEU	10.0
1	B	231	GLN	9.7
1	B	233	SER	8.6
1	B	240	ALA	8.3
1	B	721	GLU	7.7
1	A	723	HIS	7.3
1	B	723	HIS	7.2
1	B	237	ALA	7.0
1	B	241	LEU	6.7
1	B	692	PRO	6.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	230	MET	5.8
1	B	691	ASP	5.7
3	D	-14	DA	5.3
2	C	14	DT	5.2
1	B	719	LYS	4.4
1	B	556	GLN	4.4
1	B	243	THR	3.9
1	A	691	ASP	3.8
1	B	626	HIS	3.6
1	A	722	HIS	3.5
1	A	556	GLN	3.3
1	A	724	HIS	3.3
1	A	524	HIS	3.1
1	B	717	VAL	3.0
1	B	693	ALA	2.9
1	B	242	LEU	2.9
1	A	235	ALA	2.8
1	B	251	PRO	2.8
1	A	233	SER	2.7
1	B	236	ARG	2.7
1	B	488	GLN	2.6
1	B	590	GLN	2.5
1	A	725	HIS	2.5
2	I	14	DT	2.5
1	A	694	LEU	2.3
1	B	689	ARG	2.3
1	B	490	HIS	2.2
1	B	587	VAL	2.2
3	J	-14	DA	2.1
1	A	522	GLN	2.1
1	B	651	ARG	2.1
3	J	2	DA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.