



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 7, 2020 – 05:46 PM BST

PDB ID : 1JX2  
Title : CRYSTAL STRUCTURE OF THE NUCLEOTIDE-FREE DYNAMIN A GT-PASE DOMAIN, DETERMINED AS MYOSIN FUSION  
Authors : Niemann, H.H.; Knetsch, M.L.W.; Scherer, A.; Manstein, D.J.; Kull, F.J.  
Deposited on : 2001-09-05  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1100	<div> <div>9%</div> <div> <div></div> <div>73%</div> <div>20%</div> <div>• 6%</div> </div> </div>

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 8713 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Myosin-2 heavy chain,Dynamin-A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1039	Total	C	N	O	S	0	0	0
			8297	5281	1425	1568	23			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP P08799
A	2	HIS	-	expression tag	UNP P08799
A	3	HIS	-	expression tag	UNP P08799
A	4	HIS	-	expression tag	UNP P08799
A	5	HIS	-	expression tag	UNP P08799
A	6	HIS	-	expression tag	UNP P08799
A	7	HIS	-	expression tag	UNP P08799
A	8	HIS	-	expression tag	UNP P08799
A	9	ASP	-	expression tag	UNP P08799
A	10	GLY	-	expression tag	UNP P08799
A	11	THR	-	expression tag	UNP P08799
A	12	GLU	-	expression tag	UNP P08799
A	13	ASP	-	expression tag	UNP P08799
A	777	THR	-	linker	UNP P08799
A	778	ARG	-	linker	UNP P08799
A	779	GLY	-	linker	UNP P08799
A	780	LEU	-	linker	UNP P08799
A	781	VAL	-	linker	UNP P08799
A	782	PRO	-	linker	UNP P08799
A	783	ARG	-	linker	UNP P08799
A	784	GLY	-	linker	UNP P08799
A	785	SER	-	linker	UNP P08799

- Molecule 2 is beta-D-glucopyranose (three-letter code: BGC) (formula: C<sub>6</sub>H<sub>12</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			12	6	6		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		

- Molecule 4 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>10</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	376	Total	O	0	0
			376	376		

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Myosin-2 heavy chain,Dynamin-A



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	54.45Å 62.04Å 181.20Å 90.00° 94.79° 90.00°	Depositor
Resolution (Å)	14.96 – 2.30 14.96 – 2.30	Depositor EDS
% Data completeness (in resolution range)	98.1 (14.96-2.30) 98.2 (14.96-2.30)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	0.05	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.95 (at 2.29Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.197 , 0.255 0.190 , 0.246	Depositor DCC
$R_{free}$ test set	3692 reflections (7.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	27.7	Xtriage
Anisotropy	0.123	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 60.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8713	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.46% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, BGC, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.41	0/8447	0.58	0/11405

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8297	0	8343	168	0
2	A	12	0	12	0	0
3	A	1	0	0	0	0
4	A	27	0	12	0	0
5	A	376	0	0	6	0
All	All	8713	0	8367	168	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (168) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:ASP:OD1	1:A:15:ILE:HG22	1.62	0.98
1:A:1035:ARG:HA	1:A:1038:LEU:HD12	1.57	0.87
1:A:409:ILE:HD12	1:A:418:GLN:HG3	1.61	0.82
1:A:808:ASP:HB3	1:A:954:ASN:ND2	1.96	0.80
1:A:98:GLY:H	1:A:116:ASN:ND2	1.80	0.80
1:A:244:ASN:ND2	1:A:246:ASN:H	1.84	0.76
1:A:189:THR:HG22	5:A:1661:HOH:O	1.86	0.75
1:A:566:ASN:HD22	1:A:568:LYS:H	1.34	0.74
1:A:516:ASP:HB3	1:A:519:LEU:HD13	1.69	0.73
1:A:973:LEU:HD12	1:A:973:LEU:H	1.55	0.72
1:A:845:ARG:HG2	1:A:902:SER:HB2	1.71	0.71
1:A:1021:ILE:HD11	1:A:1041:GLU:HA	1.72	0.71
1:A:1054:ILE:HG22	1:A:1057:ARG:HH21	1.58	0.69
1:A:158:ARG:HB2	1:A:161:GLU:HG3	1.74	0.68
1:A:697:ARG:O	1:A:700:ARG:HD2	1.94	0.68
1:A:947:MET:O	1:A:951:LYS:HB2	1.96	0.66
1:A:396:ASN:HD22	1:A:396:ASN:C	2.00	0.65
1:A:546:PHE:HB3	1:A:549:ALA:HB2	1.81	0.63
1:A:888:ILE:O	1:A:891:THR:HG22	1.99	0.62
1:A:769:ARG:O	1:A:773:ILE:HG12	2.01	0.61
1:A:24:LYS:C	1:A:24:LYS:HD3	2.21	0.61
1:A:396:ASN:HD22	1:A:397:PRO:N	1.98	0.60
1:A:514:PHE:HE1	1:A:701:LYS:HB2	1.65	0.60
1:A:1034:ILE:HG22	1:A:1035:ARG:H	1.67	0.60
1:A:820:SER:HA	1:A:962:PRO:HG3	1.83	0.60
1:A:936:THR:HB	1:A:939:GLU:HB2	1.83	0.59
1:A:997:ASP:HB2	1:A:1000:THR:OG1	2.03	0.59
1:A:566:ASN:ND2	1:A:568:LYS:H	2.00	0.59
1:A:809:LEU:O	1:A:811:GLN:HG3	2.02	0.59
1:A:810:PRO:HA	1:A:954:ASN:O	2.03	0.58
1:A:789:ILE:HB	1:A:790:PRO:HD3	1.86	0.57
1:A:880:PHE:HA	1:A:883:ILE:HD12	1.87	0.57
1:A:967:LEU:HG	1:A:1010:VAL:HG11	1.87	0.57
1:A:244:ASN:HD22	1:A:245:ASN:N	2.02	0.56
1:A:98:GLY:H	1:A:116:ASN:HD21	1.53	0.56
1:A:149:GLU:O	1:A:153:ILE:HG13	2.06	0.56
1:A:409:ILE:CD1	1:A:418:GLN:HG3	2.34	0.56
1:A:189:THR:HG21	5:A:1667:HOH:O	2.05	0.55
1:A:44:ARG:HH21	1:A:90:GLN:HE22	1.55	0.55
1:A:1033:SER:O	1:A:1036:GLU:HB3	2.07	0.55
1:A:284:GLU:HG2	1:A:285:THR:HG23	1.89	0.55
1:A:820:SER:HA	1:A:962:PRO:CG	2.38	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:724:PRO:HG2	1:A:727:ALA:HB2	1.90	0.54
1:A:1025:GLN:O	1:A:1029:ILE:HG13	2.08	0.54
1:A:1003:MET:HG3	1:A:1050:ILE:HG22	1.90	0.54
1:A:748:TYR:O	1:A:749:ARG:HD3	2.09	0.53
1:A:796:GLN:NE2	1:A:850:GLN:HE21	2.07	0.53
1:A:455:GLU:HG3	1:A:456:ARG:HG3	1.91	0.53
1:A:1061:ALA:HB3	5:A:1493:HOH:O	2.08	0.52
1:A:102:MET:HG2	1:A:116:ASN:OD1	2.08	0.52
1:A:594:ASP:O	1:A:598:LYS:HG2	2.08	0.52
1:A:869:PHE:CE2	1:A:906:ILE:HD11	2.44	0.52
1:A:495:HIS:CE1	1:A:499:LYS:HD2	2.45	0.52
1:A:724:PRO:HB3	1:A:802:LEU:HD11	1.92	0.52
1:A:870:LEU:HB2	1:A:907:ASN:HB3	1.92	0.52
1:A:1034:ILE:HG22	1:A:1035:ARG:N	2.24	0.51
1:A:13:ASP:CG	1:A:15:ILE:HG22	2.28	0.51
1:A:230:ASN:HB3	1:A:231:PRO:HD3	1.91	0.51
1:A:1035:ARG:HA	1:A:1038:LEU:CD1	2.37	0.51
1:A:1006:LEU:HD23	1:A:1054:ILE:HD11	1.92	0.51
1:A:24:LYS:HD3	1:A:24:LYS:O	2.11	0.50
1:A:1080:PRO:HA	1:A:1083:LYS:NZ	2.27	0.50
1:A:788:LEU:HB3	1:A:1075:ILE:HG21	1.94	0.50
1:A:516:ASP:CB	1:A:519:LEU:HD13	2.40	0.49
1:A:691:GLY:HA2	1:A:694:GLU:HB2	1.94	0.49
1:A:561:HIS:HD2	5:A:1569:HOH:O	1.94	0.49
1:A:870:LEU:CB	1:A:907:ASN:HB3	2.42	0.49
1:A:1026:GLU:HA	1:A:1029:ILE:HD12	1.94	0.49
1:A:377:GLY:HA3	1:A:419:HIS:CE1	2.48	0.49
1:A:779:GLY:C	1:A:781:VAL:H	2.16	0.49
1:A:109:ASN:OD1	1:A:111:PRO:HG2	2.13	0.49
1:A:75:THR:HG21	1:A:81:ARG:NH2	2.28	0.49
1:A:95:LYS:NZ	1:A:95:LYS:HB2	2.28	0.48
1:A:1044:TYR:O	1:A:1048:HIS:HB2	2.13	0.48
1:A:724:PRO:HB3	1:A:802:LEU:CD1	2.43	0.48
1:A:871:HIS:C	1:A:873:PRO:HD3	2.34	0.48
1:A:938:ILE:HG13	1:A:939:GLU:N	2.29	0.48
1:A:228:GLN:C	1:A:231:PRO:HD2	2.34	0.47
1:A:495:HIS:HD2	1:A:516:ASP:OD2	1.97	0.47
1:A:812:ILE:HG13	1:A:1071:LEU:HD13	1.96	0.47
1:A:964:ASN:ND2	1:A:964:ASN:H	2.13	0.47
1:A:903:ALA:O	1:A:905:PRO:HD3	2.14	0.47
1:A:63:ILE:HD13	1:A:73:PHE:HB3	1.96	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:457:LYS:HG2	1:A:457:LYS:O	2.15	0.47
1:A:694:GLU:O	1:A:698:ILE:HG12	2.14	0.47
1:A:869:PHE:HE2	1:A:906:ILE:HD11	1.80	0.47
1:A:204:ILE:HD11	1:A:254:ILE:HD13	1.95	0.46
1:A:244:ASN:HD22	1:A:244:ASN:C	2.16	0.46
1:A:964:ASN:HD22	1:A:964:ASN:N	2.11	0.46
1:A:718:LEU:HD21	1:A:799:PHE:CZ	2.50	0.46
1:A:1071:LEU:O	1:A:1075:ILE:HG13	2.16	0.46
1:A:143:ILE:HG22	1:A:145:ILE:HG23	1.96	0.46
1:A:376:GLU:CD	1:A:376:GLU:H	2.18	0.46
1:A:846:PRO:HD3	1:A:902:SER:O	2.16	0.46
1:A:1003:MET:HG3	1:A:1050:ILE:CG2	2.46	0.46
1:A:307:LEU:HB2	1:A:309:LEU:HG	1.97	0.46
1:A:903:ALA:HA	1:A:945:MET:HE2	1.99	0.45
1:A:158:ARG:HB3	5:A:1365:HOH:O	2.17	0.45
1:A:234:GLU:O	1:A:238:ASN:HB2	2.17	0.45
1:A:719:LEU:HD21	1:A:769:ARG:HA	1.99	0.45
1:A:75:THR:HG21	1:A:81:ARG:CZ	2.47	0.45
1:A:979:VAL:C	1:A:981:PRO:HD3	2.38	0.45
1:A:593:GLN:O	1:A:594:ASP:HB2	2.17	0.44
1:A:396:ASN:C	1:A:396:ASN:ND2	2.69	0.44
1:A:1079:LEU:N	1:A:1080:PRO:HD2	2.32	0.44
1:A:185:SER:HA	1:A:462:GLY:O	2.18	0.44
1:A:720:ALA:HA	1:A:721:PRO:HD3	1.83	0.44
1:A:944:ARG:HG2	1:A:944:ARG:HH11	1.82	0.44
1:A:123:GLN:O	1:A:124:ASP:HB2	2.17	0.43
1:A:961:THR:OG1	1:A:973:LEU:HD11	2.18	0.43
1:A:115:HIS:O	1:A:119:VAL:HG23	2.19	0.43
1:A:255:GLU:HG3	1:A:460:PHE:CD2	2.53	0.43
1:A:208:ALA:HA	1:A:264:ILE:HD12	2.00	0.43
1:A:902:SER:O	1:A:945:MET:HE1	2.18	0.43
1:A:456:ARG:HH11	1:A:456:ARG:HG2	1.84	0.43
1:A:830:VAL:HG21	1:A:834:PHE:CE2	2.53	0.43
1:A:124:ASP:OD1	1:A:141:LYS:NZ	2.50	0.43
1:A:943:ARG:O	1:A:947:MET:HG2	2.18	0.43
1:A:938:ILE:C	1:A:940:GLN:H	2.22	0.43
1:A:542:GLU:O	1:A:545:VAL:HG12	2.19	0.42
1:A:821:GLY:HA2	5:A:1544:HOH:O	2.18	0.42
1:A:964:ASN:HD22	1:A:964:ASN:H	1.65	0.42
1:A:1021:ILE:HG12	1:A:1041:GLU:HG3	2.01	0.42
1:A:1034:ILE:C	1:A:1036:GLU:N	2.73	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:578:GLU:HA	1:A:590:TYR:O	2.19	0.42
1:A:829:ILE:HG23	1:A:1064:SER:OG	2.20	0.42
1:A:923:LEU:HD13	1:A:946:VAL:HA	2.01	0.42
1:A:1082:LEU:O	1:A:1086:VAL:HG23	2.19	0.42
1:A:251:GLY:HA3	1:A:466:ILE:HG13	2.02	0.42
1:A:44:ARG:HB2	1:A:63:ILE:HB	2.00	0.42
1:A:555:ILE:HG23	1:A:556:THR:N	2.34	0.42
1:A:204:ILE:HD11	1:A:254:ILE:CD1	2.50	0.42
1:A:832:ARG:C	1:A:1034:ILE:HD12	2.40	0.42
1:A:150:MET:O	1:A:154:PHE:HD1	2.02	0.42
1:A:376:GLU:N	1:A:376:GLU:CD	2.73	0.41
1:A:386:LEU:HD13	1:A:386:LEU:C	2.40	0.41
1:A:857:ALA:HB3	1:A:861:SER:N	2.35	0.41
1:A:140:PHE:CZ	1:A:673:GLN:HA	2.56	0.41
1:A:963:ALA:CB	1:A:993:LEU:HD23	2.49	0.41
1:A:963:ALA:HB2	1:A:993:LEU:HD23	2.03	0.41
1:A:546:PHE:CG	1:A:547:PRO:HD2	2.55	0.41
1:A:721:PRO:O	1:A:723:VAL:HG23	2.21	0.41
1:A:773:ILE:HD12	1:A:1090:LEU:HD13	2.02	0.41
1:A:1002:ALA:O	1:A:1005:VAL:HG12	2.20	0.41
1:A:116:ASN:O	1:A:120:ARG:HG3	2.20	0.41
1:A:1034:ILE:O	1:A:1035:ARG:HG2	2.21	0.41
1:A:554:LEU:HD22	1:A:596:LEU:CD1	2.50	0.41
1:A:847:LEU:CD1	1:A:906:ILE:HG23	2.51	0.41
1:A:38:LEU:O	1:A:38:LEU:HD23	2.20	0.41
1:A:872:LYS:N	1:A:873:PRO:HD3	2.36	0.41
1:A:943:ARG:HH12	1:A:975:LEU:HD21	1.85	0.41
1:A:654:ALA:O	1:A:658:THR:HG23	2.21	0.41
1:A:888:ILE:C	1:A:891:THR:HG22	2.41	0.41
1:A:962:PRO:HB3	1:A:992:LYS:HD2	2.03	0.41
1:A:1054:ILE:HG22	1:A:1057:ARG:NH2	2.32	0.40
1:A:197:THR:HG22	1:A:201:LYS:HE3	2.03	0.40
1:A:98:GLY:H	1:A:116:ASN:HD22	1.60	0.40
1:A:396:ASN:HD22	1:A:397:PRO:CD	2.34	0.40
1:A:69:ASP:HA	1:A:85:LYS:HD2	2.03	0.40
1:A:987:ILE:O	1:A:987:ILE:HG23	2.22	0.40
1:A:171:ASP:O	1:A:175:ARG:HG2	2.22	0.40
1:A:202:LYS:HD3	1:A:202:LYS:HA	1.70	0.40
1:A:208:ALA:HA	1:A:264:ILE:CD1	2.51	0.40
1:A:699:THR:C	1:A:701:LYS:H	2.25	0.40
1:A:694:GLU:C	1:A:696:ILE:H	2.24	0.40

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:879:ASP:OD1	1:A:881:SER:HB3	2.21	0.40
1:A:964:ASN:ND2	1:A:964:ASN:N	2.69	0.40
1:A:48:TYR:OH	1:A:76:VAL:HG22	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1025/1100 (93%)	967 (94%)	47 (5%)	11 (1%)	<b>14</b> <b>15</b>

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	547	PRO
1	A	970	SER
1	A	966	ASP
1	A	996	MET
1	A	971	ASP
1	A	998	LYS
1	A	780	LEU
1	A	834	PHE
1	A	79	GLN
1	A	220	GLY
1	A	873	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	916/968 (95%)	885 (97%)	31 (3%)	37 51

All (31) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	77	ASP
1	A	95	LYS
1	A	133	PHE
1	A	134	LEU
1	A	178	LEU
1	A	207	LEU
1	A	244	ASN
1	A	282	GLN
1	A	340	GLN
1	A	350	GLU
1	A	353	MET
1	A	363	LEU
1	A	383	LYS
1	A	396	ASN
1	A	457	LYS
1	A	511	ASN
1	A	543	GLN
1	A	566	ASN
1	A	631	ARG
1	A	633	LYS
1	A	700	ARG
1	A	706	ARG
1	A	718	LEU
1	A	749	ARG
1	A	809	LEU
1	A	953	GLN
1	A	961	THR
1	A	964	ASN
1	A	967	LEU
1	A	971	ASP
1	A	1089	MET

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (32) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	49	ASN
1	A	90	GLN
1	A	116	ASN
1	A	199	ASN
1	A	244	ASN
1	A	245	ASN
1	A	282	GLN
1	A	294	GLN
1	A	320	GLN
1	A	396	ASN
1	A	450	ASN
1	A	495	HIS
1	A	511	ASN
1	A	543	GLN
1	A	561	HIS
1	A	566	ASN
1	A	605	GLN
1	A	624	ASN
1	A	673	GLN
1	A	690	ASN
1	A	705	ASN
1	A	771	GLN
1	A	787	GLN
1	A	793	ASN
1	A	796	GLN
1	A	828	ASN
1	A	940	GLN
1	A	953	GLN
1	A	954	ASN
1	A	964	ASN
1	A	1022	ASN
1	A	1056	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates

There are no monosaccharides in this entry.

## 5.6 Ligand geometry

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	ADP	A	1203	3	24,29,29	1.74	5 (20%)	29,45,45	1.08	2 (6%)
2	BGC	A	1201	-	12,12,12	0.70	0	17,17,17	0.58	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ADP	A	1203	3	-	2/12/32/32	0/3/3/3
2	BGC	A	1201	-	-	0/2/22/22	0/1/1/1

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1203	ADP	C2-N1	3.85	1.41	1.33
4	A	1203	ADP	C8-N7	-3.31	1.28	1.34
4	A	1203	ADP	C4-N3	3.11	1.39	1.35
4	A	1203	ADP	PB-O2B	-2.78	1.44	1.54
4	A	1203	ADP	O4'-C1'	2.39	1.44	1.41

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1203	ADP	O3'-C3'-C4'	2.77	119.05	111.05
4	A	1203	ADP	O3'-C3'-C2'	2.10	118.61	111.82



There are no chirality outliers.


All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1203	ADP	PA-O3A-PB-O2B
4	A	1203	ADP	PA-O3A-PB-O1B

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers ⓘ

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	1039/1100 (94%)	0.27	96 (9%) 9 12	9, 34, 79, 112	0

All (96) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	938	ILE	7.0
1	A	636	ALA	6.5
1	A	969	ASN	6.2
1	A	634	LYS	5.8
1	A	38	LEU	5.8
1	A	635	GLY	5.6
1	A	219	SER	5.5
1	A	78	GLY	5.1
1	A	633	LYS	5.0
1	A	968	ALA	5.0
1	A	966	ASP	4.9
1	A	818	GLN	4.9
1	A	547	PRO	4.8
1	A	999	GLY	4.8
1	A	413	ARG	4.5
1	A	1010	VAL	4.4
1	A	998	LYS	4.4
1	A	858	ASP	4.4
1	A	1029	ILE	4.3
1	A	632	ALA	4.3
1	A	996	MET	4.3
1	A	132	LEU	4.2
1	A	637	ASN	4.1
1	A	19	THR	4.1
1	A	74	LYS	4.0
1	A	1031	LYS	4.0
1	A	30	GLN	4.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	79	GLN	3.9
1	A	937	ASP	3.9
1	A	55	ARG	3.6
1	A	1032	LYS	3.6
1	A	787	GLN	3.5
1	A	859	ASP	3.5
1	A	901	ILE	3.4
1	A	1000	THR	3.4
1	A	454	GLN	3.4
1	A	892	ASP	3.3
1	A	52	PRO	3.3
1	A	53	LYS	3.2
1	A	802	LEU	3.2
1	A	29	LYS	3.2
1	A	73	PHE	3.1
1	A	16	HIS	3.1
1	A	455	GLU	3.1
1	A	1049	PRO	3.1
1	A	374	ALA	3.0
1	A	982	GLU	3.0
1	A	638	PHE	2.9
1	A	473	LYS	2.9
1	A	373	GLY	2.9
1	A	722	ASN	2.9
1	A	37	LYS	2.9
1	A	997	ASP	2.9
1	A	1022	ASN	2.9
1	A	456	ARG	2.8
1	A	953	GLN	2.8
1	A	77	ASP	2.8
1	A	76	VAL	2.7
1	A	728	GLU	2.7
1	A	1026	GLU	2.7
1	A	902	SER	2.7
1	A	1057	ARG	2.6
1	A	690	ASN	2.6
1	A	967	LEU	2.6
1	A	131	GLY	2.6
1	A	103	SER	2.6
1	A	54	GLU	2.5
1	A	891	THR	2.5
1	A	981	PRO	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	548	ASN	2.4
1	A	786	ASP	2.4
1	A	1035	ARG	2.4
1	A	1024	SER	2.4
1	A	14	PRO	2.4
1	A	13	ASP	2.3
1	A	20	SER	2.3
1	A	158	ARG	2.3
1	A	86	ASP	2.2
1	A	564	LYS	2.2
1	A	697	ARG	2.2
1	A	700	ARG	2.2
1	A	1009	ARG	2.2
1	A	971	ASP	2.2
1	A	963	ALA	2.2
1	A	965	THR	2.2
1	A	376	GLU	2.2
1	A	940	GLN	2.1
1	A	1025	GLN	2.1
1	A	1033	SER	2.1
1	A	69	ASP	2.1
1	A	1008	GLY	2.1
1	A	696	ILE	2.1
1	A	142	ARG	2.1
1	A	1030	ALA	2.1
1	A	532	GLN	2.0
1	A	68	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	BGC	A	1201	12/12	0.89	0.19	22,44,48,49	0
3	MG	A	1202	1/1	0.97	0.14	19,19,19,19	0
4	ADP	A	1203	27/27	0.98	0.09	10,18,25,27	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.5 Other polymers ⓘ

There are no such residues in this entry.