



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 12, 2021 – 12:21 PM EDT

PDB ID : 7JXF
Title : E. coli TSase complex with a bi-substrate reaction intermediate diastereomer analog
Authors : Finer-Moore, J.; Kholodar, S.A.; Stroud, R.M.; Kohen, A.; Moliner, V.; Swiderek, K.
Deposited on : 2020-08-27
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.18
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.18


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2936 (1.50-1.50)
Clashscore	141614	3144 (1.50-1.50)
Ramachandran outliers	138981	3066 (1.50-1.50)
Sidechain outliers	138945	3064 (1.50-1.50)
RSRZ outliers	127900	2884 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	264	<div> <div style="width: 94%;"></div> <div>94%</div> <div style="width: 6%; background-color: yellow;"></div> <div>6%</div> </div>
1	B	264	<div> <div style="width: 6%; background-color: red;"></div> <div>6%</div> <div style="width: 88%;"></div> <div>88%</div> <div style="width: 11%; background-color: yellow;"></div> <div>11%</div> </div>

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 9607 atoms, of which 4451 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Thymidylate synthase.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	264	Total	C	H	N	O	S	0	36	0
			4544	1464	2250	395	422	13			
1	B	264	Total	C	H	N	O	S	0	27	0
			4468	1451	2201	393	408	15			

- Molecule 2 is 5-HYDROXYMETHYLURIDINE-2'-DEOXY-5'-MONOPHOSPHATE (three-letter code: 5HU) (formula: $C_{10}H_{15}N_2O_9P$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			22	10	2	9	1		

- Molecule 3 is N-[4-({[(6S)-2,4-diamino-5,6,7,8-tetrahydropyrido[3,2-d]pyrimidin-6-yl]methyl}amino)benzene-1-carbonyl]-L-glutamic acid (three-letter code: VMV) (formula: $C_{20}H_{25}N_7O_5$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	1
			64	40	14	10		

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	2	Total Na 2 2	0	0
4	B	1	Total Na 1 1	0	0

- Molecule 5 is (2S)-2-({4-[({(6S)-2,4-diamino-5-[(1-{(2R,4S,5R)-4-hydroxy-5-[(phosphonoxy)methyl]tetrahydrofuran-2-yl]-2,4-dioxo-1,2,3,4-tetrahydropyrimidin-5-yl)methyl]-5,6,7,8-tetrahydropyrido[3,2-d]pyrimidin-6-yl)methyl]amino}benzoyl}amino)pentanedioic acid (non-preferred name) (three-letter code: VNM) (formula: C₃₀H₃₈N₉O₁₃P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	1
			96	55	17	22	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	269	Total O 269 269	0	0
6	B	141	Total O 141 141	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Thymidylate synthase

Chain A:  94% 6%



- Molecule 1: Thymidylate synthase

Chain B:  6% 88% 11%



4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, α , β , γ	125.44Å 125.44Å 67.05Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	108.64 – 1.50 108.64 – 1.50	Depositor EDS
% Data completeness (in resolution range)	91.8 (108.64-1.50) 91.8 (108.64-1.50)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.04 (at 1.50Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.151 , 0.175 0.151 , 0.175	Depositor DCC
R_{free} test set	1999 reflections (2.27%)	wwPDB-VP
Wilson B-factor (Å ²)	25.4	Xtriage
Anisotropy	0.139	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.42 , 51.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.026 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	9607	wwPDB-VP
Average B, all atoms (Å ²)	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.74% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, 5HU, VMV, CXM, VNM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/2471	0.66	0/3354
1	B	0.43	0/2403	0.64	0/3262
All	All	0.45	0/4874	0.65	0/6616

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2294	2250	2090	16	0
1	B	2267	2201	2101	26	0
2	A	22	0	13	3	0
3	A	64	0	0	4	0
4	A	2	0	0	0	0
4	B	1	0	0	0	0
5	B	96	0	0	3	0
6	A	269	0	0	3	0
6	B	141	0	0	3	0
All	All	5156	4451	4204	45	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 5.

All (45) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:248:GLU:OE1	6:A:401:HOH:O	2.00	0.79
1:B:80[A]:TRP:HZ3	1:B:143[A]:LEU:HD12	1.50	0.75
1:B:53:ARG:NH1	1:B:75:ASN:O	2.21	0.72
1:A:52:LEU:HD22	1:A:249[B]:ILE:HG13	1.76	0.67
1:A:18[B]:LYS:NZ	1:B:154:VAL:O	2.27	0.67
1:A:16[A]:THR:HG21	1:B:155:ALA:HB1	1.76	0.65
5:B:301[A]:VNM:C4A	5:B:301[A]:VNM:C6	2.76	0.63
1:B:84:ALA:N	6:B:401:HOH:O	2.37	0.57
3:A:302[B]:VMV:CT	3:A:302[B]:VMV:O	2.52	0.57
1:B:116:LEU:HD11	1:B:239:ILE:CG2	2.34	0.57
1:B:53:ARG:NH2	1:B:76:ASN:O	2.32	0.53
1:B:80[A]:TRP:CZ3	1:B:143[A]:LEU:HD12	2.39	0.53
1:B:116:LEU:HD11	1:B:239:ILE:HG21	1.91	0.53
1:B:147[A]:HIS:HD1	1:B:181:TYR:HH	0.60	0.51
1:B:55:ILE:HD11	1:B:176:PHE:HD1	1.74	0.50
1:A:173:GLY:HA2	3:A:302[B]:VMV:NA4	2.26	0.50
1:B:108:HIS:HE1	6:B:520:HOH:O	1.96	0.49
1:B:55:ILE:HD11	1:B:176:PHE:CD1	2.48	0.49
1:A:152:PHE:CZ	1:A:188[A]:MET:SD	3.07	0.48
1:B:183[A]:LEU:HD11	1:B:247:PHE:CE1	2.49	0.47
1:A:52:LEU:CD2	1:A:249[B]:ILE:HG13	2.43	0.47
1:A:146:CYS:SG	2:A:301:5HU:C6	3.04	0.46
1:B:52:LEU:CD1	1:B:249:ILE:HG13	2.46	0.46
1:B:69:ILE:HD12	1:B:73:HIS:CE1	2.51	0.46
1:B:84:ALA:O	6:B:401:HOH:O	2.21	0.45
1:B:80[B]:TRP:CE3	1:B:90:LEU:HD22	2.52	0.45
1:B:83:TRP:CE2	1:B:143[A]:LEU:HD11	2.52	0.45
1:A:115[A]:VAL:HG11	1:A:188[A]:MET:HE1	1.98	0.45
1:A:173:GLY:CA	3:A:302[B]:VMV:NA4	2.81	0.44
1:B:80[B]:TRP:CE3	1:B:90:LEU:HD13	2.52	0.44
5:B:301[B]:VNM:C4	5:B:301[B]:VNM:NA4	2.80	0.44
1:B:165:GLN:NE2	5:B:301[A]:VNM:O2	2.51	0.43
2:A:301:5HU:H5A1	6:A:452:HOH:O	2.19	0.43
1:A:101:TRP:C	1:A:101:TRP:CD1	2.93	0.42
2:A:301:5HU:N3	3:A:302[B]:VMV:NA4	2.67	0.42
1:B:61:TRP:CD1	1:B:66:ASP:HB3	2.54	0.42
1:B:12[B]:LEU:HD21	1:B:217:HIS:NE2	2.35	0.42
1:A:17[A]:GLN:OE1	6:A:402:HOH:O	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:80[B]:TRP:HE3	1:B:90:LEU:HD22	1.85	0.41
1:A:249[B]:ILE:HD13	1:A:249[B]:ILE:HA	1.96	0.41
1:A:249[A]:ILE:O	1:A:249[A]:ILE:HG23	2.20	0.41
1:B:147[A]:HIS:CB	1:B:163:LEU:HD11	2.51	0.41
1:A:1:CXM:HG3	1:A:227:LEU:HD21	2.02	0.41
1:B:52:LEU:HD13	1:B:249:ILE:HG13	2.03	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	297/264 (112%)	292 (98%)	4 (1%)	1 (0%)	41	18
1	B	289/264 (110%)	282 (98%)	6 (2%)	1 (0%)	41	18
All	All	586/528 (111%)	574 (98%)	10 (2%)	2 (0%)	34	18

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	93	VAL
1	B	93	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	262/232 (113%)	262 (100%)	0	100	100
1	B	252/232 (109%)	250 (99%)	2 (1%)	81	66
All	All	514/464 (111%)	512 (100%)	2 (0%)	93	82

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	147[A]	HIS
1	B	147[B]	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	CXM	A	1	1	6,10,11	0.66	0	5,11,13	1.27	0
1	CXM	B	1	1	6,10,11	0.62	0	5,11,13	1.50	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CXM	A	1	1	-	0/7/10/12	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CXM	B	1	1	-	0/7/10/12	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1	CXM	C-CA-N	-2.01	106.10	109.73

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	1	CXM	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 3 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	VMV	A	302[B]	-	28,34,34	2.54	7 (25%)	33,47,47	3.65	10 (30%)
3	VMV	A	302[A]	-	28,34,34	2.27	8 (28%)	33,47,47	1.83	5 (15%)
2	5HU	A	301	-	20,23,23	2.17	6 (30%)	26,34,34	1.79	5 (19%)
5	VNM	B	301[B]	-	46,57,57	1.70	4 (8%)	60,83,83	2.44	12 (20%)
5	VNM	B	301[A]	-	42,47,57	1.75	3 (7%)	54,69,83	2.53	15 (27%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	VMV	A	302[B]	-	-	12/16/31/31	0/3/3/3
3	VMV	A	302[A]	-	-	6/16/31/31	0/3/3/3
2	5HU	A	301	-	-	4/9/24/24	0/2/2/2
5	VNM	B	301[B]	-	-	8/27/61/61	0/5/5/5
5	VNM	B	301[A]	-	-	6/18/46/61	0/5/5/5

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	302[B]	VMV	C-N	7.30	1.50	1.34
5	B	301[A]	VNM	"C2"-N1"	7.23	1.48	1.35
5	B	301[B]	VNM	"C2"-N1"	6.62	1.47	1.35
5	B	301[B]	VNM	"C4"-NA4"	6.49	1.50	1.34
5	B	301[A]	VNM	"C4"-NA4"	6.47	1.50	1.34
3	A	302[A]	VMV	C-N	6.36	1.48	1.34
3	A	302[B]	VMV	C2-NA2	5.95	1.45	1.33
2	A	301	5HU	C4-C5	5.25	1.52	1.41
2	A	301	5HU	C4-N3	5.10	1.41	1.33
3	A	302[B]	VMV	C4A-N5	4.61	1.49	1.37
3	A	302[A]	VMV	C4A-N5	4.41	1.48	1.37
3	A	302[A]	VMV	C4-NA4	4.33	1.45	1.34
3	A	302[A]	VMV	C2-NA2	4.22	1.42	1.33
5	B	301[B]	VNM	C4-C5	3.97	1.50	1.41
3	A	302[B]	VMV	C4-NA4	3.97	1.44	1.34
5	B	301[A]	VNM	C4-C5	3.50	1.49	1.41
3	A	302[B]	VMV	C15-N10	3.44	1.48	1.38
3	A	302[A]	VMV	C15-N10	3.30	1.48	1.38
5	B	301[B]	VNM	"C6"-N5"	-3.11	1.44	1.47
3	A	302[A]	VMV	C4A-C8A	-3.05	1.37	1.40
3	A	302[B]	VMV	C4A-C8A	-2.99	1.37	1.40
3	A	302[B]	VMV	C12-C	2.87	1.56	1.50
3	A	302[A]	VMV	C12-C	2.71	1.55	1.50
3	A	302[A]	VMV	C4-N3	-2.62	1.31	1.35
2	A	301	5HU	C1'-N1	-2.41	1.42	1.49
2	A	301	5HU	O4-C4	-2.31	1.18	1.24
2	A	301	5HU	P-OP3	-2.15	1.46	1.54
2	A	301	5HU	P-O5'	2.05	1.66	1.60

All (47) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	302[B]	VMV	CB-CA-N	16.25	133.86	110.19
5	B	301[B]	VNM	"C7-C6"-N5"	-9.40	97.12	109.98
5	B	301[A]	VNM	C5-C11-N5	-8.82	100.95	113.37
5	B	301[A]	VNM	C4-N3-C2	8.80	122.57	115.14
5	B	301[B]	VNM	C8A-C4A-N5	-8.20	110.61	120.45
5	B	301[B]	VNM	C4-N3-C2	7.67	121.62	115.14
3	A	302[B]	VMV	C2-N1-C8A	6.87	121.97	116.24
2	A	301	5HU	C4-N3-C2	6.13	120.32	115.14
5	B	301[A]	VNM	"C7-C6"-N5"	-5.93	101.88	109.98
3	A	302[A]	VMV	C7-C6-N5	5.51	114.42	108.41
5	B	301[A]	VNM	C5-C4-N3	-4.72	118.33	125.25
5	B	301[B]	VNM	"C8-C8A-N1"'"	4.53	121.90	115.85
3	A	302[B]	VMV	C7-C6-N5	4.49	113.31	108.41
5	B	301[B]	VNM	C5-C4-N3	-4.28	118.98	125.25
3	A	302[B]	VMV	CA-N-C	-4.20	116.93	122.34
5	B	301[B]	VNM	C11-C5-C4	4.09	125.56	118.95
5	B	301[A]	VNM	C11-C5-C4	3.93	125.30	118.95
5	B	301[A]	VNM	"C2"-N3"-C4"'"	3.82	121.21	116.99
2	A	301	5HU	C5-C4-N3	-3.78	119.71	125.25
3	A	302[B]	VMV	C8-C8A-N1	3.65	120.73	115.85
3	A	302[A]	VMV	CA-N-C	3.56	126.93	122.34
3	A	302[A]	VMV	C2-N1-C8A	3.52	119.17	116.24
3	A	302[A]	VMV	C4A-N5-C6	-3.44	112.44	121.48
5	B	301[A]	VNM	C8A-C4A-N5	-3.43	116.33	120.45
5	B	301[B]	VNM	"C2"-N3"-C4"'"	3.37	120.70	116.99
5	B	301[B]	VNM	"N3"-C2"-N1"'"	-3.35	120.16	125.42
5	B	301[A]	VNM	C6-N1-C1'	-3.24	111.95	119.24
5	B	301[A]	VNM	"N3"-C2"-N1"'"	-3.23	120.35	125.42
3	A	302[B]	VMV	NA2-C2-N1	3.17	122.18	117.25
5	B	301[B]	VNM	"C2"-N1"-C8A"	3.07	118.80	116.24
5	B	301[A]	VNM	"C11-N5-C6"'"	-3.02	111.69	117.70
5	B	301[A]	VNM	"C8-C8A-N1"'"	3.01	119.87	115.85
3	A	302[B]	VMV	N3-C2-N1	-2.98	120.75	125.42
3	A	302[A]	VMV	C2-N3-C4	2.94	120.23	116.99
2	A	301	5HU	C3'-C2'-C1'	-2.93	95.19	102.54
3	A	302[B]	VMV	O-C-C12	-2.90	115.77	120.94
5	B	301[A]	VNM	"NA2-C2"-N1"'"	2.77	121.56	117.25
3	A	302[B]	VMV	C2-N3-C4	2.56	119.82	116.99
2	A	301	5HU	C6-C5-C4	2.54	119.66	115.73
5	B	301[A]	VNM	"C6"-C9-N10"	-2.44	105.88	112.23
5	B	301[B]	VNM	"C8-C7-C6"'"	2.39	117.11	110.40
3	A	302[B]	VMV	C9-N10-C15	-2.35	116.06	122.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	B	301[A]	VNM	"C2""-N1""-C8A"	2.17	118.04	116.24
5	B	301[B]	VNM	C8-C8A-C4A	-2.15	118.98	121.41
5	B	301[B]	VNM	C5-C11-N5	2.15	116.39	113.37
2	A	301	5HU	O5'-P-OP1	2.11	112.38	106.47
5	B	301[A]	VNM	C5-C6-N1	2.09	124.38	121.51

There are no chirality outliers.

All (36) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	301	5HU	C4-C5-C5A-O5B
2	A	301	5HU	C6-C5-C5A-O5B
3	A	302[A]	VMV	CB-CA-N-C
3	A	302[B]	VMV	N5-C6-C9-N10
3	A	302[B]	VMV	CT-CA-N-C
3	A	302[B]	VMV	N-CA-CB-CG
5	B	301[A]	VNM	O-C-C12-C13
5	B	301[B]	VNM	"N5-C6""-C9-N10"
5	B	301[A]	VNM	O-C-C12-C17
3	A	302[B]	VMV	O-C-C12-C13
3	A	302[B]	VMV	N-C-C12-C17
3	A	302[B]	VMV	O-C-C12-C17
3	A	302[B]	VMV	N-C-C12-C13
3	A	302[B]	VMV	C14-C15-N10-C9
5	B	301[B]	VNM	C16-C15-N10-C9
5	B	301[B]	VNM	C14-C15-N10-C9
2	A	301	5HU	O4'-C4'-C5'-O5'
3	A	302[B]	VMV	C16-C15-N10-C9
3	A	302[A]	VMV	C16-C15-N10-C9
3	A	302[A]	VMV	C14-C15-N10-C9
2	A	301	5HU	C3'-C4'-C5'-O5'
5	B	301[B]	VNM	C3'-C4'-C5'-O5'
3	A	302[B]	VMV	C7-C6-C9-N10
3	A	302[A]	VMV	CA-CB-CG-CD
5	B	301[A]	VNM	"C7-C6""-C9-N10"
5	B	301[B]	VNM	"C7-C6""-C9-N10"
3	A	302[B]	VMV	C6-C9-N10-C15
5	B	301[B]	VNM	O4'-C4'-C5'-O5'
3	A	302[B]	VMV	CA-CB-CG-CD
3	A	302[A]	VMV	N-CA-CB-CG
5	B	301[A]	VNM	O4'-C4'-C5'-O5'
5	B	301[B]	VNM	"C5-C11-N5-C6""

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	A	302[A]	VMV	C6-C9-N10-C15
5	B	301[A]	VNM	"C6""-C9-N10-C15"
5	B	301[B]	VNM	"C6""-C9-N10-C15"
5	B	301[A]	VNM	C3'-C4'-C5'-O5'

There are no ring outliers.


4 monomers are involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	302[B]	VMV	4	0
2	A	301	5HU	3	0
5	B	301[B]	VNM	1	0
5	B	301[A]	VNM	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




Ligand 5HU A 301



Ligand VNM B 301 (B)





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	263/264 (99%)	-0.36	1 (0%) 92 94	20, 26, 47, 65	0
1	B	263/264 (99%)	0.12	17 (6%) 18 20	21, 35, 59, 100	0
All	All	526/528 (99%)	-0.12	18 (3%) 45 49	20, 30, 56, 100	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	264	ILE	16.7
1	B	86	GLU	7.9
1	A	264	ILE	4.4
1	B	87	ASN	4.4
1	B	88	GLY	3.6
1	B	262	VAL	3.4
1	B	73	HIS	3.2
1	B	70	ALA	3.2
1	B	83	TRP	3.1
1	B	68	ASN	3.0
1	B	143[A]	LEU	2.9
1	B	81	ASP	2.7
1	B	69	ILE	2.7
1	B	244	PHE	2.7
1	B	78	THR	2.5
1	B	89	ASP	2.4
1	B	71	TYR	2.1
1	B	263	ALA	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column

labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	CXM	B	1	11/12	0.97	0.08	30,34,44,44	0
1	CXM	A	1	11/12	0.98	0.07	22,26,36,36	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	VMV	A	302[A]	32/32	0.74	0.26	22,62,83,85	32
3	VMV	A	302[B]	32/32	0.74	0.26	17,56,81,85	32
4	NA	A	304	1/1	0.93	0.12	29,29,29,29	1
4	NA	B	302	1/1	0.94	0.08	54,54,54,54	0
5	VNM	B	301[A]	43/53	0.94	0.17	21,40,67,77	43
5	VNM	B	301[B]	53/53	0.94	0.17	19,40,76,78	53
2	5HU	A	301	22/22	0.97	0.09	24,39,73,77	0
4	NA	A	303	1/1	0.99	0.07	29,29,29,29	1




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around VMV A 302 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around VMV A 302 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA A 304:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA B 302:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around VNM B 301 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



**Electron density around VNM B 301 (B):**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 5HU A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NA A 303:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.