



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 19, 2020 – 12:04 PM BST

PDB ID : 1JZ7
Title : E. COLI (lacZ) BETA-GALACTOSIDASE IN COMPLEX WITH GALACTOSE
Authors : Juers, D.H.; Matthews, B.W.
Deposited on : 2001-09-13
Resolution : 1.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2936 (1.50-1.50)
Clashscore	141614	3144 (1.50-1.50)
Ramachandran outliers	138981	3066 (1.50-1.50)
Sidechain outliers	138945	3064 (1.50-1.50)
RSRZ outliers	127900	2884 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1023	<div> <div>2%</div> <div> <div></div> <div>71%</div> <div>24%</div> <div>• •</div> </div> </div>
1	B	1023	<div> <div>%</div> <div> <div></div> <div>72%</div> <div>22%</div> <div>• •</div> </div> </div>
1	C	1023	<div> <div>2%</div> <div> <div></div> <div>71%</div> <div>22%</div> <div>5% •</div> </div> </div>
1	D	1023	<div> <div>3%</div> <div> <div></div> <div>70%</div> <div>24%</div> <div>5% ••</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	DMS	A	8413	-	X	-	-
5	DMS	B	8407	-	X	-	-
5	DMS	D	8425	-	-	X	-
5	DMS	D	8703	-	-	X	-

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 37213 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-Galactosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1011	Total	C	N	O	S	0	1	0
			8127	5138	1440	1511	38			
1	B	1011	Total	C	N	O	S	0	1	0
			8127	5138	1440	1511	38			
1	C	1011	Total	C	N	O	S	0	1	0
			8127	5138	1440	1511	38			
1	D	1011	Total	C	N	O	S	0	1	0
			8127	5138	1440	1511	38			

There are 36 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	THR	cloning artifact	? P00722
A	2	SER	MET	cloning artifact	? P00722
A	3	HIS	ILE	cloning artifact	? P00722
A	4	MET	THR	cloning artifact	? P00722
A	5	LEU	ASP	cloning artifact	? P00722
A	6	GLU	SER	cloning artifact	? P00722
A	7	ASP	LEU	cloning artifact	? P00722
A	8	PRO	ALA	cloning artifact	? P00722
A	247	CSO	CYS	modified residue	? P00722
B	1	GLY	THR	cloning artifact	? P00722
B	2	SER	MET	cloning artifact	? P00722
B	3	HIS	ILE	cloning artifact	? P00722
B	4	MET	THR	cloning artifact	? P00722
B	5	LEU	ASP	cloning artifact	? P00722
B	6	GLU	SER	cloning artifact	? P00722
B	7	ASP	LEU	cloning artifact	? P00722
B	8	PRO	ALA	cloning artifact	? P00722
B	247	CSO	CYS	modified residue	? P00722
C	1	GLY	THR	cloning artifact	? P00722
C	2	SER	MET	cloning artifact	? P00722
C	3	HIS	ILE	cloning artifact	? P00722

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	4	MET	THR	cloning artifact	? P00722
C	5	LEU	ASP	cloning artifact	? P00722
C	6	GLU	SER	cloning artifact	? P00722
C	7	ASP	LEU	cloning artifact	? P00722
C	8	PRO	ALA	cloning artifact	? P00722
C	247	CSO	CYS	modified residue	? P00722
D	1	GLY	THR	cloning artifact	? P00722
D	2	SER	MET	cloning artifact	? P00722
D	3	HIS	ILE	cloning artifact	? P00722
D	4	MET	THR	cloning artifact	? P00722
D	5	LEU	ASP	cloning artifact	? P00722
D	6	GLU	SER	cloning artifact	? P00722
D	7	ASP	LEU	cloning artifact	? P00722
D	8	PRO	ALA	cloning artifact	? P00722
D	247	CSO	CYS	modified residue	? P00722

- Molecule 2 is beta-D-galactopyranose (three-letter code: GAL) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			12	6	6		
2	A	1	Total	C	O	0	0
			12	6	6		
2	B	1	Total	C	O	0	0
			12	6	6		
2	B	1	Total	C	O	0	0
			12	6	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	C	1	Total	C	O	0	0
			12	6	6		
2	C	1	Total	C	O	0	0
			12	6	6		
2	D	1	Total	C	O	0	0
			12	6	6		
2	D	1	Total	C	O	0	0
			12	6	6		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Mg	0	0
			3	3		
3	A	4	Total	Mg	0	0
			4	4		
3	D	4	Total	Mg	0	0
			4	4		
3	C	4	Total	Mg	0	0
			4	4		

- Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	4	Total	Na	0	0
			4	4		
4	A	4	Total	Na	0	0
			4	4		
4	D	4	Total	Na	0	0
			4	4		
4	C	4	Total	Na	0	0
			4	4		

- Molecule 5 is DIMETHYL SULFOXIDE (three-letter code: DMS) (formula: C₂H₆OS).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		
5	A	1	Total	C	O	S	0	0
			4	2	1	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	A	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	B	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	C	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0
5	D	1	Total 4	C 2	O 1	S 1	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1054	Total 1054	O 1054	0	0
6	B	1073	Total 1073	O 1073	0	0
6	C	1019	Total 1019	O 1019	0	0
6	D	1068	Total 1068	O 1068	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta-Galactosidase




• Molecule 1: Beta-Galactosidase







• Molecule 1: Beta-Galactosidase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	149.59Å 168.53Å 200.55Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 1.50 35.20 – 1.50	Depositor EDS
% Data completeness (in resolution range)	92.0 (40.00-1.50) 90.9 (35.20-1.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.60 (at 1.50Å)	Xtrriage
Refinement program	TNT	Depositor
R, R_{free}	0.176 , 0.219 0.169 , 0.207	Depositor DCC
R_{free} test set	10970 reflections (1.46%)	wwPDB-VP
Wilson B-factor (Å ²)	12.5	Xtrriage
Anisotropy	0.119	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 85.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	37213	wwPDB-VP
Average B, all atoms (Å ²)	20.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 33.85 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.4923e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: GAL, NA, CSO, DMS, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.24	48/8360 (0.6%)	1.72	186/11404 (1.6%)
1	B	1.25	44/8360 (0.5%)	1.73	195/11404 (1.7%)
1	C	1.25	52/8360 (0.6%)	1.72	177/11404 (1.6%)
1	D	1.27	58/8360 (0.7%)	1.73	209/11404 (1.8%)
All	All	1.25	202/33440 (0.6%)	1.73	767/45616 (1.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

The worst 5 of 202 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	537	GLU	CD-OE2	9.82	1.36	1.25
1	D	893	GLU	CD-OE2	9.78	1.36	1.25
1	D	979	GLU	CD-OE2	9.26	1.35	1.25
1	B	71	GLU	CD-OE2	9.17	1.35	1.25
1	D	136	GLU	CD-OE2	9.16	1.35	1.25

The worst 5 of 767 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	687	GLN	C-N-CD	-23.47	68.96	120.60
1	C	809	ARG	NE-CZ-NH1	19.98	130.29	120.30
1	C	579	ASP	CB-CG-OD2	-16.61	103.35	118.30
1	D	781	ARG	NE-CZ-NH1	16.32	128.46	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	809	ARG	NE-CZ-NH2	-15.09	112.76	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	759	ASN	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8127	0	7713	131	0
1	B	8127	0	7713	116	0
1	C	8127	0	7713	124	0
1	D	8127	0	7713	147	0
2	A	24	0	23	1	0
2	B	24	0	23	3	0
2	C	24	0	23	1	0
2	D	24	0	23	1	0
3	A	4	0	0	0	0
3	B	3	0	0	0	0
3	C	4	0	0	0	0
3	D	4	0	0	0	0
4	A	4	0	0	0	0
4	B	4	0	0	0	0
4	C	4	0	0	0	0
4	D	4	0	0	0	0
5	A	92	0	138	12	0
5	B	88	0	132	8	0
5	C	92	0	138	4	0
5	D	92	0	138	17	0
6	A	1054	0	0	20	2
6	B	1073	0	0	19	1
6	C	1019	0	0	15	0
6	D	1068	0	0	22	1
All	All	37213	0	31490	530	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 530 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:8415:DMS:S	5:A:8415:DMS:C2	2.02	1.46
5:B:8601:DMS:C2	5:B:8601:DMS:S	2.04	1.44
5:D:8415:DMS:C1	5:D:8415:DMS:S	2.05	1.44
5:A:8407:DMS:C2	5:A:8407:DMS:S	2.06	1.43
1:C:634:GLN:H	1:C:634:GLN:NE2	1.45	1.14

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:9505:HOH:O	6:D:9542:HOH:O[4_545]	1.94	0.26
6:A:9370:HOH:O	6:B:9592:HOH:O[2_454]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1008/1023 (98%)	972 (96%)	35 (4%)	1 (0%)	51	25
1	B	1008/1023 (98%)	972 (96%)	30 (3%)	6 (1%)	25	7
1	C	1008/1023 (98%)	966 (96%)	39 (4%)	3 (0%)	41	18
1	D	1008/1023 (98%)	969 (96%)	37 (4%)	2 (0%)	47	23
All	All	4032/4092 (98%)	3879 (96%)	141 (4%)	12 (0%)	41	18

5 of 12 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	688	PRO
1	B	690	SER
1	B	731	PRO
1	B	732	ALA
1	D	732	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	863/874 (99%)	838 (97%)	25 (3%)	42	13
1	B	863/874 (99%)	832 (96%)	31 (4%)	35	8
1	C	863/874 (99%)	828 (96%)	35 (4%)	30	6
1	D	863/874 (99%)	826 (96%)	37 (4%)	29	5
All	All	3452/3496 (99%)	3324 (96%)	128 (4%)	34	8

5 of 128 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	75	GLU
1	C	655	MET
1	D	800	ARG
1	C	178	ARG
1	C	519	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 47 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	878	HIS
1	C	583	ASN
1	D	878	HIS
1	C	163	GLN
1	C	634	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CSO	A	247[B]	-	3,6,7	1.01	0	0,6,8	0.00	-
1	CSO	C	247[A]	-	3,6,7	1.05	0	0,6,8	0.00	-
1	CSO	B	247[B]	-	3,6,7	0.95	0	0,6,8	0.00	-
1	CSO	D	247[A]	-	3,6,7	0.98	0	0,6,8	0.00	-
1	CSO	B	247[A]	-	3,6,7	0.95	0	0,6,8	0.00	-
1	CSO	D	247[B]	-	3,6,7	0.98	0	0,6,8	0.00	-
1	CSO	C	247[B]	-	3,6,7	1.05	0	0,6,8	0.00	-
1	CSO	A	247[A]	-	3,6,7	1.01	0	0,6,8	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CSO	A	247[B]	-	-	0/1/5/7	-
1	CSO	C	247[A]	-	-	0/1/5/7	-
1	CSO	B	247[B]	-	-	0/1/5/7	-
1	CSO	D	247[A]	-	-	0/1/5/7	-
1	CSO	B	247[A]	-	-	0/1/5/7	-
1	CSO	D	247[B]	-	-	0/1/5/7	-
1	CSO	C	247[B]	-	-	0/1/5/7	-
1	CSO	A	247[A]	-	-	0/1/5/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates

There are no monosaccharides in this entry.

5.6 Ligand geometry

Of 130 ligands modelled in this entry, 31 are monoatomic - leaving 99 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DMS	A	8412	-	3,3,3	2.04	2 (66%)	3,3,3	0.33	0
5	DMS	C	8405	-	3,3,3	1.93	2 (66%)	3,3,3	0.63	0
5	DMS	A	8405	-	3,3,3	1.67	1 (33%)	3,3,3	0.77	0
5	DMS	B	8412	-	3,3,3	1.36	0	3,3,3	0.62	0
5	DMS	A	8502	-	3,3,3	2.08	1 (33%)	3,3,3	1.68	1 (33%)
2	GAL	D	2002	-	12,12,12	0.88	0	17,17,17	1.73	5 (29%)
5	DMS	D	8501	-	3,3,3	0.80	0	3,3,3	0.47	0
5	DMS	C	8506	-	3,3,3	1.41	0	3,3,3	0.56	0
5	DMS	B	8407	-	3,3,3	2.08	2 (66%)	3,3,3	1.32	1 (33%)
5	DMS	C	8414	-	3,3,3	1.07	0	3,3,3	1.34	1 (33%)
5	DMS	A	8420	-	3,3,3	1.00	0	3,3,3	0.90	0
5	DMS	D	8405	-	3,3,3	1.48	1 (33%)	3,3,3	0.30	0
5	DMS	A	8401	-	3,3,3	1.15	0	3,3,3	0.66	0
5	DMS	B	8402	-	3,3,3	1.36	1 (33%)	3,3,3	0.23	0
5	DMS	A	8506	-	3,3,3	1.45	1 (33%)	3,3,3	0.45	0
2	GAL	B	2002	-	12,12,12	0.69	0	17,17,17	1.49	3 (17%)
5	DMS	A	8407	-	3,3,3	3.68	2 (66%)	3,3,3	0.31	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DMS	A	8504	-	3,3,3	3.10	1 (33%)	3,3,3	0.29	0
5	DMS	B	8409	-	3,3,3	2.93	1 (33%)	3,3,3	0.28	0
5	DMS	D	8705	-	3,3,3	1.95	1 (33%)	3,3,3	0.52	0
5	DMS	B	8601	-	3,3,3	2.36	1 (33%)	3,3,3	0.94	0
5	DMS	A	8410	-	3,3,3	0.36	0	3,3,3	0.89	0
5	DMS	B	8403	-	3,3,3	1.74	1 (33%)	3,3,3	0.67	0
5	DMS	C	8417	-	3,3,3	1.05	0	3,3,3	0.30	0
5	DMS	C	8407	-	3,3,3	2.19	1 (33%)	3,3,3	0.06	0
5	DMS	B	8502	-	3,3,3	1.35	0	3,3,3	1.68	1 (33%)
5	DMS	D	8701	-	3,3,3	2.38	2 (66%)	3,3,3	0.69	0
5	DMS	C	8409	-	3,3,3	2.21	1 (33%)	3,3,3	0.52	0
5	DMS	B	8411	-	3,3,3	0.52	0	3,3,3	0.68	0
2	GAL	A	2002	-	12,12,12	0.42	0	17,17,17	1.25	2 (11%)
5	DMS	C	8420	-	3,3,3	1.88	1 (33%)	3,3,3	0.54	0
5	DMS	D	8410	-	3,3,3	1.05	0	3,3,3	0.60	0
5	DMS	C	8504	-	3,3,3	1.43	0	3,3,3	0.34	0
5	DMS	D	8416	-	3,3,3	0.57	0	3,3,3	0.33	0
5	DMS	A	8409	-	3,3,3	2.69	2 (66%)	3,3,3	0.13	0
5	DMS	A	8403	-	3,3,3	1.54	0	3,3,3	0.83	0
5	DMS	D	8414	-	3,3,3	0.65	0	3,3,3	0.91	0
5	DMS	D	8413	-	3,3,3	1.58	0	3,3,3	0.66	0
5	DMS	B	8401	-	3,3,3	0.70	0	3,3,3	0.25	0
5	DMS	A	8408	-	3,3,3	0.71	0	3,3,3	0.42	0
2	GAL	C	2002	-	12,12,12	0.86	0	17,17,17	1.87	7 (41%)
5	DMS	D	8421	-	3,3,3	0.40	0	3,3,3	0.14	0
5	DMS	D	8401	-	3,3,3	1.63	0	3,3,3	0.55	0
5	DMS	A	8413	-	3,3,3	2.74	3 (100%)	3,3,3	0.20	0
5	DMS	D	8402	-	3,3,3	2.10	2 (66%)	3,3,3	0.28	0
5	DMS	C	8413	-	3,3,3	1.93	1 (33%)	3,3,3	0.18	0
5	DMS	D	8703	-	3,3,3	1.15	0	3,3,3	0.52	0
5	DMS	C	8408	-	3,3,3	0.93	0	3,3,3	0.84	0
5	DMS	A	8406	-	3,3,3	1.57	1 (33%)	3,3,3	0.80	0
5	DMS	A	8425	4	3,3,3	1.92	1 (33%)	3,3,3	1.12	0
5	DMS	A	8414	-	3,3,3	1.01	0	3,3,3	0.63	0
5	DMS	D	8408	-	3,3,3	1.24	0	3,3,3	0.33	0
2	GAL	A	2001	4	12,12,12	1.64	3 (25%)	17,17,17	1.68	5 (29%)
5	DMS	D	8409	-	3,3,3	3.38	2 (66%)	3,3,3	0.91	0
5	DMS	D	8425	4	3,3,3	0.54	0	3,3,3	0.38	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DMS	D	8412	-	3,3,3	0.70	0	3,3,3	0.79	0
5	DMS	C	8501	-	3,3,3	1.07	0	3,3,3	1.21	1 (33%)
5	DMS	D	8406	-	3,3,3	1.47	0	3,3,3	0.66	0
5	DMS	C	8425	4	3,3,3	1.26	1 (33%)	3,3,3	0.97	0
5	DMS	B	8405	-	3,3,3	1.67	1 (33%)	3,3,3	0.89	0
5	DMS	D	8411	-	3,3,3	1.14	0	3,3,3	0.68	0
5	DMS	C	8421	-	3,3,3	1.32	0	3,3,3	0.69	0
5	DMS	C	8410	-	3,3,3	0.76	0	3,3,3	0.67	0
5	DMS	D	8404	-	3,3,3	1.42	1 (33%)	3,3,3	0.56	0
5	DMS	C	8415	-	3,3,3	2.02	1 (33%)	3,3,3	1.17	0
5	DMS	A	8402	-	3,3,3	1.52	1 (33%)	3,3,3	0.34	0
5	DMS	A	8421	-	3,3,3	1.60	1 (33%)	3,3,3	0.10	0
5	DMS	B	8406	-	3,3,3	1.72	1 (33%)	3,3,3	0.31	0
5	DMS	B	8504	-	3,3,3	0.98	0	3,3,3	0.21	0
5	DMS	D	8403	-	3,3,3	1.46	0	3,3,3	0.44	0
5	DMS	D	8415	-	3,3,3	2.52	1 (33%)	3,3,3	0.87	0
5	DMS	B	8416	-	3,3,3	0.93	0	3,3,3	0.18	0
5	DMS	C	8602	-	3,3,3	1.31	1 (33%)	3,3,3	0.67	0
5	DMS	C	8403	-	3,3,3	0.61	0	3,3,3	0.48	0
5	DMS	B	8414	-	3,3,3	0.60	0	3,3,3	1.06	0
5	DMS	B	8425	4	3,3,3	1.88	1 (33%)	3,3,3	0.63	0
2	GAL	B	2001	4	12,12,12	1.32	1 (8%)	17,17,17	1.85	5 (29%)
5	DMS	B	8420	-	3,3,3	1.52	1 (33%)	3,3,3	0.28	0
5	DMS	C	8411	-	3,3,3	0.81	0	3,3,3	0.29	0
2	GAL	C	2001	4	12,12,12	1.32	2 (16%)	17,17,17	1.88	3 (17%)
5	DMS	B	8421	-	3,3,3	0.33	0	3,3,3	0.90	0
5	DMS	C	8412	-	3,3,3	0.78	0	3,3,3	0.40	0
5	DMS	B	8410	-	3,3,3	1.21	0	3,3,3	0.31	0
5	DMS	C	8404	-	3,3,3	1.44	0	3,3,3	1.27	1 (33%)
5	DMS	D	8508	-	3,3,3	1.74	1 (33%)	3,3,3	0.56	0
5	DMS	B	8404	-	3,3,3	0.98	0	3,3,3	0.92	0
5	DMS	A	8501	-	3,3,3	0.77	0	3,3,3	0.64	0
5	DMS	A	8415	-	3,3,3	2.64	2 (66%)	3,3,3	1.12	0
5	DMS	C	8416	-	3,3,3	0.87	0	3,3,3	0.12	0
5	DMS	A	8416	-	3,3,3	1.14	0	3,3,3	0.30	0
5	DMS	A	8404	-	3,3,3	1.46	0	3,3,3	0.35	0
5	DMS	B	8408	-	3,3,3	0.89	0	3,3,3	0.20	0
5	DMS	C	8402	-	3,3,3	1.95	1 (33%)	3,3,3	0.40	0
5	DMS	D	8506	-	3,3,3	0.67	0	3,3,3	0.67	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	DMS	C	8401	-	3,3,3	1.06	0	3,3,3	0.61	0
2	GAL	D	2001	4	12,12,12	1.39	2 (16%)	17,17,17	1.97	5 (29%)
5	DMS	B	8417	-	3,3,3	1.27	0	3,3,3	0.41	0
5	DMS	A	8411	-	3,3,3	0.74	0	3,3,3	0.30	0
5	DMS	B	8501	-	3,3,3	0.78	0	3,3,3	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GAL	B	2001	4	-	1/2/22/22	0/1/1/1
2	GAL	B	2002	-	-	0/2/22/22	0/1/1/1
2	GAL	A	2002	-	-	0/2/22/22	0/1/1/1
2	GAL	D	2001	4	-	1/2/22/22	0/1/1/1
2	GAL	D	2002	-	-	0/2/22/22	0/1/1/1
2	GAL	C	2002	-	-	1/2/22/22	0/1/1/1
2	GAL	A	2001	4	-	1/2/22/22	0/1/1/1
2	GAL	C	2001	4	-	1/2/22/22	0/1/1/1

The worst 5 of 58 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	8504	DMS	C1-S	-5.13	1.37	1.75
5	D	8409	DMS	O-S	5.08	1.84	1.50
5	A	8407	DMS	O-S	4.74	1.82	1.50
5	B	8409	DMS	O-S	4.58	1.81	1.50
5	A	8407	DMS	C2-S	4.10	2.06	1.75

The worst 5 of 41 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2001	GAL	O4-C4-C5	-4.94	97.02	109.30
2	B	2001	GAL	O1-C1-O5	-3.89	98.69	110.38
2	C	2001	GAL	O2-C2-C1	3.87	118.13	109.16
2	D	2001	GAL	O2-C2-C1	3.83	118.04	109.16
2	A	2001	GAL	O2-C2-C1	3.77	117.91	109.16

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	2002	GAL	O5-C5-C6-O6
2	C	2001	GAL	O5-C5-C6-O6
2	A	2001	GAL	O5-C5-C6-O6
2	B	2001	GAL	O5-C5-C6-O6
2	D	2001	GAL	O5-C5-C6-O6

There are no ring outliers.

30 monomers are involved in 47 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	B	8412	DMS	2	0
5	A	8502	DMS	1	0
5	C	8506	DMS	1	0
5	A	8420	DMS	1	0
5	A	8506	DMS	3	0
2	B	2002	GAL	2	0
5	A	8407	DMS	1	0
5	B	8601	DMS	1	0
5	C	8417	DMS	1	0
5	C	8420	DMS	1	0
5	D	8421	DMS	1	0
5	D	8703	DMS	5	0
2	A	2001	GAL	1	0
5	D	8425	DMS	4	0
5	D	8412	DMS	2	0
5	D	8406	DMS	1	0
5	C	8410	DMS	1	0
5	A	8421	DMS	1	0
5	B	8406	DMS	1	0
5	D	8415	DMS	1	0
2	B	2001	GAL	1	0
5	B	8420	DMS	1	0
2	C	2001	GAL	1	0
5	B	8421	DMS	1	0
5	B	8410	DMS	1	0
5	A	8415	DMS	3	0
5	A	8416	DMS	2	0
5	D	8506	DMS	3	0
2	D	2001	GAL	1	0
5	B	8417	DMS	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1010/1023 (98%)	-0.34	25 (2%) 57 62	8, 15, 43, 97	0
1	B	1010/1023 (98%)	-0.40	13 (1%) 77 81	8, 15, 45, 91	0
1	C	1010/1023 (98%)	-0.40	19 (1%) 66 71	8, 15, 47, 99	0
1	D	1010/1023 (98%)	-0.31	31 (3%) 49 54	8, 16, 47, 97	0
All	All	4040/4092 (98%)	-0.36	88 (2%) 62 67	8, 15, 46, 99	0

The worst 5 of 88 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	735	HIS	8.4
1	A	730	LEU	8.4
1	C	732	ALA	8.0
1	C	730	LEU	7.9
1	D	735	HIS	7.7

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	CSO	B	247[B]	7/8	0.97	0.06	13,14,18,24	1
1	CSO	B	247[A]	7/8	0.97	0.06	13,14,17,24	1
1	CSO	A	247[B]	7/8	0.98	0.06	9,11,19,23	1
1	CSO	D	247[A]	7/8	0.98	0.06	12,13,16,22	1
1	CSO	C	247[A]	7/8	0.98	0.06	11,14,18,23	1
1	CSO	D	247[B]	7/8	0.98	0.06	12,13,22,25	1
1	CSO	C	247[B]	7/8	0.98	0.06	11,14,18,23	1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	CSO	A	247[A]	7/8	0.98	0.06	9,11,17,23	1

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	DMS	B	8407	4/4	0.78	0.18	30,33,43,100	0
5	DMS	A	8413	4/4	0.81	0.12	32,37,45,63	0
5	DMS	B	8416	4/4	0.81	0.24	40,43,55,89	0
5	DMS	B	8420	4/4	0.84	0.20	36,61,77,100	0
5	DMS	B	8410	4/4	0.84	0.17	33,33,37,100	0
5	DMS	D	8703	4/4	0.87	0.14	27,53,54,55	0
5	DMS	D	8506	4/4	0.88	0.15	18,46,92,97	0
5	DMS	C	8417	4/4	0.89	0.14	25,29,49,71	0
5	DMS	A	8421	4/4	0.89	0.14	45,47,58,61	0
2	GAL	B	2002	12/12	0.90	0.13	22,32,100,100	0
3	MG	A	3105	1/1	0.91	0.13	24,24,24,24	1
5	DMS	D	8404	4/4	0.91	0.11	20,25,43,76	0
2	GAL	C	2002	12/12	0.91	0.11	21,31,100,100	0
5	DMS	B	8406	4/4	0.91	0.15	26,45,45,78	0
5	DMS	D	8415	4/4	0.91	0.15	24,41,66,100	0
3	MG	B	3105	1/1	0.92	0.12	21,21,21,21	1
5	DMS	A	8406	4/4	0.92	0.14	15,36,67,72	0
5	DMS	D	8705	4/4	0.92	0.12	38,41,44,56	0
5	DMS	A	8407	4/4	0.93	0.11	25,28,44,46	0
3	MG	C	3105	1/1	0.94	0.09	20,20,20,20	1
5	DMS	B	8601	4/4	0.94	0.12	34,35,47,54	0
2	GAL	D	2002	12/12	0.94	0.08	17,25,30,37	0
2	GAL	A	2002	12/12	0.94	0.09	20,27,80,86	0
5	DMS	D	8416	4/4	0.94	0.17	28,50,52,100	0
5	DMS	D	8425	4/4	0.94	0.18	19,35,36,97	4
5	DMS	B	8421	4/4	0.94	0.11	28,37,39,48	0
5	DMS	C	8504	4/4	0.94	0.12	24,33,65,100	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	NA	D	3104	1/1	0.94	0.11	33,33,33,33	0
5	DMS	C	8415	4/4	0.94	0.10	23,30,31,47	0
5	DMS	A	8502	4/4	0.94	0.10	19,27,43,58	0
4	NA	C	3104	1/1	0.95	0.13	25,25,25,25	0
5	DMS	C	8425	4/4	0.95	0.13	30,31,38,100	0
5	DMS	C	8602	4/4	0.95	0.11	25,60,68,100	0
5	DMS	B	8425	4/4	0.95	0.15	27,32,35,40	0
5	DMS	A	8506	4/4	0.95	0.12	28,72,82,100	0
4	NA	D	3103	1/1	0.95	0.07	30,30,30,30	0
4	NA	A	3103	1/1	0.95	0.07	28,28,28,28	0
5	DMS	C	8420	4/4	0.95	0.12	37,46,55,100	0
5	DMS	D	8508	4/4	0.95	0.11	32,42,47,100	0
5	DMS	A	8501	4/4	0.95	0.10	18,22,30,33	0
5	DMS	C	8416	4/4	0.95	0.23	37,44,55,100	0
5	DMS	D	8501	4/4	0.95	0.07	19,26,44,46	0
5	DMS	C	8414	4/4	0.95	0.12	19,34,45,100	0
2	GAL	D	2001	12/12	0.95	0.08	10,16,20,22	0
5	DMS	B	8417	4/4	0.95	0.10	25,36,59,79	0
5	DMS	C	8409	4/4	0.96	0.08	29,31,36,40	0
5	DMS	A	8425	4/4	0.96	0.09	27,32,39,40	0
5	DMS	C	8506	4/4	0.96	0.11	34,44,65,100	0
2	GAL	A	2001	12/12	0.96	0.08	10,18,25,31	0
2	GAL	B	2001	12/12	0.96	0.09	11,19,31,31	0
5	DMS	D	8409	4/4	0.96	0.07	23,25,30,32	0
2	GAL	C	2001	12/12	0.96	0.09	11,17,24,25	0
5	DMS	A	8409	4/4	0.96	0.10	26,29,40,47	0
5	DMS	C	8407	4/4	0.96	0.10	29,40,44,100	0
5	DMS	C	8412	4/4	0.96	0.13	30,41,46,74	0
5	DMS	A	8420	4/4	0.96	0.11	38,38,40,70	0
5	DMS	C	8421	4/4	0.96	0.10	37,46,56,100	0
5	DMS	D	8421	4/4	0.96	0.13	34,55,55,100	0
5	DMS	B	8409	4/4	0.96	0.08	24,25,35,69	0
5	DMS	A	8416	4/4	0.96	0.18	19,38,75,100	0
5	DMS	C	8413	4/4	0.96	0.14	35,37,44,100	0
3	MG	A	3005	1/1	0.96	0.07	30,30,30,30	0
5	DMS	A	8412	4/4	0.96	0.11	30,40,41,100	0
5	DMS	C	8408	4/4	0.96	0.08	24,31,36,47	0
5	DMS	C	8405	4/4	0.97	0.07	23,30,31,31	0
5	DMS	A	8414	4/4	0.97	0.10	26,32,54,100	0
3	MG	D	3105	1/1	0.97	0.09	23,23,23,23	1
5	DMS	A	8410	4/4	0.97	0.12	28,35,41,100	0
5	DMS	D	8413	4/4	0.97	0.12	30,42,49,100	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	DMS	A	8408	4/4	0.97	0.08	18,31,36,100	0
5	DMS	B	8404	4/4	0.97	0.10	15,20,29,30	0
5	DMS	C	8501	4/4	0.97	0.07	17,29,31,32	0
5	DMS	D	8406	4/4	0.97	0.09	21,22,24,33	0
5	DMS	A	8504	4/4	0.97	0.12	12,38,65,100	0
5	DMS	B	8414	4/4	0.97	0.11	28,45,56,64	0
5	DMS	B	8408	4/4	0.97	0.11	27,35,38,87	0
3	MG	D	3005	1/1	0.97	0.07	29,29,29,29	0
5	DMS	C	8410	4/4	0.97	0.08	24,36,39,41	0
5	DMS	B	8501	4/4	0.97	0.08	23,28,37,64	0
5	DMS	A	8405	4/4	0.98	0.07	21,22,22,24	0
5	DMS	D	8414	4/4	0.98	0.13	23,39,62,78	0
5	DMS	D	8701	4/4	0.98	0.10	14,15,20,58	0
5	DMS	B	8504	4/4	0.98	0.06	21,24,27,33	0
5	DMS	C	8404	4/4	0.98	0.07	17,18,21,24	0
5	DMS	D	8403	4/4	0.98	0.07	15,22,25,25	0
4	NA	B	3104	1/1	0.98	0.11	27,27,27,27	0
4	NA	B	3103	1/1	0.98	0.08	24,24,24,24	0
5	DMS	B	8405	4/4	0.98	0.08	22,25,26,27	0
5	DMS	A	8415	4/4	0.98	0.07	22,41,41,43	0
5	DMS	D	8411	4/4	0.98	0.07	23,24,28,100	0
5	DMS	D	8408	4/4	0.98	0.08	17,25,30,42	0
5	DMS	A	8404	4/4	0.98	0.06	16,22,27,28	0
5	DMS	D	8410	4/4	0.98	0.08	32,38,39,62	0
5	DMS	C	8402	4/4	0.98	0.07	13,24,25,26	0
4	NA	C	3103	1/1	0.98	0.05	24,24,24,24	0
4	NA	A	3104	1/1	0.98	0.06	24,24,24,24	0
3	MG	C	3006	1/1	0.98	0.12	23,23,23,23	0
5	DMS	B	8402	4/4	0.98	0.07	15,18,21,21	0
5	DMS	B	8502	4/4	0.98	0.10	20,26,35,38	0
5	DMS	B	8403	4/4	0.99	0.06	15,19,23,24	0
4	NA	A	3101	1/1	0.99	0.05	13,13,13,13	0
5	DMS	A	8402	4/4	0.99	0.05	15,16,20,24	0
5	DMS	D	8401	4/4	0.99	0.05	12,13,16,17	0
5	DMS	B	8411	4/4	0.99	0.04	21,21,24,67	0
5	DMS	D	8402	4/4	0.99	0.06	15,20,22,25	0
5	DMS	A	8403	4/4	0.99	0.06	16,21,22,26	0
4	NA	D	3101	1/1	0.99	0.05	13,13,13,13	0
4	NA	B	3101	1/1	0.99	0.06	11,11,11,11	0
3	MG	D	3002	1/1	0.99	0.04	14,14,14,14	0
5	DMS	B	8401	4/4	0.99	0.06	13,16,19,20	0
5	DMS	A	8401	4/4	0.99	0.07	12,13,13,15	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	DMS	C	8403	4/4	0.99	0.06	17,19,22,30	0
5	DMS	B	8412	4/4	0.99	0.08	23,28,29,33	0
4	NA	D	3102	1/1	0.99	0.06	11,11,11,11	0
5	DMS	D	8412	4/4	0.99	0.07	20,26,29,39	0
5	DMS	C	8401	4/4	0.99	0.05	13,14,16,16	0
3	MG	A	3002	1/1	0.99	0.05	14,14,14,14	0
3	MG	B	3002	1/1	0.99	0.05	14,14,14,14	0
5	DMS	C	8411	4/4	0.99	0.07	20,23,25,41	0
5	DMS	A	8411	4/4	0.99	0.07	22,26,26,35	0
5	DMS	D	8405	4/4	0.99	0.06	22,22,28,30	0
4	NA	B	3102	1/1	1.00	0.04	11,11,11,11	0
4	NA	C	3101	1/1	1.00	0.08	11,11,11,11	0
3	MG	D	3001	1/1	1.00	0.04	11,11,11,11	0
4	NA	A	3102	1/1	1.00	0.03	12,12,12,12	0
3	MG	C	3002	1/1	1.00	0.04	13,13,13,13	0
3	MG	B	3001	1/1	1.00	0.03	10,10,10,10	0
3	MG	A	3001	1/1	1.00	0.04	11,11,11,11	0
4	NA	C	3102	1/1	1.00	0.04	12,12,12,12	0
3	MG	C	3001	1/1	1.00	0.04	10,10,10,10	0

6.5 Other polymers ⓘ

There are no such residues in this entry.