



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 31, 2021 – 12:02 PM EDT

PDB ID : 7K2C
Title : Kelch domain of human KEAP1 bound to Nrf2 peptide, ADEETGEAA
Authors : Muellers, S.N.; Allen, K.N.
Deposited on : 2020-09-08
Resolution : 2.11 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.18
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.18


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6241 (2.14-2.10)
Clashscore	141614	6778 (2.14-2.10)
Ramachandran outliers	138981	6705 (2.14-2.10)
Sidechain outliers	138945	6706 (2.14-2.10)
RSRZ outliers	127900	6112 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	290	<div> <div>36%</div> <div>72%24%..</div> </div>
1	B	290	<div> <div>8%</div> <div>88%11%.</div> </div>
2	P	11	<div> <div>9%</div> <div>82%18%</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4502 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Kelch-like ECH-associated protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	283	Total	C	N	O	S	0	0	0
			2107	1312	381	400	14			
1	B	290	Total	C	N	O	S	0	1	0
			2214	1378	399	421	16			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	540	ALA	GLU	conflict	UNP Q14145
A	542	ALA	GLU	conflict	UNP Q14145
A	613	SER	CYS	conflict	UNP Q14145
B	540	ALA	GLU	conflict	UNP Q14145
B	542	ALA	GLU	conflict	UNP Q14145
B	613	SER	CYS	conflict	UNP Q14145

- Molecule 2 is a protein called Nrf2 peptide,ADEETGEAA.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	P	11	Total	C	N	O	0	0	1
			65	36	10	19			

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	19	Total	O	0	0
			19	19		
4	B	89	Total	O	0	0
			89	89		
4	P	3	Total	O	0	0
			3	3		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Kelch-like ECH-associated protein 1



• Molecule 1: Kelch-like ECH-associated protein 1



• Molecule 2: Nrf2 peptide, ADEETGEAA



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	162.62Å 68.88Å 77.44Å 90.00° 117.82° 90.00°	Depositor
Resolution (Å)	29.38 – 2.11 29.38 – 2.11	Depositor EDS
% Data completeness (in resolution range)	98.0 (29.38-2.11) 98.0 (29.38-2.11)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.09 (at 2.10Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, R_{free}	0.237 , 0.271 0.237 , 0.271	Depositor DCC
R_{free} test set	1996 reflections (4.64%)	wwPDB-VP
Wilson B-factor (Å ²)	36.3	Xtriage
Anisotropy	0.540	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 48.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	0.008 for -h-2*k,l	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4502	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACE, NH2, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/2158	0.60	0/2946
1	B	0.55	0/2271	0.64	0/3094
2	P	0.67	0/61	1.11	1/82 (1.2%)
All	All	0.51	0/4490	0.63	1/6122 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	P	76	ACE	C-N-CA	-8.29	100.97	121.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2107	0	1957	69	1
1	B	2214	0	2103	23	1
2	P	65	0	50	1	0
3	A	5	0	0	0	0
4	A	19	0	0	0	0
4	B	89	0	0	0	0
4	P	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	4502	0	4110	92	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:355:LEU:HD23	1:A:396:TYR:OH	1.63	0.98
1:A:393:LEU:HD21	1:A:443:TYR:CE2	1.99	0.96
1:A:584:TYR:CD1	1:A:591:TRP:NE1	2.41	0.89
1:A:584:TYR:HB2	1:A:591:TRP:CE2	2.11	0.86
1:A:581:VAL:HB	1:A:595:THR:O	1.75	0.85
1:A:550:MET:CE	1:A:568:VAL:HG11	2.11	0.79
1:A:355:LEU:CD2	1:A:396:TYR:OH	2.33	0.77
1:B:466:ALA:HB1	1:B:514:VAL:HG23	1.66	0.76
1:A:584:TYR:HD1	1:A:591:TRP:CD1	2.05	0.73
1:A:550:MET:HE1	1:A:568:VAL:HG11	1.71	0.72
1:A:584:TYR:HB2	1:A:591:TRP:CD2	2.24	0.71
1:A:550:MET:HE2	1:A:568:VAL:HG21	1.76	0.67
1:A:554:ARG:HG3	1:A:557:LEU:HD22	1.78	0.65
1:B:494:ARG:HG3	1:B:496:GLU:HG2	1.79	0.65
1:A:584:TYR:HD1	1:A:591:TRP:NE1	1.91	0.64
1:A:584:TYR:HB2	1:A:591:TRP:CZ2	2.34	0.63
1:A:537:TYR:CD1	1:A:544:TRP:NE1	2.67	0.62
1:B:557:LEU:H	1:B:557:LEU:HD23	1.65	0.62
1:A:351:THR:HG22	1:A:352:TRP:H	1.62	0.62
1:A:362:ARG:HH21	1:A:392:ALA:HB3	1.65	0.61
1:A:393:LEU:CD2	1:A:443:TYR:CE2	2.81	0.61
1:A:362:ARG:NH2	1:A:392:ALA:HB3	2.16	0.60
1:A:420:VAL:O	1:A:467:VAL:HG21	2.02	0.59
1:B:436:HIS:HB3	1:B:461:ILE:HD11	1.84	0.58
1:B:515:LEU:HD22	1:B:566:ILE:HG13	1.83	0.58
1:A:559:ILE:HG13	1:A:568:VAL:HG12	1.87	0.57
1:A:413:ARG:HH22	1:A:439:SER:HB2	1.71	0.55
1:A:584:TYR:CD1	1:A:591:TRP:CE2	2.94	0.55
1:A:365:LEU:HD23	1:A:365:LEU:H	1.71	0.55
1:B:329:TYR:OH	1:B:612:PRO:HD3	2.07	0.55
1:A:583:CYS:N	1:A:592:SER:O	2.30	0.55
1:A:522:ALA:HB1	1:A:550:MET:HE3	1.91	0.53
1:B:514:VAL:HG22	1:B:519:ILE:HD13	1.90	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:541:THR:O	1:A:543:THR:HG23	2.09	0.53
1:A:582:GLU:HA	1:A:593:GLU:HA	1.91	0.53
1:A:548:ALA:HB2	1:A:589:ASP:OD2	2.10	0.52
1:A:518:CYS:SG	1:A:536:ARG:HD2	2.50	0.52
1:A:584:TYR:CD1	1:A:591:TRP:CD1	2.89	0.52
1:A:585:ASP:HB3	1:A:588:THR:HG22	1.93	0.51
1:A:373:LEU:HB3	1:A:395:CYS:SG	2.52	0.50
1:A:537:TYR:HD1	1:A:544:TRP:CD1	2.29	0.50
1:A:327:LEU:N	1:A:609:THR:O	2.44	0.50
1:B:421:ILE:HD11	1:B:472:LEU:HB2	1.94	0.50
1:A:537:TYR:HB2	1:A:544:TRP:CZ2	2.48	0.49
1:A:342:LEU:HD22	1:A:403:TRP:HZ2	1.78	0.48
1:A:366:ALA:HB1	1:A:418:VAL:HG22	1.95	0.48
1:B:365:LEU:H	1:B:365:LEU:HD23	1.77	0.48
1:B:467:VAL:O	1:B:514:VAL:HG21	2.13	0.48
1:A:550:MET:CE	1:A:568:VAL:HG21	2.41	0.48
1:A:537:TYR:CD1	1:A:544:TRP:CD1	3.01	0.48
1:B:362:ARG:NH1	1:B:394:ASP:OD2	2.45	0.47
1:A:467:VAL:O	1:A:514:VAL:HG21	2.15	0.47
1:A:396:TYR:CD2	1:A:396:TYR:O	2.69	0.46
1:A:537:TYR:HB2	1:A:544:TRP:CE2	2.51	0.45
1:A:566:ILE:HG21	1:A:591:TRP:CH2	2.51	0.45
1:A:377:VAL:HG22	1:A:393:LEU:CD1	2.46	0.45
1:A:498:ARG:HA	1:A:498:ARG:HD3	1.72	0.45
1:A:579:ASP:O	1:A:597:MET:HG3	2.15	0.45
1:B:494:ARG:NE	1:B:494:ARG:HA	2.32	0.45
1:A:472:LEU:HB3	1:A:490:TYR:HB3	1.98	0.44
1:A:566:ILE:HG21	1:A:591:TRP:HH2	1.82	0.44
1:A:345:TYR:HB2	1:A:352:TRP:CE3	2.52	0.44
1:A:410:SER:HB3	1:A:441:GLU:OE2	2.17	0.44
1:B:460:ARG:HH21	1:B:488:GLU:HG2	1.81	0.44
1:A:448:ASP:N	1:A:448:ASP:OD1	2.49	0.44
1:A:537:TYR:CD1	1:A:544:TRP:CE2	3.05	0.44
1:B:566:ILE:HB	1:B:584:TYR:HB3	1.99	0.44
1:A:490:TYR:OH	1:A:495:ASN:OD1	2.28	0.44
1:A:548:ALA:HB2	1:A:589:ASP:CG	2.37	0.44
1:B:388:THR:HG22	1:B:389:ASP:O	2.18	0.44
1:B:343:GLU:HA	1:B:353:LEU:O	2.18	0.44
1:A:443:TYR:O	1:A:443:TYR:CD2	2.70	0.43
1:A:535:GLU:HB3	1:A:546:PHE:CD1	2.53	0.43
1:A:584:TYR:HB2	1:A:591:TRP:CE3	2.54	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:490:TYR:HB2	1:A:497:TRP:CH2	2.54	0.43
1:A:530:GLN:HG2	1:A:573:ASP:HA	1.99	0.43
1:A:334:TYR:CE1	2:P:83:GLU:HA	2.54	0.43
1:B:373:LEU:HB3	1:B:395:CYS:SG	2.59	0.42
1:B:365:LEU:HD12	1:B:376:ALA:HB1	2.02	0.42
1:A:431:SER:HB3	1:A:461:ILE:HG21	2.02	0.42
1:A:393:LEU:HD22	1:A:450:TRP:HZ2	1.86	0.41
1:A:395:CYS:SG	1:A:396:TYR:N	2.93	0.41
1:B:494:ARG:HG3	1:B:496:GLU:CG	2.49	0.41
1:B:512:VAL:HA	1:B:520:TYR:O	2.20	0.41
1:A:518:CYS:HB3	1:A:536:ARG:HB2	2.02	0.41
1:A:468:LEU:HD13	1:A:514:VAL:HG11	2.02	0.41
1:A:519:ILE:O	1:A:536:ARG:HA	2.20	0.41
1:B:467:VAL:HG22	1:B:472:LEU:HD12	2.02	0.41
1:B:425:ILE:HB	1:B:443:TYR:HB3	2.03	0.41
1:A:537:TYR:HB2	1:A:544:TRP:CH2	2.56	0.41
1:B:399:MET:HE2	1:B:399:MET:HB2	1.90	0.40
1:A:585:ASP:OD1	1:A:588:THR:HG22	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:385:ASP:OD2	1:B:415:ARG:NH2[1_556]	2.18	0.02

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	281/290 (97%)	267 (95%)	13 (5%)	1 (0%)	34	32
1	B	289/290 (100%)	278 (96%)	11 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	P	9/11 (82%)	9 (100%)	0	0	100	100
All	All	579/591 (98%)	554 (96%)	24 (4%)	1 (0%)	47	48

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	446	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	211/234 (90%)	205 (97%)	6 (3%)	43	46
1	B	232/234 (99%)	230 (99%)	2 (1%)	78	83
2	P	5/5 (100%)	5 (100%)	0	100	100
All	All	448/473 (95%)	440 (98%)	8 (2%)	59	63

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	400	THR
1	A	443	TYR
1	A	493	GLU
1	A	557	LEU
1	A	592	SER
1	A	596	ARG
1	B	494	ARG
1	B	557	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	701	-	4,4,4	0.16	0	6,6,6	0.06	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	283/290 (97%)	1.72	105 (37%) 0 0	24, 56, 101, 122	0
1	B	290/290 (100%)	0.58	23 (7%) 12 16	24, 33, 62, 106	0
2	P	9/11 (81%)	0.46	1 (11%) 5 6	35, 38, 58, 61	0
All	All	582/591 (98%)	1.14	129 (22%) 0 0	24, 40, 94, 122	0

All (129) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	594	VAL	8.4
1	A	595	THR	8.0
1	A	423	GLY	7.3
1	A	399	MET	7.1
1	A	446	GLU	6.4
1	B	607	ALA	6.2
1	A	371	GLY	6.2
1	A	348	SER	6.2
1	A	591	TRP	5.8
1	A	420	VAL	5.6
1	A	351	THR	5.5
1	A	563	GLN	5.4
1	A	400	THR	5.3
1	B	606	VAL	5.3
1	A	349	ASP	5.2
1	A	494	ARG	5.1
1	A	370	VAL	5.1
1	A	397	ASN	5.1
1	A	350	GLY	5.0
1	B	614	ARG	4.9
1	A	470	ARG	4.9
1	A	421	ILE	4.9
1	A	353	LEU	4.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	422	ASP	4.8
1	A	445	PRO	4.8
1	A	590	THR	4.7
1	A	416	ILE	4.5
1	A	562	HIS	4.3
1	A	447	ARG	4.3
1	A	346	ASN	4.2
1	A	491	TYR	4.2
1	A	608	VAL	4.1
2	P	85	ALA	4.1
1	A	449	GLU	4.0
1	A	425	ILE	4.0
1	A	567	TYR	4.0
1	B	366	ALA	3.9
1	B	608	VAL	3.9
1	A	377	VAL	3.9
1	A	604	VAL	3.9
1	A	588	THR	3.9
1	B	399	MET	3.9
1	B	365	LEU	3.8
1	A	365	LEU	3.8
1	A	405	PRO	3.8
1	A	606	VAL	3.8
1	A	373	LEU	3.8
1	A	596	ARG	3.7
1	A	557	LEU	3.6
1	A	559	ILE	3.6
1	A	598	THR	3.6
1	A	347	PRO	3.6
1	A	592	SER	3.5
1	B	613	SER	3.5
1	A	443	TYR	3.5
1	A	455	PRO	3.4
1	A	419	GLY	3.4
1	A	327	LEU	3.4
1	A	545	THR	3.4
1	A	575	HIS	3.4
1	B	512	VAL	3.4
1	A	493	GLU	3.3
1	A	418	VAL	3.3
1	A	395	CYS	3.3
1	A	376	ALA	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	398	PRO	3.3
1	A	374	LEU	3.3
1	A	368	CYS	3.2
1	A	452	LEU	3.1
1	A	516	HIS	3.1
1	A	589	ASP	3.1
1	A	434	CYS	3.0
1	A	451	HIS	3.0
1	A	352	TRP	3.0
1	B	416	ILE	2.9
1	B	384	PRO	2.9
1	A	558	GLY	2.9
1	A	328	ILE	2.9
1	A	401	ASN	2.9
1	A	548	ALA	2.8
1	A	408	PRO	2.8
1	A	495	ASN	2.8
1	B	605	GLY	2.8
1	A	375	TYR	2.8
1	B	372	GLY	2.7
1	A	344	ALA	2.7
1	B	465	VAL	2.7
1	B	569	LEU	2.7
1	A	568	VAL	2.7
1	A	465	VAL	2.7
1	A	331	ALA	2.7
1	A	609	THR	2.7
1	A	402	GLN	2.6
1	A	463	VAL	2.6
1	A	424	HIS	2.6
1	A	469	ASN	2.6
1	A	581	VAL	2.5
1	A	561	VAL	2.5
1	A	576	THR	2.5
1	A	585	ASP	2.5
1	A	569	LEU	2.5
1	A	512	VAL	2.5
1	B	446	GLU	2.5
1	B	447	ARG	2.4
1	A	448	ASP	2.4
1	A	453	VAL	2.4
1	B	386	GLY	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	584	TYR	2.4
1	A	475	VAL	2.3
1	B	383	SER	2.3
1	A	540	ALA	2.3
1	A	330	THR	2.3
1	A	597	MET	2.2
1	B	385	ASP	2.2
1	B	463	VAL	2.2
1	A	587	ASP	2.2
1	A	566	ILE	2.2
1	B	588	THR	2.2
1	A	544	TRP	2.2
1	A	358	LEU	2.2
1	A	367	GLY	2.2
1	B	464	GLY	2.2
1	A	492	PRO	2.1
1	A	586	PRO	2.1
1	A	417	GLY	2.1
1	A	603	GLY	2.0
1	A	406	CYS	2.0
1	A	427	ALA	2.0
1	A	359	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	SO4	A	701	5/5	0.86	0.22	74,82,94,96	0

6.5 Other polymers [i](#)

There are no such residues in this entry.