



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 17, 2021 – 07:01 AM EDT

PDB ID : 1K6N  
Title : E(L212)A,D(L213)A Double Mutant Structure of Photosynthetic Reaction Center from Rhodobacter Sphaeroides  
Authors : Pokkuluri, P.R.; Laible, P.D.; Deng, Y.-L.; Wong, T.N.; Hanson, D.K.; Schiffer, M.  
Deposited on : 2001-10-16  
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.23.2
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*




The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	281	 68% 28% .
2	M	314	 68% 24% 5% .
3	H	260	 62% 25% 5% 8%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	BCL	L	304	X	-	-	-
4	BCL	M	501	X	-	-	-
5	BPH	M	401	X	-	-	-
6	U10	L	502	-	-	-	X
7	LDA	L	709	-	-	-	X

## 2 Entry composition

There are 11 unique types of molecules in this entry. The entry contains 7270 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PHOTOSYNTHETIC REACTION CENTER L SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	281	Total	C	N	O	S	0	0	0
			2225	1504	355	358	8			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	212	ALA	GLU	engineered mutation	UNP P02954
L	213	ALA	ASP	engineered mutation	UNP P02954

- Molecule 2 is a protein called PHOTOSYNTHETIC REACTION CENTER M SUBUNIT.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	M	302	Total	C	N	O	S	0	0	0
			2408	1607	394	397	10			


There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	308	HIS	-	expression tag	UNP P02953
M	309	HIS	-	expression tag	UNP P02953
M	310	HIS	-	expression tag	UNP P02953
M	311	HIS	-	expression tag	UNP P02953
M	312	HIS	-	expression tag	UNP P02953
M	313	HIS	-	expression tag	UNP P02953
M	314	HIS	-	expression tag	UNP P02953

- Molecule 3 is a protein called PHOTOSYNTHETIC REACTION CENTER H SUBUNIT.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	240	Total	C	N	O	S	0	0	0
			1829	1169	314	337	9			

- Molecule 4 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula: C<sub>55</sub>H<sub>74</sub>MgN<sub>4</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
4	L	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
4	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0
4	M	1	Total 66	C 55	Mg 1	N 4	O 6	0	0

- Molecule 5 is BACTERIOPHEOPHYTIN A (three-letter code: BPH) (formula: C<sub>55</sub>H<sub>76</sub>N<sub>4</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	L	1	Total	C	N	O	0	0
			65	55	4	6		
5	M	1	Total	C	N	O	10	0
			65	55	4	6		

- Molecule 6 is UBIQUINONE-10 (three-letter code: U10) (formula:  $C_{59}H_{90}O_4$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	L	1	Total	C	O	0	0
			48	44	4		
6	M	1	Total	C	O	0	0
			48	44	4		

- Molecule 7 is LAURYL DIMETHYLAMINE-N-OXIDE (three-letter code: LDA) (formula:  $C_{14}H_{31}NO$ ).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	L	1	Total	C	N	O	0	0
			16	14	1	1		
7	M	1	Total	C	N	O	0	0
			16	14	1	1		
7	M	1	Total	C	N	O	0	0
			16	14	1	1		
7	H	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 8 is FE (III) ION (three-letter code: FE) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	M	1	Total	Fe	0	0
			1	1		

- Molecule 9 is SPEROIDENONE (three-letter code: SPN) (formula: C<sub>41</sub>H<sub>70</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	M	1	Total	C	O	0	0
			43	41	2		

- Molecule 10 is CARDIOLIPIN (three-letter code: CDL) (formula:  $C_{81}H_{156}O_{17}P_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
10	M	1	Total	C	O	P	0	0
			81	62	17	2		

- Molecule 11 is water.




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	L	34	Total 34	O 34	0	0
11	M	44	Total 44	O 44	0	0
11	H	51	Total 51	O 51	0	0


### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: PHOTOSYNTHETIC REACTION CENTER L SUBUNIT



#### • Molecule 2: PHOTOSYNTHETIC REACTION CENTER M SUBUNIT





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	141.50Å 141.50Å 187.40Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	10.00 – 3.10 14.99 – 3.10	Depositor EDS
% Data completeness (in resolution range)	(Not available) (10.00-3.10) 88.4 (14.99-3.10)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.13 (at 3.12Å)	Xtriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.203 , 0.207 0.192 , 0.196	Depositor DCC
$R_{free}$ test set	2439 reflections (6.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	58.4	Xtriage
Anisotropy	0.103	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 81.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.023 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	7270	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.52% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: FE, U10, SPN, BCL, BPH, LDA, CDL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	L	0.95	0/2313	1.09	13/3166 (0.4%)
2	M	1.04	0/2500	1.10	16/3413 (0.5%)
3	H	0.94	1/1877 (0.1%)	1.21	20/2553 (0.8%)
All	All	0.98	1/6690 (0.0%)	1.13	49/9132 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	L	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	H	250	SER	C-O	5.48	1.33	1.23

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	L	103	ARG	NE-CZ-NH1	11.02	125.81	120.30
3	H	154	ARG	NE-CZ-NH2	7.36	123.98	120.30
3	H	117	ARG	NE-CZ-NH2	7.36	123.98	120.30
2	M	13	ARG	NE-CZ-NH2	7.33	123.96	120.30
2	M	247	ARG	NE-CZ-NH2	7.33	123.96	120.30
1	L	217	ARG	NE-CZ-NH2	7.32	123.96	120.30
2	M	164	ARG	NE-CZ-NH2	7.31	123.96	120.30
3	H	202	ARG	NE-CZ-NH2	7.30	123.95	120.30
1	L	231	ARG	NE-CZ-NH2	7.27	123.94	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	248	ARG	NE-CZ-NH2	7.25	123.92	120.30
3	H	70	ARG	NE-CZ-NH2	7.23	123.92	120.30
3	H	37	ARG	NE-CZ-NH2	7.19	123.90	120.30
3	H	189	ARG	NE-CZ-NH2	6.77	123.68	120.30
2	M	228	ARG	NE-CZ-NH2	6.75	123.68	120.30
1	L	207	ARG	NE-CZ-NH2	6.75	123.67	120.30
1	L	135	ARG	NE-CZ-NH2	6.62	123.61	120.30
2	M	136	ARG	NE-CZ-NH2	6.58	123.59	120.30
2	M	253	ARG	NE-CZ-NH2	6.45	123.53	120.30
1	L	103	ARG	NH1-CZ-NH2	-6.40	112.36	119.40
2	M	132	ARG	NE-CZ-NH2	6.39	123.50	120.30
2	M	241	ARG	NE-CZ-NH2	6.29	123.45	120.30
1	L	280	ASN	O-C-N	-6.29	112.50	123.20
1	L	7	ARG	NE-CZ-NH2	6.27	123.44	120.30
3	H	177	ARG	NE-CZ-NH2	6.26	123.43	120.30
3	H	83	ARG	NE-CZ-NH2	6.25	123.43	120.30
1	L	10	ARG	NE-CZ-NH2	6.23	123.42	120.30
3	H	89	ARG	NE-CZ-NH2	6.13	123.37	120.30
1	L	206	MET	CG-SD-CE	6.12	109.98	100.20
2	M	158	MET	CG-SD-CE	6.10	109.96	100.20
3	H	242	MET	CG-SD-CE	6.08	109.92	100.20
2	M	20	MET	CG-SD-CE	6.07	109.91	100.20
3	H	36	MET	CG-SD-CE	6.07	109.90	100.20
3	H	118	ARG	NE-CZ-NH2	6.05	123.32	120.30
3	H	175	MET	CG-SD-CE	6.01	109.81	100.20
1	L	174	MET	CG-SD-CE	5.90	109.64	100.20
3	H	134	MET	CG-SD-CE	5.89	109.63	100.20
2	M	1	ALA	CB-CA-C	5.87	118.91	110.10
2	M	142	MET	CG-SD-CE	5.81	109.50	100.20
2	M	272	MET	CG-SD-CE	5.74	109.38	100.20
3	H	193	MET	CG-SD-CE	5.74	109.38	100.20
3	H	178	PHE	CB-CA-C	-5.69	99.02	110.40
2	M	122	MET	CG-SD-CE	5.67	109.28	100.20
1	L	138	MET	CG-SD-CE	5.67	109.27	100.20
3	H	105	MET	CG-SD-CE	5.65	109.25	100.20
2	M	65	MET	CG-SD-CE	5.61	109.18	100.20
3	H	195	MET	CG-SD-CE	5.56	109.09	100.20
3	H	67	PRO	O-C-N	5.37	131.28	122.70
2	M	168	MET	CG-SD-CE	5.34	108.75	100.20
1	L	2	LEU	CB-CA-C	-5.08	100.56	110.20

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	L	280	ASN	Mainchain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	2225	0	2187	86	0
2	M	2408	0	2321	76	0
3	H	1829	0	1836	47	0
4	L	132	0	148	16	0
4	M	132	0	148	20	0
5	L	65	0	76	2	0
5	M	65	0	76	1	0
6	L	48	0	62	11	0
6	M	48	0	63	6	0
7	H	16	0	31	4	0
7	L	16	0	31	4	0
7	M	32	0	62	4	0
8	M	1	0	0	0	0
9	M	43	0	69	1	0
10	M	81	0	106	1	0
11	H	51	0	0	3	0
11	L	34	0	0	1	0
11	M	44	0	0	0	0
All	All	7270	0	7216	215	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (215) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:33:THR:O	3:H:59:PRO:HG3	1.69	0.91
1:L:34:PHE:O	1:L:38:THR:HG23	1.71	0.89
6:M:503:U10:H202	7:H:703:LDA:H112	1.54	0.88

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:204:LYS:HD3	1:L:207:ARG:HH22	1.36	0.87
2:M:204:LEU:HB3	2:M:279:THR:HG21	1.56	0.85
1:L:204:LYS:HD3	1:L:207:ARG:NH2	1.94	0.81
2:M:197:PHE:HZ	4:M:502:BCL:HBB2	1.47	0.80
4:L:302:BCL:HHC	4:L:302:BCL:OBB	1.81	0.79
1:L:227:LEU:HD21	2:M:5:ASN:ND2	1.98	0.78
6:L:502:U10:H151	4:M:501:BCL:C4	2.16	0.75
2:M:197:PHE:CZ	4:M:502:BCL:HBB2	2.22	0.75
4:M:502:BCL:CBB	4:M:502:BCL:HHC	2.19	0.73
2:M:270:ILE:HD13	10:M:800:CDL:H711	1.71	0.72
1:L:91:ILE:HG13	7:L:709:LDA:H91	1.71	0.72
1:L:193:LEU:HD23	6:L:502:U10:C3M	2.20	0.70
2:M:152:SER:O	2:M:155:TRP:HB3	1.91	0.70
3:H:70:ARG:HB3	3:H:118:ARG:HH12	1.56	0.70
2:M:208:PHE:HE1	7:M:701:LDA:H91	1.55	0.70
1:L:91:ILE:CG1	7:L:709:LDA:H91	2.22	0.70
1:L:135:ARG:HB3	1:L:136:PRO:HD3	1.76	0.67
4:M:502:BCL:HHC	4:M:502:BCL:HBB3	1.77	0.67
1:L:208:THR:HB	1:L:209:PRO:HD2	1.77	0.67
2:M:130:TRP:HD1	2:M:150:PHE:CD2	2.13	0.66
1:L:204:LYS:CD	1:L:207:ARG:NH2	2.58	0.66
4:M:501:BCL:C11	4:M:502:BCL:H203	2.26	0.66
1:L:227:LEU:HD21	2:M:5:ASN:HD21	1.58	0.66
4:L:304:BCL:HMB1	4:L:304:BCL:HBB2	1.79	0.65
1:L:217:ARG:O	1:L:221:GLY:HA2	1.97	0.65
1:L:189:LEU:HB3	6:L:502:U10:H1M3	1.78	0.64
6:M:503:U10:H202	7:H:703:LDA:C11	2.27	0.64
1:L:22:PHE:HA	1:L:24:PHE:CE2	2.34	0.63
2:M:193:HIS:O	2:M:293:ASN:HA	1.98	0.62
1:L:38:THR:HG22	1:L:99:SER:HB3	1.80	0.62
4:M:501:BCL:H111	4:M:502:BCL:H203	1.80	0.62
3:H:241:LEU:O	3:H:248:ARG:NH2	2.32	0.62
2:M:134:TYR:CE2	2:M:144:LYS:HG2	2.36	0.61
1:L:69:PRO:HG2	1:L:142:TRP:HB2	1.83	0.61
4:L:304:BCL:H192	5:L:402:BPH:H7C2	1.83	0.61
3:H:37:ARG:HH11	3:H:37:ARG:HG2	1.66	0.60
2:M:13:ARG:O	3:H:140:PHE:HA	2.01	0.60
1:L:16:LEU:N	1:L:106:GLU:OE2	2.31	0.60
4:M:501:BCL:CBB	4:M:501:BCL:HMB1	2.32	0.60
1:L:227:LEU:CD2	2:M:5:ASN:HD21	2.13	0.60
2:M:130:TRP:HD1	2:M:150:PHE:HD2	1.49	0.59

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:249:LYS:O	3:H:250:SER:C	2.41	0.59
1:L:244:SER:OG	4:L:302:BCL:HMA2	2.02	0.59
3:H:148:PRO:HA	3:H:151:LEU:HD12	1.84	0.59
1:L:8:LYS:HA	3:H:87:LEU:CD1	2.33	0.58
1:L:178:SER:HB3	6:L:502:U10:H252	1.85	0.58
2:M:194:GLY:O	2:M:195:ASN:HB3	2.04	0.58
3:H:196:VAL:HG12	3:H:205:VAL:HG22	1.85	0.58
2:M:208:PHE:CE1	7:M:701:LDA:H91	2.37	0.58
2:M:11:GLN:HB2	3:H:144:ALA:HB3	1.85	0.58
1:L:116:HIS:O	1:L:119:PHE:HB3	2.04	0.58
2:M:21:THR:CG2	2:M:26:LEU:HD11	2.34	0.57
1:L:8:LYS:HA	3:H:87:LEU:HD11	1.86	0.57
1:L:227:LEU:HD21	2:M:5:ASN:CG	2.25	0.57
3:H:177:ARG:O	3:H:193:MET:HB2	2.03	0.57
4:M:501:BCL:HMB1	4:M:501:BCL:HBB2	1.85	0.57
1:L:173:HIS:CE1	1:L:177:ILE:HD11	2.40	0.57
1:L:264:GLN:HA	1:L:267:VAL:HG12	1.86	0.56
1:L:85:LEU:O	1:L:89:ILE:HG13	2.06	0.56
3:H:171:ILE:HB	3:H:172:PRO:HD3	1.88	0.55
1:L:38:THR:HG22	1:L:99:SER:CB	2.35	0.55
1:L:193:LEU:HD23	6:L:502:U10:H3M3	1.88	0.55
2:M:21:THR:HG23	2:M:26:LEU:HD11	1.88	0.55
3:H:129:ASN:ND2	3:H:224:GLU:HG2	2.22	0.55
1:L:218:ASP:OD1	2:M:29:ARG:HD3	2.07	0.55
1:L:4:SER:OG	3:H:39:GLY:HA2	2.07	0.55
1:L:201:GLU:OE2	2:M:144:LYS:NZ	2.39	0.55
1:L:269:LEU:HB2	1:L:272:TRP:NE1	2.22	0.55
6:L:502:U10:C15	4:M:501:BCL:C4	2.84	0.54
1:L:206:MET:O	3:H:67:PRO:HG3	2.07	0.54
2:M:72:ILE:HG13	2:M:73:TRP:N	2.22	0.54
2:M:130:TRP:CD1	2:M:150:PHE:HD2	2.25	0.54
3:H:244:ALA:C	3:H:246:PRO:HD2	2.28	0.54
2:M:108:PRO:HG2	2:M:111:GLU:HB2	1.90	0.53
1:L:208:THR:O	1:L:211:HIS:HB2	2.08	0.53
1:L:267:VAL:HG21	1:L:280:ASN:ND2	2.24	0.53
1:L:271:TRP:CD1	1:L:271:TRP:N	2.77	0.52
4:L:302:BCL:H203	4:L:304:BCL:H102	1.91	0.52
4:L:304:BCL:HMD1	2:M:206:ILE:HD13	1.91	0.52
3:H:20:PHE:HE2	3:H:24:LEU:HD22	1.74	0.52
7:M:701:LDA:H101	7:H:703:LDA:C12	2.39	0.52
1:L:142:TRP:CZ2	7:L:709:LDA:H51	2.44	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:234:LEU:O	1:L:238:LEU:HG	2.09	0.52
2:M:32:VAL:HG12	2:M:33:GLY:O	2.10	0.52
2:M:187:ASN:HA	4:M:502:BCL:CBC	2.40	0.51
3:H:184:LYS:O	3:H:184:LYS:HG3	2.10	0.51
2:M:101:TYR:O	2:M:104:SER:HB2	2.10	0.51
2:M:300:ASN:O	2:M:301:HIS:HB2	2.10	0.51
1:L:168:HIS:CD2	4:L:302:BCL:HMC2	2.46	0.51
1:L:195:LEU:HB3	2:M:145:HIS:CD2	2.45	0.51
5:L:402:BPH:ND	2:M:214:LEU:HD13	2.26	0.51
3:H:168:TRP:CZ3	3:H:225:VAL:HG22	2.44	0.51
2:M:21:THR:HG23	2:M:26:LEU:HD21	1.92	0.51
3:H:226:THR:OG1	3:H:229:GLU:HG3	2.10	0.51
2:M:20:MET:O	2:M:29:ARG:NH2	2.44	0.50
3:H:84:PRO:O	3:H:85:ILE:HD13	2.11	0.50
2:M:3:TYR:CZ	2:M:5:ASN:HA	2.47	0.50
1:L:75:LEU:HD11	1:L:140:GLY:HA2	1.94	0.49
2:M:175:VAL:HG11	9:M:600:SPN:H161	1.93	0.49
2:M:241:ARG:NH1	3:H:38:GLU:OE1	2.40	0.49
4:L:302:BCL:HAA2	4:L:304:BCL:HAC1	1.93	0.49
1:L:11:VAL:HB	1:L:12:PRO:HD2	1.94	0.49
1:L:135:ARG:HB3	1:L:136:PRO:CD	2.42	0.49
1:L:262:TRP:O	1:L:265:TRP:HD1	1.95	0.49
3:H:12:LEU:O	3:H:15:LEU:HB3	2.12	0.49
1:L:207:ARG:HG3	1:L:211:HIS:CD2	2.48	0.49
1:L:190:HIS:HA	6:L:502:U10:O2	2.13	0.48
2:M:97:PRO:HG2	2:M:171:TRP:HB2	1.95	0.48
2:M:88:ASP:HB2	2:M:92:PHE:CZ	2.48	0.48
4:M:501:BCL:H112	4:M:501:BCL:H151	1.54	0.48
1:L:216:PHE:CE1	6:L:502:U10:H71	2.48	0.48
3:H:84:PRO:C	3:H:85:ILE:HD13	2.34	0.48
2:M:101:TYR:O	2:M:104:SER:CB	2.62	0.48
1:L:227:LEU:HD21	2:M:5:ASN:OD1	2.14	0.48
6:L:502:U10:H151	4:M:501:BCL:H41	1.93	0.48
1:L:104:GLU:HB3	1:L:118:PRO:HG3	1.96	0.48
3:H:20:PHE:CE2	3:H:24:LEU:HD22	2.48	0.47
4:L:302:BCL:OBB	4:L:302:BCL:CHC	2.55	0.47
3:H:219:ILE:HB	11:H:730:HOH:O	2.13	0.47
1:L:168:HIS:HB3	2:M:183:LEU:HD13	1.95	0.47
1:L:87:GLN:NE2	1:L:142:TRP:CD1	2.82	0.47
2:M:164:ARG:HB3	2:M:165:PRO:HD3	1.95	0.47
1:L:205:GLU:O	1:L:207:ARG:NH1	2.45	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:130:TRP:CD1	2:M:150:PHE:CD2	3.00	0.47
7:M:701:LDA:H101	7:H:703:LDA:H121	1.97	0.47
1:L:34:PHE:HB2	11:L:712:HOH:O	2.14	0.46
3:H:170:ASP:HB2	3:H:177:ARG:HG3	1.97	0.46
1:L:49:ILE:HG12	1:L:89:ILE:HD13	1.97	0.46
1:L:102:LEU:O	1:L:105:VAL:HB	2.15	0.46
1:L:279:ILE:HG21	2:M:91:PHE:HB3	1.97	0.46
1:L:189:LEU:HB3	6:L:502:U10:C1M	2.46	0.46
1:L:177:ILE:HG23	4:L:302:BCL:HMB3	1.97	0.45
1:L:22:PHE:HA	1:L:24:PHE:HE2	1.80	0.45
2:M:16:ALA:HB1	2:M:32:VAL:HG11	1.98	0.45
2:M:250:LEU:O	2:M:251:PHE:C	2.53	0.45
2:M:202:HIS:CE1	2:M:206:ILE:HD11	2.52	0.45
3:H:129:ASN:HD22	3:H:224:GLU:HG2	1.82	0.45
2:M:21:THR:O	2:M:22:GLU:C	2.55	0.45
2:M:268:TRP:CD1	6:M:503:U10:H111	2.52	0.45
3:H:148:PRO:HD2	3:H:167:ILE:HD11	1.98	0.44
2:M:201:PHE:HD1	2:M:279:THR:HG23	1.82	0.44
2:M:264:GLY:HA3	3:H:35:ASN:OD1	2.17	0.44
1:L:180:PHE:CE2	1:L:240:ALA:HB1	2.52	0.44
2:M:251:PHE:C	2:M:251:PHE:CD1	2.91	0.44
2:M:236:GLU:HB3	11:H:709:HOH:O	2.19	0.43
6:M:503:U10:H322	6:M:503:U10:H28	1.47	0.43
1:L:264:GLN:O	1:L:268:LYS:HB2	2.17	0.43
3:H:189:ARG:HD2	3:H:216:ILE:HB	1.99	0.43
3:H:245:ALA:HB3	3:H:246:PRO:HD3	2.01	0.43
4:L:302:BCL:HMB1	4:L:302:BCL:HBB3	2.00	0.43
4:M:502:BCL:HBB2	4:M:502:BCL:HHC	1.98	0.43
1:L:234:LEU:HD22	2:M:224:LEU:HD12	1.99	0.43
2:M:2:GLU:OE2	2:M:228:ARG:NH2	2.51	0.43
2:M:268:TRP:CE3	3:H:31:LEU:HD13	2.53	0.43
1:L:117:ILE:HB	1:L:118:PRO:HD3	2.01	0.43
3:H:249:LYS:O	3:H:250:SER:O	2.37	0.43
1:L:100:TRP:CH2	6:M:503:U10:H251	2.54	0.43
4:M:502:BCL:H162	4:M:502:BCL:H121	1.85	0.43
1:L:212:ALA:HA	2:M:142:MET:HE1	2.01	0.43
3:H:37:ARG:HG2	3:H:37:ARG:NH1	2.32	0.43
1:L:153:HIS:CE1	1:L:154:LEU:HD23	2.54	0.43
1:L:180:PHE:CD2	1:L:240:ALA:HB1	2.54	0.43
1:L:265:TRP:CG	1:L:266:TRP:N	2.87	0.43
2:M:114:LEU:HD12	2:M:114:LEU:HA	1.84	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:85:LEU:HD23	1:L:85:LEU:HA	1.89	0.42
1:L:173:HIS:O	1:L:177:ILE:HG13	2.19	0.42
1:L:49:ILE:CG1	1:L:89:ILE:HD13	2.49	0.42
3:H:16:ALA:O	3:H:19:SER:HB2	2.20	0.42
2:M:129:TRP:CH2	2:M:132:ARG:NH1	2.88	0.42
1:L:18:GLY:O	1:L:21:LEU:HB2	2.19	0.42
2:M:3:TYR:OH	2:M:5:ASN:HA	2.20	0.42
3:H:181:VAL:O	3:H:188:THR:HA	2.18	0.42
2:M:36:SER:OG	2:M:38:LEU:HB3	2.19	0.42
3:H:209:SER:OG	3:H:212:LEU:HD12	2.20	0.42
3:H:130:LYS:HD2	11:H:739:HOH:O	2.19	0.42
1:L:167:PHE:HB3	4:L:302:BCL:HMC3	2.02	0.42
3:H:156:CYS:HB3	3:H:206:ASN:O	2.19	0.42
1:L:149:GLY:O	1:L:153:HIS:HB3	2.19	0.42
2:M:197:PHE:HD1	2:M:197:PHE:HA	1.71	0.42
1:L:97:PHE:CE1	4:L:302:BCL:H121	2.55	0.41
4:L:302:BCL:H141	4:L:302:BCL:H162	1.90	0.41
2:M:2:GLU:HG2	2:M:3:TYR:N	2.35	0.41
1:L:120:ALA:HB1	1:L:238:LEU:HD21	2.01	0.41
2:M:65:MET:HB3	2:M:121:PHE:CD2	2.56	0.41
2:M:134:TYR:CD2	2:M:144:LYS:HG2	2.55	0.41
1:L:207:ARG:HA	1:L:207:ARG:HD2	1.62	0.41
1:L:267:VAL:HG21	1:L:280:ASN:HD22	1.85	0.41
2:M:265:ILE:HG12	6:M:503:U10:C2	2.51	0.41
3:H:247:LYS:O	3:H:249:LYS:NZ	2.53	0.41
2:M:35:PHE:HA	2:M:45:ALA:O	2.20	0.41
2:M:271:TRP:O	2:M:275:LEU:HG	2.20	0.41
2:M:25:ASN:C	2:M:25:ASN:OD1	2.59	0.41
3:H:103:ASP:HB3	3:H:106:LYS:HB2	2.02	0.41
4:L:304:BCL:H161	4:L:304:BCL:H122	1.80	0.41
1:L:206:MET:HB2	3:H:67:PRO:HD3	2.03	0.41
2:M:103:LEU:HD21	2:M:166:ILE:HA	2.03	0.41
2:M:233:ARG:NH2	3:H:122:GLU:OE1	2.52	0.41
4:M:501:BCL:C4A	4:M:501:BCL:HBA1	2.50	0.41
3:H:148:PRO:O	3:H:151:LEU:HG	2.21	0.41
1:L:267:VAL:HG23	2:M:87:ARG:HG2	2.03	0.41
1:L:146:PHE:HA	1:L:147:PRO:HD3	1.94	0.40
2:M:270:ILE:O	2:M:274:VAL:HB	2.20	0.40
2:M:187:ASN:HA	4:M:502:BCL:HBC3	2.03	0.40
4:M:502:BCL:H191	5:M:401:BPH:H8	2.04	0.40
1:L:66:VAL:HG12	1:L:86:TRP:HB2	2.03	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:97:PHE:CZ	4:L:302:BCL:H121	2.57	0.40
2:M:300:ASN:O	2:M:301:HIS:CB	2.70	0.40
4:M:501:BCL:OBB	4:M:501:BCL:HHC	2.21	0.40
4:M:502:BCL:CBB	4:M:502:BCL:CHC	2.92	0.40
1:L:91:ILE:HG12	7:L:709:LDA:H91	2.00	0.40
1:L:193:LEU:HD23	6:L:502:U10:H3M2	2.02	0.40
3:H:108:GLY:O	3:H:113:SER:HA	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	279/281 (99%)	264 (95%)	15 (5%)	0	100	100
2	M	300/314 (96%)	286 (95%)	10 (3%)	4 (1%)	12	42
3	H	238/260 (92%)	227 (95%)	11 (5%)	0	100	100
All	All	817/855 (96%)	777 (95%)	36 (4%)	4 (0%)	29	64

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	M	301	HIS
2	M	22	GLU
2	M	52	LEU
2	M	34	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	218/218 (100%)	208 (95%)	10 (5%)	27	59
2	M	236/247 (96%)	229 (97%)	7 (3%)	41	71
3	H	195/208 (94%)	184 (94%)	11 (6%)	21	52
All	All	649/673 (96%)	621 (96%)	28 (4%)	29	62

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	38	THR
1	L	126	LEU
1	L	153	HIS
1	L	154	LEU
1	L	210	ASP
1	L	216	PHE
1	L	247	CYS
1	L	251	THR
1	L	271	TRP
1	L	272	TRP
2	M	136	ARG
2	M	144	LYS
2	M	152	SER
2	M	196	LEU
2	M	204	LEU
2	M	216	PHE
2	M	265	ILE
3	H	12	LEU
3	H	52	ASN
3	H	121	PRO
3	H	135	LYS
3	H	184	LYS
3	H	193	MET
3	H	220	LYS
3	H	221	SER
3	H	225	VAL
3	H	231	ASP
3	H	249	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such

sidechains are listed below:

Mol	Chain	Res	Type
1	L	280	ASN
2	M	4	GLN
2	M	188	ASN
3	H	206	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

Of 15 ligands modelled in this entry, 1 is monoatomic - leaving 14 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
10	CDL	M	800	-	80,80,99	0.48	0	86,92,111	0.93	5 (5%)
6	U10	L	502	-	48,48,63	1.79	12 (25%)	58,61,79	2.79	18 (31%)
4	BCL	L	304	1	58,74,74	1.39	8 (13%)	69,115,115	2.24	14 (20%)
7	LDA	H	703	-	12,15,15	2.41	1 (8%)	14,17,17	0.65	0
5	BPH	M	401	-	64,70,70	1.34	7 (10%)	76,101,101	2.29	29 (38%)
4	BCL	M	502	2	58,74,74	1.31	8 (13%)	69,115,115	1.93	13 (18%)
7	LDA	M	704	-	12,15,15	2.05	1 (8%)	14,17,17	0.52	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	BCL	L	302	1	58,74,74	1.61	9 (15%)	69,115,115	2.63	14 (20%)
9	SPN	M	600	-	40,42,42	3.76	17 (42%)	50,52,52	2.58	16 (32%)
7	LDA	L	709	-	12,15,15	2.41	1 (8%)	14,17,17	0.49	0
7	LDA	M	701	-	12,15,15	2.56	1 (8%)	14,17,17	0.40	0
5	BPH	L	402	-	64,70,70	1.31	9 (14%)	76,101,101	1.92	19 (25%)
4	BCL	M	501	2	58,74,74	1.58	10 (17%)	69,115,115	2.55	27 (39%)
6	U10	M	503	-	48,48,63	2.45	21 (43%)	58,61,79	1.30	7 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	CDL	M	800	-	-	30/91/91/110	-
6	U10	L	502	-	-	11/45/69/87	0/1/1/1
4	BCL	L	304	1	1/1/21/25	10/37/137/137	-
7	LDA	H	703	-	-	5/13/13/13	-
5	BPH	M	401	-	1/1/18/22	16/54/105/105	0/5/6/6
4	BCL	M	502	2	-	8/37/137/137	-
7	LDA	M	704	-	-	2/13/13/13	-
4	BCL	L	302	1	-	6/37/137/137	-
9	SPN	M	600	-	-	19/50/51/51	-
7	LDA	L	709	-	-	4/13/13/13	-
7	LDA	M	701	-	-	8/13/13/13	-
5	BPH	L	402	-	-	5/54/105/105	0/5/6/6
4	BCL	M	501	2	2/2/21/25	15/37/137/137	-
6	U10	M	503	-	-	10/45/69/87	0/1/1/1

All (105) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
9	M	600	SPN	C4-C5	8.93	1.54	1.33
9	M	600	SPN	C19-C18	8.82	1.54	1.33
7	M	701	LDA	O1-N1	-8.76	1.21	1.42
9	M	600	SPN	C8-C9	8.45	1.53	1.33
7	H	703	LDA	O1-N1	-8.33	1.22	1.42

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	L	709	LDA	O1-N1	-8.27	1.22	1.42
9	M	600	SPN	C12-C13	8.20	1.52	1.33
6	M	503	U10	C27-C28	-7.29	1.26	1.50
6	M	503	U10	O3-C3	7.25	1.54	1.36
7	M	704	LDA	O1-N1	-6.97	1.25	1.42
9	M	600	SPN	C3-C4	-6.65	1.41	1.50
9	M	600	SPN	C17-C18	-5.91	1.39	1.51
9	M	600	SPN	C10-C9	-5.80	1.39	1.51
9	M	600	SPN	C14-C13	-5.39	1.40	1.51
9	M	600	SPN	C6-C5	-5.19	1.40	1.51
4	L	302	BCL	O2D-CED	-5.10	1.33	1.45
4	M	501	BCL	O2D-CGD	4.81	1.44	1.33
4	L	304	BCL	O2D-CGD	4.56	1.44	1.33
4	M	501	BCL	MG-NA	4.49	2.16	2.06
6	L	502	U10	O4-C4	4.45	1.47	1.36
4	L	302	BCL	C1-C2	-4.26	1.36	1.49
4	L	302	BCL	MG-NA	4.24	2.16	2.06
4	L	302	BCL	O2A-CGA	4.19	1.45	1.33
4	M	502	BCL	C1B-NB	4.15	1.38	1.35
4	L	304	BCL	MG-NA	4.07	2.15	2.06
4	M	502	BCL	MG-NA	4.02	2.15	2.06
5	L	402	BPH	O2D-CGD	3.87	1.42	1.33
5	M	401	BPH	O2A-CGA	3.86	1.44	1.33
5	M	401	BPH	O2D-CGD	3.86	1.42	1.33
6	L	502	U10	C7-C8	-3.84	1.45	1.50
4	M	501	BCL	C1B-NB	3.81	1.38	1.35
6	M	503	U10	C17-C18	-3.80	1.38	1.50
4	M	501	BCL	O2A-CGA	3.77	1.44	1.33
4	M	502	BCL	C4B-NB	3.63	1.38	1.35
6	M	503	U10	O4-C4	3.61	1.45	1.36
9	M	600	SPN	C20-C19	-3.52	1.39	1.50
6	M	503	U10	C36-C34	3.46	1.58	1.51
5	L	402	BPH	O2A-CGA	3.44	1.43	1.33
6	L	502	U10	C13-C14	3.38	1.41	1.33
9	M	600	SPN	C25-C26	3.30	1.40	1.33
4	L	302	BCL	C4B-NB	3.27	1.38	1.35
6	M	503	U10	C37-C38	-3.27	1.39	1.50
6	M	503	U10	C22-C23	-3.26	1.39	1.50
4	M	501	BCL	C4B-NB	3.24	1.38	1.35
6	M	503	U10	C35-C34	3.23	1.59	1.50
6	L	502	U10	O3-C3	3.20	1.44	1.36
6	M	503	U10	C33-C34	3.17	1.40	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	L	502	U10	C23-C24	3.09	1.40	1.33
4	L	304	BCL	C4B-NB	3.09	1.38	1.35
9	M	600	SPN	C7-C8	-3.09	1.40	1.50
9	M	600	SPN	C11-C12	-3.05	1.40	1.50
4	L	302	BCL	MG-NC	3.05	2.13	2.06
9	M	600	SPN	C29-C30	3.03	1.41	1.32
6	L	502	U10	O3-C3M	-3.01	1.38	1.45
9	M	600	SPN	O1-CMA	2.95	1.52	1.43
5	M	401	BPH	O2D-CED	-2.85	1.38	1.45
6	M	503	U10	C8-C9	2.84	1.39	1.33
6	M	503	U10	C23-C24	2.83	1.39	1.33
4	M	502	BCL	C2-C3	2.76	1.39	1.33
6	L	502	U10	C8-C9	2.75	1.39	1.33
6	L	502	U10	C32-C33	-2.71	1.41	1.50
6	M	503	U10	C38-C39	2.69	1.40	1.32
6	L	502	U10	C38-C39	2.64	1.40	1.32
4	L	304	BCL	C2-C3	2.63	1.39	1.33
6	L	502	U10	C18-C19	2.62	1.39	1.33
4	M	501	BCL	CAA-C2A	2.61	1.58	1.54
9	M	600	SPN	C21-C22	-2.58	1.39	1.52
5	L	402	BPH	C2-C3	2.52	1.39	1.33
4	L	304	BCL	C1B-NB	2.51	1.37	1.35
4	L	304	BCL	CMB-C2B	-2.49	1.46	1.51
4	L	304	BCL	O2A-CGA	2.49	1.40	1.33
6	M	503	U10	O4-C4M	-2.48	1.39	1.45
5	L	402	BPH	O2D-CED	-2.48	1.39	1.45
5	L	402	BPH	CAA-C2A	2.47	1.58	1.54
5	M	401	BPH	C15-C13	2.47	1.65	1.52
6	M	503	U10	C13-C14	2.45	1.38	1.33
6	M	503	U10	C30-C29	2.43	1.56	1.50
4	M	501	BCL	CMA-C3A	2.42	1.58	1.53
6	M	503	U10	C15-C14	2.41	1.56	1.50
5	L	402	BPH	O1D-CGD	2.39	1.27	1.21
4	M	501	BCL	C2C-C3C	-2.37	1.47	1.54
6	M	503	U10	C18-C19	2.36	1.38	1.33
5	M	401	BPH	C2C-C3C	-2.36	1.47	1.54
5	M	401	BPH	C2-C3	2.35	1.38	1.33
4	M	501	BCL	C2-C3	2.33	1.38	1.33
4	M	502	BCL	O2D-CED	-2.31	1.39	1.45
6	M	503	U10	O2-C2	2.30	1.28	1.23
6	M	503	U10	O3-C3M	-2.28	1.39	1.45
4	M	501	BCL	C3B-C2B	-2.27	1.35	1.39

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	L	302	BCL	C4-C3	2.26	1.56	1.50
4	L	304	BCL	C3D-C2D	-2.24	1.35	1.39
6	M	503	U10	C7-C8	-2.23	1.47	1.50
9	M	600	SPN	C16-C15	-2.19	1.39	1.51
4	L	302	BCL	CMC-C2C	-2.19	1.48	1.53
5	M	401	BPH	CAA-C2A	2.15	1.58	1.54
4	M	502	BCL	O2A-CGA	2.13	1.39	1.33
4	L	302	BCL	O2D-CGD	2.11	1.38	1.33
5	L	402	BPH	C4A-NA	2.09	1.40	1.35
6	L	502	U10	C28-C29	2.09	1.38	1.33
5	L	402	BPH	C5-C3	2.06	1.55	1.51
4	M	502	BCL	OBD-CAD	2.05	1.25	1.22
5	L	402	BPH	C4C-NC	2.05	1.41	1.37
4	M	502	BCL	C3D-C2D	-2.04	1.35	1.39
6	M	503	U10	C40-C39	2.02	1.55	1.50
6	L	502	U10	C15-C14	2.02	1.55	1.50

All (162) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	L	502	U10	C32-C33-C34	14.65	162.93	127.66
4	L	302	BCL	C4B-C3B-CAB	-11.05	105.78	127.13
4	L	302	BCL	OBB-CAB-C3B	9.33	136.55	119.99
4	L	304	BCL	C4A-NA-C1A	8.53	110.54	106.71
4	L	302	BCL	C4A-NA-C1A	8.37	110.47	106.71
5	M	401	BPH	O2D-CGD-CBD	8.29	126.00	111.27
4	L	304	BCL	O2D-CGD-CBD	7.91	125.33	111.27
5	L	402	BPH	O2D-CGD-CBD	7.91	125.32	111.27
4	M	502	BCL	C4A-NA-C1A	7.86	110.24	106.71
4	M	501	BCL	C1-C2-C3	7.83	139.59	126.04
9	M	600	SPN	CM6-C18-C17	7.00	127.05	115.27
4	L	302	BCL	C1C-NC-C4C	6.44	109.60	106.71
9	M	600	SPN	CM5-C13-C14	6.44	126.10	115.27
6	L	502	U10	C27-C28-C29	6.41	143.10	127.66
6	L	502	U10	C3M-O3-C3	6.38	139.08	116.47
4	M	501	BCL	C4-C3-C5	-5.93	105.30	115.27
5	M	401	BPH	C1-C2-C3	5.92	136.28	126.04
4	M	501	BCL	OBB-CAB-C3B	5.86	130.38	119.99
4	M	502	BCL	O2D-CGD-CBD	5.67	121.34	111.27
4	M	502	BCL	C1C-NC-C4C	5.56	109.20	106.71
4	L	304	BCL	O1D-CGD-CBD	-5.54	113.14	124.48
4	L	304	BCL	C1C-NC-C4C	5.50	109.18	106.71

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	L	304	BCL	OBB-CAB-C3B	5.23	129.28	119.99
9	M	600	SPN	C6-C5-C4	-5.15	110.70	121.12
5	L	402	BPH	O2A-CGA-O1A	-5.11	110.69	123.59
4	L	302	BCL	O2D-CGD-CBD	4.95	120.06	111.27
9	M	600	SPN	C17-C18-C19	-4.89	111.22	121.12
4	M	501	BCL	OBD-CAD-CBD	-4.69	119.19	125.89
5	M	401	BPH	C4A-NA-C1A	4.69	111.93	108.14
4	M	501	BCL	O2A-CGA-O1A	-4.68	111.78	123.59
4	M	501	BCL	O2A-CGA-CBA	4.64	126.47	111.91
9	M	600	SPN	C3-C4-C5	-4.62	119.10	126.79
4	M	501	BCL	O2D-CGD-CBD	4.60	119.44	111.27
4	M	501	BCL	C4A-NA-C1A	4.60	108.77	106.71
5	L	402	BPH	O2D-CGD-O1D	-4.58	114.89	123.84
6	L	502	U10	O5-C5-C6	-4.47	113.71	121.55
4	M	501	BCL	C4D-C3D-CAD	-4.46	105.98	108.47
4	L	304	BCL	OBB-CAB-CBB	-4.36	110.36	120.17
5	M	401	BPH	C16-C15-C13	4.35	129.98	115.92
9	M	600	SPN	CM7-C22-C21	4.25	126.67	111.29
4	M	501	BCL	C1C-NC-C4C	4.18	108.58	106.71
4	L	302	BCL	OBB-CAB-CBB	-4.11	110.91	120.17
5	M	401	BPH	O2D-CGD-O1D	-4.04	115.94	123.84
9	M	600	SPN	C20-C19-C18	-3.97	118.11	127.66
4	M	501	BCL	CAA-C2A-C3A	-3.95	101.97	112.78
4	M	501	BCL	C5-C3-C2	3.89	129.00	121.12
9	M	600	SPN	CM4-C9-C10	3.89	121.81	115.27
9	M	600	SPN	C10-C9-C8	-3.85	113.33	121.12
9	M	600	SPN	C7-C8-C9	-3.78	118.55	127.66
5	M	401	BPH	CED-O2D-CGD	3.76	124.44	115.94
9	M	600	SPN	C11-C12-C13	-3.75	118.63	127.66
4	M	502	BCL	O1D-CGD-CBD	-3.74	116.83	124.48
5	M	401	BPH	CBC-CAC-C3C	3.72	121.75	113.47
9	M	600	SPN	C14-C13-C12	-3.70	113.63	121.12
5	L	402	BPH	OBD-CAD-CBD	-3.67	120.66	125.89
4	M	501	BCL	C4B-C3B-CAB	-3.63	120.11	127.13
4	M	501	BCL	CMB-C2B-C1B	-3.62	122.90	128.46
6	L	502	U10	C30-C29-C31	-3.55	109.30	115.27
4	M	502	BCL	OBB-CAB-C3B	3.55	126.29	119.99
6	M	503	U10	C27-C28-C29	3.45	135.97	127.66
5	L	402	BPH	O2A-CGA-CBA	3.43	122.66	111.91
4	M	502	BCL	O2A-CGA-CBA	3.40	122.59	111.91
6	L	502	U10	O2-C2-C3	-3.36	113.80	120.93
6	L	502	U10	C16-C14-C13	3.28	127.76	121.12

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	M	501	BCL	O2D-CGD-O1D	-3.25	117.49	123.84
6	M	503	U10	C26-C27-C28	-3.24	101.24	111.88
5	M	401	BPH	CAA-C2A-C3A	-3.23	103.92	112.78
4	M	501	BCL	OB B-CAB-CBB	-3.22	112.92	120.17
4	L	302	BCL	O2A-CGA-CBA	3.17	121.85	111.91
5	M	401	BPH	C6-C5-C3	3.16	121.73	113.45
5	M	401	BPH	O1D-CGD-CBD	-3.15	118.03	124.48
4	L	302	BCL	OBD-CAD-CBD	-3.13	121.42	125.89
4	M	502	BCL	C4D-C3D-CAD	-3.12	106.73	108.47
5	M	401	BPH	C11-C12-C13	-3.08	105.97	115.92
4	M	501	BCL	C4B-CHC-C1C	-3.07	124.04	130.12
9	M	600	SPN	C16-C17-C18	3.07	121.49	113.45
5	M	401	BPH	C17-C16-C15	3.04	127.20	113.24
5	L	402	BPH	CAA-C2A-C3A	-3.04	104.45	112.78
4	L	302	BCL	CBB-CAB-C3B	-3.01	111.39	120.34
4	L	304	BCL	CMB-C2B-C1B	-3.00	123.85	128.46
5	M	401	BPH	C4D-CHA-C1A	-3.00	123.12	130.51
4	M	501	BCL	C2C-C3C-C4C	2.99	105.82	101.34
4	L	304	BCL	C4B-C3B-CAB	-2.96	121.40	127.13
4	M	502	BCL	CED-O2D-CGD	2.92	122.54	115.94
5	M	401	BPH	O2A-CGA-O1A	-2.90	116.28	123.59
4	L	302	BCL	O1D-CGD-CBD	-2.88	118.59	124.48
10	M	800	CDL	OB8-CB6-CB4	2.87	116.78	108.43
5	M	401	BPH	C2C-C3C-C4C	2.85	105.61	101.34
5	L	402	BPH	CMA-C3A-C4A	-2.83	103.94	112.36
6	L	502	U10	C20-C19-C21	-2.81	110.54	115.27
4	L	304	BCL	CMD-C2D-C3D	2.81	129.94	124.68
5	L	402	BPH	C4A-NA-C1A	2.80	110.40	108.14
4	L	304	BCL	O2A-CGA-CBA	2.80	120.70	111.91
4	M	502	BCL	OBD-CAD-CBD	-2.80	121.90	125.89
4	M	501	BCL	CMA-C3A-C2A	-2.80	102.54	113.83
5	M	401	BPH	CBB-CAB-C3B	-2.79	114.46	120.43
5	L	402	BPH	C4D-CHA-C1A	-2.72	123.81	130.51
5	L	402	BPH	CAC-C3C-C2C	2.71	121.03	114.26
4	L	302	BCL	CMB-C2B-C1B	-2.69	124.33	128.46
5	M	401	BPH	C3C-C2C-C1C	2.68	106.19	101.87
5	L	402	BPH	CED-O2D-CGD	2.67	121.97	115.94
5	M	401	BPH	CHD-C4C-NC	-2.60	122.11	125.20
10	M	800	CDL	CB6-CB4-CB3	-2.60	105.64	111.79
4	L	304	BCL	C4D-C3D-CAD	-2.60	107.02	108.47
4	L	302	BCL	C4D-C3D-CAD	-2.58	107.03	108.47
4	M	501	BCL	CMD-C2D-C3D	2.57	129.49	124.68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	L	402	BPH	C4-C3-C5	-2.50	111.06	115.27
4	L	304	BCL	O2A-CGA-O1A	-2.50	117.29	123.59
9	M	600	SPN	CM3-C5-C6	2.46	119.42	115.27
5	M	401	BPH	C5-C3-C2	-2.45	116.16	121.12
4	M	502	BCL	C1-C2-C3	2.44	130.26	126.04
4	L	302	BCL	C1-C2-C3	2.42	130.22	126.04
6	M	503	U10	C7-C8-C9	2.41	130.81	126.79
6	M	503	U10	C25-C24-C26	-2.41	111.22	115.27
5	M	401	BPH	CMD-C2D-C3D	2.40	129.16	124.68
6	L	502	U10	C1-C6-C5	-2.39	117.33	119.58
6	L	502	U10	C1M-C1-C6	-2.39	120.49	124.40
6	L	502	U10	C6-C1-C2	2.39	121.07	119.18
5	L	402	BPH	CAA-C2A-C1A	-2.38	106.18	112.33
5	L	402	BPH	C3C-C2C-C1C	2.38	105.71	101.87
4	L	304	BCL	CAC-C3C-C4C	-2.37	107.31	112.58
5	L	402	BPH	C3A-C4A-NA	-2.37	109.01	113.05
5	L	402	BPH	C2C-C3C-C4C	2.35	104.86	101.34
5	M	401	BPH	CAA-C2A-C1A	-2.35	106.26	112.33
4	L	302	BCL	CED-O2D-CGD	2.32	121.19	115.94
5	L	402	BPH	O1D-CGD-CBD	-2.32	119.74	124.48
6	L	502	U10	C31-C29-C28	2.31	125.80	121.12
5	M	401	BPH	C14-C13-C12	2.31	119.66	111.29
4	M	502	BCL	CMB-C2B-C1B	-2.30	124.94	128.46
5	L	402	BPH	C2A-C3A-C4A	2.26	105.81	101.34
9	M	600	SPN	C15-C16-C17	2.26	121.30	113.19
6	L	502	U10	C4-C3-C2	-2.25	116.25	120.68
4	M	501	BCL	C1B-CHB-C4A	-2.25	125.66	130.12
5	M	401	BPH	OBD-CAD-CBD	-2.25	122.69	125.89
6	L	502	U10	C17-C18-C19	2.22	133.01	127.66
10	M	800	CDL	OA8-CA7-OA9	-2.22	117.99	123.59
5	M	401	BPH	C2A-C1A-NA	-2.22	109.31	111.86
5	L	402	BPH	C3A-C4A-CHB	2.21	125.64	121.83
6	M	503	U10	C3M-O3-C3	2.20	124.25	116.47
6	L	502	U10	C21-C19-C18	2.20	125.56	121.12
9	M	600	SPN	C7-C6-C5	2.19	120.19	112.98
4	M	501	BCL	CHA-C1A-NA	-2.19	121.39	126.40
6	L	502	U10	O5-C5-C4	2.17	125.55	120.93
4	M	501	BCL	CMB-C2B-C3B	2.16	128.72	124.68
5	M	401	BPH	C11-C10-C8	2.16	122.89	115.92
4	M	502	BCL	C3A-C2A-C1A	2.15	104.56	101.34
6	L	502	U10	C7-C6-C5	-2.14	115.91	118.48
5	M	401	BPH	C7-C6-C5	-2.13	107.56	113.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	L	304	BCL	OBD-CAD-CBD	-2.13	122.85	125.89
10	M	800	CDL	OB6-CB5-OB7	-2.11	118.59	123.70
5	M	401	BPH	CMA-C3A-C4A	-2.10	106.11	112.36
6	M	503	U10	C31-C29-C28	-2.09	116.88	121.12
4	M	501	BCL	OBD-CAD-C3D	2.08	131.44	127.98
4	M	501	BCL	C3C-C2C-C1C	2.08	105.23	101.87
4	M	501	BCL	O1D-CGD-CBD	-2.08	120.23	124.48
4	M	501	BCL	CMA-C3A-C4A	-2.07	106.20	111.77
10	M	800	CDL	CA6-CA4-CA3	-2.07	106.89	111.79
4	M	502	BCL	O2A-CGA-O1A	-2.06	118.39	123.59
5	M	401	BPH	C4-C3-C5	2.04	118.71	115.27
5	M	401	BPH	C6-C7-C8	-2.03	109.36	115.92
6	M	503	U10	C4M-O4-C4	2.01	123.59	116.47
6	L	502	U10	C12-C13-C14	-2.00	122.84	127.66

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
4	L	304	BCL	C13
4	M	501	BCL	C8
4	M	501	BCL	C13
5	M	401	BPH	C8

All (149) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	L	304	BCL	C2C-C3C-CAC-CBC
4	L	304	BCL	C4C-C3C-CAC-CBC
4	M	501	BCL	C1-C2-C3-C4
5	M	401	BPH	C4B-C3B-CAB-CBB
5	M	401	BPH	C4B-C3B-CAB-OB
5	M	401	BPH	C2B-C3B-CAB-CBB
5	M	401	BPH	C2B-C3B-CAB-OB
5	M	401	BPH	O2A-C1-C2-C3
5	M	401	BPH	C1-C2-C3-C4
5	M	401	BPH	C1-C2-C3-C5
6	L	502	U10	C12-C13-C14-C15
6	L	502	U10	C12-C13-C14-C16
7	L	709	LDA	N1-C1-C2-C3
7	M	701	LDA	C2-C1-N1-O1
7	M	701	LDA	C2-C1-N1-CM1
7	M	701	LDA	C2-C1-N1-CM2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
7	H	703	LDA	C2-C1-N1-O1
7	H	703	LDA	C2-C1-N1-CM1
9	M	600	SPN	C3-C4-C5-CM3
9	M	600	SPN	C11-C10-C9-CM4
9	M	600	SPN	C16-C17-C18-CM6
10	M	800	CDL	CA3-OA5-PA1-OA2
10	M	800	CDL	CA3-OA5-PA1-OA3
10	M	800	CDL	CA3-OA5-PA1-OA4
4	L	304	BCL	CBD-CGD-O2D-CED
4	L	304	BCL	O1D-CGD-O2D-CED
9	M	600	SPN	C14-C15-C16-C17
4	M	501	BCL	C1-C2-C3-C5
7	L	709	LDA	C6-C7-C8-C9
5	M	401	BPH	C4-C3-C5-C6
9	M	600	SPN	CM5-C13-C14-C15
5	M	401	BPH	C2-C3-C5-C6
9	M	600	SPN	C4-C5-C6-C7
9	M	600	SPN	C11-C10-C9-C8
9	M	600	SPN	C12-C13-C14-C15
9	M	600	SPN	C16-C17-C18-C19
6	L	502	U10	C14-C16-C17-C18
6	L	502	U10	C24-C26-C27-C28
6	M	503	U10	C24-C26-C27-C28
4	M	502	BCL	C3-C5-C6-C7
9	M	600	SPN	C20-C21-C22-CM7
4	M	502	BCL	C13-C15-C16-C17
10	M	800	CDL	CB7-C71-C72-C73
4	M	501	BCL	C11-C12-C13-C15
4	M	501	BCL	C15-C16-C17-C18
6	M	503	U10	C29-C31-C32-C33
4	M	502	BCL	C15-C16-C17-C18
4	L	302	BCL	C15-C16-C17-C18
6	M	503	U10	C30-C29-C31-C32
4	M	501	BCL	C10-C11-C12-C13
7	H	703	LDA	C7-C8-C9-C10
4	M	501	BCL	C4-C3-C5-C6
7	H	703	LDA	C6-C7-C8-C9
10	M	800	CDL	C79-C80-C81-C82
10	M	800	CDL	OA7-CA5-OA6-CA4
10	M	800	CDL	C11-CA5-OA6-CA4
10	M	800	CDL	C39-C40-C41-C42
10	M	800	CDL	C78-C79-C80-C81

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
10	M	800	CDL	C54-C55-C56-C57
7	L	709	LDA	C2-C3-C4-C5
10	M	800	CDL	C34-C35-C36-C37
6	M	503	U10	C28-C29-C31-C32
7	M	701	LDA	C7-C8-C9-C10
4	M	502	BCL	C6-C7-C8-C10
9	M	600	SPN	C24-C25-C26-CM8
6	M	503	U10	C14-C16-C17-C18
7	M	701	LDA	C1-C2-C3-C4
4	M	501	BCL	C2-C3-C5-C6
4	M	502	BCL	C6-C7-C8-C9
10	M	800	CDL	C36-C37-C38-C39
10	M	800	CDL	C80-C81-C82-C83
5	L	402	BPH	C8-C10-C11-C12
10	M	800	CDL	C52-C53-C54-C55
4	L	304	BCL	C15-C16-C17-C18
10	M	800	CDL	C21-C22-C23-C24
7	H	703	LDA	C11-C10-C9-C8
5	L	402	BPH	C4-C3-C5-C6
5	L	402	BPH	C2-C3-C5-C6
10	M	800	CDL	OA5-CA3-CA4-OA6
4	L	302	BCL	C11-C12-C13-C15
4	M	501	BCL	C11-C10-C8-C9
4	M	501	BCL	C11-C12-C13-C14
4	M	501	BCL	C3-C5-C6-C7
7	M	701	LDA	C9-C10-C11-C12
6	L	502	U10	C15-C14-C16-C17
6	M	503	U10	C25-C24-C26-C27
6	M	503	U10	C35-C34-C36-C37
6	M	503	U10	C23-C24-C26-C27
9	M	600	SPN	C25-C26-C27-C28
7	M	701	LDA	C4-C5-C6-C7
10	M	800	CDL	C40-C41-C42-C43
10	M	800	CDL	C11-C12-C13-C14
5	L	402	BPH	O2A-C1-C2-C3
10	M	800	CDL	C13-C14-C15-C16
9	M	600	SPN	CM3-C5-C6-C7
10	M	800	CDL	C19-C20-C21-C22
6	M	503	U10	C33-C34-C36-C37
5	M	401	BPH	C11-C12-C13-C14
5	M	401	BPH	C4C-C3C-CAC-CBC
10	M	800	CDL	C81-C82-C83-C84

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	M	401	BPH	C11-C12-C13-C15
6	L	502	U10	C13-C14-C16-C17
9	M	600	SPN	C21-C22-C23-C24
10	M	800	CDL	CA3-CA4-CA6-OA8
4	L	304	BCL	CHA-CBD-CGD-O1D
4	L	304	BCL	CHA-CBD-CGD-O2D
5	M	401	BPH	C13-C15-C16-C17
4	L	302	BCL	C16-C17-C18-C20
10	M	800	CDL	OA5-CA3-CA4-CA6
10	M	800	CDL	C55-C56-C57-C58
5	M	401	BPH	C5-C6-C7-C8
4	L	304	BCL	C6-C7-C8-C10
4	M	501	BCL	C12-C13-C15-C16
10	M	800	CDL	CA5-C11-C12-C13
7	M	704	LDA	C3-C4-C5-C6
7	M	704	LDA	C5-C6-C7-C8
6	L	502	U10	C20-C19-C21-C22
4	L	304	BCL	C6-C7-C8-C9
7	M	701	LDA	C5-C6-C7-C8
10	M	800	CDL	C33-C34-C35-C36
10	M	800	CDL	C20-C21-C22-C23
7	L	709	LDA	C4-C5-C6-C7
4	M	501	BCL	C11-C10-C8-C7
4	L	302	BCL	C11-C12-C13-C14
4	M	502	BCL	C10-C11-C12-C13
6	L	502	U10	C30-C29-C31-C32
4	L	304	BCL	C11-C10-C8-C9
5	M	401	BPH	C8-C10-C11-C12
9	M	600	SPN	C2-C3-C4-C5
6	L	502	U10	C18-C19-C21-C22
6	L	502	U10	C28-C29-C31-C32
6	L	502	U10	C25-C24-C26-C27
4	M	501	BCL	C14-C13-C15-C16
4	L	302	BCL	CAD-CBD-CGD-O2D
4	M	501	BCL	CAD-CBD-CGD-O2D
5	L	402	BPH	CAD-CBD-CGD-O2D
5	M	401	BPH	CAD-CBD-CGD-O2D
10	M	800	CDL	C72-C71-CB7-OB8
9	M	600	SPN	CM8-C26-C27-C28
6	M	503	U10	C5-C4-O4-C4M
4	M	501	BCL	CHA-CBD-CGD-O2D
10	M	800	CDL	C51-C52-C53-C54

*Continued on next page...*

*Continued from previous page...*




Mol	Chain	Res	Type	Atoms
10	M	800	CDL	C72-C71-CB7-OB9
9	M	600	SPN	C10-C11-C12-C13
9	M	600	SPN	C18-C19-C20-C21
4	M	502	BCL	C2-C1-O2A-CGA
4	L	302	BCL	O1A-CGA-O2A-C1
9	M	600	SPN	C6-C7-C8-C9
4	M	502	BCL	CAA-CBA-CGA-O2A



There are no ring outliers.



13 monomers are involved in 61 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	M	800	CDL	1	0
6	L	502	U10	11	0
4	L	304	BCL	6	0
7	H	703	LDA	4	0
5	M	401	BPH	1	0
4	M	502	BCL	12	0
4	L	302	BCL	12	0
9	M	600	SPN	1	0
7	L	709	LDA	4	0
7	M	701	LDA	4	0
5	L	402	BPH	2	0
4	M	501	BCL	10	0
6	M	503	U10	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







**Ligand BCL L 302****Ligand SPN M 600**

## Ligand BPH L 402



## Ligand BCL M 501





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	L	281/281 (100%)	-0.86	1 (0%) 92 84	10, 26, 66, 94	0
2	M	302/314 (96%)	-0.85	2 (0%) 87 75	11, 32, 68, 97	0
3	H	240/260 (92%)	-0.73	2 (0%) 86 72	13, 29, 58, 95	0
All	All	823/855 (96%)	-0.82	5 (0%) 89 78	10, 29, 66, 97	0

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	H	250	SER	4.6
2	M	1	ALA	4.2
3	H	249	LYS	2.6
1	L	281	GLY	2.3
2	M	301	HIS	2.3

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
7	LDA	M	704	16/16	0.75	0.33	48,75,109,109	0
10	CDL	M	800	81/100	0.76	0.38	41,62,76,77	81
6	U10	L	502	48/63	0.77	0.46	43,72,101,102	0
7	LDA	L	709	16/16	0.78	0.47	67,85,95,97	0
7	LDA	H	703	16/16	0.87	0.26	34,50,64,67	0
9	SPN	M	600	43/43	0.91	0.21	36,47,64,67	0
7	LDA	M	701	16/16	0.94	0.18	29,44,52,58	0
4	BCL	M	501	66/66	0.95	0.17	27,32,92,94	0
6	U10	M	503	48/63	0.95	0.15	15,29,60,62	0
5	BPH	L	402	65/65	0.96	0.17	23,27,38,40	0
5	BPH	M	401	65/65	0.97	0.13	29,33,63,67	10
4	BCL	M	502	66/66	0.97	0.12	10,19,52,68	0
4	BCL	L	304	66/66	0.97	0.12	2,14,40,49	0
4	BCL	L	302	66/66	0.98	0.10	5,17,40,54	0
8	FE	M	500	1/1	0.99	0.02	18,18,18,18	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around CDL M 800:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around U10 L 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around SPN M 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around BCL M 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around U10 M 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around BPH L 402:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around BPH M 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around BCL M 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around BCL L 304:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around BCL L 302:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.