



# Full wwPDB NMR Structure Validation Report ⓘ

Aug 6, 2020 – 01:14 PM BST

PDB ID : 6K7W  
Title : Solution Structure of the CS1 Domain of USP19  
Authors : Xue, W.; Hu, H.Y.  
Deposited on : 2019-06-10

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : 2.13.1  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 71%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	92	<div> <div></div> <div>23%</div> <div>50%</div> <div>10%</div> <div>17%</div> </div>

## 2 Ensemble composition and analysis ⓘ

This entry contains 10 models. Model 1 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:118-A:193 (76)	0.48	1

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 2 clusters and 3 single-model clusters were found.

Cluster number	Models
1	1, 2, 8, 9, 10
2	5, 6
Single-model clusters	3; 4; 7

### 3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 1446 atoms, of which 732 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Ubiquitin carboxyl-terminal hydrolase 19.

Mol	Chain	Residues	Atoms						Trace
1	A	92	Total	C	H	N	O	S	0
			1446	459	732	120	132	3	

There is a discrepancy between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	117	ALA	LEU	engineered mutation	UNP O94966

## 4 Residue-property plots

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Ubiquitin carboxyl-terminal hydrolase 19




### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

#### 4.2.1 Score per residue for model 1 (medoid)


- Molecule 1: Ubiquitin carboxyl-terminal hydrolase 19



#### 4.2.2 Score per residue for model 2

- Molecule 1: Ubiquitin carboxyl-terminal hydrolase 19






### 4.2.3 Score per residue for model 3

- Molecule 1: Ubiquitin carboxyl-terminal hydrolase 19


Chain A: 23% 48% 12% 17%



### 4.2.4 Score per residue for model 4

- Molecule 1: Ubiquitin carboxyl-terminal hydrolase 19


Chain A: 24% 46% 12% 17%



### 4.2.5 Score per residue for model 5


- Molecule 1: Ubiquitin carboxyl-terminal hydrolase 19

Chain A: 24% 45% 14% 17%




### 4.2.6 Score per residue for model 6

- Molecule 1: Ubiquitin carboxyl-terminal hydrolase 19




#### 4.2.7 Score per residue for model 7

- Molecule 1: Ubiquitin carboxyl-terminal hydrolase 19




#### 4.2.8 Score per residue for model 8

- Molecule 1: Ubiquitin carboxyl-terminal hydrolase 19



#### 4.2.9 Score per residue for model 9


- Molecule 1: Ubiquitin carboxyl-terminal hydrolase 19



### 4.2.10 Score per residue for model 10

- Molecule 1: Ubiquitin carboxyl-terminal hydrolase 19

Chain A:





## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *molecular dynamics*.

Of the 200 calculated structures, 10 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNS	structure calculation	
ARIA	structure calculation	
CNS	refinement	
ARIA	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	908
Number of shifts mapped to atoms	908
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	71%

No validations of the models with respect to experimental NMR restraints is performed at this time.

## 6 Model quality [i](#)

### 6.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.65±0.04	0±1/599 ( 0.1± 0.1%)	0.68±0.02	0±0/812 ( 0.0± 0.0%)
All	All	0.65	4/5990 ( 0.1%)	0.68	0/8120 ( 0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	0.1±0.3
All	All	0	1

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	167	TYR	CE1-CZ	8.14	1.49	1.38	4	2
1	A	167	TYR	CE2-CZ	-6.86	1.29	1.38	4	2

There are no bond-angle outliers.

There are no chirality outliers.

All unique planar outliers are listed below.

Mol	Chain	Res	Type	Group	Models (Total)
1	A	167	TYR	Sidechain	1

### 6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	588	601	600	61±5
All	All	5880	6010	6000	608

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 51.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:173:SER:HA	1:A:189:LEU:HD11	0.98	1.35	7	4
1:A:170:ILE:HG23	1:A:173:SER:HB2	0.98	1.33	6	10
1:A:144:ASP:HB3	1:A:155:ARG:HD2	0.94	1.35	3	7
1:A:178:GLN:HA	1:A:186:HIS:O	0.87	1.68	4	10
1:A:149:ASP:HA	1:A:170:ILE:O	0.86	1.70	8	10
1:A:150:THR:HB	1:A:166:PHE:HB3	0.83	1.48	10	1
1:A:131:LEU:HD23	1:A:160:GLN:HE21	0.83	1.33	10	1
1:A:130:LYS:HA	1:A:185:LEU:O	0.83	1.74	6	10
1:A:150:THR:HB	1:A:166:PHE:CB	0.82	2.03	10	1
1:A:171:LYS:HA	1:A:174:CYS:HB2	0.81	1.52	8	7
1:A:133:VAL:HG23	1:A:135:VAL:HG12	0.81	1.53	1	1
1:A:176:LYS:HE2	1:A:187:LEU:HD21	0.79	1.53	3	2
1:A:177:VAL:HB	1:A:188:THR:OG1	0.77	1.80	3	9
1:A:120:TRP:CD1	1:A:129:VAL:HG23	0.76	2.15	7	10
1:A:160:GLN:HG3	1:A:162:TRP:HE1	0.76	1.39	5	6
1:A:139:GLN:HG2	1:A:141:GLU:HG2	0.76	1.56	5	6
1:A:171:LYS:HA	1:A:174:CYS:HB3	0.75	1.59	7	4
1:A:140:LEU:H	1:A:140:LEU:HD13	0.74	1.43	10	1
1:A:171:LYS:HA	1:A:174:CYS:CB	0.73	2.12	3	10
1:A:146:ALA:HB3	1:A:153:VAL:HB	0.72	1.61	3	9
1:A:121:ARG:HD3	1:A:128:ILE:HB	0.71	1.61	4	1
1:A:150:THR:O	1:A:166:PHE:HB3	0.70	1.87	10	1
1:A:125:GLU:O	1:A:191:LYS:HA	0.70	1.87	3	1
1:A:138:LEU:HD21	1:A:180:ARG:HB2	0.70	1.64	10	1
1:A:126:GLU:HA	1:A:189:LEU:O	0.69	1.87	6	10
1:A:179:THR:HB	1:A:186:HIS:HB2	0.69	1.63	3	4
1:A:170:ILE:CG2	1:A:173:SER:HB2	0.68	2.18	4	9
1:A:179:THR:O	1:A:185:LEU:HA	0.68	1.89	6	8
1:A:121:ARG:HG2	1:A:128:ILE:HB	0.68	1.66	1	3
1:A:122:GLN:HE22	1:A:127:VAL:HG22	0.68	1.47	3	5
1:A:127:VAL:HB	1:A:189:LEU:HD23	0.68	1.65	10	5

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:143:VAL:HA	1:A:155:ARG:O	0.68	1.89	8	9
1:A:154:VAL:HG12	1:A:162:TRP:H	0.68	1.48	9	10
1:A:139:GLN:CG	1:A:141:GLU:HG2	0.67	2.19	1	7
1:A:125:GLU:HG3	1:A:126:GLU:HG2	0.67	1.65	6	5
1:A:173:SER:HA	1:A:189:LEU:CD1	0.66	2.18	7	5
1:A:122:GLN:NE2	1:A:127:VAL:HG23	0.66	2.05	7	3
1:A:171:LYS:HA	1:A:174:CYS:SG	0.66	2.30	6	5
1:A:147:PHE:HD1	1:A:174:CYS:SG	0.66	2.14	3	3
1:A:118:LEU:HD12	1:A:131:LEU:HA	0.66	1.65	4	1
1:A:170:ILE:HG23	1:A:173:SER:CB	0.65	2.15	6	1
1:A:127:VAL:H	1:A:189:LEU:HB3	0.65	1.51	7	5
1:A:154:VAL:HG23	1:A:187:LEU:HD12	0.65	1.67	6	1
1:A:144:ASP:CB	1:A:155:ARG:HD2	0.64	2.23	6	7
1:A:133:VAL:HG21	1:A:138:LEU:HB2	0.64	1.68	3	2
1:A:122:GLN:NE2	1:A:127:VAL:HG22	0.64	2.08	5	7
1:A:149:ASP:O	1:A:170:ILE:HB	0.63	1.94	10	2
1:A:135:VAL:HG11	1:A:157:ALA:HB3	0.63	1.69	4	2
1:A:147:PHE:CD1	1:A:174:CYS:SG	0.63	2.91	7	2
1:A:133:VAL:HA	1:A:156:PHE:CZ	0.62	2.28	5	2
1:A:154:VAL:HG12	1:A:162:TRP:N	0.62	2.09	3	10
1:A:131:LEU:HD22	1:A:156:PHE:HB2	0.62	1.69	7	1
1:A:130:LYS:HG2	1:A:186:HIS:HD2	0.62	1.53	6	2
1:A:122:GLN:HA	1:A:122:GLN:HE21	0.62	1.55	3	3
1:A:171:LYS:CA	1:A:174:CYS:HB2	0.62	2.24	8	4
1:A:160:GLN:CG	1:A:162:TRP:HE1	0.62	2.08	7	7
1:A:144:ASP:HB2	1:A:155:ARG:HD2	0.62	1.71	7	1
1:A:170:ILE:O	1:A:174:CYS:HB2	0.62	1.95	3	2
1:A:122:GLN:HE21	1:A:122:GLN:HA	0.61	1.54	2	3
1:A:147:PHE:CZ	1:A:152:CYS:HB3	0.61	2.30	6	2
1:A:150:THR:CB	1:A:166:PHE:HB3	0.61	2.24	10	1
1:A:147:PHE:CE1	1:A:152:CYS:HB2	0.61	2.31	9	3
1:A:133:VAL:HA	1:A:156:PHE:CE1	0.61	2.31	4	1
1:A:179:THR:CB	1:A:186:HIS:HB2	0.60	2.25	3	4
1:A:135:VAL:HG22	1:A:136:GLY:H	0.60	1.56	5	1
1:A:121:ARG:CD	1:A:128:ILE:HB	0.59	2.27	5	2
1:A:143:VAL:HG21	1:A:178:GLN:HG3	0.59	1.73	5	3
1:A:121:ARG:HD2	1:A:128:ILE:HB	0.59	1.74	5	2
1:A:139:GLN:H	1:A:139:GLN:NE2	0.58	1.96	5	4
1:A:120:TRP:CD1	1:A:129:VAL:HA	0.58	2.34	6	7
1:A:156:PHE:HB3	1:A:160:GLN:O	0.58	1.97	7	6
1:A:147:PHE:HB2	1:A:176:LYS:HD3	0.58	1.74	6	2

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:120:TRP:NE1	1:A:129:VAL:HG23	0.58	2.13	4	8
1:A:128:ILE:CD1	1:A:188:THR:HA	0.58	2.29	3	6
1:A:144:ASP:HB2	1:A:155:ARG:HB3	0.58	1.76	9	2
1:A:133:VAL:HA	1:A:156:PHE:HZ	0.58	1.59	1	2
1:A:152:CYS:SG	1:A:173:SER:HB3	0.57	2.40	4	3
1:A:132:ARG:HA	1:A:183:SER:O	0.57	2.00	2	4
1:A:131:LEU:HD23	1:A:160:GLN:NE2	0.57	2.12	10	1
1:A:170:ILE:HG22	1:A:170:ILE:O	0.57	2.00	10	4
1:A:139:GLN:NE2	1:A:139:GLN:H	0.57	1.97	9	3
1:A:144:ASP:O	1:A:155:ARG:HB3	0.57	2.00	3	6
1:A:192:LYS:HG3	1:A:193:VAL:H	0.57	1.60	10	1
1:A:180:ARG:HD3	1:A:180:ARG:N	0.57	2.15	3	1
1:A:147:PHE:HB3	1:A:176:LYS:CE	0.55	2.32	7	1
1:A:139:GLN:NE2	1:A:142:ASP:HB2	0.54	2.17	4	2
1:A:144:ASP:HB3	1:A:155:ARG:HB3	0.54	1.77	6	2
1:A:154:VAL:O	1:A:161:GLN:HG3	0.54	2.02	7	5
1:A:176:LYS:HB2	1:A:187:LEU:HD11	0.54	1.77	8	1
1:A:155:ARG:HB2	1:A:161:GLN:HE21	0.54	1.62	9	2
1:A:176:LYS:HB2	1:A:176:LYS:NZ	0.54	2.16	7	1
1:A:120:TRP:HZ2	1:A:160:GLN:HE22	0.53	1.44	9	1
1:A:131:LEU:HB3	1:A:160:GLN:NE2	0.53	2.18	3	2
1:A:147:PHE:CZ	1:A:152:CYS:HB2	0.53	2.39	9	1
1:A:150:THR:HB	1:A:166:PHE:O	0.53	2.04	9	5
1:A:147:PHE:HB3	1:A:176:LYS:HE3	0.53	1.80	7	1
1:A:171:LYS:CA	1:A:174:CYS:HB3	0.52	2.34	3	3
1:A:178:GLN:HG2	1:A:186:HIS:O	0.52	2.04	9	1
1:A:142:ASP:O	1:A:156:PHE:HA	0.52	2.04	10	1
1:A:154:VAL:CG1	1:A:162:TRP:HB2	0.52	2.35	5	5
1:A:130:LYS:HG2	1:A:186:HIS:CD2	0.52	2.37	6	2
1:A:178:GLN:NE2	1:A:180:ARG:HB3	0.52	2.20	8	1
1:A:147:PHE:HB3	1:A:174:CYS:HA	0.51	1.82	9	2
1:A:177:VAL:HG13	1:A:188:THR:OG1	0.51	2.04	8	1
1:A:173:SER:HA	1:A:189:LEU:HD13	0.51	1.81	4	1
1:A:146:ALA:O	1:A:153:VAL:N	0.51	2.44	7	5
1:A:127:VAL:O	1:A:189:LEU:HB3	0.51	2.06	10	2
1:A:155:ARG:NH1	1:A:157:ALA:HA	0.51	2.21	4	1
1:A:127:VAL:CG2	1:A:189:LEU:HD23	0.51	2.35	3	2
1:A:169:GLU:O	1:A:171:LYS:HG2	0.51	2.06	5	4
1:A:184:LEU:O	1:A:184:LEU:HD22	0.51	2.06	7	2
1:A:155:ARG:HB2	1:A:161:GLN:NE2	0.51	2.21	9	1
1:A:139:GLN:HE21	1:A:142:ASP:HB2	0.50	1.66	4	2

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:133:VAL:HG13	1:A:135:VAL:HG12	0.50	1.83	5	5
1:A:148:THR:HG22	1:A:149:ASP:H	0.50	1.67	9	9
1:A:180:ARG:NE	1:A:180:ARG:H	0.50	2.05	2	1
1:A:139:GLN:HG2	1:A:141:GLU:HG3	0.50	1.84	9	1
1:A:118:LEU:HD13	1:A:131:LEU:HD23	0.49	1.84	3	1
1:A:143:VAL:CG2	1:A:185:LEU:HD23	0.49	2.37	8	3
1:A:139:GLN:O	1:A:142:ASP:HB3	0.49	2.07	2	1
1:A:129:VAL:HG11	1:A:154:VAL:HG21	0.49	1.84	8	1
1:A:160:GLN:HG2	1:A:162:TRP:HE1	0.49	1.66	1	2
1:A:127:VAL:O	1:A:128:ILE:HD13	0.49	2.07	9	3
1:A:122:GLN:NE2	1:A:127:VAL:HA	0.49	2.22	3	1
1:A:148:THR:N	1:A:151:ASP:O	0.49	2.44	8	1
1:A:168:ALA:HB1	1:A:169:GLU:CG	0.49	2.38	10	1
1:A:129:VAL:CG1	1:A:187:LEU:HB3	0.49	2.36	4	2
1:A:143:VAL:HG22	1:A:185:LEU:HD23	0.49	1.85	8	6
1:A:139:GLN:HG3	1:A:141:GLU:HB3	0.49	1.85	7	1
1:A:125:GLU:HA	1:A:191:LYS:HG2	0.48	1.85	3	1
1:A:170:ILE:O	1:A:170:ILE:HG22	0.48	2.09	5	3
1:A:171:LYS:O	1:A:174:CYS:HB2	0.48	2.08	6	1
1:A:166:PHE:HZ	1:A:192:LYS:HD2	0.48	1.68	1	1
1:A:131:LEU:HB2	1:A:185:LEU:HB2	0.48	1.83	3	3
1:A:189:LEU:HD12	1:A:190:PRO:HD2	0.48	1.85	5	2
1:A:147:PHE:HB2	1:A:176:LYS:CD	0.48	2.39	6	1
1:A:170:ILE:O	1:A:170:ILE:CG2	0.48	2.61	4	2
1:A:176:LYS:HB3	1:A:187:LEU:HD21	0.48	1.84	4	1
1:A:138:LEU:HB3	1:A:182:GLY:O	0.47	2.09	3	1
1:A:122:GLN:HE21	1:A:122:GLN:CA	0.47	2.22	2	2
1:A:139:GLN:HG2	1:A:141:GLU:CG	0.47	2.40	9	1
1:A:169:GLU:HG3	1:A:170:ILE:N	0.47	2.25	9	1
1:A:168:ALA:O	1:A:170:ILE:HG12	0.47	2.09	6	1
1:A:133:VAL:CG1	1:A:135:VAL:HG12	0.47	2.40	7	1
1:A:191:LYS:HD3	1:A:191:LYS:H	0.47	1.70	9	1
1:A:129:VAL:HG12	1:A:187:LEU:HB3	0.47	1.85	1	1
1:A:147:PHE:HA	1:A:152:CYS:HA	0.47	1.86	4	1
1:A:173:SER:HB3	1:A:189:LEU:HD11	0.47	1.86	10	1
1:A:166:PHE:CZ	1:A:192:LYS:HD2	0.47	2.45	3	1
1:A:144:ASP:HB2	1:A:155:ARG:CB	0.47	2.39	9	1
1:A:145:ALA:HA	1:A:153:VAL:O	0.46	2.09	1	5
1:A:147:PHE:CD1	1:A:174:CYS:O	0.46	2.67	4	3
1:A:139:GLN:CG	1:A:141:GLU:HB3	0.46	2.39	7	1
1:A:151:ASP:OD1	1:A:165:VAL:HG22	0.46	2.09	6	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:141:GLU:O	1:A:141:GLU:HG3	0.46	2.10	7	1
1:A:127:VAL:HG12	1:A:189:LEU:HB2	0.46	1.87	7	1
1:A:169:GLU:HG3	1:A:170:ILE:HD12	0.46	1.88	9	1
1:A:178:GLN:HG2	1:A:179:THR:N	0.46	2.25	7	5
1:A:122:GLN:OE1	1:A:192:LYS:HE2	0.46	2.11	1	1
1:A:156:PHE:CB	1:A:160:GLN:HB3	0.46	2.41	1	1
1:A:170:ILE:CG2	1:A:170:ILE:O	0.46	2.64	9	4
1:A:152:CYS:HB2	1:A:176:LYS:HZ2	0.46	1.71	3	1
1:A:192:LYS:HG2	1:A:193:VAL:N	0.45	2.24	8	1
1:A:127:VAL:HB	1:A:189:LEU:HB3	0.45	1.88	2	1
1:A:120:TRP:HB3	1:A:128:ILE:O	0.45	2.11	6	3
1:A:148:THR:HG22	1:A:149:ASP:N	0.45	2.26	4	5
1:A:121:ARG:HD3	1:A:126:GLU:OE1	0.45	2.11	2	2
1:A:147:PHE:CE1	1:A:152:CYS:HB3	0.45	2.46	5	1
1:A:156:PHE:CD2	1:A:160:GLN:HG2	0.45	2.47	9	1
1:A:160:GLN:O	1:A:160:GLN:HG2	0.45	2.12	3	1
1:A:172:SER:O	1:A:175:ALA:HB3	0.45	2.10	10	2
1:A:150:THR:HB	1:A:166:PHE:HB2	0.45	1.83	10	1
1:A:179:THR:H	1:A:186:HIS:HB2	0.45	1.71	9	1
1:A:133:VAL:CG2	1:A:185:LEU:HD21	0.45	2.42	2	1
1:A:146:ALA:O	1:A:152:CYS:HA	0.45	2.12	4	1
1:A:180:ARG:N	1:A:180:ARG:HD3	0.45	2.27	9	1
1:A:128:ILE:HA	1:A:187:LEU:O	0.44	2.11	4	3
1:A:138:LEU:CD1	1:A:142:ASP:HB3	0.44	2.43	3	1
1:A:175:ALA:O	1:A:190:PRO:HD2	0.44	2.12	5	3
1:A:133:VAL:HB	1:A:138:LEU:HD11	0.44	1.89	7	1
1:A:178:GLN:NE2	1:A:187:LEU:HD23	0.44	2.28	4	1
1:A:133:VAL:HG23	1:A:185:LEU:CD1	0.44	2.43	6	2
1:A:175:ALA:HB3	1:A:190:PRO:HG2	0.44	1.88	5	1
1:A:147:PHE:CG	1:A:174:CYS:HA	0.44	2.48	6	1
1:A:147:PHE:CD1	1:A:152:CYS:HB2	0.43	2.48	10	1
1:A:147:PHE:HB3	1:A:176:LYS:CD	0.43	2.43	7	1
1:A:160:GLN:HG2	1:A:160:GLN:O	0.43	2.13	8	1
1:A:170:ILE:HG21	1:A:173:SER:HB2	0.43	1.87	4	1
1:A:179:THR:HB	1:A:186:HIS:HB3	0.43	1.89	1	1
1:A:154:VAL:HG12	1:A:162:TRP:CA	0.43	2.44	3	4
1:A:122:GLN:HE22	1:A:127:VAL:CG2	0.43	2.23	3	1
1:A:133:VAL:HG23	1:A:185:LEU:HD11	0.43	1.91	9	2
1:A:148:THR:O	1:A:170:ILE:HG22	0.43	2.13	2	1
1:A:156:PHE:HB2	1:A:160:GLN:O	0.43	2.13	3	1
1:A:147:PHE:CE2	1:A:189:LEU:HD21	0.43	2.48	6	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:179:THR:N	1:A:186:HIS:HB2	0.43	2.29	9	1
1:A:154:VAL:CG1	1:A:162:TRP:HD1	0.43	2.27	8	2
1:A:120:TRP:HD1	1:A:130:LYS:H	0.43	1.56	6	1
1:A:147:PHE:HE2	1:A:189:LEU:CD2	0.43	2.27	6	1
1:A:154:VAL:CG1	1:A:162:TRP:CD1	0.43	3.01	1	1
1:A:127:VAL:CB	1:A:189:LEU:HD23	0.43	2.44	1	1
1:A:147:PHE:CB	1:A:176:LYS:HD3	0.43	2.43	10	1
1:A:147:PHE:HE1	1:A:170:ILE:HG21	0.43	1.74	1	1
1:A:168:ALA:CB	1:A:169:GLU:HG3	0.42	2.44	10	1
1:A:156:PHE:CB	1:A:160:GLN:O	0.42	2.67	5	2
1:A:125:GLU:HA	1:A:191:LYS:HB3	0.42	1.91	8	1
1:A:142:ASP:HA	1:A:157:ALA:HB2	0.42	1.90	4	3
1:A:184:LEU:HD21	1:A:186:HIS:HB2	0.42	1.90	1	1
1:A:147:PHE:CD2	1:A:176:LYS:HE3	0.42	2.49	7	1
1:A:133:VAL:HB	1:A:183:SER:HA	0.42	1.92	2	1
1:A:176:LYS:CE	1:A:187:LEU:HD11	0.42	2.45	4	1
1:A:154:VAL:HG12	1:A:162:TRP:CB	0.42	2.45	5	1
1:A:184:LEU:C	1:A:185:LEU:HD12	0.42	2.35	8	1
1:A:118:LEU:N	1:A:118:LEU:HD12	0.42	2.30	9	2
1:A:147:PHE:HB2	1:A:176:LYS:HE3	0.42	1.91	1	1
1:A:150:THR:O	1:A:166:PHE:CB	0.42	2.65	10	1
1:A:133:VAL:HA	1:A:156:PHE:HE1	0.42	1.71	4	1
1:A:129:VAL:HG13	1:A:187:LEU:CB	0.41	2.44	4	1
1:A:155:ARG:HD3	1:A:156:PHE:O	0.41	2.15	6	1
1:A:168:ALA:O	1:A:170:ILE:N	0.41	2.53	10	1
1:A:168:ALA:C	1:A:169:GLU:CG	0.41	2.88	6	4
1:A:147:PHE:HB2	1:A:176:LYS:NZ	0.41	2.30	9	1
1:A:184:LEU:O	1:A:184:LEU:HD12	0.41	2.15	6	1
1:A:178:GLN:OE1	1:A:180:ARG:HD2	0.41	2.16	9	1
1:A:131:LEU:HD22	1:A:160:GLN:HE21	0.41	1.76	3	1
1:A:156:PHE:HB2	1:A:160:GLN:CG	0.41	2.45	6	1
1:A:177:VAL:O	1:A:187:LEU:HA	0.41	2.16	4	2
1:A:152:CYS:SG	1:A:176:LYS:HD3	0.41	2.56	3	1
1:A:178:GLN:CA	1:A:186:HIS:O	0.41	2.64	8	1
1:A:146:ALA:HB3	1:A:153:VAL:CB	0.40	2.42	3	1
1:A:122:GLN:HE22	1:A:127:VAL:HA	0.40	1.76	3	1
1:A:127:VAL:O	1:A:189:LEU:HB2	0.40	2.17	6	1
1:A:139:GLN:HG3	1:A:141:GLU:HG2	0.40	1.94	2	1
1:A:147:PHE:CD1	1:A:174:CYS:CA	0.40	3.04	8	1



## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	76/92 (83%)	70±1 (92±1%)	4±1 (5±1%)	2±1 (3±1%)	8	44
All	All	760/920 (83%)	700 (92%)	40 (5%)	20 (3%)	8	44

All 4 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	170	ILE	10
1	A	181	LYS	8
1	A	136	GLY	1
1	A	169	GLU	1

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	63/78 (81%)	50±2 (79±4%)	14±2 (21±4%)	3	31
All	All	630/780 (81%)	495 (79%)	135 (21%)	3	31

All 35 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	154	VAL	10
1	A	122	GLN	10
1	A	139	GLN	10
1	A	180	ARG	9
1	A	169	GLU	9
1	A	178	GLN	8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	121	ARG	7
1	A	176	LYS	6
1	A	171	LYS	5
1	A	147	PHE	5
1	A	129	VAL	5
1	A	131	LEU	5
1	A	118	LEU	4
1	A	140	LEU	4
1	A	155	ARG	3
1	A	184	LEU	3
1	A	141	GLU	3
1	A	127	VAL	3
1	A	188	THR	3
1	A	170	ILE	2
1	A	152	CYS	2
1	A	120	TRP	2
1	A	132	ARG	2
1	A	181	LYS	2
1	A	186	HIS	2
1	A	189	LEU	2
1	A	133	VAL	1
1	A	138	LEU	1
1	A	187	LEU	1
1	A	149	ASP	1
1	A	172	SER	1
1	A	142	ASP	1
1	A	126	GLU	1
1	A	192	LYS	1
1	A	191	LYS	1

### 6.3.3 RNA ⓘ

There are no RNA molecules in this entry.

### 6.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 6.6 Ligand geometry

There are no ligands in this entry.

## 6.7 Other polymers

There are no such molecules in this entry.

## 6.8 Polymer linkage issues

There are no chain breaks in this entry.

## 7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 71% for the well-defined parts and 71% for the entire structure.

### 7.1 Chemical shift list 1

File name: `working_cs.cif`

Chemical shift list name: *starch\_output*

#### 7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	908
Number of shifts mapped to atoms	908
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

#### 7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	84	$0.02 \pm 0.22$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	82	$0.06 \pm 0.18$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	91	$1.45 \pm 0.18$	Should be applied
$^{15}\text{N}$	87	$0.54 \pm 0.59$	None needed (imprecise)

#### 7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 71%, i.e. 655 atoms were assigned a chemical shift out of a possible 926. 11 out of 18 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	363/376 (97%)	146/150 (97%)	143/152 (94%)	74/74 (100%)
Sidechain	286/483 (59%)	156/280 (56%)	128/180 (71%)	2/23 (9%)

*Continued on next page...*

Continued from previous page...

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Aromatic	6/67 (9%)	5/35 (14%)	0/28 (0%)	1/4 (25%)
Overall	655/926 (71%)	307/465 (66%)	271/360 (75%)	77/101 (76%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 71%, i.e. 797 atoms were assigned a chemical shift out of a possible 1119. 11 out of 23 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	<sup>1</sup> H	<sup>13</sup> C	<sup>15</sup> N
Backbone	436/450 (97%)	174/179 (97%)	175/184 (95%)	87/87 (100%)
Sidechain	352/590 (60%)	191/343 (56%)	159/224 (71%)	2/23 (9%)
Aromatic	9/79 (11%)	8/41 (20%)	0/33 (0%)	1/5 (20%)
Overall	797/1119 (71%)	373/563 (66%)	334/441 (76%)	90/115 (78%)

#### 7.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	194	PRO	CG	20.91	32.66 – 21.76	-5.8

#### 7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

