



# Full wwPDB X-ray Structure Validation Report ⓘ

Jul 31, 2021 – 12:56 PM EDT

PDB ID : 7KHJ  
Title : Crystal structure of KIT kinase domain with a small molecule inhibitor, PLX8512 in the DFG-in state  
Authors : Zhang, Y.  
Deposited on : 2020-10-21  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.23.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.23.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	335	
1	B	335	

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 4444 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Mast/stem cell growth factor receptor Kit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	288	Total	C	N	O	S	0	0	0
			2296	1470	386	424	16			
1	B	261	Total	C	N	O	S	0	0	0
			2072	1336	338	383	15			

- Molecule 2 is 2-phenyl-5-(1H-pyrazol-4-yl)-1H-pyrrolo[2,3-b]pyridine (three-letter code: WEG) (formula: C<sub>16</sub>H<sub>12</sub>N<sub>4</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	N	0	0
			20	16	4		
2	B	1	Total	C	N	0	0
			20	16	4		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	27	Total 27	O 27	0	0
3	B	9	Total 9	O 9	0	0



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.74Å 61.74Å 206.91Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	59.16 – 2.80 59.16 – 2.80	Depositor EDS
% Data completeness (in resolution range)	95.4 (59.16-2.80) 93.1 (59.16-2.80)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.05	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.10 (at 2.81Å)	Xtriage
Refinement program	PHENIX 1.11.1 _2575	Depositor
R, $R_{free}$	0.241 , 0.286 0.261 , 0.317	Depositor DCC
$R_{free}$ test set	1801 reflections (9.95%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	73.9	Xtriage
Anisotropy	0.318	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 61.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	4444	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	96.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.73% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: WEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.60	0/2349	0.75	5/3170 (0.2%)
1	B	0.51	1/2117 (0.0%)	0.73	4/2857 (0.1%)
All	All	0.56	1/4466 (0.0%)	0.74	9/6027 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	887	PHE	CE1-CZ	6.00	1.48	1.37

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	901	ASP	CB-CG-OD1	6.35	124.01	118.30
1	A	593	LYS	CD-CE-NZ	5.55	124.47	111.70
1	A	901	ASP	CB-CG-OD2	-5.22	113.60	118.30
1	A	615	ASP	CB-CG-OD2	5.21	122.99	118.30
1	B	825	ASP	CB-CG-OD2	5.19	122.97	118.30
1	A	825	ASP	CB-CG-OD2	5.19	122.97	118.30
1	B	815	ARG	NE-CZ-NH1	-5.12	117.74	120.30
1	B	615	ASP	CB-CG-OD2	5.11	122.90	118.30
1	B	635	GLU	CG-CD-OE1	-5.06	108.19	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2296	0	2267	49	2
1	B	2072	0	2055	76	1
2	A	20	0	0	0	0
2	B	20	0	0	2	0
3	A	27	0	0	3	1
3	B	9	0	0	3	0
All	All	4444	0	4322	125	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:856:GLY:HA3	1:B:907:TRP:HE1	1.36	0.90
1:A:586:ARG:NH1	1:A:665:PRO:O	2.13	0.81
1:A:575:GLN:O	3:A:1101:HOH:O	2.00	0.80
1:B:609:GLN:NE2	3:B:1101:HOH:O	2.15	0.77
1:B:633:GLU:OE1	1:B:633:GLU:N	2.19	0.74
1:B:817:ILE:HD11	1:B:823:TYR:HB2	1.69	0.72
1:B:908:ASP:OD2	1:B:913:LYS:HB2	1.89	0.72
1:A:864:SER:OG	1:A:867:SER:HB3	1.90	0.71
1:B:782:PHE:O	1:B:785:SER:OG	2.10	0.69
1:A:832:PRO:O	1:A:836:MET:HG3	1.93	0.68
1:B:635:GLU:N	1:B:635:GLU:OE1	2.26	0.67
1:B:609:GLN:OE1	3:B:1101:HOH:O	2.13	0.67
1:B:881:LYS:O	1:B:885:GLU:HG3	1.95	0.66
1:B:916:THR:HB	1:B:919:GLN:HB2	1.77	0.66
1:A:660:CYS:HB2	1:A:667:LEU:HD12	1.78	0.66
1:B:893:GLU:N	1:B:893:GLU:OE2	2.29	0.66
1:A:899:MET:HE1	1:A:902:ILE:HD12	1.79	0.64
1:B:789:ILE:HD12	1:B:789:ILE:O	1.98	0.64
1:A:773:SER:HB3	1:A:924:ILE:HD13	1.79	0.64
1:B:677:ASP:OD1	1:B:677:ASP:N	2.29	0.64
1:B:908:ASP:OD2	1:B:913:LYS:HE3	1.98	0.63
1:B:847:THR:H	1:B:850:SER:HB3	1.64	0.62
1:B:624:MET:HG2	1:B:625:LEU:N	2.14	0.62
1:A:814:ALA:O	1:A:815:ARG:NH2	2.31	0.62
1:B:877:SER:O	1:B:881:LYS:HG3	2.00	0.61

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:825:ASP:O	1:A:826:LYS:HD2	2.00	0.60
1:B:916:THR:HG22	1:B:918:LYS:H	1.67	0.60
1:B:626:LYS:HB3	1:B:627:PRO:HA	1.84	0.59
1:B:789:ILE:HD11	1:B:815:ARG:HB2	1.84	0.59
1:B:612:ILE:HG22	1:B:614:SER:H	1.68	0.59
1:A:595:LEU:HD12	1:A:603:VAL:HG22	1.85	0.58
1:A:860:TRP:CD1	1:A:892:PRO:HG3	2.38	0.58
1:B:769:LEU:HB3	1:B:862:LEU:HD21	1.85	0.58
1:B:853:TRP:NE1	1:B:857:ILE:HD11	2.19	0.58
1:B:767:GLU:OE1	1:B:767:GLU:N	2.34	0.57
1:B:916:THR:HG22	1:B:918:LYS:N	2.20	0.57
1:B:799:LEU:HD11	2:B:1001:WEG:C27	2.35	0.57
1:B:609:GLN:CD	3:B:1101:HOH:O	2.42	0.57
1:B:853:TRP:CD1	1:B:857:ILE:HD11	2.40	0.57
1:B:584:PHE:HE2	1:B:589:LEU:HG	1.70	0.56
1:B:833:VAL:HA	1:B:836:MET:HE2	1.87	0.56
1:B:900:TYR:O	1:B:904:LYS:HG3	2.06	0.56
1:A:825:ASP:C	1:A:826:LYS:HD2	2.28	0.54
1:A:592:GLY:HA3	1:A:605:GLU:OE2	2.08	0.54
1:A:791:ARG:HD2	1:A:846:TYR:CD2	2.43	0.54
1:A:640:GLU:HG3	1:A:811:PHE:HB2	1.89	0.54
1:A:635:GLU:N	1:A:635:GLU:OE2	2.38	0.54
1:A:804:ARG:NH1	3:A:1106:HOH:O	2.36	0.54
1:A:612:ILE:HG22	1:A:614:SER:H	1.73	0.53
1:A:677:ASP:HA	1:A:799:LEU:HD23	1.91	0.52
1:A:877:SER:HB2	1:A:881:LYS:NZ	2.24	0.52
1:A:899:MET:HE1	1:A:924:ILE:HG12	1.92	0.52
1:B:657:LEU:HD11	1:B:671:GLU:HB2	1.92	0.52
1:B:833:VAL:HA	1:B:836:MET:CE	2.40	0.52
1:A:897:ALA:HA	3:A:1120:HOH:O	2.10	0.51
1:B:641:LEU:HD13	1:B:668:VAL:HG22	1.91	0.51
1:B:583:GLU:OE1	1:B:661:THR:HB	2.11	0.51
1:A:899:MET:CE	1:A:924:ILE:HG12	2.40	0.50
1:A:595:LEU:HD21	1:A:605:GLU:HB3	1.93	0.50
1:B:631:SER:OG	1:B:634:ARG:NH1	2.44	0.50
1:A:623:LYS:NZ	1:A:810:ASP:OD1	2.45	0.50
1:B:856:GLY:HA3	1:B:907:TRP:NE1	2.17	0.50
1:B:908:ASP:O	1:B:914:ARG:NH2	2.44	0.50
1:A:677:ASP:OD2	1:A:680:ASN:ND2	2.42	0.50
1:B:771:SER:O	1:B:775:GLN:HG3	2.12	0.50
1:B:801:THR:HG22	1:B:805:ILE:HB	1.93	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:570:TYR:HB2	1:A:819:ASN:OD1	2.11	0.49
1:B:853:TRP:O	1:B:857:ILE:HD12	2.13	0.49
1:B:926:LYS:O	1:B:930:GLU:HG3	2.12	0.49
1:B:644:LEU:HA	1:B:647:LEU:HD12	1.95	0.49
1:A:583:GLU:OE1	1:A:661:THR:OG1	2.31	0.48
1:B:795:ALA:HA	1:B:798:ILE:HD12	1.96	0.48
1:A:584:PHE:HE2	1:A:589:LEU:HG	1.77	0.48
1:A:817:ILE:HG23	1:A:820:ASP:O	2.13	0.48
1:A:631:SER:O	1:A:635:GLU:OE2	2.32	0.48
1:B:601:GLY:HA2	1:B:625:LEU:HA	1.96	0.48
1:B:641:LEU:HD11	1:B:659:ALA:HB2	1.96	0.48
1:A:923:ASP:OD1	1:A:927:GLN:NE2	2.43	0.47
1:B:624:MET:CG	1:B:625:LEU:N	2.77	0.47
1:A:817:ILE:O	1:A:817:ILE:HG22	2.14	0.47
1:B:640:GLU:HG3	1:B:811:PHE:HB2	1.96	0.47
1:B:898:GLU:O	1:B:901:ASP:HB2	2.14	0.47
1:A:802:HIS:H	1:A:802:HIS:CD2	2.33	0.47
1:B:856:GLY:CA	1:B:907:TRP:HE1	2.20	0.47
1:B:864:SER:OG	1:B:867:SER:HB3	2.15	0.47
1:B:879:PHE:O	1:B:883:ILE:HG12	2.15	0.47
1:A:677:ASP:CG	1:A:680:ASN:HD22	2.17	0.47
1:B:835:TRP:HA	1:B:857:ILE:HD13	1.97	0.47
1:B:643:VAL:O	1:B:647:LEU:HG	2.15	0.47
1:A:881:LYS:O	1:A:885:GLU:HG3	2.16	0.46
1:B:673:CYS:O	2:B:1001:WEG:N12	2.48	0.46
1:B:638:MET:CE	1:B:642:LYS:HE3	2.46	0.46
1:A:573:PRO:HG2	1:A:646:TYR:CE1	2.52	0.45
1:B:779:GLY:O	1:B:782:PHE:HB3	2.17	0.45
1:A:585:PRO:HB2	1:A:588:ARG:HG3	1.98	0.44
1:B:817:ILE:CD1	1:B:823:TYR:HB2	2.44	0.43
1:B:882:MET:HE3	1:B:887:PHE:CD2	2.54	0.43
1:B:893:GLU:O	1:B:895:ALA:N	2.50	0.43
1:B:918:LYS:O	1:B:922:GLN:HG3	2.17	0.43
1:A:817:ILE:HD11	1:A:823:TYR:HB2	2.00	0.43
1:A:853:TRP:CE3	1:A:907:TRP:HA	2.53	0.43
1:B:916:THR:O	1:B:920:ILE:HG13	2.17	0.43
1:A:672:TYR:CE2	1:A:674:CYS:HA	2.54	0.42
1:B:793:LEU:HD22	1:B:855:TYR:HA	2.00	0.42
1:B:572:ASP:HB3	1:B:575:GLN:OE1	2.19	0.42
1:B:840:SER:O	1:B:844:SER:HA	2.19	0.42
1:A:802:HIS:CD2	1:A:802:HIS:N	2.87	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:877:SER:O	1:A:881:LYS:HG2	2.19	0.42
1:B:638:MET:HE3	1:B:642:LYS:HE3	2.00	0.42
1:B:901:ASP:HA	1:B:904:LYS:CE	2.49	0.42
1:B:894:HIS:O	1:B:896:PRO:HD3	2.20	0.42
1:B:780:MET:SD	1:B:793:LEU:HD12	2.60	0.41
1:A:660:CYS:CB	1:A:667:LEU:HD12	2.47	0.41
1:A:831:LEU:HB3	1:A:836:MET:SD	2.60	0.41
1:B:873:MET:HB3	1:B:873:MET:HE2	1.64	0.41
1:A:909:ALA:O	1:A:911:PRO:HD3	2.21	0.41
1:A:631:SER:O	1:A:634:ARG:HB3	2.21	0.41
1:B:624:MET:HG2	1:B:625:LEU:H	1.84	0.41
1:B:862:LEU:HD22	1:B:863:PHE:CE2	2.56	0.41
1:A:899:MET:HE2	1:A:927:GLN:NE2	2.36	0.41
1:B:917:PHE:HA	1:B:920:ILE:HD12	2.02	0.41
1:B:836:MET:HE2	1:B:836:MET:HB2	1.94	0.40
1:B:876:ASP:OD1	1:B:879:PHE:N	2.50	0.40
1:A:588:ARG:HE	1:A:609:GLN:HB2	1.86	0.40
1:B:677:ASP:HA	1:B:798:ILE:O	2.21	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:646:TYR:OH	1:B:828:ASN:ND2[4_555]	1.67	0.53
1:A:881:LYS:NZ	3:A:1101:HOH:O[3_644]	2.08	0.12
1:A:819:ASN:OD1	1:A:830:ARG:NH2[3_654]	2.12	0.08

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	278/335 (83%)	269 (97%)	8 (3%)	1 (0%)	34 66

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	247/335 (74%)	239 (97%)	6 (2%)	2 (1%)	19	49
All	All	525/670 (78%)	508 (97%)	14 (3%)	3 (1%)	25	56

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	894	HIS
1	A	663	GLY
1	B	875	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	251/292 (86%)	246 (98%)	5 (2%)	55	84
1	B	227/292 (78%)	223 (98%)	4 (2%)	59	86
All	All	478/584 (82%)	469 (98%)	9 (2%)	57	85

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	624	MET
1	A	661	THR
1	A	667	LEU
1	A	678	LEU
1	A	773	SER
1	B	639	SER
1	B	677	ASP
1	B	678	LEU
1	B	912	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	680	ASN
1	A	802	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	WEG	B	1001	-	21,23,23	1.10	1 (4%)	23,32,32	1.26	3 (13%)
2	WEG	A	1001	-	21,23,23	1.10	1 (4%)	23,32,32	1.27	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	WEG	B	1001	-	-	0/8/8/8	0/4/4/4
2	WEG	A	1001	-	-	0/8/8/8	0/4/4/4

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1001	WEG	C29-N31	2.64	1.36	1.31
2	A	1001	WEG	C29-N31	2.64	1.36	1.31

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1001	WEG	C29-N31-C32	-3.66	113.02	116.69
2	B	1001	WEG	C29-N31-C32	-3.59	113.09	116.69
2	B	1001	WEG	C20-C27-C28	2.73	131.32	127.74
2	A	1001	WEG	C20-C27-C28	2.70	131.28	127.74
2	B	1001	WEG	C25-C27-C28	-2.02	125.09	127.74

There are no chirality outliers.


There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1001	WEG	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	288/335 (85%)	0.37	6 (2%) 63 54	50, 73, 113, 130	0
1	B	261/335 (77%)	0.86	29 (11%) 5 3	57, 114, 148, 174	0
All	All	549/670 (81%)	0.60	35 (6%) 19 12	50, 101, 143, 174	0

All (35) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	768	ASP	10.1
1	B	924	ILE	5.8
1	B	770	LEU	4.1
1	B	772	PHE	3.8
1	B	798	ILE	3.7
1	B	625	LEU	3.6
1	B	858	PHE	3.5
1	B	679	LEU	3.5
1	B	921	VAL	3.5
1	B	928	ILE	3.2
1	B	601	GLY	3.1
1	B	766	LEU	3.0
1	B	875	VAL	2.9
1	B	817	ILE	2.9
1	A	662	HIS	2.9
1	B	907	TRP	2.8
1	A	613	LYS	2.8
1	B	624	MET	2.7
1	B	868	SER	2.7
1	B	805	ILE	2.5
1	B	795	ALA	2.5
1	B	662	HIS	2.5
1	B	828	ASN	2.4
1	B	800	LEU	2.4

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	897	ALA	2.4
1	B	855	TYR	2.4
1	B	653	ILE	2.3
1	B	574	THR	2.3
1	A	675	TYR	2.2
1	A	670	THR	2.2
1	B	835	TRP	2.2
1	B	771	SER	2.2
1	B	879	PHE	2.1
1	A	625	LEU	2.1
1	A	622	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	WEG	A	1001	20/20	0.87	0.37	127,128,130,130	0
2	WEG	B	1001	20/20	0.87	0.38	106,107,107,107	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around WEG A 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around WEG B 1001:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.