



Full wwPDB X-ray Structure Validation Report ⓘ

May 25, 2020 – 04:58 am BST

PDB ID : 2KI5
Title : HERPES SIMPLEX TYPE-1 THYMIDINE KINASE IN COMPLEX WITH
THE DRUG ACICLOVIR AT 1.9A RESOLUTION
Authors : Bennett, M.S.; Wien, F.; Champness, J.N.; Batuwangala, T.; Rutherford, T.;
Summers, W.C.; Sun, H.; Wright, G.; Sanderson, M.R.
Deposited on : 1999-02-12
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	366	
1	B	366	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 4966 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PROTEIN (THYMIDINE KINASE).


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	304	Total	C	N	O	S	0	0	4
			2304	1467	406	416	15			
1	B	308	Total	C	N	O	S	0	0	4
			2323	1482	407	419	15			

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is 9-HYROXYETHOXYMETHYLGUANINE (three-letter code: AC2) (formula: C₈H₁₁N₅O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	N	O	0	1
			21	11	5	5		
3	B	1	Total	C	N	O	0	0
			16	8	5	3		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	144	Total	O	0	1
			144	144		
4	B	148	Total	O	0	0
			148	148		

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: PROTEIN (THYMIDINE KINASE)



• Molecule 1: PROTEIN (THYMIDINE KINASE)



4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	114.10 Å 117.80 Å 108.80 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	16.00 – 1.90	Depositor
% Data completeness (in resolution range)	83.0 (16.00-1.90)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.04	Depositor
Refinement program	X-PLOR 3.1F	Depositor
R, R_{free}	0.241 , 0.317	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	4966	wwPDB-VP
Average B, all atoms (Å ²)	23.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: AC2, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.62	0/2355	0.79	4/3215 (0.1%)
1	B	0.63	0/2375	0.76	2/3245 (0.1%)
All	All	0.63	0/4730	0.77	6/6460 (0.1%)

There are no bond length outliers.

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	337	ARG	NE-CZ-NH1	5.89	123.25	120.30
1	A	280	PRO	N-CA-CB	5.82	110.28	103.30
1	A	154	PRO	N-CA-CB	5.60	110.02	103.30
1	A	307	VAL	CB-CA-C	-5.52	100.92	111.40
1	A	293	ARG	N-CA-C	-5.39	96.45	111.00
1	B	154	PRO	N-CA-CB	5.18	109.51	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2304	0	2310	65	0
1	B	2323	0	2332	74	0
2	A	5	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	5	0	0	0	0
3	A	21	0	14	2	0
3	B	16	0	11	4	0
4	A	144	0	0	7	0
4	B	148	0	0	12	0
All	All	4966	0	4667	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:372:MET:SD	1:B:307:VAL:HG11	1.99	1.01
1:B:354:THR:HG22	1:B:355:PRO:HD2	1.48	0.96
1:A:68:LEU:HB3	1:A:337:ARG:HG3	1.51	0.93
1:B:217:LEU:HD11	1:B:232:LEU:HG	1.51	0.92
1:B:65:THR:HG21	1:B:336:CYS:HB2	1.58	0.86
1:B:222:ARG:HG3	1:B:223:PRO:HD2	1.62	0.82
1:B:214:ILE:HD12	1:B:229:LEU:HD22	1.62	0.81
1:A:220:ARG:HB2	4:A:781:HOH:O	1.79	0.81
3:A:1[A]:AC2:H1'1	3:A:1[A]:AC2:O3'	1.80	0.81
1:A:69:LEU:HD21	1:A:341:LEU:HG	1.62	0.80
1:A:281:ARG:HG2	1:A:281:ARG:HH11	1.50	0.77
1:A:159:LEU:HD13	1:A:161:PHE:CZ	2.20	0.76
1:A:61:GLY:O	1:A:65:THR:HG23	1.87	0.75
1:A:232:LEU:O	1:A:236:ARG:HG3	1.85	0.74
1:A:372:MET:SD	1:B:307:VAL:CG1	2.78	0.71
1:B:217:LEU:CD1	1:B:232:LEU:HG	2.22	0.68
1:A:353:THR:HG22	1:A:354:THR:HG23	1.76	0.68
1:B:65:THR:HG21	1:B:336:CYS:CB	2.24	0.67
1:B:210:GLU:O	1:B:214:ILE:HG12	1.94	0.67
1:A:194:ILE:O	1:A:318:ARG:NH1	2.31	0.64
1:A:87:TYR:HA	1:A:91:LEU:HB2	1.80	0.64
1:B:62:LYS:O	1:B:66:THR:HG23	1.96	0.64
1:B:69:LEU:HD11	1:B:341:LEU:HD23	1.80	0.64
1:A:358:ILE:HB	1:A:359:PRO:HD3	1.80	0.64
1:A:69:LEU:HD12	1:A:340:LEU:HD23	1.80	0.63
1:B:232:LEU:HD13	1:B:236:ARG:HD2	1.81	0.61
1:B:58:HIS:HD2	1:B:172:TYR:OH	1.82	0.61
1:A:208:LEU:O	1:A:236:ARG:NH2	2.34	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:VAL:HG21	1:B:80:TYR:HB2	1.82	0.61
1:B:178:LEU:HD11	1:B:291:LEU:HD22	1.84	0.60
1:B:60:MET:SD	4:B:505:HOH:O	2.57	0.60
1:B:176:ARG:NE	4:B:590:HOH:O	2.30	0.60
3:A:1[A]:AC2:H2'1	4:A:779[A]:HOH:O	2.02	0.59
1:A:119:VAL:HG13	1:B:119:VAL:CG1	2.33	0.59
1:B:89:ARG:NH1	1:B:223:PRO:HB2	2.18	0.58
1:B:218:ALA:O	1:B:219:LYS:HG3	2.04	0.58
1:A:164:HIS:CG	1:A:165:PRO:HD2	2.39	0.57
1:B:370:ARG:HD2	4:B:678:HOH:O	2.02	0.57
1:B:121:MET:HG3	1:B:181:SER:HB2	1.86	0.57
1:B:181:SER:HA	4:B:743:HOH:O	2.04	0.57
1:A:130:MET:HB3	1:A:131:PRO:HD3	1.87	0.56
1:A:69:LEU:CD1	1:A:340:LEU:HD23	2.35	0.56
3:B:2:AC2:H1'2	4:B:778:HOH:O	2.05	0.56
1:B:357:SER:O	1:B:361:ILE:HG13	2.05	0.55
1:A:119:VAL:HG13	1:B:119:VAL:HG12	1.89	0.55
1:A:54:ILE:HG13	1:A:66:THR:HG22	1.88	0.55
1:B:69:LEU:HD12	1:B:337:ARG:HG2	1.88	0.55
1:A:212:ARG:HD3	1:A:330:ASP:OD1	2.07	0.55
1:A:118:ALA:HA	1:A:181:SER:O	2.07	0.54
1:A:58:HIS:HB3	4:A:776:HOH:O	2.08	0.54
1:B:97:ILE:HD13	1:B:222:ARG:HG2	1.89	0.54
1:A:216:ARG:HG2	1:A:219:LYS:NZ	2.23	0.53
1:A:310:TRP:CZ2	1:B:364:LEU:HD12	2.44	0.53
1:A:54:ILE:HG13	1:A:66:THR:CG2	2.38	0.53
1:B:63:THR:HG22	1:B:162:ASP:OD2	2.09	0.53
1:A:53:TYR:HB2	1:A:203:ILE:HD13	1.91	0.52
1:B:287:THR:O	1:B:290:THR:HG22	2.10	0.52
1:A:62:LYS:NZ	1:A:163:ARG:NH1	2.58	0.52
1:B:163:ARG:NH1	4:B:594:HOH:O	2.43	0.52
1:A:354:THR:HB	1:A:355:PRO:HD2	1.92	0.51
1:A:216:ARG:O	1:A:219:LYS:HG3	2.11	0.51
1:A:213:HIS:CE1	1:A:232:LEU:HD21	2.45	0.51
1:B:121:MET:O	1:B:125:GLN:HG2	2.12	0.50
1:A:57:PRO:HB3	1:A:235:ILE:HG23	1.94	0.50
3:B:2:AC2:O6	4:B:590:HOH:O	2.19	0.50
1:B:78:ILE:HA	1:B:158:THR:O	2.12	0.49
1:A:86:THR:OG1	1:A:374:GLU:HG3	2.11	0.49
1:B:69:LEU:CD1	1:B:341:LEU:HD23	2.43	0.49
1:A:51:ARG:NH2	1:A:199:PRO:O	2.46	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:176:ARG:HB2	1:B:182:MET:HE3	1.95	0.48
1:A:78:ILE:O	1:A:78:ILE:HG23	2.13	0.48
1:A:157:LEU:HD22	1:A:358:ILE:HG23	1.96	0.48
1:B:373:GLY:O	1:B:374:GLU:HB2	2.13	0.48
1:B:58:HIS:HE1	4:B:597:HOH:O	1.97	0.47
1:B:51:ARG:NH2	1:B:199:PRO:O	2.47	0.47
1:B:222:ARG:HE	3:B:2:AC2:H3'2	1.78	0.47
1:A:281:ARG:HG2	1:A:281:ARG:NH1	2.21	0.47
1:B:217:LEU:HD11	1:B:232:LEU:CG	2.34	0.47
1:A:210:GLU:O	1:A:214:ILE:HG13	2.15	0.46
1:B:63:THR:O	1:B:67:GLN:HG3	2.14	0.46
1:B:248:TYR:HA	1:B:282:PRO:HD2	1.98	0.46
1:A:62:LYS:HD2	4:A:700:HOH:O	2.15	0.46
1:B:105:HIS:NE2	1:B:109:GLN:OE1	2.48	0.46
1:B:117:ALA:HB3	4:B:743:HOH:O	2.15	0.46
1:B:119:VAL:HG23	4:B:637:HOH:O	2.15	0.46
1:A:56:GLY:O	1:A:163:ARG:NH2	2.49	0.46
1:A:102:THR:HG22	1:A:106:ARG:HD2	1.98	0.46
1:B:86:THR:OG1	1:B:374:GLU:HB2	2.15	0.46
1:B:130:MET:O	1:B:134:VAL:HG22	2.16	0.45
1:A:318:ARG:NH2	4:A:538:HOH:O	2.50	0.45
1:A:157:LEU:HB2	1:A:358:ILE:HD12	1.99	0.45
1:A:318:ARG:HA	1:A:318:ARG:HD3	1.82	0.45
1:B:65:THR:CG2	1:B:336:CYS:HB2	2.39	0.45
3:B:2:AC2:O3'	3:B:2:AC2:H1'2	2.17	0.45
1:B:217:LEU:O	1:B:219:LYS:N	2.38	0.44
1:A:63:THR:HG23	2:A:4:SO4:O4	2.18	0.44
1:B:232:LEU:CD1	1:B:236:ARG:HD2	2.46	0.44
1:B:78:ILE:O	1:B:78:ILE:HG23	2.17	0.44
1:A:63:THR:OG1	1:A:64:THR:N	2.50	0.44
1:A:121:MET:O	1:A:125:GLN:HG2	2.18	0.44
1:B:58:HIS:CD2	1:B:172:TYR:OH	2.67	0.44
1:B:176:ARG:HA	1:B:176:ARG:HD3	1.77	0.44
1:A:62:LYS:HB3	4:A:700:HOH:O	2.17	0.44
1:B:183:THR:O	1:B:187:VAL:HG23	2.17	0.43
1:B:208:LEU:HD12	1:B:209:PRO:HD2	1.99	0.43
1:B:236:ARG:HB3	1:B:236:ARG:NH1	2.33	0.43
1:B:159:LEU:HD13	1:B:161:PHE:CZ	2.53	0.43
1:B:354:THR:CG2	1:B:355:PRO:HD2	2.34	0.43
1:A:164:HIS:ND1	1:A:165:PRO:HD2	2.34	0.42
1:A:63:THR:HG22	1:A:162:ASP:OD2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:87:TYR:HA	1:B:91:LEU:HB2	2.02	0.42
1:A:57:PRO:HB2	1:A:213:HIS:HE1	1.84	0.42
1:A:301:ASN:OD1	1:A:303:ASP:HB2	2.19	0.42
1:A:126:ILE:HD11	1:B:126:ILE:HD11	2.01	0.42
1:B:251:CYS:HB3	1:B:281:ARG:HB2	2.02	0.42
1:A:157:LEU:CB	1:A:358:ILE:HD12	2.51	0.41
1:B:85:MET:HB2	1:B:375:ALA:N	2.35	0.41
1:A:298:LEU:HD13	4:A:777:HOH:O	2.21	0.41
1:B:232:LEU:O	1:B:236:ARG:HG3	2.21	0.41
1:B:121:MET:HA	1:B:121:MET:HE3	2.01	0.41
1:A:247:ARG:HD2	1:A:247:ARG:HH11	1.75	0.41
1:A:102:THR:O	1:A:106:ARG:HG3	2.20	0.41
1:B:116:ASP:O	1:B:120:VAL:HG23	2.21	0.41
1:B:222:ARG:HB2	1:B:225:GLU:OE1	2.20	0.41
1:A:59:GLY:O	1:A:216:ARG:HB3	2.21	0.41
1:A:216:ARG:HG2	1:A:219:LYS:HZ1	1.85	0.41
1:A:315:LEU:HD11	1:A:319:LEU:HD11	2.03	0.41
1:B:52:VAL:HB	1:B:160:ILE:HD13	2.03	0.41
1:B:130:MET:HB3	1:B:131:PRO:HD3	2.02	0.41
1:A:47:PRO:HG2	1:A:352:VAL:HG21	2.04	0.40
1:B:182:MET:HB2	1:B:182:MET:HE2	1.81	0.40
1:B:70:VAL:HG13	1:B:78:ILE:HG23	2.03	0.40
1:A:217:LEU:HD22	1:A:221:GLN:OE1	2.21	0.40
1:B:100:ILE:CG2	4:B:590:HOH:O	2.70	0.40
1:A:164:HIS:CG	1:A:165:PRO:CD	3.05	0.40
1:A:80:TYR:O	1:A:82:PRO:HD3	2.22	0.40
1:B:236:ARG:NH1	4:B:677:HOH:O	2.54	0.40
1:B:219:LYS:O	1:B:221:GLN:N	2.49	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	296/366 (81%)	278 (94%)	17 (6%)	1 (0%)	41	31
1	B	300/366 (82%)	288 (96%)	8 (3%)	4 (1%)	12	4
All	All	596/732 (81%)	566 (95%)	25 (4%)	5 (1%)	19	9

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	374	GLU
1	B	218	ALA
1	B	219	LYS
1	B	220	ARG
1	A	78	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	241/293 (82%)	219 (91%)	22 (9%)	9	3
1	B	242/293 (83%)	226 (93%)	16 (7%)	16	8
All	All	483/586 (82%)	445 (92%)	38 (8%)	12	5

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	55	ASP
1	A	65	THR
1	A	107	LEU
1	A	119	VAL
1	A	130	MET
1	A	159	LEU
1	A	165	PRO
1	A	178	LEU
1	A	182	MET
1	A	216	ARG
1	A	217	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	220	ARG
1	A	227	LEU
1	A	232	LEU
1	A	281	ARG
1	A	300	PRO
1	A	304	LEU
1	A	307	VAL
1	A	338	ASP
1	A	342	GLN
1	A	344	THR
1	A	366	ARG
1	B	50	LEU
1	B	55	ASP
1	B	107	LEU
1	B	109	GLN
1	B	130	MET
1	B	134	VAL
1	B	165	PRO
1	B	178	LEU
1	B	182	MET
1	B	212	ARG
1	B	232	LEU
1	B	320	ARG
1	B	341	LEU
1	B	342	GLN
1	B	354	THR
1	B	362	CYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	67	GLN
1	A	142	HIS
1	A	351	HIS
1	B	58	HIS
1	B	142	HIS
1	B	323	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	AC2	A	1[B]	-	12,17,17	1.84	3 (25%)	11,23,23	4.31	4 (36%)
2	SO4	B	3	-	4,4,4	0.74	0	6,6,6	0.79	0
3	AC2	B	2	-	12,17,17	1.08	1 (8%)	11,23,23	3.50	6 (54%)
3	AC2	A	1[A]	-	12,17,17	1.86	3 (25%)	11,23,23	4.30	4 (36%)
2	SO4	A	4	-	4,4,4	1.05	0	6,6,6	0.95	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AC2	A	1[B]	-	-	0/3/5/5	0/2/2/2
3	AC2	B	2	-	-	0/3/5/5	0/2/2/2
3	AC2	A	1[A]	-	-	2/3/5/5	0/2/2/2

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1[B]	AC2	C8-N7	-4.00	1.27	1.34
3	A	1[A]	AC2	C8-N7	-4.00	1.27	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1[B]	AC2	C6-N1	3.51	1.39	1.33
3	A	1[A]	AC2	C6-N1	3.51	1.39	1.33
3	A	1[B]	AC2	C2-N1	3.32	1.41	1.35
3	A	1[A]	AC2	C2-N1	3.32	1.41	1.35
3	B	2	AC2	C6-C5	2.14	1.45	1.41

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1[B]	AC2	C5-C6-N1	-10.60	108.93	123.43
3	A	1[A]	AC2	C5-C6-N1	-10.60	108.93	123.43
3	B	2	AC2	C5-C6-N1	-7.31	113.43	123.43
3	A	1[B]	AC2	C2-N3-C4	-6.70	107.70	115.36
3	A	1[A]	AC2	C2-N3-C4	-6.70	107.70	115.36
3	B	2	AC2	C6-N1-C2	5.56	124.76	115.93
3	A	1[B]	AC2	C6-N1-C2	5.55	124.74	115.93
3	A	1[A]	AC2	C6-N1-C2	5.55	124.74	115.93
3	B	2	AC2	N2-C2-N3	3.82	124.02	117.79
3	B	2	AC2	C6-C5-C4	-3.16	117.78	120.80
3	B	2	AC2	N2-C2-N1	-3.07	112.47	117.25
3	B	2	AC2	N3-C2-N1	-2.79	123.50	127.22
3	A	1[B]	AC2	C4-C5-N7	2.48	111.99	109.40
3	A	1[A]	AC2	C4-C5-N7	2.48	111.99	109.40

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1[A]	AC2	C3'-C2'-O1'-C1'
3	A	1[A]	AC2	N9-C1'-O1'-C2'

There are no ring outliers.

3 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	2	AC2	4	0
3	A	1[A]	AC2	2	0
2	A	4	SO4	1	0

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.