



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 1, 2021 – 12:23 PM EST

PDB ID : 7KIZ  
Title : reduced human peroxiredoxin 2  
Authors : Kean, K.M.; Karplus, P.A.  
Deposited on : 2020-10-25  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.17.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.17.1

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R <sub>free</sub>	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	197	<div><div>%</div><div>91%9%</div></div>
1	B	197	<div><div>2%</div><div>94%6%</div></div>
1	C	197	<div><div>2%</div><div>91%9%</div></div>
1	D	197	<div><div>4%</div><div>90%9%</div></div>
1	E	197	<div><div>2%</div><div>92%7%</div></div>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	197	 4% 90% 10%
1	G	197	 4% 86% 14% .
1	H	197	 3% 88% 11% .
1	I	197	 5% 92% 7% .
1	J	197	 2% 92% 7% .

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 33366 atoms, of which 15779 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Peroxiredoxin-2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	197	Total	C	H	N	O	S	0	11	0
			3184	1020	1591	272	298	3			
1	B	197	Total	C	H	N	O	S	0	15	0
			3196	1026	1590	274	303	3			
1	C	197	Total	C	H	N	O	S	0	8	0
			3145	1010	1567	268	297	3			
1	D	197	Total	C	H	N	O	S	0	10	0
			3142	1010	1560	270	299	3			
1	E	197	Total	C	H	N	O	S	0	10	0
			3175	1018	1583	272	299	3			
1	F	197	Total	C	H	N	O	S	0	9	0
			3149	1011	1567	270	298	3			
1	G	197	Total	C	H	N	O	S	0	13	0
			3173	1017	1578	273	302	3			
1	H	197	Total	C	H	N	O	S	0	8	0
			3149	1011	1569	269	297	3			
1	I	197	Total	C	H	N	O	S	0	13	0
			3190	1021	1590	275	301	3			
1	J	197	Total	C	H	N	O	S	0	10	0
			3174	1017	1584	272	298	3			

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	183	Total	O	0	8
			183	183		
2	B	190	Total	O	0	10
			190	190		
2	C	167	Total	O	0	9
			167	167		
2	D	164	Total	O	0	10
			164	164		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	E	196	Total 196	O 196	0	7
2	F	197	Total 197	O 197	0	11
2	G	121	Total 121	O 121	0	8
2	H	132	Total 132	O 132	0	8
2	I	174	Total 174	O 174	0	7
2	J	165	Total 165	O 165	0	8


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Peroxiredoxin-2




- Molecule 1: Peroxiredoxin-2



- Molecule 1: Peroxiredoxin-2




- Molecule 1: Peroxiredoxin-2




- Molecule 1: Peroxiredoxin-2





- Molecule 1: Peroxiredoxin-2




• Molecule 1: Peroxiredoxin-2





• Molecule 1: Peroxiredoxin-2



• Molecule 1: Peroxiredoxin-2



• Molecule 1: Peroxiredoxin-2



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	229.80Å 88.10Å 127.10Å 90.00° 100.00° 90.00°	Depositor
Resolution (Å)	48.33 – 1.70 48.33 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.3 (48.33-1.70) 99.3 (48.33-1.70)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.37 (at 1.70Å)	Xtriage
Refinement program	PHENIX 1.17.1_3660	Depositor
R, $R_{free}$	0.182 , 0.221 0.183 , 0.221	Depositor DCC
$R_{free}$ test set	13613 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.6	Xtriage
Anisotropy	0.298	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.40 , 51.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	33366	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.23% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.56	0/1664	0.70	0/2251
1	B	0.53	0/1682	0.67	1/2278 (0.0%)
1	C	0.51	0/1628	0.67	0/2206
1	D	0.52	0/1645	0.67	0/2230
1	E	0.57	0/1650	0.70	0/2234
1	F	0.61	1/1640 (0.1%)	0.69	0/2221
1	G	0.46	0/1668	0.61	0/2258
1	H	0.47	0/1630	0.63	0/2208
1	I	0.54	0/1674	0.69	0/2267
1	J	0.53	0/1651	0.66	0/2234
All	All	0.53	1/16532 (0.0%)	0.67	1/22387 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	F	70	CYS	CB-SG	-5.11	1.73	1.81

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	46	ASP	CB-CG-OD2	-5.19	113.63	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1593	1591	1560	13	0
1	B	1606	1590	1552	12	0
1	C	1578	1567	1561	13	0
1	D	1582	1560	1527	18	0
1	E	1592	1583	1571	16	0
1	F	1582	1567	1546	18	0
1	G	1595	1578	1527	20	0
1	H	1580	1569	1562	21	0
1	I	1600	1590	1552	11	0
1	J	1590	1584	1563	15	0
2	A	183	0	0	3	0
2	B	190	0	0	1	0
2	C	167	0	0	5	0
2	D	164	0	0	8	1
2	E	196	0	0	4	1
2	F	197	0	0	7	1
2	G	121	0	0	3	0
2	H	132	0	0	8	0
2	I	174	0	0	3	0
2	J	165	0	0	7	1
All	All	17587	15779	15521	146	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (146) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:2[B]:ALA:N	2:F:201[B]:HOH:O	1.82	1.13
1:B:2[B]:ALA:N	2:B:201[B]:HOH:O	1.92	1.01
1:D:75[A]:VAL:HG12	1:D:104:LEU:HB2	1.46	0.97
1:E:109[A]:ARG:NH1	2:E:202[A]:HOH:O	2.09	0.86
1:A:109[B]:ARG:NH1	2:A:201[B]:HOH:O	2.07	0.85
1:J:2[B]:ALA:N	2:J:203[B]:HOH:O	2.11	0.83
1:E:12:ALA:HB2	1:E:132[B]:ILE:HD12	1.61	0.82
1:F:109[B]:ARG:NH1	2:F:204[B]:HOH:O	2.12	0.81
1:E:16:LYS:NZ	2:E:203:HOH:O	2.15	0.79
1:H:22:ASP:OD2	2:H:201:HOH:O	1.99	0.79
1:F:153:ASP:OD2	2:F:202:HOH:O	1.99	0.79
1:J:105:ALA:O	2:J:201:HOH:O	2.02	0.78
1:E:92:LYS:O	2:E:201:HOH:O	2.01	0.77
1:E:3[B]:SER:HB3	1:E:115:TYR:O	1.87	0.75

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:3[B]:SER:HB3	1:C:115:TYR:O	1.86	0.75
1:H:3[A]:SER:HB3	1:H:115:TYR:O	1.87	0.74
1:A:3[B]:SER:HB3	1:A:115:TYR:O	1.88	0.73
1:F:3[A]:SER:HB3	1:F:115:TYR:O	1.88	0.73
1:B:3[A]:SER:HB3	1:B:115:TYR:O	1.88	0.72
1:D:109[A]:ARG:NH1	2:D:201[A]:HOH:O	2.23	0.71
1:J:198:ASN:O	2:J:202:HOH:O	2.08	0.71
1:G:3[B]:SER:HB3	1:G:115:TYR:O	1.92	0.69
1:G:109[A]:ARG:NH1	2:G:202[A]:HOH:O	2.26	0.69
1:F:78:ASP:OD1	2:F:203:HOH:O	2.10	0.69
1:A:96:LEU:HD13	1:A:99:LEU:HD11	1.75	0.69
1:C:109[B]:ARG:NH2	2:C:202[B]:HOH:O	2.25	0.68
1:H:2[B]:ALA:N	2:H:204[B]:HOH:O	2.27	0.67
1:H:109[A]:ARG:NH2	2:H:205[A]:HOH:O	2.27	0.66
1:C:166:ASP:O	2:C:201:HOH:O	2.12	0.66
1:I:3[B]:SER:HB3	1:I:115:TYR:O	1.95	0.66
1:D:3[A]:SER:HB3	1:D:115:TYR:O	1.96	0.66
1:I:109[A]:ARG:NH1	2:I:202[A]:HOH:O	2.28	0.65
1:B:2[A]:ALA:O	1:B:3[A]:SER:OG	2.13	0.65
1:G:2[A]:ALA:N	2:G:205[A]:HOH:O	2.29	0.65
1:F:184:LYS:NZ	1:F:192:GLU:OE1	2.27	0.65
1:H:167:GLU:OE2	2:H:202:HOH:O	2.14	0.64
1:J:109[A]:ARG:NE	2:J:208:HOH:O	2.31	0.63
1:E:61[B]:ARG:NH2	2:E:204:HOH:O	2.32	0.61
1:D:61:ARG:NH1	1:D:153:ASP:OD1	2.33	0.61
1:D:109[A]:ARG:NH1	2:D:204[A]:HOH:O	2.36	0.59
1:F:2[A]:ALA:N	2:F:207:HOH:O	2.34	0.59
1:D:109[A]:ARG:NH2	2:D:206[A]:HOH:O	2.37	0.58
1:D:2[B]:ALA:N	2:D:208[B]:HOH:O	2.37	0.58
1:G:61:ARG:NH1	1:G:153:ASP:OD1	2.37	0.57
1:I:10:LYS:NZ	2:I:201:HOH:O	2.23	0.57
1:G:2[A]:ALA:HB2	1:H:3[A]:SER:H	1.70	0.57
1:F:109[B]:ARG:NH2	2:F:208[B]:HOH:O	2.36	0.57
1:J:167:GLU:OE2	2:J:204:HOH:O	2.18	0.56
1:D:109[B]:ARG:NE	2:D:210:HOH:O	2.39	0.55
1:J:86:TRP:CE3	1:J:96:LEU:HD11	2.42	0.55
1:H:43:TYR:CZ	1:H:76:SER:HB3	2.41	0.55
1:A:61:ARG:HG3	1:A:152:VAL:HG11	1.90	0.54
1:D:42:PHE:HA	1:D:75[A]:VAL:HG23	1.91	0.53
1:J:3[A]:SER:HB3	1:J:115:TYR:O	2.09	0.52
1:G:43:TYR:CZ	1:G:76:SER:HB3	2.45	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:2[B]:ALA:N	2:G:207:HOH:O	2.42	0.52
1:I:34:LYS:NZ	2:I:206:HOH:O	2.44	0.51
1:A:109[B]:ARG:NE	2:D:210:HOH:O	2.43	0.50
1:H:56:ILE:HG23	1:H:91:ARG:NH1	2.26	0.49
1:G:8[A]:ILE:HD11	1:G:141:ILE:HD12	1.94	0.49
1:E:12:ALA:HB2	1:E:132[B]:ILE:CD1	2.39	0.49
1:G:16:LYS:HG2	1:G:29:LYS:HB3	1.94	0.48
1:B:3[A]:SER:CB	1:B:115:TYR:O	2.60	0.48
1:E:86:TRP:CE3	1:E:96:LEU:HD11	2.48	0.48
1:H:164:TYR:OH	2:H:203:HOH:O	2.19	0.48
1:C:40:LEU:HD11	1:C:75[B]:VAL:HG21	1.96	0.48
1:B:92:LYS:H	1:B:92:LYS:CE	2.27	0.47
1:I:46:ASP:HA	1:I:86:TRP:CZ3	2.49	0.47
2:C:206[A]:HOH:O	1:H:109[A]:ARG:HD2	2.15	0.47
1:H:2[A]:ALA:N	2:H:213:HOH:O	2.47	0.47
1:H:196:LYS:NZ	2:H:210:HOH:O	2.41	0.47
1:I:129:LEU:C	1:I:129:LEU:HD23	2.35	0.47
1:A:2[B]:ALA:HB1	1:B:2[B]:ALA:N	2.29	0.46
1:A:196:LYS:NZ	2:A:214:HOH:O	2.49	0.46
1:E:132[B]:ILE:HD11	1:E:138:LEU:HD13	1.97	0.46
1:G:122:GLU:O	1:J:107:VAL:HG22	2.14	0.46
1:A:46:ASP:HA	1:A:86:TRP:CZ3	2.51	0.46
1:H:2[B]:ALA:HA	2:H:206:HOH:O	2.15	0.46
1:C:2[A]:ALA:N	2:C:211[A]:HOH:O	2.48	0.46
1:B:61:ARG:NH1	1:B:153:ASP:OD1	2.48	0.45
1:E:196:LYS:HG2	1:E:197:HIS:CE1	2.51	0.45
1:C:46:ASP:HA	1:C:86:TRP:CZ3	2.52	0.45
1:A:2[A]:ALA:HB2	1:B:3[A]:SER:H	1.80	0.45
1:A:53:THR:HG21	1:B:173:PRO:HB3	1.99	0.45
1:E:2[A]:ALA:HB2	1:F:3[A]:SER:H	1.80	0.45
1:F:146:LEU:N	1:F:147:PRO:CD	2.80	0.45
1:C:3[B]:SER:H	1:D:2[B]:ALA:HB2	1.81	0.45
1:I:2[A]:ALA:HB2	1:J:3[A]:SER:H	1.82	0.44
1:C:146:LEU:N	1:C:147:PRO:CD	2.80	0.44
1:D:16:LYS:HD2	1:D:27:GLU:OE2	2.17	0.44
1:C:63:GLU:O	1:C:67:LYS:HG2	2.17	0.44
1:H:15:PHE:CB	1:H:111[A]:LEU:HD21	2.47	0.44
1:H:61:ARG:HG3	1:H:152:VAL:HG11	1.99	0.44
1:G:21:VAL:HG22	1:G:102:PRO:HB3	2.00	0.44
1:C:110:ARG:NE	1:C:114:ASP:OD2	2.47	0.43
1:G:46:ASP:HA	1:G:86:TRP:CZ3	2.53	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:100[B]:ASN:ND2	2:D:216:HOH:O	2.52	0.43
1:F:46:ASP:HA	1:F:86:TRP:CZ3	2.54	0.43
1:H:46:ASP:HA	1:H:86:TRP:CZ3	2.53	0.43
1:C:108:THR:HG23	2:C:291:HOH:O	2.18	0.43
1:G:39:VAL:HG23	1:G:70:CYS:SG	2.59	0.43
1:D:2[A]:ALA:N	2:D:215:HOH:O	2.51	0.42
1:D:46:ASP:HA	1:D:86:TRP:CZ3	2.54	0.42
1:D:146:LEU:N	1:D:147:PRO:CD	2.82	0.42
1:E:132[B]:ILE:HD13	1:E:138:LEU:HD12	2.00	0.42
1:I:51:CYS:N	1:I:52:PRO:HD2	2.34	0.42
1:E:132[B]:ILE:HD13	1:E:138:LEU:HA	2.02	0.42
1:C:8:ILE:HD12	1:D:143:VAL:HG12	2.01	0.41
1:H:56:ILE:HG23	1:H:91:ARG:HH11	1.85	0.41
1:J:51:CYS:N	1:J:52:PRO:HD2	2.35	0.41
1:F:3[A]:SER:CB	1:F:115:TYR:O	2.63	0.41
1:G:51:CYS:N	1:G:52:PRO:HD2	2.35	0.41
1:J:181:ASP:OD2	1:J:196:LYS:HE3	2.20	0.41
1:B:75[B]:VAL:HG22	1:B:104:LEU:HB2	2.03	0.41
1:F:187[A]:VAL:HG23	1:F:188:ASP:N	2.36	0.41
1:G:162:PHE:HE1	1:H:145:ASP:HB3	1.85	0.41
1:H:86:TRP:CE3	1:H:96:LEU:HD11	2.56	0.41
1:I:103[A]:LEU:HD12	1:I:103[A]:LEU:HA	1.92	0.41
1:J:2[A]:ALA:N	2:J:219:HOH:O	2.53	0.41
1:G:36:LYS:HE3	1:G:71:GLU:HG2	2.03	0.41
1:A:170:GLU:OE1	2:A:202:HOH:O	2.22	0.41
1:D:86:TRP:CE3	1:D:96:LEU:HD11	2.56	0.41
1:F:55:ILE:HG22	1:F:99:LEU:HD11	2.02	0.41
1:B:165:THR:HG22	1:B:170:GLU:O	2.20	0.41
1:G:43:TYR:CE2	1:G:76:SER:HB3	2.55	0.41
1:I:173:PRO:HB3	1:J:53:THR:HG21	2.03	0.41
1:J:2[A]:ALA:N	2:J:222:HOH:O	2.54	0.41
1:D:40:LEU:HD11	1:D:75[B]:VAL:HG21	2.03	0.40
1:F:63:GLU:O	1:F:67:LYS:HG3	2.21	0.40
1:G:127:ARG:HB3	1:G:150:ARG:CZ	2.51	0.40
1:A:50:VAL:HB	1:A:127:ARG:NH2	2.36	0.40
1:F:109[B]:ARG:NH1	2:F:224[B]:HOH:O	2.54	0.40
1:H:146:LEU:N	1:H:147:PRO:CD	2.84	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:276:HOH:O	2:J:313:HOH:O[1_565]	2.16	0.04
2:D:364:HOH:O	2:F:337:HOH:O[4_546]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	205/197 (104%)	197 (96%)	6 (3%)	2 (1%)	15	4
1	B	209/197 (106%)	205 (98%)	4 (2%)	0	100	100
1	C	202/197 (102%)	193 (96%)	7 (4%)	2 (1%)	15	4
1	D	204/197 (104%)	200 (98%)	4 (2%)	0	100	100
1	E	204/197 (104%)	196 (96%)	6 (3%)	2 (1%)	15	4
1	F	203/197 (103%)	199 (98%)	4 (2%)	0	100	100
1	G	207/197 (105%)	199 (96%)	6 (3%)	2 (1%)	15	4
1	H	202/197 (102%)	198 (98%)	4 (2%)	0	100	100
1	I	207/197 (105%)	199 (96%)	6 (3%)	2 (1%)	15	4
1	J	204/197 (104%)	198 (97%)	6 (3%)	0	100	100
All	All	2047/1970 (104%)	1984 (97%)	53 (3%)	10 (0%)	41	13

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	4[A]	GLY
1	A	4[B]	GLY
1	C	4[A]	GLY
1	C	4[B]	GLY
1	E	4[A]	GLY
1	E	4[B]	GLY
1	G	4[A]	GLY
1	G	4[B]	GLY

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	I	4[A]	GLY
1	I	4[B]	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	173/165 (105%)	172 (99%)	1 (1%)	86	80
1	B	174/165 (106%)	173 (99%)	1 (1%)	86	80
1	C	170/165 (103%)	170 (100%)	0	100	100
1	D	171/165 (104%)	166 (97%)	5 (3%)	42	23
1	E	172/165 (104%)	168 (98%)	4 (2%)	50	33
1	F	171/165 (104%)	170 (99%)	1 (1%)	86	80
1	G	174/165 (106%)	172 (99%)	2 (1%)	73	63
1	H	170/165 (103%)	167 (98%)	3 (2%)	59	43
1	I	175/165 (106%)	173 (99%)	2 (1%)	73	63
1	J	172/165 (104%)	167 (97%)	5 (3%)	42	23
All	All	1722/1650 (104%)	1698 (99%)	24 (1%)	76	53

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	34	LYS
1	B	92	LYS
1	D	3[A]	SER
1	D	3[B]	SER
1	D	67	LYS
1	D	109[A]	ARG
1	D	109[B]	ARG
1	E	29	LYS
1	E	109[A]	ARG
1	E	109[B]	ARG
1	E	196	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	F	84	LEU
1	G	109[A]	ARG
1	G	109[B]	ARG
1	H	67	LYS
1	H	109[A]	ARG
1	H	109[B]	ARG
1	I	109[A]	ARG
1	I	109[B]	ARG
1	J	3[A]	SER
1	J	3[B]	SER
1	J	92[A]	LYS
1	J	92[B]	LYS
1	J	196	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	197	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	197/197 (100%)	-0.26	2 (1%) 82 85	29, 37, 55, 72	0
1	B	197/197 (100%)	-0.09	4 (2%) 65 69	26, 35, 60, 66	0
1	C	197/197 (100%)	-0.07	3 (1%) 73 77	29, 41, 65, 73	0
1	D	197/197 (100%)	0.18	7 (3%) 42 47	28, 40, 64, 76	0
1	E	197/197 (100%)	-0.08	3 (1%) 73 77	26, 34, 59, 69	0
1	F	197/197 (100%)	0.14	7 (3%) 42 47	25, 33, 54, 65	0
1	G	197/197 (100%)	0.17	8 (4%) 37 41	36, 51, 75, 84	0
1	H	197/197 (100%)	0.14	6 (3%) 50 54	33, 48, 74, 83	0
1	I	197/197 (100%)	0.13	9 (4%) 32 36	25, 36, 62, 71	0
1	J	197/197 (100%)	-0.04	3 (1%) 73 77	29, 42, 63, 73	0
All	All	1970/1970 (100%)	0.02	52 (2%) 56 60	25, 40, 65, 84	0

All (52) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	2[A]	ALA	6.3
1	D	3[A]	SER	5.9
1	E	2[A]	ALA	5.7
1	F	2[A]	ALA	5.1
1	C	2[A]	ALA	5.0
1	E	3[A]	SER	4.8
1	C	3[A]	SER	4.6
1	F	3[A]	SER	4.2
1	B	3[A]	SER	4.0
1	I	179	GLY	3.9
1	D	23	GLY	3.7
1	I	3[A]	SER	3.7
1	I	2[A]	ALA	3.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	G	3[A]	SER	3.5
1	J	2[A]	ALA	3.5
1	H	67	LYS	3.5
1	H	195	SER	3.5
1	B	2[A]	ALA	3.5
1	G	34	LYS	3.1
1	I	187	VAL	3.1
1	F	4[A]	GLY	3.0
1	G	92	LYS	2.9
1	A	3[A]	SER	2.8
1	H	164	TYR	2.8
1	F	12	ALA	2.7
1	J	3[A]	SER	2.7
1	G	4[A]	GLY	2.6
1	F	8	ILE	2.5
1	C	34	LYS	2.5
1	I	195	SER	2.4
1	E	4[A]	GLY	2.4
1	G	2[A]	ALA	2.3
1	H	2[A]	ALA	2.3
1	A	2[A]	ALA	2.3
1	G	195[A]	SER	2.3
1	H	3[A]	SER	2.3
1	I	194	PHE	2.3
1	I	191	LYS	2.2
1	F	15	PHE	2.2
1	D	126	TYR	2.1
1	F	138	LEU	2.1
1	G	22	ASP	2.1
1	D	100[A]	ASN	2.1
1	H	93	GLU	2.1
1	G	198	ASN	2.1
1	B	195	SER	2.1
1	D	4[A]	GLY	2.1
1	J	98	PRO	2.1
1	D	22	ASP	2.1
1	B	197	HIS	2.1
1	I	196	LYS	2.0
1	I	188	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.