



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 7, 2022 – 02:52 AM EST

PDB ID : 5KOH  
Title : Nitrogenase MoFeP from *Gluconacetobacter diazotrophicus* in dithionite reduced state  
Authors : Owens, C.P.; Tezcan, F.A.  
Deposited on : 2016-06-30  
Resolution : 1.83 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.27
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.27


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.83 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4003 (1.86-1.82)
Clashscore	141614	4233 (1.86-1.82)
Ramachandran outliers	138981	4185 (1.86-1.82)
Sidechain outliers	138945	4186 (1.86-1.82)
RSRZ outliers	127900	3957 (1.86-1.82)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	499	<div> <div>3%</div> <div>89%</div> <div>7%</div> <div>..</div> </div>
1	C	499	<div> <div>%</div> <div>89%</div> <div>7%</div> <div>..</div> </div>
2	B	511	<div> <div>%</div> <div>93%</div> <div>6%</div> <div>.</div> </div>
2	D	511	<div> <div>93%</div> <div>6%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	MRD	A	503	-	-	X	-

## 2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 17785 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Nitrogenase protein alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	483	Total	C	N	O	S	0	1	0
			3823	2433	669	701	20			
1	C	482	Total	C	N	O	S	0	1	0
			3816	2427	664	704	21			

- Molecule 2 is a protein called Nitrogenase FeMo beta subunit protein NifK.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	510	Total	C	N	O	S	0	5	0
			4032	2565	680	764	23			
2	D	510	Total	C	N	O	S	0	2	0
			4015	2553	676	763	23			

- Molecule 3 is 3-HYDROXY-3-CARBOXY-ADIPIC ACID (three-letter code: HCA) (formula:  $C_7H_{10}O_7$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			14	7	7		
3	C	1	Total	C	O	0	0
			14	7	7		

- Molecule 4 is iron-sulfur-molybdenum cluster with interstitial carbon (three-letter code: ICS) (formula:  $\text{CFe}_7\text{MoS}_9$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	Fe	Mo	S	0	0
			18	1	7	1	9		
4	C	1	Total	C	Fe	Mo	S	0	0
			18	1	7	1	9		

- Molecule 5 is (4R)-2-METHYLPENTANE-2,4-DIOL (three-letter code: MRD) (formula:  $\text{C}_6\text{H}_{14}\text{O}_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			8	6	2		
5	A	1	Total	C	O	0	0
			8	6	2		

- Molecule 6 is FE(8)-S(7) CLUSTER (three-letter code: CLF) (formula: Fe<sub>8</sub>S<sub>7</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	Fe	S	0	0
			15	8	7		
6	C	1	Total	Fe	S	0	0
			15	8	7		

- Molecule 7 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	B	2	Total	Fe	0	0
			2	2		

- Molecule 8 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	C	1	Total	C	O	0	0
			8	6	2		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	443	Total	O	0	0
			443	443		
9	B	545	Total	O	0	0
			545	545		
9	C	440	Total	O	0	0
			440	440		
9	D	551	Total	O	0	0
			551	551		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Nitrogenase protein alpha chain




- Molecule 1: Nitrogenase protein alpha chain



- Molecule 2: Nitrogenase FeMo beta subunit protein NifK



- Molecule 2: Nitrogenase FeMo beta subunit protein NifK





W481	L482	L493	T497	D804	R511
------	------	------	------	------	------

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	202.60Å 202.60Å 132.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	143.26 – 1.83 39.73 – 1.83	Depositor EDS
% Data completeness (in resolution range)	100.0 (143.26-1.83) 100.0 (39.73-1.83)	Depositor EDS
$R_{merge}$	0.42	Depositor
$R_{sym}$	0.43	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.21 (at 1.83Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, $R_{free}$	0.129 , 0.150 0.142 , 0.162	Depositor DCC
$R_{free}$ test set	11943 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	14.5	Xtriage
Anisotropy	0.271	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 54.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	17785	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.69% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MPD, CLF, ICS, HCA, MRD, FE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.92	3/3918 (0.1%)	1.05	19/5291 (0.4%)
1	C	1.00	11/3911 (0.3%)	1.13	19/5283 (0.4%)
2	B	1.03	10/4150 (0.2%)	1.00	18/5621 (0.3%)
2	D	0.96	9/4124 (0.2%)	0.95	14/5586 (0.3%)
All	All	0.98	33/16103 (0.2%)	1.03	70/21781 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
2	B	0	1
All	All	0	3

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	480[A]	ARG	NE-CZ	-18.38	1.09	1.33
2	B	480[B]	ARG	NE-CZ	-18.38	1.09	1.33
2	B	511	ARG	C-O	11.47	1.45	1.23
1	A	449	LYS	CD-CE	11.23	1.79	1.51
2	D	511	ARG	C-O	9.83	1.42	1.23
2	B	413	GLY	N-CA	9.63	1.60	1.46
1	C	60[A]	CYS	CA-CB	8.36	1.72	1.53
1	C	60[B]	CYS	CA-CB	8.36	1.72	1.53
2	D	338	GLU	CG-CD	7.70	1.63	1.51
1	C	59	GLU	CD-OE2	6.88	1.33	1.25
2	D	380	GLU	CD-OE1	6.83	1.33	1.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	255	ARG	CD-NE	-6.60	1.35	1.46
1	C	60[A]	CYS	CB-SG	6.32	1.93	1.82
1	C	60[B]	CYS	CB-SG	6.32	1.93	1.82
2	D	338	GLU	CD-OE2	6.21	1.32	1.25
1	C	485	ASN	CB-CG	-6.07	1.37	1.51
2	B	177	GLU	CD-OE2	5.87	1.32	1.25
2	D	82	GLU	CD-OE1	-5.87	1.19	1.25
2	D	338	GLU	CD-OE1	5.83	1.32	1.25
2	B	177	GLU	CG-CD	5.74	1.60	1.51
1	C	124	SER	CB-OG	-5.74	1.34	1.42
2	D	50	GLU	CG-CD	5.73	1.60	1.51
1	A	457	MET	CG-SD	5.70	1.96	1.81
2	D	377	PHE	CG-CD1	5.62	1.47	1.38
2	B	511	ARG	CA-C	5.59	1.67	1.52
1	A	259	GLU	CD-OE1	5.59	1.31	1.25
1	C	180	GLU	CD-OE1	5.49	1.31	1.25
2	B	82	GLU	CD-OE1	-5.47	1.19	1.25
1	C	255	ARG	CZ-NH2	-5.34	1.26	1.33
2	B	177	GLU	CD-OE1	5.31	1.31	1.25
1	C	334	GLU	CG-CD	5.18	1.59	1.51
2	D	480	ARG	CZ-NH2	5.13	1.39	1.33
2	B	91	SER	CB-OG	-5.06	1.35	1.42

All (70) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	255	ARG	NE-CZ-NH2	-26.46	107.07	120.30
1	A	457	MET	CG-SD-CE	-25.45	59.47	100.20
1	C	457	MET	CG-SD-CE	-25.22	59.85	100.20
1	C	255	ARG	NE-CZ-NH1	21.84	131.22	120.30
1	A	449	LYS	CD-CE-NZ	-20.22	65.19	111.70
2	B	480[A]	ARG	NE-CZ-NH1	-13.47	113.56	120.30
2	B	480[B]	ARG	NE-CZ-NH1	-13.47	113.56	120.30
2	B	511	ARG	CA-C-O	-10.97	97.06	120.10
1	C	264	ARG	NE-CZ-NH2	-10.17	115.22	120.30
2	D	511	ARG	CA-C-O	-10.02	99.06	120.10
1	A	184[A]	ARG	NE-CZ-NH2	-8.48	116.06	120.30
1	A	184[B]	ARG	NE-CZ-NH2	-8.48	116.06	120.30
1	C	255	ARG	CD-NE-CZ	8.25	135.15	123.60
1	C	280	ARG	NE-CZ-NH2	-8.13	116.23	120.30
2	B	480[A]	ARG	NH1-CZ-NH2	7.82	128.00	119.40
2	B	480[B]	ARG	NH1-CZ-NH2	7.82	128.00	119.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	184	ARG	NE-CZ-NH2	-7.80	116.40	120.30
2	B	412	VAL	C-N-CA	-7.78	105.97	122.30
1	A	112	ARG	NE-CZ-NH2	-7.75	116.43	120.30
1	A	264	ARG	NE-CZ-NH2	-7.54	116.53	120.30
1	C	264	ARG	NE-CZ-NH1	7.40	124.00	120.30
1	A	32	ARG	NE-CZ-NH1	7.16	123.88	120.30
2	D	480	ARG	NE-CZ-NH1	6.96	123.78	120.30
2	D	352	ASP	CB-CG-OD2	-6.91	112.08	118.30
2	B	159	ASP	CB-CG-OD1	6.62	124.25	118.30
2	D	159	ASP	CB-CG-OD1	6.52	124.17	118.30
1	C	359	ARG	NE-CZ-NH2	-6.48	117.06	120.30
1	A	359	ARG	NE-CZ-NH2	-6.42	117.09	120.30
1	C	32	ARG	NE-CZ-NH1	6.34	123.47	120.30
2	D	406	ASP	CB-CG-OD1	6.29	123.96	118.30
2	B	406	ASP	CB-CG-OD1	6.26	123.94	118.30
1	A	30	ARG	NE-CZ-NH1	6.24	123.42	120.30
1	A	255	ARG	NE-CZ-NH2	-6.14	117.23	120.30
1	A	184[A]	ARG	NE-CZ-NH1	6.13	123.36	120.30
1	A	184[B]	ARG	NE-CZ-NH1	6.13	123.36	120.30
1	A	30	ARG	NE-CZ-NH2	-5.99	117.30	120.30
2	B	321	ASP	CB-CG-OD2	-5.86	113.03	118.30
2	D	120	ASP	CB-CG-OD2	5.82	123.53	118.30
1	C	30	ARG	NE-CZ-NH1	5.65	123.12	120.30
2	D	284	ASP	CB-CG-OD1	5.58	123.33	118.30
1	A	16	ARG	NE-CZ-NH1	5.58	123.09	120.30
2	B	352	ASP	CB-CG-OD2	-5.57	113.28	118.30
2	B	284	ASP	CB-CG-OD1	5.57	123.31	118.30
1	C	359	ARG	NE-CZ-NH1	5.55	123.08	120.30
1	A	264	ARG	NE-CZ-NH1	5.55	123.07	120.30
2	B	469	ARG	NE-CZ-NH1	5.55	123.07	120.30
1	C	411	ARG	NE-CZ-NH1	5.52	123.06	120.30
2	D	29	LYS	CD-CE-NZ	5.50	124.36	111.70
2	B	348	ASP	CB-CG-OD2	-5.46	113.38	118.30
2	B	482	LEU	CA-CB-CG	5.45	127.82	115.30
2	D	482	LEU	CB-CG-CD2	5.42	120.21	111.00
1	C	112	ARG	NE-CZ-NH2	-5.36	117.62	120.30
1	C	255	ARG	CG-CD-NE	-5.31	100.64	111.80
1	A	401	ASP	CB-CG-OD1	5.31	123.08	118.30
2	D	234	ARG	NE-CZ-NH1	5.25	122.93	120.30
2	B	242	MET	CG-SD-CE	5.21	108.54	100.20
1	C	264	ARG	CB-CG-CD	-5.21	98.04	111.60
1	C	16	ARG	NE-CZ-NH1	5.17	122.89	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	494	ASP	CB-CG-OD1	5.17	122.95	118.30
1	A	411	ARG	NE-CZ-NH1	5.17	122.88	120.30
1	C	401	ASP	CB-CG-OD1	5.15	122.94	118.30
1	A	359	ARG	NE-CZ-NH1	5.14	122.87	120.30
2	D	284	ASP	CB-CG-OD2	-5.13	113.68	118.30
2	D	160	ASP	CB-CG-OD1	5.13	122.92	118.30
2	B	350	LEU	CB-CG-CD1	5.11	119.68	111.00
1	A	490	MET	CA-CB-CG	-5.10	104.63	113.30
2	B	160	ASP	CB-CG-OD1	5.06	122.85	118.30
2	D	321	ASP	CB-CG-OD2	-5.05	113.75	118.30
2	D	266	ARG	NE-CZ-NH1	5.04	122.82	120.30
1	C	377	ARG	NE-CZ-NH1	5.00	122.80	120.30

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	112	ARG	Sidechain
2	B	413	GLY	Peptide
1	C	112	ARG	Sidechain

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3823	0	3739	30	0
1	C	3816	0	3721	14	0
2	B	4032	0	3909	27	0
2	D	4015	0	3881	16	0
3	A	14	0	6	2	0
3	C	14	0	6	1	0
4	A	18	0	0	0	0
4	C	18	0	0	0	0
5	A	16	0	28	6	0
6	A	15	0	0	0	0
6	C	15	0	0	0	0
7	B	2	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	C	8	0	14	4	0
9	A	443	0	0	5	1
9	B	545	0	0	2	0
9	C	440	0	0	3	0
9	D	551	0	0	2	0
All	All	17785	0	15304	80	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (80) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:449:LYS:CD	1:A:449:LYS:CE	1.79	1.58
1:A:449:LYS:CD	1:A:449:LYS:NZ	1.75	1.46
1:A:449:LYS:NZ	1:A:449:LYS:HD2	1.58	1.16
2:B:480[A]:ARG:NH2	2:D:480:ARG:HH22	1.51	1.07
2:B:480[A]:ARG:HH21	2:D:480:ARG:NH2	1.57	1.01
1:A:449:LYS:CD	1:A:449:LYS:HZ2	1.74	0.95
2:B:480[A]:ARG:NH2	2:D:480:ARG:NH2	2.18	0.88
1:A:449:LYS:CD	1:A:449:LYS:HZ3	1.64	0.87
2:B:480[A]:ARG:HH21	2:D:480:ARG:HH22	1.14	0.85
2:B:476[A]:GLN:HG3	2:B:480[A]:ARG:HH12	1.46	0.81
1:A:449:LYS:HD2	1:A:449:LYS:HZ3	1.23	0.79
2:B:480[A]:ARG:HE	2:D:480:ARG:HH12	1.33	0.76
2:D:21:GLN:HG2	9:D:915:HOH:O	1.88	0.73
2:B:471:PRO:HG2	2:B:480[A]:ARG:NH1	2.04	0.71
2:B:476[A]:GLN:HG3	2:B:480[A]:ARG:NH1	2.06	0.70
2:D:395:LYS:NZ	9:D:701:HOH:O	2.30	0.64
1:A:449:LYS:CE	1:A:449:LYS:CG	2.72	0.64
1:A:449:LYS:HE3	2:D:348:ASP:OD1	1.98	0.63
1:A:32:ARG:HD2	9:A:966:HOH:O	1.97	0.62
1:C:446:PRO:HG2	8:C:503:MPD:HM1	1.80	0.62
2:B:471:PRO:HG2	2:B:480[A]:ARG:HH11	1.64	0.61
2:D:242:MET:HE1	2:D:338:GLU:HG2	1.82	0.61
1:C:443:GLU:HA	8:C:503:MPD:HM2	1.84	0.60
1:A:6:ASP:N	9:A:603:HOH:O	2.36	0.58
1:A:449:LYS:HD2	1:A:449:LYS:HZ2	1.46	0.58
2:B:480[B]:ARG:HG2	2:B:480[B]:ARG:HH11	1.69	0.56
1:A:43:ALA:HA	1:A:59:GLU:HG2	1.87	0.56
2:B:354:GLN:OE1	1:C:485:ASN:ND2	2.39	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:91:SER:OG	2:B:153:MET:HG2	2.06	0.56
2:D:71:PRO:HB2	2:D:98:TYR:CZ	2.40	0.56
1:A:449:LYS:HE2	2:B:259:THR:OG1	2.06	0.55
2:D:91:SER:OG	2:D:153:MET:HG2	2.07	0.55
2:B:480[B]:ARG:NH1	2:B:480[B]:ARG:CG	2.64	0.55
1:A:92:LYS:O	1:A:124:SER:HA	2.08	0.54
2:B:471:PRO:CG	2:B:480[A]:ARG:NH1	2.70	0.54
8:C:503:MPD:O4	8:C:503:MPD:CM	2.56	0.53
1:A:370:TYR:CZ	1:A:420:VAL:HG12	2.46	0.51
1:A:229:HIS:O	1:A:283:LYS:HE3	2.11	0.51
2:B:471:PRO:O	2:B:480[B]:ARG:HD2	2.12	0.50
1:A:116:TYR:CE1	1:A:126:VAL:HB	2.46	0.50
1:C:32:ARG:HD2	9:C:979:HOH:O	2.11	0.50
1:C:229:HIS:O	1:C:283:LYS:HE3	2.12	0.49
1:C:116:TYR:CE1	1:C:126:VAL:HB	2.47	0.49
2:B:71:PRO:HB2	2:B:98:TYR:CZ	2.48	0.49
1:A:446:PRO:HB2	5:A:503:MRD:HMC1	1.94	0.49
1:C:370:TYR:CZ	1:C:420:VAL:HG12	2.47	0.48
1:A:443:GLU:HA	5:A:503:MRD:CM	2.43	0.48
5:A:503:MRD:O4	5:A:503:MRD:HMC2	2.12	0.48
1:A:30:ARG:NH2	9:A:609:HOH:O	2.47	0.48
1:C:443:GLU:HA	8:C:503:MPD:CM	2.43	0.47
1:C:458:HIS:HB3	3:C:501:HCA:O5	2.14	0.47
1:A:30:ARG:HD2	9:A:666:HOH:O	2.14	0.47
2:B:117:MET:CE	2:B:153:MET:SD	3.04	0.46
1:A:446:PRO:HG2	5:A:503:MRD:HMC1	1.98	0.46
1:A:449:LYS:HZ1	2:B:109:PRO:HD3	1.81	0.46
1:C:92:LYS:O	1:C:124:SER:HA	2.16	0.45
2:D:497:THR:O	2:D:504:ASP:HA	2.17	0.45
1:C:334:GLU:H	1:C:334:GLU:CD	2.19	0.45
2:D:117:MET:CE	2:D:153:MET:SD	3.04	0.45
2:B:488:LYS:HD2	9:B:904:HOH:O	2.17	0.44
1:C:30:ARG:HD2	9:C:625:HOH:O	2.17	0.44
2:D:117:MET:HE1	2:D:153:MET:SD	2.58	0.44
2:B:480[A]:ARG:HH11	2:B:480[A]:ARG:HD2	1.27	0.43
5:A:503:MRD:CM	5:A:503:MRD:O4	2.66	0.43
2:B:337:GLN:NE2	9:B:712:HOH:O	2.51	0.43
1:A:455:ARG:HD3	1:A:482:ALA:HB2	1.99	0.43
1:A:187:LYS:HD2	9:A:633:HOH:O	2.18	0.43
1:A:67:LYS:NZ	2:B:120:ASP:OD2	2.52	0.43
2:B:476[A]:GLN:CG	2:B:480[A]:ARG:HH12	2.22	0.42

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:187:LYS:HD2	9:C:647:HOH:O	2.19	0.42
1:A:458:HIS:HB3	3:A:501:HCA:O6	2.20	0.42
1:A:269:TRP:HA	1:A:270:SER:HA	1.76	0.42
2:B:117:MET:HE1	2:B:153:MET:SD	2.60	0.42
1:A:443:GLU:HA	5:A:503:MRD:HMC2	2.02	0.41
1:C:269:TRP:HA	1:C:270:SER:HA	1.84	0.41
2:D:117:MET:HB3	2:D:117:MET:HE2	1.88	0.41
1:A:458:HIS:CG	3:A:501:HCA:H52	2.56	0.41
2:B:176:GLU:H	2:B:176:GLU:HG2	1.74	0.40
2:B:117:MET:HB3	2:B:117:MET:HE2	1.85	0.40
2:D:242:MET:HE1	2:D:338:GLU:CG	2.48	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
9:A:1033:HOH:O	9:A:1033:HOH:O[7_556]	2.09	0.11

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	480/499 (96%)	460 (96%)	20 (4%)	0	100	100
1	C	479/499 (96%)	461 (96%)	18 (4%)	0	100	100
2	B	513/511 (100%)	505 (98%)	6 (1%)	2 (0%)	34	20
2	D	510/511 (100%)	502 (98%)	7 (1%)	1 (0%)	47	33
All	All	1982/2020 (98%)	1928 (97%)	51 (3%)	3 (0%)	47	33

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	294	THR
2	D	294	THR
2	B	251	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	399/413 (97%)	392 (98%)	7 (2%)	59	44
1	C	400/413 (97%)	390 (98%)	10 (2%)	47	31
2	B	432/428 (101%)	428 (99%)	4 (1%)	78	71
2	D	429/428 (100%)	424 (99%)	5 (1%)	71	61
All	All	1660/1682 (99%)	1634 (98%)	26 (2%)	65	49

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	63	LYS
1	A	114	ASN
1	A	371	VAL
1	A	378	HIS
1	A	381	ASN
1	A	461	ASP
1	A	492	LYS
2	B	236	LEU
2	B	350	LEU
2	B	482	LEU
2	B	493	LEU
1	C	60[A]	CYS
1	C	60[B]	CYS
1	C	63	LYS
1	C	106	GLN
1	C	114	ASN
1	C	137	LYS
1	C	371	VAL
1	C	378	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	381	ASN
1	C	461	ASP
2	D	120	ASP
2	D	236	LEU
2	D	433	LYS
2	D	482	LEU
2	D	493	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	106	GLN
2	D	302	GLN
2	D	476	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 2 are monoatomic - leaving 9 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	MRD	A	503	-	7,7,7	0.79	0	9,10,10	1.12	0
3	HCA	A	501	-	4,13,13	1.39	1 (25%)	4,18,18	3.51	2 (50%)
4	ICS	C	502	1	18,30,30	3.22	13 (72%)	-	-	-
6	CLF	A	505	2,1	0,24,24	-	-	-	-	-
8	MPD	C	503	-	7,7,7	0.96	0	9,10,10	1.28	1 (11%)
6	CLF	C	504	2,1	0,24,24	-	-	-	-	-
4	ICS	A	502	1	18,30,30	2.90	12 (66%)	-	-	-
5	MRD	A	504	-	7,7,7	0.39	0	9,10,10	0.63	0
3	HCA	C	501	-	4,13,13	2.18	2 (50%)	4,18,18	3.15	3 (75%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MRD	A	503	-	-	0/5/5/5	-
3	HCA	A	501	-	-	1/7/17/17	-
6	CLF	A	505	2,1	-	-	0/12/10/10
8	MPD	C	503	-	-	1/5/5/5	-
6	CLF	C	504	2,1	-	-	0/12/10/10
5	MRD	A	504	-	-	2/5/5/5	-
3	HCA	C	501	-	-	1/7/17/17	-

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	502	ICS	S1B-FE6	-5.61	2.18	2.32
4	A	502	ICS	S3B-FE6	-5.49	2.18	2.32
4	C	502	ICS	S3B-FE6	-5.28	2.19	2.32
4	C	502	ICS	S1B-FE5	-4.74	2.20	2.32
4	A	502	ICS	S3B-FE7	-4.16	2.22	2.32
4	C	502	ICS	S4B-FE7	-4.03	2.22	2.32
4	A	502	ICS	S4B-FE7	-3.88	2.22	2.32
4	C	502	ICS	S3B-FE7	-3.84	2.22	2.32
4	A	502	ICS	S1B-FE6	-3.64	2.23	2.32
4	A	502	ICS	S4A-FE3	-3.64	2.23	2.32
4	A	502	ICS	S1B-FE5	-3.60	2.23	2.32
4	A	502	ICS	S1A-FE2	-3.58	2.23	2.32
4	C	502	ICS	S1A-FE2	-3.42	2.23	2.32
3	C	501	HCA	C4-C3	3.13	1.57	1.53

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	502	ICS	S2B-FE2	-3.00	2.17	2.24
4	C	502	ICS	S2A-FE2	-2.93	2.25	2.32
4	A	502	ICS	S2A-FE2	-2.92	2.25	2.32
4	C	502	ICS	S4A-FE3	-2.85	2.25	2.32
4	C	502	ICS	S4B-FE5	-2.83	2.25	2.32
4	C	502	ICS	S5A-FE7	-2.70	2.18	2.24
4	A	502	ICS	S2B-FE6	-2.57	2.18	2.24
4	A	502	ICS	S4B-FE5	-2.47	2.26	2.32
4	C	502	ICS	S5A-FE3	-2.37	2.19	2.24
4	C	502	ICS	S2B-FE6	-2.35	2.19	2.24
3	C	501	HCA	C4-C5	2.23	1.58	1.53
3	A	501	HCA	C4-C3	-2.11	1.50	1.53
4	A	502	ICS	S4A-FE4	-2.11	2.27	2.32
4	A	502	ICS	S2A-FE3	-2.05	2.27	2.32

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	501	HCA	C4-C5-C6	6.46	121.17	111.39
3	C	501	HCA	C4-C5-C6	4.98	118.93	111.39
8	C	503	MPD	CM-C2-C1	-3.10	104.11	110.57
3	C	501	HCA	C4-C3-C7	-2.87	106.46	111.52
3	C	501	HCA	C3-C2-C1	-2.42	111.11	114.98
3	A	501	HCA	C3-C2-C1	-2.30	111.30	114.98

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	501	HCA	C2-C3-C4-C5
3	C	501	HCA	C2-C3-C4-C5
5	A	504	MRD	C1-C2-C3-C4
8	C	503	MPD	C1-C2-C3-C4
5	A	504	MRD	O2-C2-C3-C4

There are no ring outliers.

4 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	503	MRD	6	0
3	A	501	HCA	2	0


*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	C	503	MPD	4	0
3	C	501	HCA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	483/499 (96%)	-0.28	13 (2%) 54 52	10, 15, 36, 81	0
1	C	482/499 (96%)	-0.35	7 (1%) 73 73	9, 15, 31, 59	0
2	B	510/511 (99%)	-0.44	3 (0%) 89 89	9, 14, 29, 50	0
2	D	510/511 (99%)	-0.45	2 (0%) 92 92	9, 14, 28, 44	0
All	All	1985/2020 (98%)	-0.38	25 (1%) 77 77	9, 15, 31, 81	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	45	ALA	8.6
1	C	43	ALA	4.3
1	C	55	VAL	3.7
1	C	44	GLU	3.7
1	A	231	ALA	3.6
1	A	43	ALA	3.4
1	C	54	GLY	3.2
1	C	60[A]	CYS	3.1
1	A	42	GLN	3.1
2	B	124	PHE	3.1
2	D	124	PHE	3.0
1	A	225	GLY	3.0
1	A	230	ALA	2.9
1	A	44	GLU	2.9
2	D	123	VAL	2.7
1	A	60	CYS	2.7
1	C	42	GLN	2.6
1	A	59	GLU	2.5
2	B	413	GLY	2.3
1	A	6	ASP	2.2
1	C	59	GLU	2.2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	480[A]	ARG	2.2
1	A	141	PHE	2.1
1	A	55	VAL	2.1
1	A	86	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
8	MPD	C	503	8/8	0.87	0.18	18,25,30,32	0
5	MRD	A	503	8/8	0.89	0.18	19,25,30,31	0
5	MRD	A	504	8/8	0.90	0.12	27,33,35,43	0
3	HCA	C	501	14/14	0.98	0.11	8,11,14,14	0
7	FE	B	601	1/1	0.98	0.10	31,31,31,31	0
3	HCA	A	501	14/14	0.98	0.11	9,11,14,16	0
4	ICS	C	502	18/18	0.99	0.07	9,10,11,12	0
7	FE	B	602	1/1	0.99	0.14	31,31,31,31	0
6	CLF	A	505	15/15	0.99	0.07	9,11,13,15	2
6	CLF	C	504	15/15	1.00	0.05	10,10,12,14	0
4	ICS	A	502	18/18	1.00	0.06	9,11,12,12	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around ICS C 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around ICS A 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.