



Full wwPDB X-ray Structure Validation Report ⓘ

May 15, 2020 – 03:16 am BST

PDB ID : 3KS8
Title : Crystal structure of Reston ebolavirus VP35 RNA binding domain in complex with 18bp dsRNA
Authors : Kimberlin, C.R.; Bornholdt, Z.A.; Li, S.; Woods, V.L.; Macrae, I.J.; Saphire, E.O.
Deposited on : 2009-11-20
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)
RNA backbone	3102	1174 (2.80-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	E	18	<div> <div>50%</div> <div>22%</div> <div>22%</div> <div>6%</div> </div>
2	F	18	<div> <div>61%</div> <div>33%</div> <div>6%</div> </div>
3	A	184	<div> <div>%</div> <div>56%</div> <div>9%</div> <div>•</div> <div>34%</div> </div>
3	B	184	<div> <div>52%</div> <div>14%</div> <div>•</div> <div>33%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	C	184	<div><div></div><div>55%</div><div>10%</div><div></div><div>34%</div></div>
3	D	184	<div>%<div><div></div><div>53%</div><div>13%</div><div></div><div>33%</div></div></div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4757 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 5'-R(*AP*GP*AP*AP*GP*GP*AP*GP*GP*GP*AP*GP*GP*GP*AP*GP*GP*GP*AP*GP*GP*A)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	E	18	Total	C	N	O	P	0	0	0
			404	180	90	117	17			

- Molecule 2 is a RNA chain called 5'-R(*UP*CP*CP*UP*CP*CP*CP*UP*CP*CP*CP*UP*CP*CP*UP*UP*CP*U)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	F	18	Total	C	N	O	P	0	0	0
			357	162	47	131	17			

- Molecule 3 is a protein called Polymerase cofactor VP35.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	A	122	Total	C	N	O	S	29	0	0
			952	609	169	168	6			
3	B	124	Total	C	N	O	S	30	0	0
			971	623	171	171	6			
3	C	122	Total	C	N	O	S	28	0	0
			952	609	169	168	6			
3	D	124	Total	C	N	O	S	29	0	0
			971	623	171	171	6			

There are 56 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	146	MET	-	EXPRESSION TAG	UNP Q8JPY0
A	147	ALA	-	EXPRESSION TAG	UNP Q8JPY0
A	148	HIS	-	EXPRESSION TAG	UNP Q8JPY0
A	149	HIS	-	EXPRESSION TAG	UNP Q8JPY0
A	150	HIS	-	EXPRESSION TAG	UNP Q8JPY0
A	151	HIS	-	EXPRESSION TAG	UNP Q8JPY0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	152	HIS	-	EXPRESSION TAG	UNP Q8JPY0
A	153	HIS	-	EXPRESSION TAG	UNP Q8JPY0
A	154	VAL	-	EXPRESSION TAG	UNP Q8JPY0
A	155	ASP	-	EXPRESSION TAG	UNP Q8JPY0
A	156	ASP	-	EXPRESSION TAG	UNP Q8JPY0
A	157	ASP	-	EXPRESSION TAG	UNP Q8JPY0
A	158	ASP	-	EXPRESSION TAG	UNP Q8JPY0
A	159	LYS	-	EXPRESSION TAG	UNP Q8JPY0
B	146	MET	-	EXPRESSION TAG	UNP Q8JPY0
B	147	ALA	-	EXPRESSION TAG	UNP Q8JPY0
B	148	HIS	-	EXPRESSION TAG	UNP Q8JPY0
B	149	HIS	-	EXPRESSION TAG	UNP Q8JPY0
B	150	HIS	-	EXPRESSION TAG	UNP Q8JPY0
B	151	HIS	-	EXPRESSION TAG	UNP Q8JPY0
B	152	HIS	-	EXPRESSION TAG	UNP Q8JPY0
B	153	HIS	-	EXPRESSION TAG	UNP Q8JPY0
B	154	VAL	-	EXPRESSION TAG	UNP Q8JPY0
B	155	ASP	-	EXPRESSION TAG	UNP Q8JPY0
B	156	ASP	-	EXPRESSION TAG	UNP Q8JPY0
B	157	ASP	-	EXPRESSION TAG	UNP Q8JPY0
B	158	ASP	-	EXPRESSION TAG	UNP Q8JPY0
B	159	LYS	-	EXPRESSION TAG	UNP Q8JPY0
C	146	MET	-	EXPRESSION TAG	UNP Q8JPY0
C	147	ALA	-	EXPRESSION TAG	UNP Q8JPY0
C	148	HIS	-	EXPRESSION TAG	UNP Q8JPY0
C	149	HIS	-	EXPRESSION TAG	UNP Q8JPY0
C	150	HIS	-	EXPRESSION TAG	UNP Q8JPY0
C	151	HIS	-	EXPRESSION TAG	UNP Q8JPY0
C	152	HIS	-	EXPRESSION TAG	UNP Q8JPY0
C	153	HIS	-	EXPRESSION TAG	UNP Q8JPY0
C	154	VAL	-	EXPRESSION TAG	UNP Q8JPY0
C	155	ASP	-	EXPRESSION TAG	UNP Q8JPY0
C	156	ASP	-	EXPRESSION TAG	UNP Q8JPY0
C	157	ASP	-	EXPRESSION TAG	UNP Q8JPY0
C	158	ASP	-	EXPRESSION TAG	UNP Q8JPY0
C	159	LYS	-	EXPRESSION TAG	UNP Q8JPY0
D	146	MET	-	EXPRESSION TAG	UNP Q8JPY0
D	147	ALA	-	EXPRESSION TAG	UNP Q8JPY0
D	148	HIS	-	EXPRESSION TAG	UNP Q8JPY0
D	149	HIS	-	EXPRESSION TAG	UNP Q8JPY0
D	150	HIS	-	EXPRESSION TAG	UNP Q8JPY0
D	151	HIS	-	EXPRESSION TAG	UNP Q8JPY0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	152	HIS	-	EXPRESSION TAG	UNP Q8JPY0
D	153	HIS	-	EXPRESSION TAG	UNP Q8JPY0
D	154	VAL	-	EXPRESSION TAG	UNP Q8JPY0
D	155	ASP	-	EXPRESSION TAG	UNP Q8JPY0
D	156	ASP	-	EXPRESSION TAG	UNP Q8JPY0
D	157	ASP	-	EXPRESSION TAG	UNP Q8JPY0
D	158	ASP	-	EXPRESSION TAG	UNP Q8JPY0
D	159	LYS	-	EXPRESSION TAG	UNP Q8JPY0

- Molecule 4 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	E	13	Total O 13 13	0	0
4	F	7	Total O 7 7	0	0
4	A	32	Total O 32 32	0	0
4	B	30	Total O 30 30	0	0
4	C	33	Total O 33 33	0	0
4	D	35	Total O 35 35	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 5'-R(*AP*GP*AP*AP*GP*GP*AP*GP*GP*GP*AP*GP*GP*GP*AP*GP*GP*A)-3'

Chain E: 




- Molecule 2: 5'-R(*UP*CP*CP*UP*CP*CP*CP*UP*CP*CP*CP*UP*CP*CP*UP*UP*CP*U)-3'

Chain F: 




- Molecule 3: Polymerase cofactor VP35

Chain A: 



- Molecule 3: Polymerase cofactor VP35

Chain B: 



- Molecule 3: Polymerase cofactor VP35

Chain C: 

MET	ALA	HIS	HIS	HIS	HIS	HIS	VAL	ASP	ASP	ASP	LYS	GLY	PRO	ALA	LEU	TYR	GLU	GLU	ASN	LEU	LYS	GLY	ILE	ASP	ASP	PRO	ASN	SER	TYR	VAL	PRO	ASP	ALA	VAL	GLN	GLU	TYR	LYS	ASN	ASP	SER	THR	THR	THR	THR	GLU	ASN	PHE	GLY	LYS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

PRO	TYR	I208	S209	D212	L213	K214	Y218	L221	P222	F228	V232	S255	Q277	D278	R287	S288	R289	G290	D291	R311	K319	Q320	D321	G322	K323	K328	I329
-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

● Molecule 3: Polymerase cofactor VP35



MET	ALA	HIS	HIS	HIS	HIS	HIS	VAL	ASP	ASP	ASP	LYS	PRO	GLY	PRO	ALA	LEU	TYR	GLU	GLU	ASN	LEU	LYS	GLY	ILE	ASP	ASP	PRO	ASN	SER	TYR	VAL	PRO	ASP	ALA	VAL	GLN	GLU	TYR	LYS	ASN	ASP	SER	THR	SER	THR	THR	THR	GLU	ASN	PHE	GLY	LYS
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

P206	Y207	A210	K211	D212	L213	K214	E215	Y218	H229	K237	K240	L245	Q263	C264	Q268	V273	P274	Q277	I283	I284	H285	I286	R301	R311	K318	M319	Q320	D321	G322	K323	I329
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Data and refinement statistics

Property	Value	Source
Space group	P 31	Depositor
Cell constants a, b, c, α , β , γ	85.69Å 85.69Å 108.81Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	35.12 – 2.40 37.10 – 2.29	Depositor EDS
% Data completeness (in resolution range)	84.9 (35.12-2.40) 75.0 (37.10-2.29)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.27 (at 2.29Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_222)	Depositor
R, R_{free}	0.198 , 0.239 0.196 , 0.236	Depositor DCC
R_{free} test set	1532 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	36.2	Xtriage
Anisotropy	0.029	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 41.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.020 for -h,-k,l 0.467 for h,-h-k,-l 0.022 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4757	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.21% of the height of the origin peak. No significant pseudotranslation is detected.*

¹ Intensities estimated from amplitudes.

² Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	E	0.89	0/457	1.66	6/716 (0.8%)
2	F	0.77	0/392	1.60	1/604 (0.2%)
3	A	0.38	0/974	0.52	0/1317
3	B	0.36	0/995	0.53	0/1346
3	C	0.38	0/974	0.54	0/1317
3	D	0.36	0/995	0.53	0/1346
All	All	0.49	0/4787	0.87	7/6646 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	F	14	C	C4'-C3'-C2'	-6.59	96.01	102.60
1	E	16	G	N3-C4-N9	-5.54	122.67	126.00
1	E	9	G	C4'-C3'-C2'	-5.32	97.28	102.60
1	E	13	G	N3-C4-N9	-5.32	122.81	126.00
1	E	12	G	C4'-C3'-C2'	-5.13	97.47	102.60
1	E	16	G	N3-C4-C5	5.07	131.14	128.60
1	E	9	G	C1'-O4'-C4'	-5.04	105.87	109.90

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	404	0	200	6	0
2	F	357	0	193	5	0
3	A	952	0	984	13	1
3	B	971	0	1001	23	0
3	C	952	0	984	11	1
3	D	971	0	1001	22	0
4	A	32	0	0	0	0
4	B	30	0	0	1	0
4	C	33	0	0	0	0
4	D	35	0	0	0	0
4	E	13	0	0	3	0
4	F	7	0	0	0	0
All	All	4757	0	4363	77	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:268:GLN:HA	3:B:268:GLN:HE21	1.46	0.79
3:D:268:GLN:HA	3:D:268:GLN:HE21	1.50	0.75
1:E:12:G:N7	4:E:44:HOH:O	2.22	0.73
3:A:287:ARG:CG	3:A:287:ARG:HH11	2.01	0.73
3:C:311:ARG:O	3:C:328:LYS:HE3	1.94	0.68
3:A:311:ARG:O	3:A:328:LYS:HE3	1.94	0.67
3:A:287:ARG:HG3	3:A:287:ARG:HH11	1.59	0.65
1:E:15:A:N7	4:E:113:HOH:O	2.30	0.64
2:F:8:U:H5"	2:F:8:U:H6	1.65	0.62
3:D:263:GLN:H	3:D:263:GLN:NE2	1.98	0.62
3:B:263:GLN:NE2	3:B:263:GLN:H	1.98	0.61
3:B:210:ALA:HB2	3:B:240:LYS:CG	2.32	0.60
3:D:210:ALA:HB2	3:D:240:LYS:CG	2.32	0.60
3:D:283:ILE:HD12	3:D:283:ILE:N	2.17	0.59
3:B:283:ILE:HD12	3:B:283:ILE:N	2.18	0.59
3:B:218:TYR:CE1	3:B:229:HIS:HD2	2.21	0.58
3:A:287:ARG:HB3	3:A:291:ASP:OD2	2.04	0.58
3:D:218:TYR:CE1	3:D:229:HIS:HD2	2.22	0.58
3:C:287:ARG:HB3	3:C:291:ASP:OD2	2.04	0.57
3:A:214:LYS:HE3	3:A:218:TYR:CZ	2.43	0.53
3:A:289:ARG:CA	3:A:319:MET:HE2	2.39	0.53
1:E:14:G:N7	4:E:78:HOH:O	2.34	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:214:LYS:HE3	3:C:218:TYR:CZ	2.44	0.53
3:B:268:GLN:HA	3:B:268:GLN:NE2	2.21	0.52
2:F:8:U:C6	2:F:8:U:H5''	2.45	0.50
3:D:213:LEU:HD23	3:D:245:LEU:HD22	1.92	0.50
3:C:289:ARG:CA	3:C:319:MET:HE2	2.42	0.50
3:D:268:GLN:HA	3:D:268:GLN:NE2	2.24	0.50
3:A:321:ASP:OD1	3:A:323:LYS:HB2	2.12	0.49
3:B:321:ASP:OD2	3:B:323:LYS:HB2	2.12	0.48
3:A:287:ARG:CG	3:A:287:ARG:NH1	2.70	0.48
3:A:228:PHE:O	3:A:232:VAL:HG23	2.13	0.48
3:D:264:CYS:O	3:D:268:GLN:HG2	2.13	0.48
3:B:218:TYR:CD1	3:B:229:HIS:HD2	2.31	0.48
3:B:213:LEU:HD23	3:B:245:LEU:HD22	1.95	0.47
3:D:218:TYR:CD1	3:D:229:HIS:HD2	2.31	0.47
3:D:321:ASP:OD2	3:D:323:LYS:HB2	2.13	0.47
3:C:321:ASP:OD1	3:C:323:LYS:HB2	2.15	0.47
3:B:210:ALA:CB	3:B:240:LYS:HD2	2.45	0.47
3:D:210:ALA:CB	3:D:240:LYS:HD2	2.45	0.47
3:B:264:CYS:O	3:B:268:GLN:HG2	2.13	0.47
3:A:209:SER:HB3	3:A:212:ASP:OD2	2.15	0.46
3:A:289:ARG:HA	3:A:319:MET:HE2	1.96	0.46
3:C:209:SER:HB3	3:C:212:ASP:OD2	2.15	0.46
3:D:283:ILE:CD1	3:D:283:ILE:N	2.78	0.46
1:E:13:G:H1	2:F:6:C:H42	1.61	0.46
3:B:283:ILE:CD1	3:B:283:ILE:N	2.79	0.46
3:C:228:PHE:O	3:C:232:VAL:HG23	2.15	0.46
3:B:210:ALA:HB2	3:B:240:LYS:HG3	1.99	0.45
3:C:221:LEU:HA	3:C:222:PRO:HD3	1.87	0.44
3:A:221:LEU:HA	3:A:222:PRO:HD3	1.87	0.44
1:E:7:A:C2	2:F:13:C:C2	3.06	0.44
2:F:1:U:H1'	3:D:263:GLN:HB2	1.99	0.43
3:D:210:ALA:HB2	3:D:240:LYS:HG3	2.00	0.43
3:B:214:LYS:O	3:B:218:TYR:HB2	2.18	0.43
3:D:214:LYS:HG3	3:D:218:TYR:CE2	2.54	0.43
3:C:289:ARG:HA	3:C:319:MET:HE2	2.00	0.42
3:A:289:ARG:HA	3:A:319:MET:CE	2.50	0.42
3:D:212:ASP:O	3:D:215:GLU:HB3	2.20	0.42
3:B:285:HIS:CE1	3:B:318:LYS:HD3	2.55	0.42
3:D:214:LYS:O	3:D:218:TYR:HB2	2.19	0.42
3:D:285:HIS:CE1	3:D:318:LYS:HD3	2.55	0.42
3:B:218:TYR:CE1	3:B:229:HIS:CD2	3.05	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:273:VAL:HA	3:D:274:PRO:HD3	1.81	0.42
3:B:223:GLY:CA	4:B:105:HOH:O	2.67	0.41
3:B:210:ALA:HB2	3:B:240:LYS:HD2	2.02	0.41
3:B:273:VAL:HA	3:B:274:PRO:HD3	1.81	0.41
3:D:210:ALA:HB2	3:D:240:LYS:HD2	2.02	0.41
3:B:212:ASP:O	3:B:215:GLU:HB3	2.21	0.41
3:D:218:TYR:CE1	3:D:229:HIS:CD2	3.06	0.41
3:C:208:ILE:HD12	3:C:209:SER:H	1.86	0.41
3:D:286:ILE:O	3:D:319:MET:HA	2.21	0.41
1:E:17:G:O2'	1:E:18:A:H5'	2.20	0.41
3:C:289:ARG:HA	3:C:319:MET:CE	2.51	0.41
3:B:222:PRO:O	3:B:229:HIS:HE1	2.04	0.40
3:B:214:LYS:HG3	3:B:218:TYR:CE2	2.56	0.40
3:B:228:PHE:O	3:B:232:VAL:HG23	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:278:ASP:OD2	3:C:278:ASP:OD2[3_454]	1.84	0.36

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	A	120/184 (65%)	117 (98%)	3 (2%)	0	100	100
3	B	122/184 (66%)	117 (96%)	5 (4%)	0	100	100
3	C	120/184 (65%)	117 (98%)	3 (2%)	0	100	100
3	D	122/184 (66%)	116 (95%)	6 (5%)	0	100	100
All	All	484/736 (66%)	467 (96%)	17 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	A	106/160 (66%)	101 (95%)	5 (5%)	26	42
3	B	108/160 (68%)	100 (93%)	8 (7%)	13	22
3	C	106/160 (66%)	102 (96%)	4 (4%)	33	51
3	D	108/160 (68%)	101 (94%)	7 (6%)	17	27
All	All	428/640 (67%)	404 (94%)	24 (6%)	21	34

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
3	A	255	SER
3	A	277	GLN
3	A	287	ARG
3	A	319	MET
3	A	321	ASP
3	B	211	LYS
3	B	237	LYS
3	B	263	GLN
3	B	268	GLN
3	B	277	GLN
3	B	283	ILE
3	B	301	ARG
3	B	311	ARG
3	C	255	SER
3	C	277	GLN
3	C	287	ARG
3	C	321	ASP
3	D	211	LYS
3	D	237	LYS
3	D	263	GLN
3	D	268	GLN
3	D	277	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	D	301	ARG
3	D	311	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
3	A	253	GLN
3	B	263	GLN
3	B	268	GLN
3	B	285	HIS
3	C	253	GLN
3	D	263	GLN
3	D	268	GLN
3	D	285	HIS

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	E	17/18 (94%)	4 (23%)	1 (5%)
2	F	17/18 (94%)	3 (17%)	0
All	All	34/36 (94%)	7 (20%)	1 (2%)

All (7) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	E	9	G
1	E	13	G
1	E	14	G
1	E	15	A
2	F	9	C
2	F	14	C
2	F	15	U

All (1) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	E	9	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	E	18/18 (100%)	-1.02	0	100 100	30, 50, 77, 80	0
2	F	18/18 (100%)	-0.90	0	100 100	27, 51, 86, 88	0
3	A	122/184 (66%)	-0.59	1 (0%)	86 84	21, 35, 67, 92	7 (5%)
3	B	124/184 (67%)	-0.46	0	100 100	21, 38, 61, 97	7 (5%)
3	C	122/184 (66%)	-0.59	0	100 100	21, 35, 67, 82	7 (5%)
3	D	124/184 (67%)	-0.34	1 (0%)	86 84	21, 38, 62, 106	7 (5%)
All	All	528/772 (68%)	-0.53	2 (0%)	92 91	21, 38, 68, 106	28 (5%)

All (2) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	A	322	GLY	2.1
3	D	207	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.