



wwPDB EM Validation Summary Report ⓘ

Nov 15, 2022 – 08:33 AM JST

PDB ID : 6KS7
EMDB ID : EMD-0759
Title : TRiC at 0.1 mM ADP-AlFx, Conformation 1, 0.1-C1
Authors : Jin, M.; Cong, Y.
Deposited on : 2019-08-23
Resolution : 4.62 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.62 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|-----------------------------|-----------------------------|
| Ramachandran outliers | 154571 | 4023 |
| Sidechain outliers | 154315 | 3826 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|---|
| 1 | H | 550 | <div> <div>58%</div> <div>92%</div> <div>8%</div> </div> |
| 1 | h | 550 | <div> <div>56%</div> <div>87%</div> <div>13%</div> </div> |
| 2 | A | 559 | <div> <div>53%</div> <div>93%</div> <div>7%</div> </div> |
| 2 | a | 559 | <div> <div>56%</div> <div>92%</div> <div>8%</div> </div> |
| 3 | B | 527 | <div> <div>63%</div> <div>96%</div> <div>.</div> </div> |
| 3 | b | 527 | <div> <div>66%</div> <div>96%</div> <div>.</div> </div> |
| 4 | D | 528 | <div> <div>59%</div> <div>93%</div> <div>7%</div> </div> |
| 4 | d | 528 | <div> <div>64%</div> <div>91%</div> <div>8%</div> </div> |
| 5 | e | 562 | <div> <div>54%</div> <div>89%</div> <div>11%</div> </div> |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|---|
| 6 | E | 518 | <div> <div>57%</div> <div>100%</div> </div> |
| 7 | G | 594 | <div> <div>47%</div> <div>86%</div> <div>14%</div> </div> |
| 7 | g | 594 | <div> <div>47%</div> <div>82%</div> <div>18%</div> </div> |
| 8 | Q | 568 | <div> <div>46%</div> <div>93%</div> <div>7%</div> </div> |
| 8 | q | 568 | <div> <div>46%</div> <div>92%</div> <div>8%</div> </div> |
| 9 | Z | 546 | <div> <div>42%</div> <div>97%</div> <div>.</div> </div> |
| 9 | z | 546 | <div> <div>47%</div> <div>97%</div> <div>.</div> </div> |

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 62022 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called T-complex protein 1 subunit eta.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 1 | H | 506 | Total | C | N | O | S | 0 | 0 |
| | | | 3878 | 2445 | 663 | 751 | 19 | | |
| 1 | h | 480 | Total | C | N | O | S | 0 | 0 |
| | | | 3658 | 2308 | 626 | 705 | 19 | | |

- Molecule 2 is a protein called T-complex protein 1 subunit alpha.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 2 | a | 514 | Total | C | N | O | S | 0 | 0 |
| | | | 3879 | 2429 | 679 | 752 | 19 | | |
| 2 | A | 521 | Total | C | N | O | S | 0 | 0 |
| | | | 3924 | 2457 | 687 | 760 | 20 | | |

- Molecule 3 is a protein called T-complex protein 1 subunit beta.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 3 | b | 505 | Total | C | N | O | S | 0 | 0 |
| | | | 3833 | 2397 | 662 | 760 | 14 | | |
| 3 | B | 505 | Total | C | N | O | S | 0 | 0 |
| | | | 3833 | 2397 | 662 | 760 | 14 | | |

- Molecule 4 is a protein called T-complex protein 1 subunit delta.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 4 | d | 484 | Total | C | N | O | S | 0 | 0 |
| | | | 3687 | 2307 | 652 | 712 | 16 | | |
| 4 | D | 492 | Total | C | N | O | S | 0 | 0 |
| | | | 3756 | 2348 | 667 | 724 | 17 | | |

- Molecule 5 is a protein called T-complex protein 1 subunit epsilon.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 5 | e | 501 | Total | C | N | O | S | 0 | 0 |
| | | | 3842 | 2411 | 656 | 754 | 21 | | |

- Molecule 6 is a protein called T-complex protein 1 subunit epsilon.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 6 | E | 518 | Total | C | N | O | S | 0 | 0 |
| | | | 3982 | 2500 | 678 | 783 | 21 | | |

- Molecule 7 is a protein called fusion protein of T-complex protein 1 subunit gamma, rep-His-CBP and T-complex protein 1 subunit gamma.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 7 | g | 487 | Total | C | N | O | S | 0 | 0 |
| | | | 3722 | 2339 | 650 | 708 | 25 | | |
| 7 | G | 508 | Total | C | N | O | S | 0 | 0 |
| | | | 3905 | 2452 | 681 | 747 | 25 | | |

There are 120 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------------|------------|
| g | ? | LEU | - | see sequence details | UNP P39077 |
| g | ? | GLU | - | see sequence details | UNP P39077 |
| g | ? | GLY | - | see sequence details | UNP P39077 |
| g | ? | SER | - | see sequence details | UNP P39077 |
| g | ? | GLY | - | see sequence details | UNP P39077 |
| g | ? | SER | - | see sequence details | UNP P39077 |
| g | ? | GLY | - | see sequence details | UNP P39077 |
| g | ? | TRP | - | see sequence details | UNP P39077 |
| g | ? | SER | - | see sequence details | UNP P39077 |
| g | ? | HIS | - | see sequence details | UNP P39077 |
| g | ? | PRO | - | see sequence details | UNP P39077 |
| g | ? | GLN | - | see sequence details | UNP P39077 |
| g | ? | PHE | - | see sequence details | UNP P39077 |
| g | ? | GLU | - | see sequence details | UNP P39077 |
| g | ? | LYS | - | see sequence details | UNP P39077 |
| g | ? | GLY | - | see sequence details | UNP P39077 |
| g | ? | SER | - | see sequence details | UNP P39077 |
| g | ? | GLY | - | see sequence details | UNP P39077 |
| g | ? | LYS | - | see sequence details | UNP P39077 |
| g | ? | ARG | - | see sequence details | UNP P39077 |
| g | ? | ARG | - | see sequence details | UNP P39077 |
| g | ? | TRP | - | see sequence details | UNP P39077 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------------|------------|
| g | ? | LYS | - | see sequence details | UNP P39077 |
| g | ? | LYS | - | see sequence details | UNP P39077 |
| g | ? | ASN | - | see sequence details | UNP P39077 |
| g | ? | PHE | - | see sequence details | UNP P39077 |
| g | ? | ILE | - | see sequence details | UNP P39077 |
| g | ? | ALA | - | see sequence details | UNP P39077 |
| g | ? | VAL | - | see sequence details | UNP P39077 |
| g | ? | SER | - | see sequence details | UNP P39077 |
| g | ? | ALA | - | see sequence details | UNP P39077 |
| g | ? | ALA | - | see sequence details | UNP P39077 |
| g | ? | ASN | - | see sequence details | UNP P39077 |
| g | ? | ARG | - | see sequence details | UNP P39077 |
| g | ? | PHE | - | see sequence details | UNP P39077 |
| g | ? | LYS | - | see sequence details | UNP P39077 |
| g | ? | LYS | - | see sequence details | UNP P39077 |
| g | ? | ILE | - | see sequence details | UNP P39077 |
| g | ? | SER | - | see sequence details | UNP P39077 |
| g | ? | SER | - | see sequence details | UNP P39077 |
| g | ? | SER | - | see sequence details | UNP P39077 |
| g | ? | GLY | - | see sequence details | UNP P39077 |
| g | ? | ALA | - | see sequence details | UNP P39077 |
| g | ? | LEU | - | see sequence details | UNP P39077 |
| g | ? | GLY | - | see sequence details | UNP P39077 |
| g | ? | SER | - | see sequence details | UNP P39077 |
| g | ? | GLY | - | see sequence details | UNP P39077 |
| g | ? | HIS | - | see sequence details | UNP P39077 |
| g | ? | HIS | - | see sequence details | UNP P39077 |
| g | ? | HIS | - | see sequence details | UNP P39077 |
| g | ? | HIS | - | see sequence details | UNP P39077 |
| g | ? | HIS | - | see sequence details | UNP P39077 |
| g | ? | HIS | - | see sequence details | UNP P39077 |
| g | ? | HIS | - | see sequence details | UNP P39077 |
| g | ? | HIS | - | see sequence details | UNP P39077 |
| g | ? | HIS | - | see sequence details | UNP P39077 |
| g | ? | GLY | - | see sequence details | UNP P39077 |
| g | ? | SER | - | see sequence details | UNP P39077 |
| g | ? | GLY | - | see sequence details | UNP P39077 |
| g | ? | LEU | - | see sequence details | UNP P39077 |
| g | ? | GLN | - | see sequence details | UNP P39077 |
| G | ? | LEU | - | see sequence details | UNP P39077 |
| G | ? | GLU | - | see sequence details | UNP P39077 |
| G | ? | GLY | - | see sequence details | UNP P39077 |
| G | ? | SER | - | see sequence details | UNP P39077 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------------|------------|
| G | ? | GLY | - | see sequence details | UNP P39077 |
| G | ? | SER | - | see sequence details | UNP P39077 |
| G | ? | GLY | - | see sequence details | UNP P39077 |
| G | ? | TRP | - | see sequence details | UNP P39077 |
| G | ? | SER | - | see sequence details | UNP P39077 |
| G | ? | HIS | - | see sequence details | UNP P39077 |
| G | ? | PRO | - | see sequence details | UNP P39077 |
| G | ? | GLN | - | see sequence details | UNP P39077 |
| G | ? | PHE | - | see sequence details | UNP P39077 |
| G | ? | GLU | - | see sequence details | UNP P39077 |
| G | ? | LYS | - | see sequence details | UNP P39077 |
| G | ? | GLY | - | see sequence details | UNP P39077 |
| G | ? | SER | - | see sequence details | UNP P39077 |
| G | ? | GLY | - | see sequence details | UNP P39077 |
| G | ? | LYS | - | see sequence details | UNP P39077 |
| G | ? | ARG | - | see sequence details | UNP P39077 |
| G | ? | ARG | - | see sequence details | UNP P39077 |
| G | ? | TRP | - | see sequence details | UNP P39077 |
| G | ? | LYS | - | see sequence details | UNP P39077 |
| G | ? | LYS | - | see sequence details | UNP P39077 |
| G | ? | ASN | - | see sequence details | UNP P39077 |
| G | ? | PHE | - | see sequence details | UNP P39077 |
| G | ? | ILE | - | see sequence details | UNP P39077 |
| G | ? | ALA | - | see sequence details | UNP P39077 |
| G | ? | VAL | - | see sequence details | UNP P39077 |
| G | ? | SER | - | see sequence details | UNP P39077 |
| G | ? | ALA | - | see sequence details | UNP P39077 |
| G | ? | ALA | - | see sequence details | UNP P39077 |
| G | ? | ASN | - | see sequence details | UNP P39077 |
| G | ? | ARG | - | see sequence details | UNP P39077 |
| G | ? | PHE | - | see sequence details | UNP P39077 |
| G | ? | LYS | - | see sequence details | UNP P39077 |
| G | ? | LYS | - | see sequence details | UNP P39077 |
| G | ? | ILE | - | see sequence details | UNP P39077 |
| G | ? | SER | - | see sequence details | UNP P39077 |
| G | ? | SER | - | see sequence details | UNP P39077 |
| G | ? | SER | - | see sequence details | UNP P39077 |
| G | ? | GLY | - | see sequence details | UNP P39077 |
| G | ? | ALA | - | see sequence details | UNP P39077 |
| G | ? | LEU | - | see sequence details | UNP P39077 |
| G | ? | GLY | - | see sequence details | UNP P39077 |
| G | ? | SER | - | see sequence details | UNP P39077 |

Continued on next page...

Continued from previous page...

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------------------|------------|
| G | ? | GLY | - | see sequence details | UNP P39077 |
| G | ? | HIS | - | see sequence details | UNP P39077 |
| G | ? | HIS | - | see sequence details | UNP P39077 |
| G | ? | HIS | - | see sequence details | UNP P39077 |
| G | ? | HIS | - | see sequence details | UNP P39077 |
| G | ? | HIS | - | see sequence details | UNP P39077 |
| G | ? | HIS | - | see sequence details | UNP P39077 |
| G | ? | HIS | - | see sequence details | UNP P39077 |
| G | ? | HIS | - | see sequence details | UNP P39077 |
| G | ? | GLY | - | see sequence details | UNP P39077 |
| G | ? | SER | - | see sequence details | UNP P39077 |
| G | ? | GLY | - | see sequence details | UNP P39077 |
| G | ? | LEU | - | see sequence details | UNP P39077 |
| G | ? | GLN | - | see sequence details | UNP P39077 |

- Molecule 8 is a protein called T-complex protein 1 subunit theta.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 8 | q | 524 | Total | C | N | O | S | 0 | 0 |
| | | | 3978 | 2508 | 677 | 767 | 26 | | |
| 8 | Q | 528 | Total | C | N | O | S | 0 | 0 |
| | | | 4005 | 2522 | 682 | 775 | 26 | | |


- Molecule 9 is a protein called T-complex protein 1 subunit zeta.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 9 | z | 529 | Total | C | N | O | S | 0 | 0 |
| | | | 4070 | 2555 | 705 | 793 | 17 | | |
| 9 | Z | 529 | Total | C | N | O | S | 0 | 0 |
| | | | 4070 | 2555 | 705 | 793 | 17 | | |


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: T-complex protein 1 subunit eta






- Molecule 1: T-complex protein 1 subunit eta






• Molecule 2: T-complex protein 1 subunit alpha






• Molecule 2: T-complex protein 1 subunit alpha

Chain A: 53% 93% 7%




• Molecule 3: T-complex protein 1 subunit beta


Chain b: 66% 96%




• Molecule 3: T-complex protein 1 subunit beta




- Molecule 4: T-complex protein 1 subunit delta






- Molecule 4: T-complex protein 1 subunit delta






• Molecule 5: T-complex protein 1 subunit epsilon








• Molecule 6: T-complex protein 1 subunit epsilon






• Molecule 7: fusion protein of T-complex protein 1 subunit gamma, rep-His-CBP and T-complex protein 1 subunit gamma







- Molecule 7: fusion protein of T-complex protein 1 subunit gamma, rep-His-CBP and T-complex protein 1 subunit gamma








• Molecule 8: T-complex protein 1 subunit theta




• Molecule 8: T-complex protein 1 subunit theta





• Molecule 9: T-complex protein 1 subunit zeta



• Molecule 9: T-complex protein 1 subunit zeta

| | | | | | | | |
|------------|--|--|--|--|---|---|--|
| PRO GLN | P466 L467 D468 V469 L470 A471 | E361 F364 T371 D372 P373 K374 S383 A387 L388 | M287 D288 P289 D290 K291 G292 F293 | I196 M197 Q198 M199 Q200 H201 L202 S203 P204 K205 D206 | A82 Q83 D84 E85 I86 T87 G88 D89 G89 L102 R103 Q104 A105 H106 R107 F108 I109 Q110 E111 G112 I118 F122 K131 F132 L133 D134 T141 N142 L143 S144 N145 D146 D163 A164 D165 E168 S180 D183 A184 Q185 A186 D187 L188 L189 D190 Q195 | MET SER LEU GLN LEU LEU ASN PRO LYS | A10 E11 S12 L13 A18 E27 G28 E34 L37 G38 P39 K40 L43 K44 D48 G49 A50 G51 N52 L55 T56 K57 D58 G59 K60 V61 L62 L63 T64 E65 N66 Q67 T68 Q69 S70 P71 V74 L75 I76 A77 R78 A81 |
| | | | | | | | |
| PRO GLN | P466 L467 D468 V469 L470 A471 | E361 F364 T371 D372 P373 K374 S383 A387 L388 | M287 D288 P289 D290 K291 G292 F293 | I196 M197 Q198 M199 Q200 H201 L202 S203 P204 K205 D206 | A82 Q83 D84 E85 I86 T87 G88 D89 G89 L102 R103 Q104 A105 H106 R107 F108 I109 Q110 E111 G112 I118 F122 K131 F132 L133 D134 T141 N142 L143 S144 N145 D146 D163 A164 D165 E168 S180 D183 A184 Q185 A186 D187 L188 L189 D190 Q195 | MET SER LEU GLN LEU LEU ASN PRO LYS | A10 E11 S12 L13 A18 E27 G28 E34 L37 G38 P39 K40 L43 K44 D48 G49 A50 G51 N52 L55 T56 K57 D58 G59 K60 V61 L62 L63 T64 E65 N66 Q67 T68 Q69 S70 P71 V74 L75 I76 A77 R78 A81 |
| | | | | | | | |

4 Experimental information

| Property | Value | Source |
|--------------------------------------|---------------------------|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, Not provided | |
| Number of particles used | 61702 | Depositor |
| Resolution determination method | FSC 0.143 CUT-OFF | Depositor |
| CTF correction method | NONE | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 38 | Depositor |
| Minimum defocus (nm) | Not provided | |
| Maximum defocus (nm) | Not provided | |
| Magnification | Not provided | |
| Image detector | GATAN K2 SUMMIT (4k x 4k) | Depositor |
| Maximum map value | 3.670 | Depositor |
| Minimum map value | -2.012 | Depositor |
| Average map value | 0.020 | Depositor |
| Map value standard deviation | 0.164 | Depositor |
| Recommended contour level | 1.05 | Depositor |
| Map size (\AA) | 337.408, 337.408, 337.408 | wwPDB |
| Map dimensions | 256, 256, 256 | wwPDB |
| Map angles ($^\circ$) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (\AA) | 1.318, 1.318, 1.318 | Depositor |

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|----------------|-------------|-------------|
| | | RMSZ | $\# Z > 5$ | RMSZ | $\# Z > 5$ |
| 1 | H | 0.23 | 0/3927 | 0.39 | 0/5299 |
| 1 | h | 0.24 | 0/3702 | 0.38 | 0/4991 |
| 2 | A | 0.23 | 0/3957 | 0.41 | 0/5335 |
| 2 | a | 0.24 | 0/3912 | 0.40 | 0/5275 |
| 3 | B | 0.23 | 0/3871 | 0.39 | 0/5216 |
| 3 | b | 0.23 | 0/3871 | 0.39 | 0/5216 |
| 4 | D | 0.23 | 0/3788 | 0.39 | 0/5100 |
| 4 | d | 0.23 | 0/3720 | 0.39 | 0/5012 |
| 5 | e | 0.23 | 0/3888 | 0.39 | 0/5235 |
| 6 | E | 0.23 | 0/4030 | 0.40 | 0/5426 |
| 7 | G | 0.23 | 0/3950 | 0.38 | 0/5334 |
| 7 | g | 0.23 | 0/3764 | 0.38 | 0/5082 |
| 8 | Q | 0.23 | 0/4051 | 0.40 | 0/5468 |
| 8 | q | 0.25 | 1/4024 (0.0%) | 0.40 | 0/5431 |
| 9 | Z | 0.23 | 0/4121 | 0.40 | 0/5568 |
| 9 | z | 0.23 | 0/4121 | 0.40 | 0/5568 |
| All | All | 0.23 | 1/62697 (0.0%) | 0.39 | 0/84556 |

All (1) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|------|-------------|----------|
| 8 | q | 346 | ALA | C-N | 5.03 | 1.43 | 1.34 |

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|----------|----------|-------------|-----|
| 1 | H | 504/550 (92%) | 482 (96%) | 22 (4%) | 0 | 100 | 100 |
| 1 | h | 476/550 (86%) | 462 (97%) | 14 (3%) | 0 | 100 | 100 |
| 2 | A | 517/559 (92%) | 488 (94%) | 29 (6%) | 0 | 100 | 100 |
| 2 | a | 510/559 (91%) | 485 (95%) | 24 (5%) | 1 (0%) | 47 | 81 |
| 3 | B | 503/527 (95%) | 481 (96%) | 22 (4%) | 0 | 100 | 100 |
| 3 | b | 503/527 (95%) | 479 (95%) | 24 (5%) | 0 | 100 | 100 |
| 4 | D | 485/528 (92%) | 466 (96%) | 18 (4%) | 1 (0%) | 47 | 81 |
| 4 | d | 478/528 (90%) | 456 (95%) | 21 (4%) | 1 (0%) | 47 | 81 |
| 5 | e | 497/562 (88%) | 480 (97%) | 17 (3%) | 0 | 100 | 100 |
| 6 | E | 516/518 (100%) | 487 (94%) | 29 (6%) | 0 | 100 | 100 |
| 7 | G | 504/594 (85%) | 484 (96%) | 20 (4%) | 0 | 100 | 100 |
| 7 | g | 481/594 (81%) | 461 (96%) | 19 (4%) | 1 (0%) | 47 | 81 |
| 8 | Q | 526/568 (93%) | 505 (96%) | 21 (4%) | 0 | 100 | 100 |
| 8 | q | 522/568 (92%) | 499 (96%) | 23 (4%) | 0 | 100 | 100 |
| 9 | Z | 527/546 (96%) | 507 (96%) | 20 (4%) | 0 | 100 | 100 |
| 9 | z | 527/546 (96%) | 506 (96%) | 21 (4%) | 0 | 100 | 100 |
| All | All | 8076/8824 (92%) | 7728 (96%) | 344 (4%) | 4 (0%) | 100 | 100 |

All (4) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 7 | g | 195 | ASN |
| 4 | d | 213 | VAL |
| 2 | a | 203 | VAL |
| 4 | D | 213 | VAL |

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-----------------|-------------|----------|-------------|-----|
| 1 | H | 422/454 (93%) | 422 (100%) | 0 | 100 | 100 |
| 1 | h | 399/454 (88%) | 399 (100%) | 0 | 100 | 100 |
| 2 | A | 434/471 (92%) | 434 (100%) | 0 | 100 | 100 |
| 2 | a | 430/471 (91%) | 430 (100%) | 0 | 100 | 100 |
| 3 | B | 422/441 (96%) | 422 (100%) | 0 | 100 | 100 |
| 3 | b | 422/441 (96%) | 422 (100%) | 0 | 100 | 100 |
| 4 | D | 421/453 (93%) | 421 (100%) | 0 | 100 | 100 |
| 4 | d | 413/453 (91%) | 413 (100%) | 0 | 100 | 100 |
| 5 | e | 428/483 (89%) | 428 (100%) | 0 | 100 | 100 |
| 6 | E | 445/445 (100%) | 445 (100%) | 0 | 100 | 100 |
| 7 | G | 432/501 (86%) | 432 (100%) | 0 | 100 | 100 |
| 7 | g | 411/501 (82%) | 411 (100%) | 0 | 100 | 100 |
| 8 | Q | 442/473 (93%) | 442 (100%) | 0 | 100 | 100 |
| 8 | q | 439/473 (93%) | 439 (100%) | 0 | 100 | 100 |
| 9 | Z | 446/463 (96%) | 446 (100%) | 0 | 100 | 100 |
| 9 | z | 446/463 (96%) | 446 (100%) | 0 | 100 | 100 |
| All | All | 6852/7440 (92%) | 6852 (100%) | 0 | 100 | 100 |

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 34 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 8 | Q | 258 | ASN |
| 9 | z | 36 | ASN |
| 9 | Z | 185 | GLN |
| 4 | D | 284 | ASN |
| 4 | d | 289 | GLN |

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-0759. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 168



Y Index: 97




Z Index: 156

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 1.05. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 290 nm³; this corresponds to an approximate mass of 262 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.216 \AA^{-1}


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-0759 and PDB model 6KS7. Per-residue inclusion information can be found in section [3](#) on page [9](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 1.05 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.05).



































9.4 Atom inclusion [i](#)



At the recommended contour level, 52% of all backbone atoms, 33% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (1.05) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| All |  0.3344 |  0.1460 |
| A |  0.3540 |  0.1500 |
| B |  0.2921 |  0.1120 |
| D |  0.3156 |  0.1430 |
| E |  0.3377 |  0.1280 |
| G |  0.3472 |  0.1420 |
| H |  0.3120 |  0.1410 |
| Q |  0.3924 |  0.1660 |
| Z |  0.4321 |  0.2000 |
| a |  0.3197 |  0.1470 |
| b |  0.2575 |  0.1200 |
| d |  0.2597 |  0.1220 |
| e |  0.3147 |  0.1310 |
| g |  0.3277 |  0.1450 |
| h |  0.2828 |  0.1120 |
| q |  0.3691 |  0.1700 |
| z |  0.4153 |  0.1990 |

