



# Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 05:37 pm BST

PDB ID : 4KTX  
Title : Crystal structure of the catalytic domain of botulinum neurotoxin BoNT/A C134S mutant with covalent inhibitor that modifies Cys-165 causing disorder in 167-174 stretch  
Authors : Stura, E.A.; Vera, L.; Guitot, K.; Dive, V.  
Deposited on : 2013-05-21  
Resolution : 2.59 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.59 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	445	<div> <div>5%</div> <div>65%</div> <div>30%</div> <div>• •</div> </div>
2	B	6	<div> <div>83%</div> <div>17%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	GOL	A	504	-	-	-	X
6	GOL	A	505	-	-	-	X

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 3682 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Botulinum neurotoxin A light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	428	Total	C	N	O	S	0	2	0
			3484	2246	572	658	8			

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-19	MET	-	EXPRESSION TAG	UNP A5HZZ9
A	-18	GLY	-	EXPRESSION TAG	UNP A5HZZ9
A	-17	SER	-	EXPRESSION TAG	UNP A5HZZ9
A	-16	SER	-	EXPRESSION TAG	UNP A5HZZ9
A	-15	HIS	-	EXPRESSION TAG	UNP A5HZZ9
A	-14	HIS	-	EXPRESSION TAG	UNP A5HZZ9
A	-13	HIS	-	EXPRESSION TAG	UNP A5HZZ9
A	-12	HIS	-	EXPRESSION TAG	UNP A5HZZ9
A	-11	HIS	-	EXPRESSION TAG	UNP A5HZZ9
A	-10	HIS	-	EXPRESSION TAG	UNP A5HZZ9
A	-9	SER	-	EXPRESSION TAG	UNP A5HZZ9
A	-8	SER	-	EXPRESSION TAG	UNP A5HZZ9
A	-7	GLY	-	EXPRESSION TAG	UNP A5HZZ9
A	-6	LEU	-	EXPRESSION TAG	UNP A5HZZ9
A	-5	VAL	-	EXPRESSION TAG	UNP A5HZZ9
A	-4	PRO	-	EXPRESSION TAG	UNP A5HZZ9
A	-3	ARG	-	EXPRESSION TAG	UNP A5HZZ9
A	-2	GLY	-	EXPRESSION TAG	UNP A5HZZ9
A	-1	SER	-	EXPRESSION TAG	UNP A5HZZ9
A	0	HIS	-	EXPRESSION TAG	UNP A5HZZ9
A	134	SER	CYS	ENGINEERED MUTATION	UNP A5HZZ9


- Molecule 2 is a protein called Peptide inhibitor MPT-DPP-ARG-G-LEU-NH2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	6	Total	C	N	O	S	0	0	1
			35	20	9	5	1			

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Zn	0	0
			1	1		

- Molecule 4 is S-1,2-PROPANEDIOL (three-letter code: PGO) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			5	3	2		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		
6	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	133	Total 133	O 133	0	0
7	B	1	Total 1	O 1	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Botulinum neurotoxin A light chain



#### • Molecule 2: Peptide inhibitor MPT-DPP-ARG-G-LEU-NH2





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	65.41Å 65.41Å 200.97Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.80 – 2.59 46.80 – 2.59	Depositor EDS
% Data completeness (in resolution range)	99.3 (46.80-2.59) 99.3 (46.80-2.59)	Depositor EDS
$R_{merge}$	0.45	Depositor
$R_{sym}$	0.44	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.26 (at 2.58Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.8_1069), REFMAC	Depositor
R, $R_{free}$	0.202 , 0.298 0.208 , 0.296	Depositor DCC
$R_{free}$ test set	715 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	40.3	Xtriage
Anisotropy	0.400	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 69.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.40$ , $\langle L^2 \rangle = 0.22$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	3682	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.21% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ZN, DPP, PGO, MPT, SO4, NH2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.49	0/3568	0.67	0/4826
2	B	0.36	0/22	0.69	0/27
All	All	0.49	0/3590	0.67	0/4853

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	105[A]	ARG	Sidechain
1	A	113	ARG	Sidechain
1	A	306	THR	Peptide
1	A	307	THR	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3484	0	3426	94	0
2	B	35	0	35	1	0
3	A	1	0	0	0	0
4	A	5	0	8	1	0
5	A	5	0	0	0	0
6	A	18	0	24	3	0
7	A	133	0	0	5	0
7	B	1	0	0	0	0
All	All	3682	0	3493	95	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (95) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:-2:GLY:HA3	1:A:105[B]:ARG:HD3	1.62	0.82
1:A:264:ARG:HD2	1:A:346:THR:HB	1.65	0.78
1:A:206:PRO:HG3	1:A:425:PHE:HE2	1.49	0.76
1:A:238:ASN:HB2	4:A:502:PGO:H11	1.68	0.75
1:A:318:LYS:HA	1:A:323:LEU:HD12	1.71	0.72
1:A:115:ILE:O	1:A:320:LYS:NZ	2.21	0.70
1:A:275:ASP:HB3	1:A:278:GLN:HG3	1.75	0.69
1:A:174:ASN:O	1:A:178:ASN:N	2.25	0.68
1:A:166:LYS:HG2	1:A:166:LYS:O	1.95	0.66
1:A:206:PRO:HG2	1:A:207:LEU:HG	1.80	0.64
1:A:23:LYS:NZ	1:A:27:ALA:O	2.31	0.63
1:A:98:ILE:O	1:A:104:GLY:HA3	2.00	0.62
1:A:-1:SER:HB2	1:A:100:SER:HA	1.82	0.62
1:A:306:THR:HG22	1:A:307:THR:H	1.63	0.62
1:A:206:PRO:HG3	1:A:425:PHE:CE2	2.34	0.61
1:A:172:VAL:O	1:A:172:VAL:HG23	2.00	0.61
1:A:118:TRP:CE2	1:A:129:VAL:HB	2.38	0.59
1:A:121:SER:OG	1:A:123:ILE:O	2.22	0.58
1:A:254:SER:HG	1:A:425:PHE:HE1	1.50	0.58
1:A:250:TYR:HB3	1:A:425:PHE:CZ	2.39	0.57
1:A:118:TRP:CD2	1:A:129:VAL:HB	2.39	0.56
1:A:351:GLU:O	1:A:355:VAL:HG23	2.05	0.56
1:A:250:TYR:HB3	1:A:425:PHE:CE2	2.41	0.56
1:A:45:ILE:HB	1:A:154:ILE:HG13	1.87	0.56
1:A:326:ASP:OD2	1:A:330:LYS:NZ	2.26	0.56
1:A:397:LEU:HA	1:A:402:ASN:HB2	1.89	0.55

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:23:LYS:HD3	1:A:144:TYR:OH	2.07	0.54
1:A:53:ASN:HB3	1:A:56:GLU:OE1	2.08	0.54
1:A:85:ASP:O	1:A:89:LYS:HG2	2.08	0.54
1:A:306:THR:HG22	1:A:307:THR:N	2.22	0.54
1:A:222:ALA:O	1:A:226:ILE:HG13	2.08	0.54
1:A:298:ASN:ND2	1:A:330:LYS:HG3	2.23	0.53
1:A:73:TYR:H	6:A:506:GOL:H2	1.72	0.53
1:A:402:ASN:HA	1:A:405:ASN:HB2	1.90	0.53
1:A:48:ARG:NH2	1:A:157:SER:O	2.31	0.53
1:A:181:GLY:HA3	1:A:232:LEU:O	2.09	0.52
1:A:167:SER:HB2	1:A:168:PHE:CE1	2.43	0.52
1:A:320:LYS:HE2	1:A:321:TYR:CE1	2.44	0.52
1:A:244:LYS:HD2	1:A:257:GLU:HG2	1.92	0.51
1:A:126:GLU:HA	1:A:302:SER:HB3	1.93	0.51
1:A:37:LYS:HB2	1:A:43:TRP:CE2	2.46	0.51
1:A:364:LYS:NZ	7:A:635:HOH:O	2.43	0.51
1:A:202:VAL:HG13	1:A:208:LEU:HB3	1.93	0.50
1:A:73:TYR:HB2	6:A:506:GOL:H31	1.94	0.50
1:A:72:TYR:CD2	6:A:506:GOL:H12	2.47	0.50
1:A:399:ALA:O	1:A:402:ASN:ND2	2.45	0.49
1:A:37:LYS:HB2	1:A:43:TRP:CZ2	2.48	0.49
1:A:178:ASN:OD1	1:A:180:TYR:HB2	2.11	0.49
1:A:278:GLN:O	1:A:281:GLU:HB3	2.13	0.49
1:A:77:TYR:OH	1:A:191:ASP:OD2	2.27	0.49
1:A:325:GLU:OE2	1:A:329:GLY:HA2	2.13	0.49
1:A:242:VAL:HG12	1:A:259:SER:HA	1.95	0.48
1:A:191:ASP:O	1:A:375:LYS:HD2	2.13	0.48
7:A:707:HOH:O	2:B:1:MPT:HB1	2.14	0.48
1:A:22:ILE:HG22	1:A:137:VAL:HG13	1.95	0.47
1:A:130:ILE:O	1:A:133:ASN:HB2	2.15	0.47
1:A:343:LYS:O	1:A:347:GLU:HB2	2.14	0.47
1:A:33:VAL:HG21	1:A:51:PHE:CZ	2.50	0.46
1:A:264:ARG:HD2	1:A:346:THR:CB	2.40	0.46
1:A:311:GLN:NE2	1:A:314:LYS:HD3	2.31	0.46
1:A:167:SER:HB2	1:A:168:PHE:CD1	2.51	0.46
1:A:63:PRO:O	1:A:66:LYS:HB2	2.16	0.46
1:A:117:PHE:HA	1:A:317:PHE:CZ	2.50	0.45
1:A:197:GLU:OE2	1:A:211:GLY:N	2.48	0.45
1:A:72:TYR:CE1	1:A:160:ILE:HD12	2.52	0.45
1:A:254:SER:HB3	1:A:424:GLU:OE2	2.17	0.45
1:A:279:GLU:HG3	1:A:283:ARG:HE	1.82	0.45

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:151:LEU:HD11	1:A:186:ILE:HG12	2.00	0.44
1:A:48:ARG:NH1	1:A:74:ASP:O	2.34	0.44
1:A:358:PHE:O	1:A:359:LYS:HG2	2.18	0.44
1:A:130:ILE:HB	1:A:133:ASN:ND2	2.33	0.43
1:A:293:ILE:O	1:A:297:LEU:HG	2.19	0.43
1:A:325:GLU:HA	1:A:330:LYS:O	2.18	0.43
1:A:54:PRO:HA	7:A:625:HOH:O	2.18	0.43
1:A:6:LYS:HB3	1:A:8:PHE:CE1	2.52	0.43
1:A:121:SER:H	1:A:128:LYS:HB3	1.83	0.43
1:A:310:LEU:O	1:A:314:LYS:HB2	2.18	0.43
1:A:107:LEU:HA	1:A:349:TYR:CZ	2.54	0.43
1:A:61:PRO:HA	1:A:62:PRO:HD3	1.93	0.43
1:A:359:LYS:HD3	7:A:701:HOH:O	2.17	0.43
1:A:50:THR:HG22	1:A:57:GLY:HA2	2.01	0.43
1:A:107:LEU:HD13	1:A:349:TYR:CD2	2.54	0.43
1:A:88:LEU:HD23	1:A:88:LEU:HA	1.86	0.43
1:A:173:LEU:C	1:A:175:LEU:H	2.17	0.42
1:A:150:ASN:O	1:A:183:THR:HG23	2.19	0.42
1:A:171:GLU:OE2	1:A:173:LEU:HD13	2.20	0.42
1:A:353:ASN:HA	1:A:356:LYS:HG3	2.02	0.41
1:A:71:SER:HB2	1:A:73:TYR:CE1	2.55	0.41
1:A:87:TYR:O	1:A:91:VAL:HG23	2.19	0.41
1:A:53:ASN:HD22	1:A:56:GLU:CD	2.23	0.41
1:A:12:ASP:HA	1:A:13:PRO:HD3	1.87	0.41
1:A:385:THR:HG21	7:A:703:HOH:O	2.20	0.41
1:A:244:LYS:HD2	1:A:257:GLU:CG	2.51	0.40
1:A:78:LEU:HD12	1:A:78:LEU:HA	1.72	0.40
1:A:287:TYR:OH	1:A:335:LYS:HE3	2.22	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	428/445 (96%)	408 (95%)	19 (4%)	1 (0%)	47	71
2	B	3/6 (50%)	3 (100%)	0	0	100	100
All	All	431/451 (96%)	411 (95%)	19 (4%)	1 (0%)	47	71

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	169	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	384/397 (97%)	371 (97%)	13 (3%)	37	63
2	B	2/2 (100%)	2 (100%)	0	100	100
All	All	386/399 (97%)	373 (97%)	13 (3%)	42	63

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-1	SER
1	A	9	ASN
1	A	70	VAL
1	A	86	ASN
1	A	105[A]	ARG
1	A	105[B]	ARG
1	A	121	SER
1	A	166	LYS
1	A	173	LEU
1	A	240	ASN
1	A	247	THR
1	A	301[A]	LYS
1	A	301[B]	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	ASN
1	A	82	ASN
1	A	86	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	DPP	B	2	3,2	3,5,6	1.28	0	1,5,7	0.19	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DPP	B	2	3,2	-	1/2/4/6	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	2	DPP	N-CA-CB-NG

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	GOL	A	506	-	5,5,5	0.35	0	5,5,5	0.59	0
6	GOL	A	505	-	5,5,5	0.36	0	5,5,5	0.29	0
5	SO4	A	503	-	4,4,4	0.16	0	6,6,6	0.13	0
4	PGO	A	502	-	3,4,4	0.34	0	1,4,4	0.20	0
6	GOL	A	504	-	5,5,5	0.37	0	5,5,5	0.18	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	A	506	-	-	4/4/4/4	-
6	GOL	A	505	-	-	2/4/4/4	-
4	PGO	A	502	-	-	2/2/2/2	-
6	GOL	A	504	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.



All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	505	GOL	O1-C1-C2-C3
4	A	502	PGO	O1-C1-C2-O2
6	A	506	GOL	O1-C1-C2-C3
6	A	506	GOL	C1-C2-C3-O3
6	A	504	GOL	O1-C1-C2-C3
6	A	504	GOL	C1-C2-C3-O3
6	A	505	GOL	O1-C1-C2-O2
6	A	506	GOL	O1-C1-C2-O2
6	A	504	GOL	O2-C2-C3-O3
6	A	506	GOL	O2-C2-C3-O3
4	A	502	PGO	O1-C1-C2-C3
6	A	504	GOL	O1-C1-C2-O2

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	506	GOL	3	0
4	A	502	PGO	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	428/445 (96%)	0.34	21 (4%) 29 23	20, 38, 71, 118	0
2	B	3/6 (50%)	-0.32	0 100 100	33, 33, 37, 38	0
All	All	431/451 (95%)	0.34	21 (4%) 29 23	20, 37, 71, 118	0

All (21) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	170	HIS	11.7
1	A	169	GLY	7.8
1	A	168	PHE	7.2
1	A	167	SER	7.0
1	A	172	VAL	5.1
1	A	-1	SER	4.2
1	A	293	ILE	4.1
1	A	307	THR	3.7
1	A	55	GLU	3.4
1	A	425	PHE	3.4
1	A	54	PRO	3.2
1	A	0	HIS	3.2
1	A	124	ASP	2.9
1	A	194	PHE	2.7
1	A	174	ASN	2.7
1	A	310	LEU	2.4
1	A	171	GLU	2.3
1	A	424	GLU	2.3
1	A	166	LYS	2.1
1	A	276	SER	2.1
1	A	210	ALA	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	DPP	B	2	6/7	0.97	0.17	25,28,36,42	0

## 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	GOL	A	504	6/6	0.39	0.41	73,82,89,90	0
6	GOL	A	505	6/6	0.69	0.46	81,86,87,91	0
4	PGO	A	502	5/5	0.85	0.22	45,54,58,66	0
6	GOL	A	506	6/6	0.87	0.29	47,49,51,58	0
5	SO4	A	503	5/5	0.91	0.42	60,64,77,82	0
3	ZN	A	501	1/1	0.99	0.10	32,32,32,32	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.