



# Full wwPDB X-ray Structure Validation Report ⓘ

May 21, 2020 – 06:20 pm BST

PDB ID : 1KW2  
Title : CRYSTAL STRUCTURE OF UNCOMPLEXED VITAMIN D-BINDING PROTEIN  
Authors : Otterbein, L.R.; Dominguez, R.  
Deposited on : 2002-01-28  
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1585 (2.16-2.16)
Ramachandran outliers	138981	1560 (2.16-2.16)
Sidechain outliers	138945	1559 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	458	
1	B	458	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7408 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Vitamin D-binding protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	455	Total	C	N	O	S	0	0	0
			3547	2224	577	711	35			
1	B	453	Total	C	N	O	S	0	0	0
			3528	2213	571	709	35			

- Molecule 2 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	149	Total	O	0	0
			149	149		
2	B	184	Total	O	0	0
			184	184		

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Vitamin D-binding protein



- Molecule 1: Vitamin D-binding protein



## 4 Data and refinement statistics

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	133.93Å 133.93Å 73.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	60.00 – 2.15	Depositor
% Data completeness (in resolution range)	94.9 (60.00-2.15)	Depositor
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	CNS	Depositor
R, $R_{free}$	0.218 , 0.248	Depositor
Estimated twinning fraction	No twinning to report.	Xtriage
Total number of atoms	7408	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.32	0/3614	0.54	0/4886
1	B	0.32	0/3595	0.56	0/4863
All	All	0.32	0/7209	0.55	0/9749

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3547	0	3481	69	0
1	B	3528	0	3454	57	0
2	A	149	0	0	3	0
2	B	184	0	0	2	0
All	All	7408	0	6935	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:332:LYS:HE2	1:A:381:SER:HB2	1.40	1.02

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:436:LYS:HA	1:B:436:LYS:HE3	1.48	0.93
1:B:343:MET:HE3	1:B:369:LEU:HD13	1.54	0.89
1:A:366:GLU:HB3	1:A:367:PRO:HD3	1.61	0.83
1:A:414:THR:HG23	1:A:417:GLU:H	1.47	0.80
1:A:243:VAL:HG22	1:A:296:PHE:CE1	2.18	0.78
1:A:94:LYS:HE2	1:A:101:PRO:HG3	1.69	0.75
1:A:94:LYS:O	1:A:97:GLU:HG2	1.87	0.73
1:B:436:LYS:CA	1:B:436:LYS:HE3	2.20	0.71
1:A:334:VAL:O	1:A:334:VAL:HG12	1.91	0.70
1:A:219:VAL:HG11	1:A:262:LEU:HD21	1.74	0.70
1:A:343:MET:SD	1:A:369:LEU:HD22	2.32	0.69
1:A:436:LYS:HA	1:A:436:LYS:HE3	1.73	0.69
1:A:252:LEU:HB3	1:A:253:PRO:HD3	1.75	0.69
1:B:254:LEU:HD13	1:B:285:LEU:HD12	1.74	0.69
1:A:27:LYS:HA	1:A:30:LYS:HE2	1.76	0.68
1:A:323:LEU:HD12	1:A:352:ARG:HG3	1.77	0.66
1:B:63:LEU:O	1:B:67:VAL:HG23	1.96	0.65
1:B:70:LEU:HD22	1:B:87:ARG:HB3	1.78	0.65
1:A:25:LYS:HG2	1:A:84:TYR:CD2	2.32	0.65
1:B:83:CYS:C	1:B:85:ASP:H	2.00	0.64
1:B:83:CYS:SG	1:B:87:ARG:HD3	2.39	0.62
1:B:212:LEU:HD21	1:B:275:ALA:HB2	1.82	0.62
1:A:219:VAL:CG1	1:A:262:LEU:HD21	2.30	0.60
1:A:243:VAL:HG22	1:A:296:PHE:HE1	1.66	0.59
1:B:24:GLU:O	1:B:28:VAL:HG23	2.02	0.59
1:A:412:GLU:H	1:A:412:GLU:CD	2.06	0.59
1:A:349:GLU:HA	1:A:352:ARG:HD2	1.85	0.58
1:B:242:LYS:HE2	1:B:315:MET:O	2.05	0.57
1:B:391:LEU:O	1:B:395:GLU:HG3	2.05	0.57
1:B:215:LEU:HD21	1:B:309:PHE:CD2	2.41	0.56
1:B:171:PRO:HD2	1:B:174:LEU:HD12	1.88	0.56
1:A:433:ALA:HA	1:A:437:GLU:OE1	2.06	0.56
1:B:434:THR:OG1	1:B:437:GLU:HG3	2.06	0.56
1:A:56:THR:OG1	1:A:59:GLN:HG3	2.06	0.55
1:B:333:ASP:HB3	1:B:342:VAL:HG21	1.88	0.55
1:A:471:LYS:NZ	1:A:471:LYS:HB3	2.21	0.55
1:A:70:LEU:C	1:A:70:LEU:HD12	2.28	0.55
1:A:215:LEU:C	1:A:215:LEU:HD23	2.27	0.54
1:B:97:GLU:HG2	1:B:98:SER:N	2.22	0.54
1:B:115:GLU:O	1:B:118:GLU:HB2	2.07	0.54
1:B:324:PRO:O	1:B:353:ARG:NH1	2.39	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:335:CYS:O	1:A:337:PRO:HD3	2.08	0.53
1:B:252:LEU:HB3	1:B:253:PRO:HD3	1.89	0.53
1:A:399:PHE:CE1	1:A:470:LEU:HD11	2.43	0.53
1:B:27:LYS:O	1:B:31:GLU:HG2	2.09	0.52
1:A:336:ASP:HB2	1:A:339:ASN:HB3	1.91	0.52
1:B:114:LYS:O	1:B:119:ARG:HB2	2.10	0.52
1:A:334:VAL:HG11	1:A:343:MET:SD	2.50	0.51
1:A:322:GLU:OE1	1:A:322:GLU:HA	2.11	0.51
1:B:83:CYS:O	1:B:85:ASP:N	2.43	0.51
1:A:146:GLU:O	1:A:150:LYS:HG3	2.12	0.50
1:A:47:LEU:C	1:A:47:LEU:HD23	2.32	0.50
1:B:56:THR:OG1	1:B:59:GLN:HG3	2.12	0.49
1:A:373:GLY:C	1:A:375:CYS:H	2.17	0.48
1:A:79:ALA:O	1:A:80:ASP:HB2	2.13	0.48
1:A:230:LYS:HE2	2:A:610:HOH:O	2.13	0.48
1:B:83:CYS:C	1:B:85:ASP:N	2.67	0.48
1:B:468:ALA:HA	1:B:471:LYS:HE2	1.96	0.48
1:B:65:LYS:NZ	1:B:65:LYS:HB2	2.28	0.48
1:A:219:VAL:HG12	1:A:262:LEU:CD2	2.44	0.47
1:A:415:PHE:CE2	1:A:419:LYS:HE3	2.49	0.47
1:A:233:LEU:HD11	1:A:347:THR:HG21	1.97	0.47
1:B:121:LEU:C	1:B:121:LEU:HD23	2.35	0.47
1:B:62:GLN:O	1:B:65:LYS:HB3	2.14	0.46
1:B:71:THR:O	1:B:75:CYS:SG	2.74	0.46
1:A:379:GLU:HB2	1:B:126:LEU:O	2.16	0.46
1:A:233:LEU:CD1	1:A:347:THR:HG21	2.46	0.46
1:B:64:VAL:O	1:B:68:VAL:HG23	2.15	0.46
1:B:444:LYS:HB3	2:B:658:HOH:O	2.15	0.46
1:B:458:PRO:HA	1:B:459:PRO:HD3	1.80	0.46
1:B:349:GLU:OE1	1:B:353:ARG:NH2	2.48	0.45
1:A:323:LEU:HB3	1:A:324:PRO:CD	2.46	0.45
1:B:235:ASN:ND2	2:B:508:HOH:O	2.44	0.45
1:A:359:VAL:HG21	1:A:462:CYS:HB2	1.97	0.45
1:A:219:VAL:CG1	1:A:262:LEU:CD2	2.95	0.45
1:A:433:ALA:HB1	1:A:437:GLU:HG3	1.97	0.45
1:A:334:VAL:CG1	1:A:334:VAL:O	2.63	0.45
1:B:238:LYS:HE2	1:B:455:ILE:O	2.16	0.45
1:A:27:LYS:O	1:A:30:LYS:HG2	2.16	0.45
1:B:292:LYS:HA	1:B:292:LYS:HD3	1.80	0.45
1:B:50:ARG:O	1:B:128:HIS:CE1	2.70	0.45
1:A:22:ASP:CG	1:A:25:LYS:HD2	2.37	0.45

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:219:VAL:HG13	2:A:488:HOH:O	2.17	0.44
1:A:332:LYS:HE2	1:A:381:SER:CB	2.29	0.44
1:A:334:VAL:HG13	1:A:343:MET:HG2	1.98	0.44
1:A:434:THR:OG1	1:A:437:GLU:HG2	2.17	0.44
1:A:51:LYS:O	1:A:105:HIS:HE1	2.00	0.44
1:A:70:LEU:HD12	1:A:71:THR:N	2.32	0.44
1:A:326:VAL:HG21	1:A:349:GLU:HB3	1.99	0.44
1:A:399:PHE:HE1	1:A:470:LEU:HD11	1.83	0.43
1:A:116:GLY:O	1:A:119:ARG:HB2	2.17	0.43
1:B:320:LEU:HA	1:B:321:PRO:HD3	1.89	0.43
1:B:92:SER:HB3	1:B:123:MET:HE1	2.00	0.43
1:A:423:ALA:O	1:A:427:LYS:HG3	2.19	0.43
1:A:280:GLU:HB3	2:A:554:HOH:O	2.18	0.43
1:A:243:VAL:CG2	1:A:296:PHE:CE1	2.95	0.43
1:B:343:MET:HG2	1:B:369:LEU:HD22	2.00	0.43
1:A:366:GLU:HB3	1:A:367:PRO:CD	2.40	0.43
1:A:388:LYS:HA	1:A:391:LEU:HD12	2.01	0.42
1:A:400:ILE:O	1:A:404:GLN:HG3	2.19	0.42
1:B:136:TYR:HD1	1:B:162:GLU:HG2	1.83	0.42
1:B:233:LEU:HA	1:B:233:LEU:HD12	1.89	0.42
1:B:274:MET:HG3	1:B:278:LEU:HD11	2.01	0.42
1:B:130:PRO:HD2	1:B:460:LEU:CD1	2.49	0.42
1:B:333:ASP:CB	1:B:342:VAL:HG21	2.50	0.42
1:B:436:LYS:HA	1:B:436:LYS:CE	2.35	0.42
1:A:388:LYS:O	1:A:389:GLY:C	2.57	0.42
1:B:306:MET:HE2	1:B:306:MET:HA	2.02	0.42
1:A:334:VAL:CG1	1:A:343:MET:SD	3.08	0.42
1:A:364:VAL:HB	1:A:399:PHE:CE2	2.55	0.41
1:B:51:LYS:O	1:B:105:HIS:HE1	2.03	0.41
1:A:328:LEU:HA	1:A:329:PRO:HD3	1.90	0.41
1:A:466:ILE:O	1:A:470:LEU:HG	2.21	0.41
1:B:212:LEU:CD2	1:B:275:ALA:HB2	2.49	0.41
1:B:315:MET:HA	1:B:316:PRO:HD3	1.84	0.41
1:B:23:TYR:HA	1:B:26:ASN:HD22	1.84	0.41
1:A:28:VAL:HG12	1:A:71:THR:HG23	2.03	0.41
1:A:151:ASP:HA	1:A:152:PRO:HD2	1.95	0.41
1:A:391:LEU:CD1	1:B:121:LEU:HD12	2.51	0.40
1:B:32:PHE:CE2	1:B:72:GLU:HA	2.56	0.40
1:A:22:ASP:O	1:A:26:ASN:ND2	2.55	0.40
1:B:92:SER:HB3	1:B:123:MET:CE	2.52	0.40
1:B:129:GLN:HG2	1:B:129:GLN:H	1.73	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	453/458 (99%)	435 (96%)	14 (3%)	4 (1%)	17	11
1	B	451/458 (98%)	429 (95%)	18 (4%)	4 (1%)	17	11
All	All	904/916 (99%)	864 (96%)	32 (4%)	8 (1%)	17	11

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	116	GLY
1	B	72	GLU
1	B	78	GLY
1	B	84	TYR
1	A	374	GLU
1	B	98	SER
1	A	389	GLY
1	A	80	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	412/415 (99%)	401 (97%)	11 (3%)	44	46
1	B	410/415 (99%)	402 (98%)	8 (2%)	55	59

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	822/830 (99%)	803 (98%)	19 (2%)	50 53

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	70	LEU
1	A	174	LEU
1	A	243	VAL
1	A	280	GLU
1	A	322	GLU
1	A	374	GLU
1	A	405	GLU
1	A	412	GLU
1	A	436	LYS
1	A	464	SER
1	A	471	LYS
1	B	129	GLN
1	B	154	GLU
1	B	233	LEU
1	B	285	LEU
1	B	296	PHE
1	B	405	GLU
1	B	436	LYS
1	B	464	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	99	ASN
1	A	105	HIS
1	A	169	GLN
1	A	205	GLN
1	A	260	ASN
1	A	386	ASN
1	B	26	ASN
1	B	105	HIS
1	B	128	HIS
1	B	157	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates ⓘ

EDS was not executed - this section is therefore empty.

### 6.4 Ligands ⓘ

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers ⓘ

EDS was not executed - this section is therefore empty.