



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 19, 2020 – 09:46 AM BST

PDB ID : 6KYJ  
Title : Hybrid-Rubisco (rice RbcL and sorghum RbcS) in complex with sulfate ions  
Authors : Matsumura, H.; Yoshizawa, T.; Tanaka, S.; Yoshikawa, H.  
Deposited on : 2019-09-19  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.14.6  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.14.6


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	477	<div> <div>4%</div> <div> <div></div> <div>89%</div> <div>6%</div> </div> </div>
1	C	477	<div> <div>5%</div> <div> <div></div> <div>91%</div> <div>6%</div> </div> </div>
1	E	477	<div> <div>4%</div> <div> <div></div> <div>90%</div> <div>5%</div> <div>6%</div> </div> </div>
1	G	477	<div> <div>3%</div> <div> <div></div> <div>89%</div> <div>5%</div> <div>6%</div> </div> </div>
2	S	169	<div> <div></div> <div> <div></div> <div>68%</div> <div>30%</div> </div> </div>
2	U	169	<div> <div></div> <div> <div></div> <div>70%</div> <div>27%</div> </div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	W	169	<div><div><div>%</div><div><div></div><div></div><div></div></div><div>70%</div><div>29%</div></div></div>
2	Y	169	<div><div><div></div><div></div><div></div></div><div>64%</div><div>7%</div><div>29%</div></div>

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 19692 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribulose biphosphate carboxylase large chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	448	Total	C	N	O	S	0	3	0
			3503	2218	619	644	22			
1	E	450	Total	C	N	O	S	0	5	0
			3540	2243	626	649	22			
1	C	448	Total	C	N	O	S	0	3	0
			3507	2221	620	644	22			
1	G	447	Total	C	N	O	S	0	4	0
			3505	2220	618	645	22			

- Molecule 2 is a protein called Ribulose biphosphate carboxylase small chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	S	119	Total	C	N	O	S	0	4	0
			1021	669	158	186	8			
2	W	120	Total	C	N	O	S	0	4	0
			1026	672	159	187	8			
2	U	123	Total	C	N	O	S	0	4	0
			1046	682	162	194	8			
2	Y	120	Total	C	N	O	S	0	4	0
			1026	672	159	187	8			

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S) (labeled as "Ligand of Interest" by author).






Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	A	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	E	1	Total	C	O	0	0
			6	3	3		
4	E	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	G	1	Total	C	O	0	0
			6	3	3		
4	G	1	Total	C	O	0	0
			6	3	3		
4	G	1	Total	C	O	0	0
			6	3	3		
4	G	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	247	Total	O	0	0
			247	247		
5	S	92	Total	O	0	0
			92	92		
5	E	257	Total	O	0	0
			257	257		
5	W	95	Total	O	0	0
			95	95		
5	C	224	Total	O	0	0
			224	224		
5	U	91	Total	O	0	0
			91	91		
5	G	253	Total	O	0	0
			253	253		
5	Y	76	Total	O	0	0
			76	76		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ribulose biphosphate carboxylase large chain




- Molecule 1: Ribulose biphosphate carboxylase large chain



- Molecule 1: Ribulose biphosphate carboxylase large chain




- Molecule 1: Ribulose biphosphate carboxylase large chain




- Molecule 2: Ribulose biphosphate carboxylase small chain




- Molecule 2: Ribulose biphosphate carboxylase small chain



- Molecule 2: Ribulose biphosphate carboxylase small chain



- Molecule 2: Ribulose biphosphate carboxylase small chain



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 4 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	223.79 Å   223.79 Å   108.94 Å 90.00°   90.00°   90.00°	Depositor
Resolution (Å)	48.58 – 1.70 48.58 – 1.70	Depositor EDS
% Data completeness (in resolution range)	100.0 (48.58-1.70) 100.0 (48.58-1.70)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.53 (at 1.70 Å)	Xtriage
Refinement program	PHENIX 1.15.2_3472	Depositor
R, $R_{free}$	0.162 , 0.185 0.162 , 0.185	Depositor DCC
$R_{free}$ test set	14987 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	20.2	Xtriage
Anisotropy	0.195	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 38.7	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	19692	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.14% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.37	0/3592	0.55	0/4869
1	C	0.39	0/3596	0.57	2/4873 (0.0%)
1	E	0.37	0/3636	0.56	0/4925
1	G	0.38	0/3596	0.55	0/4873
2	S	0.35	0/1057	0.54	0/1436
2	U	0.35	0/1082	0.51	0/1468
2	W	0.34	0/1062	0.55	0/1443
2	Y	0.43	1/1062 (0.1%)	0.57	1/1443 (0.1%)
All	All	0.37	1/18683 (0.0%)	0.55	3/25330 (0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	Y	108	GLN	CB-CG	-6.10	1.36	1.52

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	79	ARG	CG-CD-NE	-6.96	97.17	111.80
1	C	79	ARG	NE-CZ-NH2	-6.56	117.02	120.30
2	Y	108	GLN	CA-CB-CG	-6.28	99.58	113.40

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3503	0	3411	14	0
1	C	3507	0	3422	17	0
1	E	3540	0	3456	15	0
1	G	3505	0	3413	13	0
2	S	1021	0	984	2	0
2	U	1046	0	1003	4	0
2	W	1026	0	989	1	0
2	Y	1026	0	989	6	0
3	A	30	0	0	0	0
3	C	25	0	0	0	0
3	E	25	0	0	0	0
3	G	25	0	0	0	0
4	A	18	0	24	0	0
4	C	18	0	24	0	0
4	E	18	0	24	0	0
4	G	24	0	32	0	0
5	A	247	0	0	2	0
5	C	224	0	0	0	0
5	E	257	0	0	0	0
5	G	253	0	0	0	0
5	S	92	0	0	0	0
5	U	91	0	0	1	0
5	W	95	0	0	0	0
5	Y	76	0	0	0	0
All	All	19692	0	17771	71	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (71) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:79:ARG:NH2	1:C:80:TYR:HE1	1.66	0.93
1:G:463:LYS:HE3	1:G:463:LYS:HA	1.59	0.84
1:C:76:SER:HB2	1:C:79:ARG:HE	1.44	0.82
1:A:30:GLU:OE2	5:A:601:HOH:O	2.06	0.74
1:E:131:ARG:HH11	1:E:131:ARG:HG2	1.54	0.73
1:C:463:LYS:HE3	1:C:463:LYS:HA	1.73	0.71
1:C:79:ARG:NH2	1:C:80:TYR:CE1	2.57	0.64

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:76:SER:HB2	1:C:79:ARG:NE	2.12	0.63
1:A:174:ILE:O	1:A:175:LYS:HE2	1.98	0.63
1:G:331:VAL:HG21	1:G:393:ILE:HG21	1.81	0.62
1:E:331:VAL:HG22	1:E:339:ARG:HD2	1.81	0.62
1:C:28:GLU:N	1:C:28:GLU:OE1	2.25	0.61
1:E:131:ARG:NH1	1:E:131:ARG:HG2	2.19	0.57
1:A:296:ALA:O	1:A:297:MET:HG2	2.05	0.57
1:E:248:GLU:O	1:E:252:LYS:HG3	2.05	0.56
1:E:443:GLU:OE1	1:E:446:ARG:NH1	2.38	0.56
2:Y:104:ASP:OD2	2:Y:107:LYS:HE2	2.06	0.55
2:U:45:SER:HG	2:U:48[B]:GLY:H	1.54	0.54
1:A:450:LYS:HD2	1:A:450:LYS:N	2.22	0.54
1:E:462:TRP:O	1:E:463:LYS:HE2	2.10	0.52
2:W:45:SER:HG	2:W:48[B]:GLY:H	1.58	0.51
2:S:48[A]:GLY:HA2	2:S:66:TRP:CZ2	2.45	0.51
1:A:446:ARG:O	1:A:450:LYS:HD3	2.10	0.51
2:Y:45:SER:HG	2:Y:48[B]:GLY:H	1.58	0.50
2:U:107:LYS:NZ	5:U:202:HOH:O	2.41	0.50
1:A:175:LYS:HZ3	1:A:177:LYS:HB3	1.78	0.48
1:C:389:ALA:O	1:C:393:ILE:HG12	2.14	0.47
1:G:343:LEU:HD21	1:G:393:ILE:HG23	1.96	0.47
1:A:88:GLU:OE2	1:A:358:ARG:NH1	2.48	0.47
1:G:88:GLU:OE2	1:G:358:ARG:NH1	2.47	0.46
1:E:463:LYS:HE2	1:E:463:LYS:HA	1.97	0.46
1:G:327:HIS:HA	1:G:377:VAL:HB	1.97	0.45
1:A:62:SER:CB	1:A:82:GLY:H	2.30	0.45
1:C:79:ARG:CZ	1:C:80:TYR:HE1	2.29	0.45
1:G:342:THR:HA	1:G:345:PHE:CE2	2.52	0.45
2:Y:48[B]:GLY:HA2	2:Y:66:TRP:CZ2	2.52	0.45
1:C:28:GLU:CD	1:C:28:GLU:H	2.17	0.45
1:G:383:HIS:CE1	1:G:385:TRP:HB2	2.52	0.45
1:E:331:VAL:HG11	1:E:393:ILE:HG21	1.99	0.44
1:A:331:VAL:HG21	1:A:393:ILE:HD13	1.98	0.44
1:G:88:GLU:HG2	1:G:98:ILE:HB	1.98	0.44
1:A:91:VAL:HG22	5:A:789:HOH:O	2.16	0.44
1:C:201:LYS:HB2	1:C:239:TYR:CD2	2.53	0.44
1:G:197:LEU:HG	1:G:417:ALA:HB1	2.00	0.44
1:E:342:THR:HA	1:E:345:PHE:CE2	2.53	0.43
1:G:171:GLY:HA2	1:G:199:PHE:O	2.17	0.43
1:C:342:THR:HA	1:C:345:PHE:CE2	2.54	0.43
1:C:79:ARG:CZ	1:C:80:TYR:CE1	3.01	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:414:ALA:HB3	1:G:415:PRO:HD3	2.00	0.43
1:C:301:ILE:HA	1:C:301:ILE:HD13	1.64	0.43
1:C:463:LYS:HA	1:C:463:LYS:CE	2.47	0.42
2:Y:43:GLU:CD	2:Y:66:TRP:HB2	2.40	0.42
1:C:301:ILE:HD12	1:C:301:ILE:HG23	1.68	0.42
1:A:88:GLU:HG2	1:A:98:ILE:HB	2.01	0.42
1:G:62:SER:CB	1:G:82:GLY:H	2.33	0.42
2:S:43:GLU:CD	2:S:66:TRP:HB2	2.40	0.41
2:Y:68[B]:MET:HE1	2:Y:72:PRO:HD3	2.02	0.41
1:C:156:GLN:HG2	2:U:109:THR:HG21	2.01	0.41
2:Y:29:GLN:O	2:Y:32:TYR:HB3	2.20	0.41
1:E:214:TRP:CH2	1:E:215[B]:ARG:HG3	2.56	0.41
1:G:175:LYS:HA	1:G:176:PRO:C	2.41	0.41
1:E:327:HIS:HA	1:E:377:VAL:HB	2.03	0.41
2:U:45:SER:OG	2:U:47[A]:GLU:O	2.31	0.41
1:E:197:LEU:HG	1:E:417:ALA:HB1	2.02	0.41
1:E:77:LEU:HD12	1:E:77:LEU:HA	1.91	0.41
1:E:171:GLY:HA2	1:E:199:PHE:O	2.20	0.41
1:E:214:TRP:CZ2	1:E:215[B]:ARG:HG3	2.55	0.41
1:A:342:THR:HA	1:A:345:PHE:CE2	2.56	0.41
1:A:410:PRO:HD3	1:A:461:ILE:HG13	2.03	0.41
1:A:414:ALA:HB3	1:A:415:PRO:HD3	2.03	0.40
1:C:296:ALA:O	1:C:297:MET:HG2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	447/477 (94%)	435 (97%)	12 (3%)	0	100	100
1	C	447/477 (94%)	436 (98%)	11 (2%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	451/477 (94%)	440 (98%)	11 (2%)	0	100	100
1	G	445/477 (93%)	432 (97%)	12 (3%)	1 (0%)	47	30
2	S	121/169 (72%)	115 (95%)	6 (5%)	0	100	100
2	U	125/169 (74%)	120 (96%)	5 (4%)	0	100	100
2	W	122/169 (72%)	116 (95%)	6 (5%)	0	100	100
2	Y	122/169 (72%)	115 (94%)	7 (6%)	0	100	100
All	All	2280/2584 (88%)	2209 (97%)	70 (3%)	1 (0%)	100	100

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	369	VAL

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	361/386 (94%)	360 (100%)	1 (0%)	92	89
1	C	362/386 (94%)	362 (100%)	0	100	100
1	E	365/386 (95%)	364 (100%)	1 (0%)	92	89
1	G	362/386 (94%)	362 (100%)	0	100	100
2	S	111/145 (77%)	110 (99%)	1 (1%)	78	70
2	U	113/145 (78%)	113 (100%)	0	100	100
2	W	111/145 (77%)	111 (100%)	0	100	100
2	Y	111/145 (77%)	111 (100%)	0	100	100
All	All	1896/2124 (89%)	1893 (100%)	3 (0%)	93	90

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	S	1	MET
1	E	177	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

34 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	SO4	C	505	-	4,4,4	0.14	0	6,6,6	0.11	0
3	SO4	C	502	-	4,4,4	0.17	0	6,6,6	0.17	0
3	SO4	A	504	-	4,4,4	0.19	0	6,6,6	0.27	0
3	SO4	C	504	-	4,4,4	0.15	0	6,6,6	0.11	0
4	GOL	G	506	-	5,5,5	0.87	0	5,5,5	0.96	0
4	GOL	A	508	-	5,5,5	0.83	0	5,5,5	1.15	0
4	GOL	A	507	-	5,5,5	0.74	0	5,5,5	0.92	0
3	SO4	G	505	-	4,4,4	0.15	0	6,6,6	0.11	0
4	GOL	C	506	-	5,5,5	0.58	0	5,5,5	0.91	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	GOL	A	509	-	5,5,5	0.68	0	5,5,5	1.09	0
4	GOL	G	508	-	5,5,5	0.97	0	5,5,5	0.94	0
3	SO4	E	503	-	4,4,4	0.17	0	6,6,6	0.27	0
3	SO4	E	504	-	4,4,4	0.15	0	6,6,6	0.12	0
3	SO4	A	502	-	4,4,4	0.17	0	6,6,6	0.30	0
3	SO4	E	502	-	4,4,4	0.20	0	6,6,6	0.20	0
3	SO4	C	501	-	4,4,4	0.13	0	6,6,6	0.24	0
3	SO4	E	505	-	4,4,4	0.14	0	6,6,6	0.13	0
3	SO4	E	501	-	4,4,4	0.18	0	6,6,6	0.14	0
4	GOL	G	507	-	5,5,5	1.02	0	5,5,5	1.21	0
4	GOL	G	509	-	5,5,5	1.18	0	5,5,5	1.03	0
3	SO4	G	504	-	4,4,4	0.18	0	6,6,6	0.16	0
3	SO4	A	503	-	4,4,4	0.16	0	6,6,6	0.18	0
3	SO4	C	503	-	4,4,4	0.12	0	6,6,6	0.34	0
4	GOL	C	508	-	5,5,5	0.67	0	5,5,5	1.14	1 (20%)
3	SO4	G	502	-	4,4,4	0.16	0	6,6,6	0.20	0
4	GOL	E	508	-	5,5,5	0.66	0	5,5,5	1.14	1 (20%)
3	SO4	A	506	-	4,4,4	0.17	0	6,6,6	0.12	0
3	SO4	A	501	-	4,4,4	0.16	0	6,6,6	0.33	0
3	SO4	G	501	-	4,4,4	0.14	0	6,6,6	0.13	0
3	SO4	A	505	-	4,4,4	0.13	0	6,6,6	0.08	0
4	GOL	C	507	-	5,5,5	0.80	0	5,5,5	1.06	0
3	SO4	G	503	-	4,4,4	0.18	0	6,6,6	0.30	0
4	GOL	E	507	-	5,5,5	0.94	0	5,5,5	1.16	0
4	GOL	E	506	-	5,5,5	0.84	0	5,5,5	0.90	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	507	-	-	2/4/4/4	-
4	GOL	C	507	-	-	2/4/4/4	-
4	GOL	E	507	-	-	2/4/4/4	-
4	GOL	G	507	-	-	1/4/4/4	-
4	GOL	G	509	-	-	3/4/4/4	-
4	GOL	C	506	-	-	0/4/4/4	-
4	GOL	A	509	-	-	4/4/4/4	-
4	GOL	E	506	-	-	0/4/4/4	-
4	GOL	G	506	-	-	0/4/4/4	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	G	508	-	-	0/4/4/4	-
4	GOL	E	508	-	-	4/4/4/4	-
4	GOL	C	508	-	-	4/4/4/4	-
4	GOL	A	508	-	-	2/4/4/4	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	508	GOL	C3-C2-C1	-2.09	103.57	111.70
4	C	508	GOL	C3-C2-C1	-2.08	103.62	111.70

There are no chirality outliers.


All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	508	GOL	O1-C1-C2-C3
4	A	509	GOL	O1-C1-C2-C3
4	A	509	GOL	C1-C2-C3-O3
4	A	507	GOL	O1-C1-C2-C3
4	G	509	GOL	O1-C1-C2-C3
4	C	508	GOL	O1-C1-C2-C3
4	C	508	GOL	C1-C2-C3-O3
4	E	508	GOL	O1-C1-C2-C3
4	E	508	GOL	C1-C2-C3-O3
4	C	507	GOL	C1-C2-C3-O3
4	G	507	GOL	C1-C2-C3-O3
4	E	507	GOL	C1-C2-C3-O3
4	A	509	GOL	O2-C2-C3-O3
4	C	508	GOL	O1-C1-C2-O2
4	C	508	GOL	O2-C2-C3-O3
4	E	508	GOL	O1-C1-C2-O2
4	E	508	GOL	O2-C2-C3-O3
4	C	507	GOL	O2-C2-C3-O3
4	A	507	GOL	O1-C1-C2-O2
4	G	509	GOL	O1-C1-C2-O2
4	A	509	GOL	O1-C1-C2-O2
4	G	509	GOL	O2-C2-C3-O3
4	E	507	GOL	O2-C2-C3-O3
4	A	508	GOL	O1-C1-C2-O2


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

































































































## Ligand GOL E 507



## Ligand GOL E 506



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	448/477 (93%)	-0.03	17 (3%) 40 45	13, 18, 35, 52	0
1	C	448/477 (93%)	0.09	23 (5%) 28 31	14, 20, 38, 50	0
1	E	450/477 (94%)	-0.03	19 (4%) 36 40	13, 19, 34, 52	0
1	G	447/477 (93%)	-0.01	13 (2%) 51 56	14, 19, 36, 59	0
2	S	119/169 (70%)	-0.43	0 100 100	16, 21, 30, 35	0
2	U	123/169 (72%)	-0.20	0 100 100	17, 24, 36, 40	0
2	W	120/169 (71%)	-0.35	1 (0%) 86 88	16, 21, 31, 44	0
2	Y	120/169 (71%)	0.04	0 100 100	17, 27, 37, 49	0
All	All	2275/2584 (88%)	-0.04	73 (3%) 47 52	13, 20, 36, 59	0

All (73) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	17	VAL	6.3
1	G	17	VAL	6.2
1	E	20	TYR	5.4
1	G	14	LYS	5.3
1	C	17	VAL	5.2
1	A	335	LEU	5.1
1	G	335	LEU	4.8
1	G	331	VAL	4.7
1	G	15	ALA	4.7
1	A	14	LYS	4.6
1	C	335	LEU	4.6
1	C	463	LYS	4.5
1	C	439	ARG	4.4
1	E	333	GLY	4.4
1	A	13	PHE	4.1
1	A	332	VAL	3.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	23	THR	3.9
1	G	13	PHE	3.8
1	E	21	LYS	3.8
1	C	15	ALA	3.7
1	A	333	GLY	3.7
1	C	332	VAL	3.7
1	E	13	PHE	3.6
1	C	333	GLY	3.6
1	C	14	LYS	3.5
1	E	331	VAL	3.4
1	C	13	PHE	3.4
1	E	335	LEU	3.4
1	A	439	ARG	3.3
1	A	464	ALA	3.3
1	E	14	LYS	3.3
1	E	17	VAL	3.3
1	A	463	LYS	3.2
1	G	439	ARG	3.2
1	G	23	THR	3.2
1	C	79	ARG	3.2
1	A	22	LEU	3.2
1	E	463	LYS	3.1
1	A	15	ALA	3.1
1	G	332	VAL	3.1
1	A	16	GLY	3.1
1	E	47	GLY	3.0
1	G	336	GLU	3.0
1	E	439	ARG	2.9
1	C	16	GLY	2.9
1	A	336	GLU	2.9
1	C	22	LEU	2.8
1	A	23	THR	2.8
1	E	336	GLU	2.8
1	E	15	ALA	2.7
1	E	94	ASP	2.7
1	C	336	GLU	2.6
1	G	16	GLY	2.6
1	C	464	ALA	2.5
1	C	462	TRP	2.5
1	E	28	GLU	2.5
1	C	94	ASP	2.5
1	E	22	LEU	2.4

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	G	22	LEU	2.4
1	C	331	VAL	2.4
1	E	438	ALA	2.4
1	A	30	GLU	2.3
1	C	402	PHE	2.3
1	C	68	THR	2.3
1	G	464	ALA	2.2
1	C	28	GLU	2.2
1	C	358	ARG	2.2
1	E	23	THR	2.1
1	C	438	ALA	2.1
1	E	460	GLU	2.1
2	W	120	ALA	2.1
1	A	92	GLY	2.0
1	A	91	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	GOL	C	508	6/6	0.79	0.28	36,45,49,54	0
4	GOL	A	509	6/6	0.83	0.17	32,38,41,48	0
4	GOL	E	508	6/6	0.83	0.24	34,44,46,55	0
3	SO4	C	505	5/5	0.84	0.24	43,50,58,67	5
3	SO4	C	504	5/5	0.85	0.27	43,45,50,58	5
3	SO4	A	506	5/5	0.85	0.21	20,38,40,41	5
4	GOL	G	508	6/6	0.86	0.19	29,31,34,39	0
3	SO4	G	505	5/5	0.87	0.19	44,46,58,64	5

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	SO4	G	502	5/5	0.87	0.16	29,30,38,41	5
3	SO4	A	505	5/5	0.87	0.25	43,48,55,64	5
3	SO4	E	505	5/5	0.88	0.24	42,43,50,56	5
4	GOL	A	507	6/6	0.88	0.14	25,29,32,32	0
4	GOL	G	509	6/6	0.89	0.19	26,29,33,37	0
3	SO4	E	502	5/5	0.90	0.12	24,30,37,38	5
4	GOL	E	507	6/6	0.90	0.10	23,25,28,29	0
4	GOL	G	506	6/6	0.91	0.17	23,28,31,32	0
4	GOL	G	507	6/6	0.91	0.16	25,25,31,32	0
4	GOL	C	506	6/6	0.91	0.14	24,24,27,28	0
3	SO4	C	503	5/5	0.91	0.12	18,20,26,29	5
3	SO4	C	501	5/5	0.91	0.15	31,32,36,38	5
4	GOL	A	508	6/6	0.92	0.11	20,21,27,28	0
3	SO4	A	504	5/5	0.92	0.27	36,38,42,45	5
3	SO4	C	502	5/5	0.93	0.15	24,31,36,40	5
3	SO4	G	504	5/5	0.93	0.22	38,40,43,55	5
3	SO4	E	504	5/5	0.93	0.19	35,36,44,50	5
3	SO4	E	501	5/5	0.94	0.12	31,32,38,39	5
3	SO4	A	501	5/5	0.94	0.12	24,29,33,34	5
3	SO4	G	501	5/5	0.94	0.17	23,24,36,37	5
3	SO4	A	503	5/5	0.94	0.11	18,21,24,28	5
4	GOL	C	507	6/6	0.94	0.12	24,26,33,35	0
3	SO4	A	502	5/5	0.94	0.11	23,26,30,30	5
4	GOL	E	506	6/6	0.94	0.11	25,26,27,30	0
3	SO4	G	503	5/5	0.96	0.09	20,25,29,30	5
3	SO4	E	503	5/5	0.97	0.08	21,22,23,27	5

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around GOL C 508:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GOL A 509:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GOL E 508:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 C 505:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SO4 C 504:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around SO4 A 506:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around GOL G 508:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 G 505:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 G 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 A 505:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 E 505:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GOL A 507:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around GOL G 509:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around SO4 E 502:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around GOL E 507:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GOL G 506:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GOL G 507:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GOL C 506:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 C 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 C 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around GOL A 508:**




$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around SO4 A 504:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around SO4 C 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 G 504:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 E 504:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 E 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SO4 G 501:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around SO4 A 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around GOL C 507:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around SO4 A 502:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around GOL E 506:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SO4 G 503:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SO4 E 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.