



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2020 – 03:49 PM BST

PDB ID : 4L04
Title : Crystal Structure Analysis of human IDH1 mutants in complex with NADP+ and Ca²⁺/alpha-Ketoglutarate
Authors : Concha, N.O.; Smallwood, A.M.
Deposited on : 2013-05-30
Resolution : 2.87 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.87 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2691 (2.90-2.86)
Clashscore	141614	2947 (2.90-2.86)
Ramachandran outliers	138981	2868 (2.90-2.86)
Sidechain outliers	138945	2871 (2.90-2.86)
RSRZ outliers	127900	2629 (2.90-2.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	425	<div> <div>2%</div> <div> <div></div> <div>87%</div> <div>9%</div> <div>••</div> </div> </div>
1	B	425	<div> <div>%</div> <div> <div></div> <div>85%</div> <div>12%</div> <div>•</div> </div> </div>
1	C	425	<div> <div>4%</div> <div> <div></div> <div>84%</div> <div>12%</div> <div>•</div> </div> </div>
1	D	425	<div> <div>5%</div> <div> <div></div> <div>84%</div> <div>13%</div> <div>•</div> </div> </div>
1	E	425	<div> <div>5%</div> <div> <div></div> <div>84%</div> <div>13%</div> <div>•</div> </div> </div>
1	F	425	<div> <div>6%</div> <div> <div></div> <div>88%</div> <div>9%</div> <div>•</div> </div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 19647 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Isocitrate dehydrogenase [NADP] cytoplasmic.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	411	Total	C	N	O	S	0	0	0
			3221	2048	546	609	18			
1	B	412	Total	C	N	O	S	0	2	0
			3258	2071	553	616	18			
1	C	412	Total	C	N	O	S	0	0	0
			3206	2030	547	611	18			
1	D	412	Total	C	N	O	S	0	1	0
			3129	1982	535	596	16			
1	E	412	Total	C	N	O	S	0	1	0
			3226	2047	547	614	18			
1	F	412	Total	C	N	O	S	0	1	0
			3184	2025	543	598	18			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	97	ASN	GLY	CONFLICT	UNP O75874
A	415	SER	-	EXPRESSION TAG	UNP O75874
A	416	LEU	-	EXPRESSION TAG	UNP O75874
A	417	GLU	-	EXPRESSION TAG	UNP O75874
A	418	HIS	-	EXPRESSION TAG	UNP O75874
A	419	HIS	-	EXPRESSION TAG	UNP O75874
A	420	HIS	-	EXPRESSION TAG	UNP O75874
A	421	HIS	-	EXPRESSION TAG	UNP O75874
A	422	HIS	-	EXPRESSION TAG	UNP O75874
A	423	HIS	-	EXPRESSION TAG	UNP O75874
A	424	HIS	-	EXPRESSION TAG	UNP O75874
A	425	HIS	-	EXPRESSION TAG	UNP O75874
B	97	ASN	GLY	CONFLICT	UNP O75874
B	415	SER	-	EXPRESSION TAG	UNP O75874
B	416	LEU	-	EXPRESSION TAG	UNP O75874
B	417	GLU	-	EXPRESSION TAG	UNP O75874
B	418	HIS	-	EXPRESSION TAG	UNP O75874

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	419	HIS	-	EXPRESSION TAG	UNP O75874
B	420	HIS	-	EXPRESSION TAG	UNP O75874
B	421	HIS	-	EXPRESSION TAG	UNP O75874
B	422	HIS	-	EXPRESSION TAG	UNP O75874
B	423	HIS	-	EXPRESSION TAG	UNP O75874
B	424	HIS	-	EXPRESSION TAG	UNP O75874
B	425	HIS	-	EXPRESSION TAG	UNP O75874
C	97	ASN	GLY	CONFLICT	UNP O75874
C	415	SER	-	EXPRESSION TAG	UNP O75874
C	416	LEU	-	EXPRESSION TAG	UNP O75874
C	417	GLU	-	EXPRESSION TAG	UNP O75874
C	418	HIS	-	EXPRESSION TAG	UNP O75874
C	419	HIS	-	EXPRESSION TAG	UNP O75874
C	420	HIS	-	EXPRESSION TAG	UNP O75874
C	421	HIS	-	EXPRESSION TAG	UNP O75874
C	422	HIS	-	EXPRESSION TAG	UNP O75874
C	423	HIS	-	EXPRESSION TAG	UNP O75874
C	424	HIS	-	EXPRESSION TAG	UNP O75874
C	425	HIS	-	EXPRESSION TAG	UNP O75874
D	97	ASN	GLY	CONFLICT	UNP O75874
D	415	SER	-	EXPRESSION TAG	UNP O75874
D	416	LEU	-	EXPRESSION TAG	UNP O75874
D	417	GLU	-	EXPRESSION TAG	UNP O75874
D	418	HIS	-	EXPRESSION TAG	UNP O75874
D	419	HIS	-	EXPRESSION TAG	UNP O75874
D	420	HIS	-	EXPRESSION TAG	UNP O75874
D	421	HIS	-	EXPRESSION TAG	UNP O75874
D	422	HIS	-	EXPRESSION TAG	UNP O75874
D	423	HIS	-	EXPRESSION TAG	UNP O75874
D	424	HIS	-	EXPRESSION TAG	UNP O75874
D	425	HIS	-	EXPRESSION TAG	UNP O75874
E	97	ASN	GLY	CONFLICT	UNP O75874
E	415	SER	-	EXPRESSION TAG	UNP O75874
E	416	LEU	-	EXPRESSION TAG	UNP O75874
E	417	GLU	-	EXPRESSION TAG	UNP O75874
E	418	HIS	-	EXPRESSION TAG	UNP O75874
E	419	HIS	-	EXPRESSION TAG	UNP O75874
E	420	HIS	-	EXPRESSION TAG	UNP O75874
E	421	HIS	-	EXPRESSION TAG	UNP O75874
E	422	HIS	-	EXPRESSION TAG	UNP O75874
E	423	HIS	-	EXPRESSION TAG	UNP O75874
E	424	HIS	-	EXPRESSION TAG	UNP O75874

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	425	HIS	-	EXPRESSION TAG	UNP O75874
F	97	ASN	GLY	CONFLICT	UNP O75874
F	415	SER	-	EXPRESSION TAG	UNP O75874
F	416	LEU	-	EXPRESSION TAG	UNP O75874
F	417	GLU	-	EXPRESSION TAG	UNP O75874
F	418	HIS	-	EXPRESSION TAG	UNP O75874
F	419	HIS	-	EXPRESSION TAG	UNP O75874
F	420	HIS	-	EXPRESSION TAG	UNP O75874
F	421	HIS	-	EXPRESSION TAG	UNP O75874
F	422	HIS	-	EXPRESSION TAG	UNP O75874
F	423	HIS	-	EXPRESSION TAG	UNP O75874
F	424	HIS	-	EXPRESSION TAG	UNP O75874
F	425	HIS	-	EXPRESSION TAG	UNP O75874

- Molecule 2 is 2-OXOGLUTARIC ACID (three-letter code: AKG) (formula: C₅H₆O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			10	5	5		
2	B	1	Total	C	O	0	0
			10	5	5		
2	C	1	Total	C	O	0	0
			10	5	5		
2	D	1	Total	C	O	0	0
			10	5	5		
2	E	1	Total	C	O	0	0
			10	5	5		

Continued on next page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	F	1	Total C O 10 5 5	0	0

- | Mol | Chain | Residues | Atoms | ZeroOcc | AltConf |
|-----|-------|----------|-----------------|---------|---------|
| 3 | A | 2 | Total Ca
2 2 | 0 | 0 |
| 3 | D | 1 | Total Ca
1 1 | 0 | 0 |
| 3 | C | 1 | Total Ca
1 1 | 0 | 0 |
| 3 | F | 1 | Total Ca
1 1 | 0 | 0 |
| 3 | E | 1 | Total Ca
1 1 | 0 | 0 |

- # NAP

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total 48	C 21	N 7	O 17	P 3	0	0
4	B	1	Total 48	C 21	N 7	O 17	P 3	0	0
4	C	1	Total 48	C 21	N 7	O 17	P 3	0	0



WORLD WIDE
PDB
PROTEIN DATA BANK

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
4	E	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
4	F	1	Total	C	N	O	P	0	0
			48	21	7	17	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	18	Total	O	0	0
			18	18		
5	B	13	Total	O	0	0
			13	13		
5	C	16	Total	O	0	0
			16	16		
5	D	8	Total	O	0	0
			8	8		
5	E	7	Total	O	0	0
			7	7		
5	F	7	Total	O	0	0
			7	7		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic




- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic




- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic





- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic







- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic



- Molecule 1: Isocitrate dehydrogenase [NADP] cytoplasmic



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	96.41Å 116.62Å 275.73Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.24 – 2.87 49.24 – 2.87	Depositor EDS
% Data completeness (in resolution range)	98.3 (49.24-2.87) 98.0 (49.24-2.87)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.04 (at 2.86Å)	Xtriage
Refinement program	PHENIX, BUSTER 2.11.5	Depositor
R, R_{free}	0.200 , 0.259 0.195 , 0.251	Depositor DCC
R_{free} test set	3578 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	61.1	Xtriage
Anisotropy	0.326	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 48.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	19647	wwPDB-VP
Average B, all atoms (Å ²)	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 59.99 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.6255e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, AKG, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.47	0/3289	0.68	0/4446
1	B	0.47	0/3332	0.68	0/4499
1	C	0.47	0/3272	0.68	0/4422
1	D	0.45	0/3197	0.68	0/4336
1	E	0.47	0/3296	0.68	1/4456 (0.0%)
1	F	0.46	0/3255	0.69	0/4406
All	All	0.46	0/19641	0.68	1/26565 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	163	GLN	C-N-CA	5.21	134.72	121.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3221	0	3144	20	0
1	B	3258	0	3208	23	0
1	C	3206	0	3111	24	0
1	D	3129	0	2959	23	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	3226	0	3147	25	0
1	F	3184	0	3075	19	0
2	A	10	0	4	1	0
2	B	10	0	4	0	0
2	C	10	0	4	0	0
2	D	10	0	4	0	0
2	E	10	0	4	0	0
2	F	10	0	4	0	0
3	A	2	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
4	A	48	0	25	1	0
4	B	48	0	25	0	0
4	C	48	0	25	1	0
4	D	48	0	25	0	0
4	E	48	0	25	1	0
4	F	48	0	25	0	0
5	A	18	0	0	0	0
5	B	13	0	0	0	0
5	C	16	0	0	0	0
5	D	8	0	0	0	0
5	E	7	0	0	0	0
5	F	7	0	0	0	0
All	All	19647	0	18818	121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (121) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:163:GLN:NE2	1:E:164:LYS:H	1.59	0.99
1:C:19:THR:HG21	1:C:74:ALA:HB3	1.64	0.79
1:E:163:GLN:HA	1:E:163:GLN:OE1	1.90	0.69
1:D:205:TRP:HB3	1:D:265:PHE:HA	1.75	0.68
1:A:142:THR:HG21	1:B:167:TYR:HB3	1.80	0.64
1:F:132:ARG:HB2	1:F:274:GLY:HA3	1.80	0.62
1:B:330:ILE:HD12	1:B:363:SER:HB3	1.82	0.62
1:E:69:VAL:HG11	1:E:343:ARG:HD2	1.82	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:362:VAL:HG23	1:A:408:LYS:HD2	1.82	0.61
1:E:112:ILE:HD13	1:E:330:ILE:HG22	1.83	0.61
1:D:17:GLU:HB2	1:D:311:THR:HB	1.82	0.61
1:E:158:PRO:HD2	1:E:163:GLN:O	2.00	0.61
1:A:155:THR:HB	1:A:166:THR:HA	1.82	0.61
1:B:68:ASN:HA	1:B:302:THR:HG23	1.83	0.60
1:E:107:VAL:HG23	1:E:134:ALA:HB2	1.85	0.58
1:A:219:TYR:HB2	1:B:143:ASP:HB2	1.85	0.57
1:D:155[A]:THR:HG21	1:D:164:LYS:HE3	1.86	0.56
1:D:107:VAL:HG23	1:D:134:ALA:HB2	1.87	0.56
1:D:398:MET:HA	1:D:401:LEU:HD12	1.87	0.56
1:C:16:ASP:O	1:C:19:THR:HG22	2.06	0.56
1:A:330:ILE:HD12	1:A:363:SER:HB3	1.87	0.56
1:A:340:LEU:HD22	1:A:352:LEU:HD11	1.88	0.55
1:C:22:ILE:HD11	1:C:327:THR:HB	1.88	0.55
1:C:158:PRO:HG2	1:C:163:GLN:HB2	1.88	0.54
1:E:163:GLN:CD	1:E:164:LYS:H	2.09	0.54
1:D:14:GLN:HB2	1:D:43:ASP:HA	1.89	0.54
1:D:340:LEU:HD22	1:D:352:LEU:HD11	1.90	0.53
1:E:216:LEU:HD21	1:F:138:GLN:HB3	1.90	0.53
1:C:19:THR:HG23	1:C:73:CYS:SG	2.48	0.53
1:E:132:ARG:HG3	1:E:274:GLY:HA3	1.91	0.53
1:C:333:ILE:O	1:C:337:THR:HG23	2.08	0.53
1:A:215:ILE:HG23	1:B:97:ASN:HD21	1.75	0.52
1:B:158:PRO:HD2	1:B:163:GLN:O	2.11	0.51
1:E:97:ASN:HD21	1:F:215:ILE:HD12	1.75	0.51
1:A:256:ALA:O	1:B:283:GLN:HG2	2.11	0.51
1:D:257:GLN:O	1:D:261:SER:HB3	2.11	0.51
1:E:290:MET:HG3	1:E:376:LEU:HD21	1.93	0.51
1:F:17:GLU:HB2	1:F:311:THR:HB	1.93	0.51
1:C:330:ILE:HD12	1:C:363:SER:HB3	1.93	0.50
1:F:24:GLU:O	1:F:28:GLU:HG2	2.12	0.50
1:A:14:GLN:HB2	1:A:43:ASP:HA	1.93	0.50
2:A:501:AKG:H42	4:A:504:NAP:C4N	2.41	0.50
1:D:112:ILE:HD13	1:D:330:ILE:HG22	1.93	0.50
1:D:22:ILE:HG21	1:D:329:PRO:HB3	1.93	0.49
1:B:209:LEU:HD23	1:B:248:HIS:HD2	1.77	0.49
1:D:403:GLU:O	1:D:407:ILE:HG12	2.12	0.49
1:C:112:ILE:HD13	1:C:330:ILE:HG22	1.94	0.49
1:E:7:GLY:HA3	1:E:37:LEU:HD23	1.94	0.49
1:B:141:ALA:HB1	1:B:180:MET:CE	2.43	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:GLY:HA3	1:A:37:LEU:HD23	1.95	0.48
1:E:210:SER:HB3	1:E:254:MET:HG2	1.95	0.48
1:B:362:VAL:HG23	1:B:408:LYS:HD2	1.94	0.47
1:E:53:ASN:HA	1:E:92:TRP:CH2	2.50	0.47
1:A:68:ASN:HA	1:A:302:THR:HG23	1.97	0.47
1:B:24:GLU:O	1:B:28:GLU:HG2	2.15	0.47
1:F:132:ARG:CB	1:F:274:GLY:HA3	2.45	0.47
1:C:219:TYR:HB2	1:D:143:ASP:HB2	1.97	0.47
1:A:403:GLU:O	1:A:407:ILE:HG12	2.15	0.47
1:F:68:ASN:O	1:F:302:THR:HA	2.15	0.47
1:A:359:LEU:HD13	1:A:405:LEU:HD22	1.97	0.46
1:F:210:SER:HB3	1:F:254:MET:HG2	1.96	0.46
1:D:210:SER:HB3	1:D:254:MET:HG2	1.97	0.46
1:F:83:VAL:HA	1:F:88:LEU:HD12	1.98	0.46
1:C:317:ARG:HH11	1:C:320:GLN:HE22	1.63	0.46
1:A:154:ILE:HG23	1:A:167:TYR:HB2	1.98	0.46
1:C:412:ALA:C	1:C:414:LEU:H	2.18	0.46
1:A:24:GLU:O	1:A:28:GLU:HB2	2.16	0.45
1:B:210:SER:HA	1:B:249:ARG:O	2.17	0.45
1:F:330:ILE:HD12	1:F:363:SER:HB3	1.97	0.45
1:E:330:ILE:HD12	1:E:363:SER:HB3	1.99	0.45
1:A:143:ASP:HB2	1:B:219:TYR:HB2	1.98	0.45
1:D:132:ARG:HG3	1:D:274:GLY:HA3	2.00	0.44
1:F:200:ALA:HA	1:F:266:ILE:HG13	1.99	0.44
1:E:338:ARG:HA	1:E:338:ARG:HD3	1.80	0.44
1:F:23:TRP:CE3	1:F:73:CYS:HB2	2.53	0.44
1:C:7:GLY:HA3	1:C:37:LEU:HD23	2.00	0.43
1:B:47:GLU:H	1:B:47:GLU:CD	2.22	0.43
1:B:141:ALA:HB1	1:B:180:MET:HE3	2.00	0.43
1:F:30:LEU:HD13	1:F:359:LEU:HD11	2.01	0.43
1:E:12:GLU:HB2	1:E:39:LEU:HD11	2.00	0.43
1:A:124:TRP:HB3	1:A:285:TYR:CE1	2.54	0.43
1:A:210:SER:HA	1:A:249:ARG:O	2.19	0.43
1:C:312:VAL:HG13	4:C:503:NAP:H3B	2.01	0.43
1:B:213:ASN:O	1:B:217:LYS:HA	2.19	0.43
1:D:212:LYS:HG2	1:D:251:ILE:HG22	2.01	0.43
1:D:22:ILE:HA	1:D:25:LEU:HD12	2.00	0.42
1:B:201:LEU:HD23	1:B:244:ILE:HD11	2.00	0.42
1:C:143:ASP:HB2	1:D:219:TYR:HB2	2.01	0.42
1:E:156:TYR:CE2	1:E:158:PRO:HD3	2.53	0.42
1:E:397:PHE:CE2	1:E:401:LEU:HD11	2.54	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:367:ILE:HA	1:D:371:PHE:O	2.20	0.42
1:F:362:VAL:HG21	1:F:405:LEU:HA	2.01	0.42
1:F:359:LEU:HD13	1:F:405:LEU:HD13	2.00	0.42
1:A:283:GLN:HG2	1:B:256:ALA:O	2.19	0.42
1:E:167:TYR:HB3	1:F:142:THR:HG21	2.02	0.42
1:C:123:GLY:O	1:C:262:GLU:HA	2.20	0.41
1:B:57:THR:HG21	1:B:95:PRO:HA	2.02	0.41
1:C:120:LEU:HD12	1:C:283:GLN:O	2.20	0.41
1:C:97:ASN:HD21	1:D:215:ILE:HD12	1.85	0.41
1:D:330:ILE:HD12	1:D:363:SER:HB3	2.01	0.41
1:C:71:VAL:HG11	1:C:336:TRP:HA	2.03	0.41
1:E:72:LYS:HG2	1:E:73:CYS:O	2.20	0.41
1:C:121:VAL:HG11	1:C:124:TRP:CE2	2.56	0.41
1:B:23:TRP:CD1	1:B:27:LYS:HE2	2.55	0.41
1:C:200:ALA:HA	1:C:266:ILE:HG13	2.03	0.41
1:C:30:LEU:O	1:C:355:PHE:HZ	2.03	0.41
1:E:75:THR:O	4:E:503:NAP:H2N	2.21	0.41
1:E:30:LEU:HD22	1:E:359:LEU:HD11	2.03	0.41
1:F:382:GLY:O	1:F:386:VAL:HG23	2.21	0.41
1:C:201:LEU:HD23	1:C:244:ILE:HD11	2.02	0.41
1:C:210:SER:HB3	1:C:254:MET:HG2	2.01	0.41
1:B:126:LYS:O	1:B:263:GLY:HA3	2.21	0.40
1:D:328:ASN:OD1	1:D:330:ILE:HG12	2.21	0.40
1:E:219:TYR:HB2	1:F:143:ASP:HB2	2.02	0.40
1:B:125:VAL:HG22	1:B:262:GLU:HB2	2.03	0.40
1:A:156:TYR:CE1	1:B:146:VAL:HG13	2.56	0.40
1:D:15:GLY:HA3	1:D:73:CYS:SG	2.60	0.40
1:F:79:ASP:H	1:F:82:ARG:HB2	1.87	0.40
1:C:282:ALA:HB2	1:C:291:MET:SD	2.61	0.40
1:D:359:LEU:HD13	1:D:405:LEU:HD22	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	409/425 (96%)	389 (95%)	19 (5%)	1 (0%)	47	76
1	B	412/425 (97%)	391 (95%)	19 (5%)	2 (0%)	29	59
1	C	410/425 (96%)	384 (94%)	26 (6%)	0	100	100
1	D	411/425 (97%)	386 (94%)	23 (6%)	2 (0%)	29	59
1	E	411/425 (97%)	389 (95%)	21 (5%)	1 (0%)	47	76
1	F	411/425 (97%)	387 (94%)	22 (5%)	2 (0%)	29	59
All	All	2464/2550 (97%)	2326 (94%)	130 (5%)	8 (0%)	41	70

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	124	TRP
1	D	163	GLN
1	E	124	TRP
1	F	164	LYS
1	A	124	TRP
1	B	271	ASN
1	D	124	TRP
1	F	31	ILE

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	337/362 (93%)	326 (97%)	11 (3%)	38	70
1	B	345/362 (95%)	332 (96%)	13 (4%)	33	65
1	C	333/362 (92%)	320 (96%)	13 (4%)	32	64
1	D	312/362 (86%)	297 (95%)	15 (5%)	25	56
1	E	339/362 (94%)	318 (94%)	21 (6%)	18	45
1	F	326/362 (90%)	318 (98%)	8 (2%)	47	77

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1992/2172 (92%)	1911 (96%)	81 (4%)	31 62

All (81) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	LEU
1	A	90	GLN
1	A	94	SER
1	A	140	ARG
1	A	155	THR
1	A	160	ASP
1	A	280	SER
1	A	303	VAL
1	A	312	VAL
1	A	332	SER
1	A	394	THR
1	B	12	GLU
1	B	151	LYS
1	B	164	LYS
1	B	184	ASN
1	B	212	LYS
1	B	252	ASP
1	B	304	GLU
1	B	314[A]	ARG
1	B	314[B]	ARG
1	B	325	THR
1	B	388	ARG
1	B	400	LYS
1	B	414	LEU
1	C	20	ARG
1	C	30	LEU
1	C	47	GLU
1	C	140	ARG
1	C	155	THR
1	C	157	THR
1	C	184	ASN
1	C	252	ASP
1	C	280	SER
1	C	326	SER
1	C	332	SER
1	C	338	ARG
1	C	399	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	20	ARG
1	D	98	THR
1	D	140	ARG
1	D	142	THR
1	D	154	ILE
1	D	184	ASN
1	D	213	ASN
1	D	247	GLU
1	D	279	ASP
1	D	280	SER
1	D	317	ARG
1	D	343	ARG
1	D	364	ILE
1	D	399	ASP
1	D	408	LYS
1	E	6	SER
1	E	20	ARG
1	E	94	SER
1	E	140	ARG
1	E	160	ASP
1	E	163	GLN
1	E	184	ASN
1	E	195	SER
1	E	202	SER
1	E	213	ASN
1	E	222	ARG
1	E	224	LYS
1	E	252	ASP
1	E	280	SER
1	E	292	THR
1	E	303	VAL
1	E	389	SER
1	E	399	ASP
1	E	406	LYS
1	E	408	LYS
1	E	414	LEU
1	F	12	GLU
1	F	39	LEU
1	F	54	ASP
1	F	132	ARG
1	F	140	ARG
1	F	213	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	280	SER
1	F	312	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	228	GLN
1	B	97	ASN
1	B	228	GLN
1	C	96	ASN
1	C	320	GLN
1	E	97	ASN
1	E	163	GLN
1	E	309	HIS
1	F	68	ASN
1	F	96	ASN
1	F	393	ASN
1	F	404	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 6 are monoatomic - leaving 12 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AKG	B	501	3	3,9,9	0.37	0	4,11,11	1.29	0
2	AKG	A	501	3	3,9,9	0.51	0	4,11,11	0.60	0
2	AKG	F	501	3	3,9,9	0.25	0	4,11,11	1.60	2 (50%)
2	AKG	E	501	3	3,9,9	0.35	0	4,11,11	1.22	0
4	NAP	D	503	-	45,52,52	1.79	4 (8%)	56,80,80	1.11	2 (3%)
4	NAP	F	503	-	45,52,52	1.76	4 (8%)	56,80,80	1.20	4 (7%)
4	NAP	B	502	-	45,52,52	1.65	4 (8%)	56,80,80	1.30	2 (3%)
4	NAP	E	503	-	45,52,52	1.73	3 (6%)	56,80,80	1.22	4 (7%)
4	NAP	A	504	-	45,52,52	1.77	4 (8%)	56,80,80	1.09	2 (3%)
4	NAP	C	503	-	45,52,52	1.82	3 (6%)	56,80,80	1.10	1 (1%)
2	AKG	D	501	3	3,9,9	0.45	0	4,11,11	0.64	0
2	AKG	C	501	3	3,9,9	0.59	0	4,11,11	1.12	1 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	AKG	B	501	3	-	1/3/9/9	-
2	AKG	A	501	3	-	2/3/9/9	-
2	AKG	F	501	3	-	3/3/9/9	-
2	AKG	E	501	3	-	2/3/9/9	-
4	NAP	D	503	-	-	4/31/67/67	0/5/5/5
4	NAP	F	503	-	-	11/31/67/67	0/5/5/5
4	NAP	B	502	-	-	9/31/67/67	0/5/5/5
4	NAP	E	503	-	-	10/31/67/67	0/5/5/5
4	NAP	A	504	-	-	12/31/67/67	0/5/5/5
4	NAP	C	503	-	-	10/31/67/67	0/5/5/5
2	AKG	D	501	3	-	3/3/9/9	-
2	AKG	C	501	3	-	3/3/9/9	-

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	503	NAP	O7N-C7N	9.41	1.42	1.24
4	D	503	NAP	O7N-C7N	9.15	1.41	1.24
4	F	503	NAP	O7N-C7N	8.98	1.41	1.24
4	E	503	NAP	O7N-C7N	8.93	1.41	1.24
4	A	504	NAP	O7N-C7N	8.83	1.41	1.24
4	B	502	NAP	O7N-C7N	8.25	1.39	1.24
4	C	503	NAP	C2A-N3A	4.93	1.40	1.32
4	A	504	NAP	C2A-N3A	4.60	1.39	1.32
4	D	503	NAP	C2A-N3A	4.40	1.39	1.32
4	E	503	NAP	C2A-N3A	4.27	1.39	1.32
4	F	503	NAP	C2A-N3A	4.22	1.38	1.32
4	B	502	NAP	C2A-N3A	4.16	1.38	1.32
4	A	504	NAP	C2A-N1A	3.13	1.39	1.33
4	C	503	NAP	C2A-N1A	2.89	1.39	1.33
4	E	503	NAP	C2A-N1A	2.80	1.39	1.33
4	B	502	NAP	C2A-N1A	2.78	1.39	1.33
4	D	503	NAP	C2A-N1A	2.71	1.38	1.33
4	F	503	NAP	C2A-N1A	2.70	1.38	1.33
4	D	503	NAP	C2N-N1N	2.52	1.38	1.35
4	F	503	NAP	C2N-N1N	2.43	1.37	1.35
4	A	504	NAP	C2N-N1N	2.14	1.37	1.35
4	B	502	NAP	C2N-N1N	2.13	1.37	1.35

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	502	NAP	N3A-C2A-N1A	-6.48	118.55	128.68
4	E	503	NAP	N3A-C2A-N1A	-5.85	119.54	128.68
4	F	503	NAP	N3A-C2A-N1A	-5.83	119.57	128.68
4	D	503	NAP	N3A-C2A-N1A	-5.67	119.82	128.68
4	A	504	NAP	N3A-C2A-N1A	-5.17	120.60	128.68
4	C	503	NAP	N3A-C2A-N1A	-4.80	121.17	128.68
4	B	502	NAP	C3N-C7N-N7N	3.39	121.82	117.75
4	E	503	NAP	C3N-C7N-N7N	2.78	121.09	117.75
4	F	503	NAP	C6N-N1N-C2N	-2.48	119.71	121.97
4	D	503	NAP	C3N-C7N-N7N	2.29	120.50	117.75
4	F	503	NAP	C3N-C7N-N7N	2.23	120.43	117.75
4	A	504	NAP	C3N-C7N-N7N	2.21	120.41	117.75
2	F	501	AKG	C3-C4-C5	-2.18	109.01	112.67
4	F	503	NAP	C3D-C2D-C1D	2.16	104.23	100.98
4	E	503	NAP	O4B-C4B-C5B	2.12	116.34	109.37
2	C	501	AKG	C3-C4-C5	-2.08	109.18	112.67
2	F	501	AKG	C4-C3-C2	-2.05	108.72	113.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	503	NAP	O7N-C7N-N7N	-2.03	119.69	122.58

There are no chirality outliers.

All (70) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	E	503	NAP	C5D-O5D-PN-O1N
4	E	503	NAP	O4D-C1D-N1N-C2N
4	E	503	NAP	O4D-C1D-N1N-C6N
4	F	503	NAP	C5B-O5B-PA-O1A
4	F	503	NAP	C5B-O5B-PA-O2A
4	F	503	NAP	C5B-O5B-PA-O3
4	F	503	NAP	C5D-O5D-PN-O1N
4	F	503	NAP	C5D-O5D-PN-O2N
4	A	504	NAP	C5B-O5B-PA-O1A
4	A	504	NAP	C5B-O5B-PA-O3
4	A	504	NAP	C5D-O5D-PN-O1N
4	A	504	NAP	C5D-O5D-PN-O2N
4	A	504	NAP	O4D-C1D-N1N-C2N
4	A	504	NAP	O4D-C1D-N1N-C6N
4	A	504	NAP	C2D-C1D-N1N-C2N
4	B	502	NAP	C5B-O5B-PA-O1A
4	B	502	NAP	C5B-O5B-PA-O3
4	B	502	NAP	C5D-O5D-PN-O1N
4	B	502	NAP	C5D-O5D-PN-O2N
4	B	502	NAP	O4D-C1D-N1N-C2N
4	B	502	NAP	O4D-C1D-N1N-C6N
4	C	503	NAP	C5D-O5D-PN-O2N
4	C	503	NAP	O4D-C1D-N1N-C2N
4	C	503	NAP	O4D-C1D-N1N-C6N
2	D	501	AKG	C1-C2-C3-C4
2	C	501	AKG	C2-C3-C4-C5
4	E	503	NAP	O4B-C4B-C5B-O5B
4	E	503	NAP	C3B-C4B-C5B-O5B
4	F	503	NAP	O4D-C4D-C5D-O5D
4	C	503	NAP	O4B-C4B-C5B-O5B
2	D	501	AKG	O5-C2-C3-C4
2	C	501	AKG	O5-C2-C3-C4
4	F	503	NAP	C3D-C4D-C5D-O5D
2	C	501	AKG	C1-C2-C3-C4
2	F	501	AKG	C1-C2-C3-C4
2	F	501	AKG	O5-C2-C3-C4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	C	503	NAP	C3B-C4B-C5B-O5B
2	D	501	AKG	C2-C3-C4-C5
4	A	504	NAP	C1B-C2B-O2B-P2B
4	E	503	NAP	C5D-O5D-PN-O3
4	D	503	NAP	C2B-O2B-P2B-O2X
4	C	503	NAP	C5D-O5D-PN-O3
4	E	503	NAP	PN-O3-PA-O2A
4	E	503	NAP	C5D-O5D-PN-O2N
4	B	502	NAP	C5B-O5B-PA-O2A
4	C	503	NAP	C5D-O5D-PN-O1N
2	B	501	AKG	C2-C3-C4-C5
2	F	501	AKG	C2-C3-C4-C5
4	C	503	NAP	C1B-C2B-O2B-P2B
4	F	503	NAP	PN-O3-PA-O2A
4	C	503	NAP	PN-O3-PA-O2A
2	A	501	AKG	C1-C2-C3-C4
4	F	503	NAP	C1B-C2B-O2B-P2B
4	F	503	NAP	PN-O3-PA-O1A
4	E	503	NAP	C2D-C1D-N1N-C2N
4	D	503	NAP	C5D-O5D-PN-O3
4	F	503	NAP	C5D-O5D-PN-O3
4	A	504	NAP	C5D-O5D-PN-O3
4	A	504	NAP	C2D-C1D-N1N-C6N
4	B	502	NAP	C5D-O5D-PN-O3
4	B	502	NAP	C2D-C1D-N1N-C2N
4	E	503	NAP	PN-O3-PA-O1A
4	D	503	NAP	PN-O3-PA-O1A
4	D	503	NAP	PN-O3-PA-O2A
4	C	503	NAP	PN-O3-PA-O1A
2	E	501	AKG	C1-C2-C3-C4
4	A	504	NAP	C5B-O5B-PA-O2A
2	E	501	AKG	C2-C3-C4-C5
2	A	501	AKG	O5-C2-C3-C4
4	A	504	NAP	C3B-C2B-O2B-P2B

There are no ring outliers.

4 monomers are involved in 3 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	AKG	1	0
4	E	503	NAP	1	0
4	A	504	NAP	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	503	NAP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	411/425 (96%)	-0.11	7 (1%) 70 70	39, 69, 98, 124	0
1	B	412/425 (96%)	-0.34	3 (0%) 87 87	38, 55, 79, 94	0
1	C	412/425 (96%)	0.01	15 (3%) 42 38	40, 69, 96, 130	0
1	D	412/425 (96%)	0.12	21 (5%) 28 24	40, 83, 116, 147	0
1	E	412/425 (96%)	0.09	22 (5%) 26 22	40, 71, 101, 121	0
1	F	412/425 (96%)	0.20	26 (6%) 20 16	42, 81, 112, 151	0
All	All	2471/2550 (96%)	-0.01	94 (3%) 40 36	38, 70, 105, 151	0

All (94) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	415	SER	9.0
1	D	35	VAL	6.6
1	F	35	VAL	6.0
1	D	363	SER	5.5
1	E	7	GLY	4.6
1	F	18	MET	4.3
1	D	409	LEU	4.1
1	E	37	LEU	4.0
1	C	409	LEU	3.9
1	F	34	TYR	3.9
1	F	380	ILE	3.8
1	E	196	SER	3.5
1	D	356	ALA	3.5
1	C	6	SER	3.4
1	F	37	LEU	3.3
1	F	381	LYS	3.3
1	D	352	LEU	3.2
1	F	241	ALA	3.2
1	D	114	CYS	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	231	TYR	3.2
1	C	236	LYS	3.1
1	E	10	VAL	3.1
1	F	318	MET	3.1
1	F	86	PHE	3.0
1	A	10	VAL	3.0
1	F	5	ILE	3.0
1	F	319	TYR	3.0
1	C	7	GLY	3.0
1	F	64	ILE	3.0
1	E	200	ALA	2.9
1	E	204	GLY	2.9
1	D	37	LEU	2.9
1	D	5	ILE	2.9
1	A	35	VAL	2.8
1	A	31	ILE	2.8
1	E	114	CYS	2.8
1	D	88	LEU	2.8
1	E	363	SER	2.8
1	B	5	ILE	2.8
1	E	337	THR	2.8
1	E	352	LEU	2.7
1	D	321	LYS	2.7
1	E	354	PHE	2.6
1	D	394	THR	2.6
1	E	6	SER	2.6
1	F	330	ILE	2.6
1	B	7	GLY	2.5
1	C	30	LEU	2.5
1	E	36	GLU	2.5
1	D	34	TYR	2.5
1	C	372	MET	2.5
1	F	46	ILE	2.5
1	F	385	ASN	2.5
1	F	125	VAL	2.5
1	F	377	ALA	2.5
1	C	230	ILE	2.5
1	F	354	PHE	2.5
1	C	405	LEU	2.4
1	C	398	MET	2.4
1	D	364	ILE	2.4
1	F	398	MET	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	35	VAL	2.4
1	C	31	ILE	2.4
1	A	201	LEU	2.3
1	C	226	ILE	2.3
1	F	30	LEU	2.3
1	E	67	HIS	2.3
1	D	32	PHE	2.3
1	F	412	ALA	2.3
1	C	415	SER	2.3
1	D	31	ILE	2.3
1	E	39	LEU	2.3
1	D	116	ASN	2.3
1	F	237	SER	2.2
1	D	405	LEU	2.2
1	E	340	LEU	2.2
1	D	391	TYR	2.2
1	D	46	ILE	2.2
1	F	243	LYS	2.2
1	F	409	LEU	2.2
1	E	236	LYS	2.2
1	E	32	PHE	2.2
1	C	36	GLU	2.2
1	B	352	LEU	2.2
1	E	244	ILE	2.1
1	D	83	VAL	2.1
1	E	69	VAL	2.1
1	A	336	TRP	2.1
1	C	229	GLU	2.1
1	A	190	GLU	2.0
1	F	116	ASN	2.0
1	F	88	LEU	2.0
1	E	208	TYR	2.0
1	D	89	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NAP	D	503	48/48	0.87	0.21	98,109,113,114	0
2	AKG	C	501	10/10	0.88	0.30	79,85,88,88	0
2	AKG	F	501	10/10	0.89	0.29	86,90,99,99	0
2	AKG	E	501	10/10	0.90	0.35	91,96,98,98	0
4	NAP	F	503	48/48	0.91	0.20	84,99,103,105	0
2	AKG	D	501	10/10	0.92	0.24	100,101,102,102	0
2	AKG	A	501	10/10	0.94	0.21	74,77,79,79	0
4	NAP	E	503	48/48	0.94	0.20	54,68,77,79	0
2	AKG	B	501	10/10	0.95	0.15	41,55,58,58	0
4	NAP	C	503	48/48	0.96	0.18	50,61,74,75	0
4	NAP	A	504	48/48	0.96	0.16	43,59,68,71	0
3	CA	F	502	1/1	0.96	0.20	74,74,74,74	0
3	CA	A	502	1/1	0.97	0.25	70,70,70,70	0
3	CA	D	502	1/1	0.98	0.24	70,70,70,70	0
4	NAP	B	502	48/48	0.98	0.17	44,51,59,62	0
3	CA	C	502	1/1	0.98	0.24	62,62,62,62	0
3	CA	E	502	1/1	0.98	0.23	72,72,72,72	0
3	CA	A	503	1/1	0.99	0.17	53,53,53,53	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around NAP D 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP F 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP E 503:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAP C 503:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAP A 504:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around NAP B 502:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.