



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2020 – 05:46 PM BST

PDB ID : 1L9B
Title : X-Ray Structure of the Cytochrome-c(2)-Photosynthetic Reaction Center Electron Transfer Complex from Rhodobacter sphaeroides in Type II Co-Crystals
Authors : Axelrod, H.L.; Abresch, E.C.; Okamura, M.Y.; Yeh, A.P.; Rees, D.C.; Feher, G.
Deposited on : 2002-03-22
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	281	<div> <div>5%</div> <div> <div></div> <div>74%</div> <div>25%</div> <div>.</div> </div> </div>
2	M	307	<div> <div>5%</div> <div> <div></div> <div>67%</div> <div>19%</div> <div>.</div> <div>13%</div> </div> </div>
3	H	260	<div> <div>10%</div> <div> <div></div> <div>67%</div> <div>26%</div> <div>.</div> <div>5%</div> </div> </div>
4	C	124	<div> <div>4%</div> <div> <div></div> <div>72%</div> <div>27%</div> <div>.</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	BPH	L	1005	X	-	-	-
7	BPH	M	1006	X	-	-	-
8	LDA	H	1014	-	-	-	X
8	LDA	H	1019	-	-	-	X
8	LDA	L	1018	-	-	-	X
8	LDA	M	1013	-	-	-	X
9	HTO	C	1022	-	-	X	X

2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 8102 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called REACTION CENTER PROTEIN L CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	L	281	Total	C	N	O	S	0	0	0
			2232	1507	355	362	8			

- Molecule 2 is a protein called REACTION CENTER PROTEIN M CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	M	267	Total	C	N	O	S	0	0	0
			2150	1450	347	344	9			

- Molecule 3 is a protein called REACTION CENTER PROTEIN H CHAIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	H	246	Total	C	N	O	S	0	0	0
			1871	1197	321	344	9			


- Molecule 4 is a protein called cytochrome c-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	C	124	Total	C	N	O	S	0	0	0
			949	595	166	184	4			

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	L	1	Total	Na	0	0
			1	1		

- Molecule 6 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula: C₅₅H₇₄MgN₄O₆).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
6	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
6	L	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
6	M	1	Total	C	Mg	N	O	0	0
			50	39	1	4	6		
6	M	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		

- Molecule 7 is BACTERIOPHEOPHYTIN A (three-letter code: BPH) (formula: C₅₅H₇₆N₄O₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
7	L	1	Total	C	N	O	0	0
			55	45	4	6		
7	M	1	Total	C	N	O	0	0
			65	55	4	6		

- Molecule 8 is LAURYL DIMETHYLAMINE-N-OXIDE (three-letter code: LDA) (formula: $C_{14}H_{31}NO$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	L	1	Total	C	N	O	0	0
			16	14	1	1		
8	L	1	Total	C	N	O	0	0
			16	14	1	1		
8	L	1	Total	C	N	O	0	0
			16	14	1	1		
8	L	1	Total	C	N	O	0	0
			16	14	1	1		
8	M	1	Total	C	N	O	0	0
			16	14	1	1		
8	M	1	Total	C	N	O	0	0
			16	14	1	1		
8	M	1	Total	C	N	O	0	0
			16	14	1	1		
8	H	1	Total	C	N	O	0	0
			16	14	1	1		
8	H	1	Total	C	N	O	0	0
			16	14	1	1		

- Molecule 9 is HEPTANE-1,2,3-TRIOL (three-letter code: HTO) (formula: $C_7H_{16}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	L	1	Total	C	O	0	0
			10	7	3		
9	C	1	Total	C	O	0	0
			10	7	3		


- Molecule 10 is FE (II) ION (three-letter code: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	M	1	Total	Fe	0	0
			1	1		

- Molecule 11 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	M	1	Total	Cl	0	0
			1	1		

- Molecule 12 is UBIQUINONE-10 (three-letter code: U10) (formula: $C_{59}H_{90}O_4$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	M	1	Total	C	O	0	0
			37	33	4		

- Molecule 13 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
13	C	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		


- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	L	91	Total 91	O 91	0	0
14	M	70	Total 70	O 70	0	0
14	H	66	Total 66	O 66	0	0
14	C	58	Total 58	O 58	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: REACTION CENTER PROTEIN L CHAIN




• Molecule 2: REACTION CENTER PROTEIN M CHAIN




• Molecule 3: REACTION CENTER PROTEIN H CHAIN





● Molecule 4: cytochrome c-2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	78.22Å 115.65Å 79.68Å 90.00° 110.29° 90.00°	Depositor
Resolution (Å)	45.73 – 2.40 45.73 – 2.40	Depositor EDS
% Data completeness (in resolution range)	96.7 (45.73-2.40) 96.7 (45.73-2.40)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.38 (at 2.39Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.220 , 0.264 0.210 , 0.250	Depositor DCC
R_{free} test set	2523 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	49.1	Xtriage
Anisotropy	0.703	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 75.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.022 for l,-k,h	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8102	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.65% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BCL, LDA, CL, HTO, BPH, FE2, NA, U10, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	L	0.37	0/2320	0.56	0/3175
2	M	0.39	0/2238	0.53	0/3057
3	H	0.31	0/1920	0.53	0/2612
4	C	0.35	0/969	0.59	0/1304
All	All	0.36	0/7447	0.55	0/10148

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	2232	0	2187	58	0
2	M	2150	0	2073	56	0
3	H	1871	0	1877	64	0
4	C	949	0	916	32	0
5	L	1	0	0	0	0
6	L	132	0	148	10	0
6	M	116	0	115	15	0
7	L	55	0	53	5	0
7	M	65	0	74	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	H	32	0	62	1	0
8	L	64	0	124	0	0
8	M	48	0	93	5	0
9	C	10	0	16	6	0
9	L	10	0	16	0	0
10	M	1	0	0	0	0
11	M	1	0	0	0	0
12	M	37	0	47	0	0
13	C	43	0	30	0	0
14	C	58	0	0	8	0
14	H	66	0	0	3	0
14	L	91	0	0	10	0
14	M	70	0	0	10	0
All	All	8102	0	7831	213	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (213) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:M:280:GLY:HA3	6:M:1003:BCL:HED3	1.40	1.02
2:M:280:GLY:HA3	6:M:1003:BCL:CED	1.93	0.98
2:M:157:TRP:HB2	6:M:1003:BCL:H62	1.49	0.93
2:M:218:MET:N	14:M:1085:HOH:O	2.03	0.91
2:M:268:TRP:HE1	3:H:35:ASN:ND2	1.69	0.90
2:M:278:LEU:HD21	8:M:1012:LDA:H102	1.52	0.89
3:H:146:LYS:H	3:H:146:LYS:HD3	1.37	0.88
2:M:268:TRP:HE1	3:H:35:ASN:HD21	1.21	0.88
1:L:207:ARG:HG3	2:M:142:MET:HG2	1.56	0.87
1:L:4:SER:HB2	3:H:79:GLU:HG2	1.59	0.82
4:C:32:ARG:HD2	9:C:1022:HTO:O2	1.79	0.82
6:M:1001:BCL:HBC1	6:M:1003:BCL:CAD	2.12	0.80
3:H:135:LYS:HG2	3:H:166:ASP:OD1	1.82	0.79
2:M:175:VAL:HB	8:M:1015:LDA:HM13	1.66	0.78
2:M:215:LEU:C	14:M:1085:HOH:O	2.23	0.76
4:C:7:ALA:HB3	4:C:112:ASN:HD22	1.51	0.75
1:L:56:GLN:HE22	1:L:65:SER:H	1.35	0.74
1:L:208:THR:HA	14:L:1105:HOH:O	1.87	0.74
3:H:194:GLN:H	3:H:194:GLN:NE2	1.88	0.72
2:M:52:LEU:HD21	2:M:60:LEU:HD12	1.72	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:C:105:LYS:HB2	14:C:1074:HOH:O	1.91	0.69
1:L:206:MET:HB3	14:L:1078:HOH:O	1.92	0.69
1:L:241:VAL:HG21	7:M:1006:BPH:HAC2	1.72	0.69
4:C:5:PRO:HG2	4:C:6:GLU:OE2	1.93	0.69
4:C:91:THR:HG23	4:C:93:ASP:H	1.58	0.69
1:L:135:ARG:NH1	1:L:251:THR:O	2.27	0.67
4:C:23:ASP:HA	4:C:41:TYR:CD2	2.29	0.67
3:H:226:THR:OG1	3:H:229:GLU:HG3	1.95	0.67
3:H:170:ASP:OD2	3:H:173:GLU:HB2	1.95	0.66
1:L:155:ASP:HB3	9:C:1022:HTO:H51	1.77	0.66
6:M:1001:BCL:H11	14:M:1082:HOH:O	1.96	0.66
3:H:168:TRP:HB2	3:H:178:PHE:HB2	1.79	0.65
2:M:229:PHE:HB2	2:M:244:ALA:HB2	1.79	0.65
3:H:196:VAL:HG12	3:H:205:VAL:HG22	1.78	0.64
6:L:1004:BCL:HAA2	8:M:1013:LDA:H31	1.79	0.64
7:L:1005:BPH:H5C2	2:M:63:GLY:HA3	1.78	0.64
3:H:165:VAL:HG21	3:H:182:GLU:HB2	1.80	0.64
2:M:108:PRO:HG2	2:M:111:GLU:HB2	1.80	0.64
4:C:87:LEU:O	4:C:91:THR:HG22	1.98	0.63
2:M:35:PHE:CE1	2:M:37:THR:HB	2.34	0.63
2:M:267:ARG:HH11	8:M:1012:LDA:HM12	1.64	0.63
2:M:264:GLY:HA3	3:H:35:ASN:OD1	1.99	0.63
2:M:243:THR:O	2:M:247:ARG:HG3	1.99	0.62
3:H:130:LYS:HG3	3:H:172:PRO:HG3	1.81	0.61
3:H:194:GLN:H	3:H:194:GLN:HE21	1.49	0.61
3:H:130:LYS:HG2	3:H:170:ASP:OD1	2.02	0.60
1:L:87:GLN:O	1:L:91:ILE:HG12	2.02	0.60
4:C:91:THR:HG23	4:C:93:ASP:N	2.17	0.59
1:L:135:ARG:HB3	1:L:136:PRO:HD3	1.84	0.59
2:M:280:GLY:HA3	6:M:1003:BCL:HED2	1.84	0.58
4:C:51:GLN:NE2	4:C:53:ASP:H	2.00	0.58
3:H:90:THR:HB	3:H:97:PRO:O	2.03	0.58
14:L:1104:HOH:O	2:M:253:ARG:HD3	2.01	0.58
3:H:11:ASP:HB3	3:H:14:SER:OG	2.05	0.57
1:L:7:ARG:HH11	1:L:7:ARG:HG3	1.69	0.57
6:L:1002:BCL:H193	8:H:1019:LDA:H121	1.86	0.57
4:C:20:VAL:HG23	4:C:31:GLY:HA3	1.87	0.57
3:H:179:LEU:HG	3:H:193:MET:SD	2.44	0.57
3:H:87:LEU:HD23	3:H:100:PRO:HA	1.86	0.56
2:M:69:THR:O	2:M:72:ILE:HG22	2.04	0.56
1:L:159:ASN:HD21	9:C:1022:HTO:H51	1.71	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:H:157:ASP:OD2	3:H:159:GLU:HB2	2.05	0.56
1:L:42:ALA:HA	7:M:1006:BPH:H9C3	1.87	0.56
3:H:245:ALA:HA	3:H:248:ARG:NH1	2.21	0.55
3:H:44:ASN:C	3:H:46:ASP:H	2.09	0.55
1:L:173:HIS:O	1:L:177:ILE:HG13	2.07	0.55
6:L:1002:BCL:HBD	6:L:1004:BCL:HBC1	1.89	0.55
4:C:51:GLN:HE22	4:C:53:ASP:H	1.53	0.54
3:H:50:ALA:C	3:H:52:ASN:H	2.10	0.54
4:C:46:ARG:HG2	4:C:47:THR:N	2.22	0.54
4:C:85:LYS:HE3	14:C:1048:HOH:O	2.08	0.54
3:H:137:ALA:HB1	3:H:140:PHE:CD1	2.42	0.54
3:H:251:VAL:HG12	3:H:251:VAL:O	2.08	0.54
3:H:142:VAL:HG21	3:H:147:ASN:ND2	2.22	0.53
2:M:73:TRP:HB2	2:M:114:LEU:HD13	1.91	0.53
1:L:272:TRP:CD2	2:M:87:ARG:HB3	2.43	0.53
1:L:4:SER:CB	3:H:79:GLU:HG2	2.34	0.53
6:L:1002:BCL:HBD	6:L:1004:BCL:CBC	2.38	0.53
2:M:267:ARG:HH11	8:M:1012:LDA:CM1	2.22	0.53
2:M:234:GLU:O	2:M:238:ILE:HG13	2.09	0.53
1:L:161:GLY:C	14:L:1030:HOH:O	2.47	0.53
4:C:123:ARG:CZ	14:C:1077:HOH:O	2.57	0.53
7:L:1005:BPH:HMB2	14:M:1084:HOH:O	2.08	0.53
4:C:93:ASP:OD1	4:C:94:ALA:N	2.42	0.52
3:H:228:LEU:O	3:H:232:LYS:HG2	2.09	0.52
3:H:52:ASN:HD22	3:H:52:ASN:C	2.11	0.52
1:L:42:ALA:O	1:L:46:ILE:HG12	2.09	0.52
1:L:209:PRO:HG3	2:M:235:LEU:HD12	1.91	0.52
3:H:146:LYS:H	3:H:146:LYS:CD	2.16	0.52
3:H:100:PRO:HB3	14:H:1024:HOH:O	2.09	0.52
3:H:79:GLU:HG3	3:H:81:GLU:HG2	1.92	0.52
1:L:147:PRO:HD3	14:L:1101:HOH:O	2.09	0.52
1:L:128:TYR:HB2	6:L:1002:BCL:H62	1.91	0.52
1:L:206:MET:HE2	14:L:1078:HOH:O	2.10	0.51
1:L:15:THR:HG22	1:L:30:TYR:OH	2.11	0.51
3:H:130:LYS:HG3	3:H:172:PRO:CG	2.40	0.51
1:L:244:SER:HB3	6:L:1002:BCL:HBA2	1.92	0.51
1:L:269:LEU:HD13	1:L:271:TRP:CZ2	2.46	0.51
4:C:32:ARG:HG2	14:C:1063:HOH:O	2.10	0.51
2:M:194:GLY:O	2:M:195:ASN:HB3	2.10	0.51
3:H:112:ALA:HA	3:H:235:GLY:O	2.11	0.50
3:H:80:SER:O	3:H:81:GLU:C	2.49	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:L:1028:HOH:O	9:C:1022:HTO:H12	2.10	0.50
4:C:7:ALA:CB	4:C:112:ASN:HD22	2.24	0.50
2:M:202:HIS:O	2:M:206:ILE:HG13	2.11	0.50
2:M:46:GLN:HG2	2:M:51:TYR:HA	1.94	0.50
1:L:153:HIS:O	1:L:157:VAL:HG23	2.12	0.49
2:M:122:MET:CE	2:M:157:TRP:HE1	2.25	0.49
2:M:280:GLY:C	6:M:1003:BCL:HED2	2.33	0.49
2:M:280:GLY:CA	6:M:1003:BCL:CED	2.79	0.49
1:L:208:THR:H	1:L:211:HIS:HD2	1.58	0.49
2:M:109:LEU:HA	2:M:113:GLY:HA3	1.94	0.49
2:M:218:MET:HB2	14:M:1085:HOH:O	2.13	0.49
6:M:1001:BCL:HBA1	14:M:1084:HOH:O	2.11	0.49
4:C:118:GLN:HA	4:C:122:VAL:HG23	1.93	0.49
1:L:207:ARG:N	1:L:207:ARG:HD2	2.27	0.49
3:H:45:GLU:HG3	3:H:94:GLU:OE1	2.13	0.48
4:C:77:VAL:O	4:C:81:GLN:HG3	2.13	0.48
1:L:33:PHE:O	1:L:36:VAL:HG22	2.13	0.48
1:L:181:PHE:CE2	6:M:1003:BCL:O1A	2.66	0.48
3:H:44:ASN:C	3:H:46:ASP:N	2.67	0.48
1:L:56:GLN:NE2	14:L:1046:HOH:O	2.44	0.48
1:L:133:LEU:O	1:L:137:VAL:HG23	2.14	0.48
4:C:77:VAL:HG22	4:C:110:ALA:HB1	1.96	0.47
7:L:1005:BPH:HBC1	2:M:274:VAL:HA	1.96	0.47
3:H:170:ASP:O	3:H:174:GLN:N	2.48	0.47
1:L:200:PRO:HB3	1:L:207:ARG:HD3	1.96	0.47
2:M:100:GLU:HB3	14:M:1018:HOH:O	2.14	0.47
1:L:43:ALA:O	1:L:47:ILE:HG13	2.14	0.47
2:M:99:PRO:HG2	14:M:1018:HOH:O	2.13	0.47
3:H:85:ILE:HG22	3:H:85:ILE:O	2.14	0.47
6:L:1002:BCL:HMC1	14:L:1109:HOH:O	2.14	0.47
3:H:179:LEU:HD12	3:H:196:VAL:HG21	1.98	0.46
3:H:52:ASN:ND2	3:H:52:ASN:C	2.69	0.46
2:M:148:TRP:HA	2:M:148:TRP:HE3	1.80	0.46
4:C:87:LEU:O	4:C:91:THR:CG2	2.62	0.46
1:L:74:GLY:O	1:L:141:ALA:HA	2.14	0.46
2:M:148:TRP:HA	2:M:148:TRP:CE3	2.51	0.46
2:M:280:GLY:CA	6:M:1003:BCL:HED2	2.44	0.46
4:C:29:ILE:HD12	4:C:29:ILE:N	2.31	0.46
6:L:1002:BCL:HBA1	6:L:1004:BCL:HBC1	1.97	0.46
4:C:58:GLY:O	4:C:62:LYS:HD3	2.15	0.46
3:H:188:THR:HG23	14:H:1069:HOH:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:85:LEU:O	1:L:89:ILE:HG13	2.16	0.45
1:L:10:ARG:NH2	1:L:25:TRP:HB2	2.31	0.45
6:L:1004:BCL:HBA2	6:L:1004:BCL:H3A	1.59	0.45
7:L:1005:BPH:H4C1	2:M:60:LEU:HD23	1.99	0.45
4:C:69:LEU:HB2	4:C:90:TYR:CE2	2.52	0.45
2:M:54:SER:HB2	14:M:1080:HOH:O	2.17	0.45
2:M:69:THR:HG23	2:M:114:LEU:HD22	1.99	0.44
3:H:44:ASN:O	3:H:46:ASP:N	2.49	0.44
1:L:21:LEU:O	1:L:21:LEU:HD23	2.18	0.44
4:C:77:VAL:HG21	4:C:111:HIS:CE1	2.53	0.44
3:H:66:LEU:N	3:H:66:LEU:HD12	2.32	0.44
1:L:185:LEU:HD13	7:L:1005:BPH:ND	2.32	0.44
1:L:60:ASN:O	1:L:64:ILE:HG13	2.17	0.44
1:L:7:ARG:NH1	1:L:7:ARG:HG3	2.32	0.44
3:H:81:GLU:O	3:H:81:GLU:CG	2.66	0.44
1:L:138:MET:SD	1:L:249:ILE:HD11	2.58	0.44
1:L:270:PRO:HA	14:L:1110:HOH:O	2.17	0.44
3:H:81:GLU:HG3	3:H:81:GLU:O	2.18	0.44
1:L:44:LEU:O	1:L:48:LEU:HG	2.18	0.44
2:M:167:LEU:HD12	2:M:285:LEU:HD11	2.00	0.43
3:H:181:VAL:HG12	3:H:191:LEU:HD23	1.99	0.43
4:C:19:HIS:HE1	4:C:38:PRO:HD2	1.83	0.43
1:L:159:ASN:HD21	9:C:1022:HTO:C5	2.31	0.43
2:M:164:ARG:HB3	2:M:165:PRO:HD3	2.01	0.43
2:M:240:ASP:OD2	3:H:117:ARG:HB3	2.18	0.43
3:H:171:ILE:HB	3:H:172:PRO:CD	2.49	0.43
3:H:34:GLU:HG3	14:H:1040:HOH:O	2.19	0.43
1:L:244:SER:CB	6:L:1002:BCL:HBA2	2.48	0.43
1:L:226:THR:O	1:L:229:ILE:HG22	2.19	0.42
6:M:1001:BCL:HBC1	6:M:1003:BCL:CBD	2.49	0.42
6:M:1001:BCL:H2	6:M:1003:BCL:H203	2.01	0.42
3:H:194:GLN:N	3:H:194:GLN:NE2	2.63	0.42
4:C:7:ALA:HB3	4:C:112:ASN:ND2	2.28	0.42
3:H:133:PRO:HG3	3:H:168:TRP:CE2	2.54	0.42
3:H:157:ASP:O	3:H:158:LEU:HB2	2.18	0.42
3:H:177:ARG:HH21	3:H:177:ARG:HG2	1.85	0.42
1:L:1:ALA:N	3:H:43:GLU:O	2.48	0.42
1:L:262:TRP:O	1:L:265:TRP:HD1	2.02	0.42
3:H:70:ARG:NH2	3:H:123:LEU:HD13	2.34	0.42
4:C:17:THR:HG22	4:C:17:THR:O	2.19	0.42
3:H:245:ALA:HB3	3:H:246:PRO:HD3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:187:LEU:HD11	2:M:269:ALA:HB1	2.02	0.42
2:M:256:MET:HE1	7:M:1006:BPH:CED	2.50	0.42
4:C:46:ARG:CD	14:C:1057:HOH:O	2.68	0.42
2:M:214:LEU:O	14:M:1085:HOH:O	2.21	0.42
2:M:226:VAL:HG23	2:M:231:GLY:HA3	2.01	0.42
1:L:100:TRP:O	1:L:104:GLU:HG3	2.20	0.42
1:L:15:THR:HG21	1:L:23:ASP:HB2	2.02	0.42
3:H:64:PHE:HB2	3:H:73:LEU:HB3	2.02	0.41
4:C:46:ARG:HD2	14:C:1057:HOH:O	2.20	0.41
4:C:107:GLU:HA	14:C:1079:HOH:O	2.20	0.41
3:H:73:LEU:HD22	3:H:74:THR:N	2.36	0.41
1:L:11:VAL:HB	1:L:12:PRO:HD2	2.03	0.41
1:L:170:ASN:O	1:L:173:HIS:HB3	2.20	0.41
2:M:157:TRP:HD1	6:M:1001:BCL:HBB1	1.86	0.41
3:H:240:GLY:O	3:H:244:ALA:HB3	2.21	0.41
2:M:242:GLY:O	2:M:246:GLU:HG3	2.20	0.41
3:H:165:VAL:CG2	3:H:182:GLU:HB2	2.49	0.41
1:L:24:PHE:CE1	1:L:31:VAL:HG21	2.55	0.41
2:M:73:TRP:CE3	2:M:114:LEU:HD12	2.55	0.41
2:M:122:MET:HE1	2:M:157:TRP:HE1	1.85	0.41
1:L:2:LEU:CD2	1:L:10:ARG:NH1	2.83	0.41
1:L:269:LEU:HA	1:L:269:LEU:HD23	1.91	0.41
2:M:204:LEU:HD13	3:H:20:PHE:CE2	2.56	0.41
4:C:123:ARG:HG3	14:C:1056:HOH:O	2.21	0.41
6:M:1001:BCL:HHC	6:M:1001:BCL:CBB	2.51	0.41
2:M:194:GLY:O	2:M:195:ASN:CB	2.68	0.41
3:H:191:LEU:HA	3:H:192:PRO:HD3	1.92	0.40
1:L:155:ASP:HB3	9:C:1022:HTO:C5	2.47	0.40
3:H:50:ALA:O	3:H:52:ASN:N	2.50	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	L	279/281 (99%)	261 (94%)	15 (5%)	3 (1%)	14	20
2	M	265/307 (86%)	256 (97%)	9 (3%)	0	100	100
3	H	244/260 (94%)	218 (89%)	22 (9%)	4 (2%)	9	13
4	C	122/124 (98%)	112 (92%)	10 (8%)	0	100	100
All	All	910/972 (94%)	847 (93%)	56 (6%)	7 (1%)	19	29

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	H	81	GLU
3	H	220	LYS
3	H	83	ARG
1	L	7	ARG
1	L	23	ASP
3	H	45	GLU
1	L	26	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	L	220/220 (100%)	216 (98%)	4 (2%)	59	76
2	M	209/240 (87%)	202 (97%)	7 (3%)	38	57
3	H	199/208 (96%)	193 (97%)	6 (3%)	41	61
4	C	93/93 (100%)	91 (98%)	2 (2%)	52	71
All	All	721/761 (95%)	702 (97%)	19 (3%)	46	66

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	126	LEU
1	L	185	LEU
1	L	195	LEU
1	L	272	TRP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	M	35	PHE
2	M	87	ARG
2	M	94	LEU
2	M	156	LEU
2	M	191	LEU
2	M	195	ASN
2	M	216	PHE
3	H	52	ASN
3	H	73	LEU
3	H	81	GLU
3	H	106	LYS
3	H	146	LYS
3	H	194	GLN
4	C	20	VAL
4	C	51	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	56	GLN
1	L	87	GLN
1	L	211	HIS
2	M	300	ASN
3	H	35	ASN
3	H	52	ASN
3	H	194	GLN
4	C	16	GLN
4	C	51	GLN
4	C	81	GLN
4	C	112	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 22 ligands modelled in this entry, 3 are monoatomic - leaving 19 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
8	LDA	H	1019	-	12,15,15	2.06	1 (8%)	14,17,17	1.72	4 (28%)
6	BCL	L	1002	1	58,74,74	1.34	6 (10%)	69,115,115	2.01	22 (31%)
8	LDA	M	1015	-	12,15,15	2.10	1 (8%)	14,17,17	1.67	4 (28%)
7	BPH	M	1006	-	64,70,70	1.51	9 (14%)	76,101,101	2.18	21 (27%)
12	U10	M	1008	-	37,37,63	1.97	10 (27%)	44,47,79	1.79	9 (20%)
8	LDA	M	1012	-	12,15,15	2.10	1 (8%)	14,17,17	1.74	4 (28%)
6	BCL	M	1003	2	58,74,74	1.31	8 (13%)	69,115,115	2.18	23 (33%)
8	LDA	L	1020	-	12,15,15	2.10	1 (8%)	14,17,17	1.69	4 (28%)
8	LDA	L	1017	-	12,15,15	2.10	1 (8%)	14,17,17	1.74	4 (28%)
9	HTO	C	1022	-	9,9,9	1.25	1 (11%)	10,10,10	0.66	0
8	LDA	M	1013	-	12,15,15	2.03	1 (8%)	14,17,17	1.69	4 (28%)
6	BCL	L	1004	1	58,74,74	1.33	7 (12%)	69,115,115	2.02	18 (26%)
8	LDA	H	1014	-	12,15,15	2.09	1 (8%)	14,17,17	1.71	4 (28%)
6	BCL	M	1001	2	42,58,74	1.55	8 (19%)	48,95,115	2.23	13 (27%)
9	HTO	L	1021	-	9,9,9	1.43	1 (11%)	10,10,10	0.55	0
8	LDA	L	1016	-	12,15,15	2.11	1 (8%)	14,17,17	1.71	4 (28%)
13	HEM	C	1009	4	27,50,50	2.27	10 (37%)	17,82,82	3.05	10 (58%)
7	BPH	L	1005	-	54,60,70	1.44	7 (12%)	64,89,101	2.30	21 (32%)
8	LDA	L	1018	-	12,15,15	2.11	1 (8%)	14,17,17	1.70	4 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	LDA	H	1019	-	-	9/13/13/13	-
6	BCL	L	1002	1	-	15/37/137/137	-
8	LDA	M	1015	-	-	6/13/13/13	-
7	BPH	M	1006	-	2/2/18/22	21/54/105/105	0/5/6/6
8	LDA	M	1012	-	-	5/13/13/13	-
12	U10	M	1008	-	-	4/32/56/87	0/1/1/1
6	BCL	M	1003	2	-	14/37/137/137	-
8	LDA	L	1020	-	-	8/13/13/13	-
8	LDA	L	1017	-	-	8/13/13/13	-
9	HTO	C	1022	-	-	0/10/10/10	-
8	LDA	M	1013	-	-	6/13/13/13	-
8	LDA	L	1016	-	-	9/13/13/13	-
6	BCL	L	1004	1	-	12/37/137/137	-
8	LDA	H	1014	-	-	9/13/13/13	-
6	BCL	M	1001	2	-	5/18/118/137	-
9	HTO	L	1021	-	-	0/10/10/10	-
7	BPH	L	1005	-	1/1/16/22	15/42/93/105	0/5/6/6
13	HEM	C	1009	4	-	0/6/54/54	-
8	LDA	L	1018	-	-	9/13/13/13	-

All (76) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	M	1012	LDA	O1-N1	-7.03	1.25	1.42
8	L	1016	LDA	O1-N1	-7.03	1.25	1.42
8	L	1017	LDA	O1-N1	-7.03	1.25	1.42
8	L	1018	LDA	O1-N1	-7.02	1.25	1.42
8	M	1015	LDA	O1-N1	-7.00	1.25	1.42
8	H	1014	LDA	O1-N1	-6.97	1.25	1.42
8	L	1020	LDA	O1-N1	-6.97	1.25	1.42
8	H	1019	LDA	O1-N1	-6.92	1.26	1.42
8	M	1013	LDA	O1-N1	-6.73	1.26	1.42
7	M	1006	BPH	C11-C10	-5.36	1.29	1.52
12	M	1008	U10	O4-C4	5.04	1.49	1.36
13	C	1009	HEM	CBB-CAB	4.48	1.59	1.29
13	C	1009	HEM	C3B-CAB	4.46	1.57	1.47
6	M	1001	BCL	C3C-C4C	-4.43	1.46	1.51
7	M	1006	BPH	O2A-CGA	4.34	1.46	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	C	1009	HEM	C3B-C2B	-4.22	1.34	1.40
7	L	1005	BPH	O2A-CGA	4.12	1.45	1.33
13	C	1009	HEM	CBC-CAC	3.90	1.55	1.29
7	L	1005	BPH	O2D-CGD	3.90	1.42	1.33
13	C	1009	HEM	C3C-CAC	3.80	1.55	1.47
6	L	1002	BCL	C1B-NB	3.75	1.38	1.35
7	M	1006	BPH	O2D-CGD	3.67	1.42	1.33
12	M	1008	U10	C13-C14	3.64	1.41	1.33
12	M	1008	U10	C23-C24	3.47	1.41	1.33
6	L	1004	BCL	C1B-NB	3.42	1.38	1.35
12	M	1008	U10	C7-C8	-3.35	1.45	1.50
9	L	1021	HTO	C3-C2	3.33	1.61	1.52
12	M	1008	U10	C6-C1	3.24	1.41	1.35
12	M	1008	U10	O3-C3M	-3.16	1.37	1.45
13	C	1009	HEM	CMD-C2D	3.12	1.58	1.51
12	M	1008	U10	O3-C3	3.08	1.44	1.36
6	L	1004	BCL	MG-NC	-3.07	1.99	2.06
6	L	1004	BCL	MG-NA	3.03	2.13	2.06
9	C	1022	HTO	C3-C2	3.02	1.60	1.52
6	M	1001	BCL	MG-NA	2.97	2.13	2.06
6	L	1002	BCL	C3C-C4C	-2.94	1.47	1.51
6	L	1002	BCL	MG-NC	-2.92	1.99	2.06
7	L	1005	BPH	C2-C3	2.77	1.39	1.33
7	L	1005	BPH	O2D-CED	-2.77	1.38	1.45
12	M	1008	U10	C18-C19	2.75	1.39	1.33
7	M	1006	BPH	O2D-CED	-2.73	1.38	1.45
6	M	1001	BCL	MG-NC	-2.72	1.99	2.06
12	M	1008	U10	C8-C9	2.69	1.39	1.33
7	M	1006	BPH	C2-C3	2.68	1.39	1.33
13	C	1009	HEM	C4D-C3D	2.68	1.48	1.42
13	C	1009	HEM	C3C-C2C	-2.67	1.36	1.40
6	M	1003	BCL	C1B-NB	2.64	1.37	1.35
6	L	1004	BCL	C3C-C4C	-2.62	1.48	1.51
7	L	1005	BPH	C2C-C3C	-2.59	1.47	1.54
7	L	1005	BPH	C2A-C1A	2.58	1.55	1.51
7	M	1006	BPH	CAA-C2A	2.57	1.58	1.54
6	M	1001	BCL	CAA-C2A	2.55	1.58	1.54
6	M	1003	BCL	C3D-CAD	-2.52	1.39	1.46
6	M	1003	BCL	MG-NA	2.48	2.12	2.06
6	L	1004	BCL	C6-C5	2.39	1.61	1.52
7	L	1005	BPH	CAA-C2A	2.36	1.58	1.54
6	M	1001	BCL	C1B-NB	2.33	1.37	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	M	1006	BPH	C2C-C3C	-2.32	1.48	1.54
6	M	1003	BCL	MG-NC	-2.30	2.00	2.06
7	M	1006	BPH	C2A-C1A	2.29	1.55	1.51
6	M	1001	BCL	CBB-CAB	2.27	1.56	1.49
6	M	1003	BCL	C4-C3	2.26	1.56	1.50
6	L	1004	BCL	C4-C3	2.26	1.56	1.50
12	M	1008	U10	C15-C14	2.24	1.56	1.50
6	L	1004	BCL	CBB-CAB	2.22	1.56	1.49
6	M	1003	BCL	O2D-CGD	-2.21	1.27	1.33
6	M	1003	BCL	O2D-CED	-2.21	1.40	1.45
6	L	1002	BCL	CBB-CAB	2.19	1.56	1.49
6	L	1002	BCL	MG-NA	2.18	2.11	2.06
7	M	1006	BPH	CHA-C1A	2.16	1.42	1.38
6	M	1001	BCL	C3D-CAD	-2.15	1.40	1.46
13	C	1009	HEM	C4A-NA	2.08	1.40	1.36
13	C	1009	HEM	C1D-ND	2.08	1.40	1.36
6	M	1003	BCL	C3C-C4C	-2.05	1.49	1.51
6	L	1002	BCL	C1-C2	2.04	1.55	1.49
6	M	1001	BCL	O2A-C1	2.02	1.51	1.46

All (173) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	M	1006	BPH	O2D-CGD-CBD	8.95	127.16	111.27
7	L	1005	BPH	O2D-CGD-CBD	8.64	126.62	111.27
6	M	1001	BCL	CBC-CAC-C3C	-6.47	99.07	113.47
6	L	1002	BCL	C4A-NA-C1A	-6.47	103.80	106.71
6	M	1003	BCL	C4D-C3D-CAD	-6.46	104.87	108.47
12	M	1008	U10	C3M-O3-C3	6.44	139.30	116.47
7	M	1006	BPH	C1-C2-C3	6.12	136.63	126.04
7	L	1005	BPH	C1-C2-C3	5.96	136.35	126.04
6	M	1001	BCL	C4D-C3D-CAD	-5.70	105.29	108.47
6	L	1004	BCL	C4A-NA-C1A	-5.57	104.20	106.71
6	M	1003	BCL	C4A-NA-C1A	-5.55	104.21	106.71
13	C	1009	HEM	CAD-CBD-CGD	5.51	121.92	112.67
6	L	1002	BCL	C4D-C3D-CAD	-5.23	105.55	108.47
13	C	1009	HEM	C1D-C2D-C3D	5.22	110.63	107.00
7	M	1006	BPH	C4A-NA-C1A	5.17	112.32	108.14
6	L	1004	BCL	C4D-C3D-CAD	-5.14	105.60	108.47
7	L	1005	BPH	C4A-NA-C1A	5.12	112.28	108.14
13	C	1009	HEM	CMD-C2D-C1D	-5.01	120.76	128.46
13	C	1009	HEM	CBD-CAD-C3D	-4.94	103.38	112.48

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	M	1001	BCL	C4A-NA-C1A	-4.62	104.63	106.71
6	M	1003	BCL	OBD-CAD-CBD	-4.61	119.31	125.89
6	M	1001	BCL	CMD-C2D-C3D	4.52	133.13	124.68
7	M	1006	BPH	CED-O2D-CGD	4.27	125.60	115.94
6	L	1004	BCL	O2A-C1-C2	-4.25	97.46	108.64
7	M	1006	BPH	O2D-CGD-O1D	-4.24	115.55	123.84
6	M	1003	BCL	O2D-CGD-CBD	-4.18	103.84	111.27
6	M	1003	BCL	CMD-C2D-C3D	4.16	132.46	124.68
7	L	1005	BPH	CED-O2D-CGD	4.10	125.20	115.94
7	M	1006	BPH	C6-C5-C3	4.08	124.15	113.45
6	L	1004	BCL	CMD-C2D-C3D	4.02	132.20	124.68
6	M	1003	BCL	C11-C12-C13	-4.01	102.96	115.92
6	L	1004	BCL	C1-O2A-CGA	3.95	126.80	116.44
6	L	1002	BCL	CMD-C2D-C3D	3.95	132.06	124.68
7	L	1005	BPH	O2D-CGD-O1D	-3.91	116.19	123.84
7	L	1005	BPH	C6-C5-C3	3.88	123.63	113.45
6	L	1004	BCL	OBD-CAD-CBD	-3.84	120.41	125.89
6	M	1003	BCL	OBB-CAB-CBB	-3.75	111.74	120.17
6	M	1001	BCL	OBB-CAB-CBB	-3.71	111.81	120.17
6	L	1002	BCL	OBD-CAD-CBD	-3.71	120.59	125.89
12	M	1008	U10	O5-C5-C6	-3.68	115.09	121.55
6	M	1001	BCL	OBD-CAD-CBD	-3.63	120.71	125.89
7	M	1006	BPH	C11-C10-C8	3.60	127.56	115.92
8	L	1018	LDA	CM1-N1-C1	-3.60	102.67	110.23
8	L	1017	LDA	CM1-N1-C1	-3.58	102.72	110.23
7	L	1005	BPH	O1D-CGD-CBD	-3.57	117.17	124.48
8	M	1012	LDA	CM1-N1-C1	-3.56	102.76	110.23
6	L	1004	BCL	C11-C12-C13	-3.54	104.48	115.92
8	L	1016	LDA	CM1-N1-C1	-3.54	102.80	110.23
7	M	1006	BPH	O1D-CGD-CBD	-3.52	117.28	124.48
6	M	1003	BCL	CMB-C2B-C3B	3.52	131.26	124.68
8	H	1019	LDA	CM1-N1-C1	-3.51	102.86	110.23
8	H	1014	LDA	CM1-N1-C1	-3.49	102.90	110.23
6	L	1004	BCL	OBB-CAB-CBB	-3.46	112.39	120.17
6	L	1002	BCL	OBB-CAB-CBB	-3.44	112.43	120.17
8	M	1013	LDA	CM1-N1-C1	-3.41	103.06	110.23
8	L	1020	LDA	CM1-N1-C1	-3.38	103.13	110.23
7	M	1006	BPH	CBC-CAC-C3C	3.36	120.94	113.47
8	M	1015	LDA	CM1-N1-C1	-3.36	103.19	110.23
13	C	1009	HEM	CAA-CBA-CGA	3.33	118.26	112.67
7	L	1005	BPH	C2C-C3C-C4C	3.33	106.32	101.34
6	L	1002	BCL	C11-C12-C13	-3.33	105.17	115.92

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	M	1001	BCL	C2C-C3C-C4C	3.31	106.30	101.34
13	C	1009	HEM	CBA-CAA-C2A	-3.30	106.40	112.49
6	L	1004	BCL	C16-C15-C13	-3.20	105.58	115.92
7	M	1006	BPH	C2C-C3C-C4C	3.19	106.11	101.34
8	M	1012	LDA	O1-N1-C1	3.17	117.04	109.27
6	M	1003	BCL	CHA-C1A-NA	-3.14	119.21	126.40
6	L	1004	BCL	CBC-CAC-C3C	-3.11	106.53	113.47
12	M	1008	U10	O2-C2-C3	-3.11	114.33	120.93
6	L	1004	BCL	CMB-C2B-C3B	3.10	130.48	124.68
6	L	1002	BCL	CMB-C2B-C3B	3.10	130.48	124.68
6	L	1004	BCL	CAC-C3C-C4C	-3.07	105.78	112.58
6	M	1003	BCL	O1D-CGD-CBD	3.05	130.72	124.48
7	L	1005	BPH	CHD-C4C-NC	-3.04	121.59	125.20
6	L	1004	BCL	C2C-C3C-C4C	3.03	105.88	101.34
12	M	1008	U10	C20-C19-C21	-2.98	110.26	115.27
6	M	1003	BCL	C4-C3-C5	2.98	120.28	115.27
6	L	1002	BCL	O1D-CGD-CBD	2.92	130.45	124.48
7	L	1005	BPH	CBC-CAC-C3C	2.89	119.91	113.47
6	M	1003	BCL	C16-C15-C13	-2.88	106.61	115.92
6	L	1002	BCL	C16-C15-C13	-2.88	106.62	115.92
6	M	1003	BCL	CMB-C2B-C1B	-2.87	124.05	128.46
6	M	1001	BCL	CHA-C1A-NA	-2.86	119.86	126.40
8	H	1014	LDA	O1-N1-C1	2.85	116.27	109.27
7	M	1006	BPH	C7-C6-C5	-2.83	105.66	113.36
8	L	1020	LDA	O1-N1-C1	2.82	116.20	109.27
7	M	1006	BPH	C4D-CHA-C1A	-2.82	123.57	130.51
8	H	1019	LDA	O1-N1-C1	2.81	116.18	109.27
8	M	1015	LDA	O1-N1-C1	2.80	116.14	109.27
8	L	1018	LDA	O1-N1-C1	2.79	116.11	109.27
8	L	1016	LDA	O1-N1-C1	2.79	116.11	109.27
6	L	1002	BCL	O2D-CGD-CBD	-2.77	106.35	111.27
8	L	1017	LDA	O1-N1-C1	2.74	115.99	109.27
6	M	1003	BCL	CBB-CAB-C3B	2.73	128.45	120.34
8	M	1013	LDA	O1-N1-C1	2.73	115.96	109.27
6	L	1002	BCL	CHA-C1A-NA	-2.69	120.25	126.40
13	C	1009	HEM	CMA-C3A-C4A	-2.66	124.38	128.46
6	M	1001	BCL	C3D-CAD-CBD	2.65	111.09	107.61
12	M	1008	U10	C16-C14-C13	2.64	126.47	121.12
6	M	1001	BCL	CAA-C2A-C3A	-2.62	105.60	112.78
6	L	1004	BCL	CMB-C2B-C1B	-2.62	124.44	128.46
6	L	1002	BCL	CBB-CAB-C3B	2.61	128.08	120.34
7	L	1005	BPH	C5-C3-C2	-2.60	115.86	121.12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	M	1013	LDA	CM2-N1-C1	2.58	115.65	110.23
7	L	1005	BPH	C4D-CHA-C1A	-2.58	124.16	130.51
6	L	1004	BCL	CHA-C1A-NA	-2.58	120.50	126.40
6	M	1003	BCL	C3D-CAD-CBD	2.56	110.98	107.61
7	L	1005	BPH	C4-C3-C5	2.54	119.55	115.27
12	M	1008	U10	C1-C6-C5	-2.53	117.20	119.58
7	M	1006	BPH	C3C-C2C-C1C	2.52	105.93	101.87
6	M	1001	BCL	CBB-CAB-C3B	2.51	127.79	120.34
8	L	1018	LDA	CM2-N1-C1	2.51	115.50	110.23
7	M	1006	BPH	O2A-CGA-O1A	-2.50	117.28	123.59
8	L	1017	LDA	CM2-N1-C1	2.50	115.49	110.23
6	L	1002	BCL	CMB-C2B-C1B	-2.48	124.65	128.46
6	L	1004	BCL	CBB-CAB-C3B	2.45	127.62	120.34
6	M	1001	BCL	CMB-C2B-C3B	2.44	129.25	124.68
8	L	1020	LDA	C9-C8-C7	-2.44	102.02	114.42
7	L	1005	BPH	CAA-C2A-C3A	-2.42	106.14	112.78
7	L	1005	BPH	CMD-C2D-C3D	2.42	129.20	124.68
6	L	1004	BCL	CAC-C3C-C2C	-2.41	108.23	114.26
13	C	1009	HEM	CMC-C2C-C3C	2.41	129.19	124.68
6	L	1002	BCL	CAC-C3C-C4C	-2.41	107.23	112.58
6	M	1003	BCL	CBC-CAC-C3C	-2.40	108.12	113.47
6	M	1003	BCL	CAC-C3C-C2C	-2.38	108.32	114.26
7	L	1005	BPH	C2A-C1A-NA	-2.37	109.14	111.86
7	M	1006	BPH	C2A-C1A-NA	-2.37	109.14	111.86
8	H	1019	LDA	C9-C8-C7	-2.35	102.49	114.42
8	M	1015	LDA	CM2-N1-C1	2.34	115.16	110.23
8	M	1012	LDA	C9-C8-C7	-2.34	102.56	114.42
7	M	1006	BPH	CMD-C2D-C3D	2.33	129.03	124.68
8	H	1014	LDA	CM2-N1-C1	2.32	115.11	110.23
7	L	1005	BPH	C7-C6-C5	-2.32	107.06	113.36
8	L	1017	LDA	C9-C8-C7	-2.32	102.67	114.42
7	L	1005	BPH	C3C-C2C-C1C	2.31	105.61	101.87
8	L	1016	LDA	CM2-N1-C1	2.31	115.08	110.23
12	M	1008	U10	C21-C19-C18	2.30	125.78	121.12
8	L	1016	LDA	C9-C8-C7	-2.30	102.74	114.42
6	L	1002	BCL	C4-C3-C5	2.29	119.12	115.27
8	L	1020	LDA	CM2-N1-C1	2.29	115.04	110.23
6	L	1002	BCL	CBC-CAC-C3C	-2.27	108.42	113.47
6	L	1002	BCL	CAA-C2A-C3A	-2.26	106.60	112.78
13	C	1009	HEM	CMA-C3A-C2A	2.25	129.19	124.94
7	M	1006	BPH	CHD-C4C-NC	-2.25	122.53	125.20
8	H	1019	LDA	CM2-N1-C1	2.24	114.95	110.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	M	1013	LDA	C9-C8-C7	-2.24	103.04	114.42
8	H	1014	LDA	C9-C8-C7	-2.23	103.11	114.42
7	L	1005	BPH	OBD-CAD-CBD	-2.22	122.72	125.89
6	M	1003	BCL	CAA-CBA-CGA	-2.21	106.78	113.25
7	L	1005	BPH	O2A-CGA-O1A	-2.20	118.03	123.59
6	M	1003	BCL	CAC-C3C-C4C	-2.20	107.70	112.58
12	M	1008	U10	C17-C18-C19	2.20	132.95	127.66
13	C	1009	HEM	CMB-C2B-C3B	2.19	128.77	124.68
7	M	1006	BPH	CAA-C2A-C3A	-2.19	106.78	112.78
7	L	1005	BPH	CBB-CAB-C3B	-2.18	115.77	120.43
6	L	1002	BCL	O2A-C1-C2	2.18	114.36	108.64
6	L	1004	BCL	C3D-CAD-CBD	2.16	110.45	107.61
7	M	1006	BPH	CAC-C3C-C2C	-2.15	108.88	114.26
8	M	1012	LDA	CM2-N1-C1	2.15	114.75	110.23
6	L	1002	BCL	C2C-C3C-C4C	2.13	104.53	101.34
12	M	1008	U10	C6-C1-C2	2.13	120.87	119.18
6	M	1001	BCL	CHD-C4C-NC	2.13	127.44	125.08
8	M	1015	LDA	C9-C8-C7	-2.12	103.64	114.42
6	M	1003	BCL	C2C-C3C-C4C	2.10	104.49	101.34
6	M	1003	BCL	C11-C10-C8	-2.09	109.17	115.92
7	M	1006	BPH	CAA-C2A-C1A	-2.07	106.98	112.33
6	L	1002	BCL	C3D-CAD-CBD	2.06	110.32	107.61
6	M	1003	BCL	CED-O2D-CGD	2.05	120.58	115.94
7	M	1006	BPH	C5-C3-C2	-2.05	116.97	121.12
8	L	1018	LDA	C9-C8-C7	-2.05	104.03	114.42
6	L	1002	BCL	C14-C13-C15	-2.03	103.95	111.29
6	L	1002	BCL	C7-C6-C5	-2.00	107.92	113.36
6	M	1003	BCL	CAA-C2A-C3A	-2.00	107.29	112.78

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	M	1006	BPH	C8
7	M	1006	BPH	C13
7	L	1005	BPH	C8

All (155) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	M	1006	BPH	CBD-CGD-O2D-CED
7	M	1006	BPH	C4C-C3C-CAC-CBC
7	M	1006	BPH	C4B-C3B-CAB-CBB

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	M	1006	BPH	O2A-C1-C2-C3
7	M	1006	BPH	C1-C2-C3-C4
7	L	1005	BPH	C4C-C3C-CAC-CBC
7	L	1005	BPH	C2C-C3C-CAC-CBC
7	L	1005	BPH	C4B-C3B-CAB-CBB
7	L	1005	BPH	C4B-C3B-CAB-OBB
7	L	1005	BPH	C2B-C3B-CAB-CBB
7	L	1005	BPH	C2B-C3B-CAB-OBB
7	L	1005	BPH	O2A-C1-C2-C3
7	L	1005	BPH	C2-C3-C5-C6
7	L	1005	BPH	C4-C3-C5-C6
6	L	1004	BCL	C1A-C2A-CAA-CBA
6	L	1004	BCL	C3A-C2A-CAA-CBA
7	M	1006	BPH	O1D-CGD-O2D-CED
6	L	1002	BCL	C4-C3-C5-C6
7	M	1006	BPH	C1-C2-C3-C5
6	L	1002	BCL	C3-C5-C6-C7
12	M	1008	U10	C24-C26-C27-C28
6	L	1002	BCL	C5-C6-C7-C8
7	M	1006	BPH	C10-C11-C12-C13
7	M	1006	BPH	C8-C10-C11-C12
6	L	1002	BCL	C2-C3-C5-C6
6	L	1004	BCL	C2A-CAA-CBA-CGA
8	H	1019	LDA	C6-C7-C8-C9
8	L	1017	LDA	C11-C10-C9-C8
8	H	1014	LDA	C11-C10-C9-C8
8	L	1018	LDA	C4-C5-C6-C7
8	M	1015	LDA	C2-C3-C4-C5
8	L	1016	LDA	C4-C5-C6-C7
6	M	1003	BCL	C11-C10-C8-C9
6	L	1004	BCL	C14-C13-C15-C16
8	L	1018	LDA	C6-C7-C8-C9
6	M	1001	BCL	C2A-CAA-CBA-CGA
6	M	1003	BCL	C3-C5-C6-C7
8	H	1014	LDA	C4-C5-C6-C7
8	H	1019	LDA	C11-C10-C9-C8
8	L	1017	LDA	C6-C7-C8-C9
8	H	1014	LDA	C6-C7-C8-C9
8	L	1020	LDA	C2-C3-C4-C5
6	L	1002	BCL	C3A-C2A-CAA-CBA
8	L	1017	LDA	C2-C3-C4-C5
8	L	1018	LDA	C11-C10-C9-C8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	L	1020	LDA	C4-C5-C6-C7
6	L	1002	BCL	O2A-C1-C2-C3
8	L	1016	LDA	C2-C3-C4-C5
8	H	1019	LDA	C1-C2-C3-C4
8	L	1018	LDA	C1-C2-C3-C4
6	M	1003	BCL	C5-C6-C7-C8
6	M	1003	BCL	C11-C10-C8-C7
8	M	1013	LDA	C1-C2-C3-C4
8	H	1019	LDA	C4-C5-C6-C7
8	L	1020	LDA	C1-C2-C3-C4
6	L	1004	BCL	C15-C16-C17-C18
8	L	1016	LDA	C6-C7-C8-C9
8	M	1015	LDA	C4-C5-C6-C7
6	L	1002	BCL	C1A-C2A-CAA-CBA
6	M	1001	BCL	C1A-C2A-CAA-CBA
7	M	1006	BPH	C2C-C3C-CAC-CBC
8	H	1014	LDA	C2-C3-C4-C5
8	M	1015	LDA	C1-C2-C3-C4
6	L	1002	BCL	C8-C10-C11-C12
8	H	1019	LDA	C9-C10-C11-C12
8	M	1012	LDA	C4-C5-C6-C7
8	H	1014	LDA	C9-C10-C11-C12
8	L	1016	LDA	C9-C10-C11-C12
8	L	1017	LDA	C9-C10-C11-C12
8	L	1016	LDA	C11-C10-C9-C8
8	L	1017	LDA	C4-C5-C6-C7
6	L	1002	BCL	C12-C13-C15-C16
6	M	1003	BCL	C11-C12-C13-C15
6	M	1003	BCL	C12-C13-C15-C16
6	L	1002	BCL	C14-C13-C15-C16
7	M	1006	BPH	C14-C13-C15-C16
6	M	1003	BCL	C11-C12-C13-C14
8	H	1019	LDA	C2-C3-C4-C5
7	M	1006	BPH	C4-C3-C5-C6
8	L	1020	LDA	C11-C10-C9-C8
7	M	1006	BPH	C5-C6-C7-C8
8	M	1013	LDA	C9-C10-C11-C12
6	M	1003	BCL	C14-C13-C15-C16
8	L	1020	LDA	C9-C10-C11-C12
8	M	1012	LDA	C11-C10-C9-C8
6	L	1002	BCL	C13-C15-C16-C17
7	M	1006	BPH	C2-C3-C5-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	M	1006	BPH	C12-C13-C15-C16
7	L	1005	BPH	C6-C7-C8-C10
7	L	1005	BPH	C5-C6-C7-C8
6	M	1001	BCL	CAD-CBD-CGD-O2D
7	M	1006	BPH	CAD-CBD-CGD-O2D
7	L	1005	BPH	CAD-CBD-CGD-O2D
6	M	1003	BCL	C4-C3-C5-C6
6	M	1001	BCL	O2A-C1-C2-C3
8	H	1019	LDA	C2-C1-N1-CM1
8	H	1019	LDA	C2-C1-N1-CM2
8	L	1017	LDA	C2-C1-N1-CM1
8	L	1017	LDA	C2-C1-N1-CM2
8	M	1012	LDA	C2-C1-N1-CM1
8	M	1012	LDA	C2-C1-N1-CM2
8	L	1016	LDA	C2-C1-N1-CM1
8	L	1016	LDA	C2-C1-N1-CM2
8	M	1013	LDA	C2-C1-N1-CM1
8	M	1013	LDA	C2-C1-N1-CM2
8	H	1014	LDA	C2-C1-N1-CM1
8	H	1014	LDA	C2-C1-N1-CM2
8	L	1018	LDA	C2-C1-N1-CM1
8	L	1018	LDA	C2-C1-N1-CM2
8	M	1015	LDA	C2-C1-N1-CM1
8	M	1015	LDA	C2-C1-N1-CM2
8	L	1020	LDA	C2-C1-N1-CM1
8	L	1020	LDA	C2-C1-N1-CM2
8	L	1018	LDA	C9-C10-C11-C12
8	M	1013	LDA	C4-C5-C6-C7
7	M	1006	BPH	C16-C17-C18-C20
8	H	1019	LDA	C2-C1-N1-O1
8	L	1017	LDA	C2-C1-N1-O1
8	M	1012	LDA	C2-C1-N1-O1
8	L	1016	LDA	C2-C1-N1-O1
8	M	1013	LDA	C2-C1-N1-O1
8	H	1014	LDA	C2-C1-N1-O1
8	L	1018	LDA	C2-C1-N1-O1
8	M	1015	LDA	C2-C1-N1-O1
8	L	1020	LDA	C2-C1-N1-O1
6	L	1004	BCL	C11-C12-C13-C15
8	H	1014	LDA	C1-C2-C3-C4
6	L	1004	BCL	C5-C6-C7-C8
7	L	1005	BPH	C6-C7-C8-C9

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	M	1001	BCL	C1-C2-C3-C4
6	L	1002	BCL	C11-C10-C8-C7
6	L	1004	BCL	C11-C12-C13-C14
7	M	1006	BPH	C16-C17-C18-C19
8	L	1018	LDA	C2-C3-C4-C5
6	M	1003	BCL	C13-C15-C16-C17
6	L	1004	BCL	O2A-C1-C2-C3
6	L	1004	BCL	C12-C13-C15-C16
6	L	1002	BCL	C2A-CAA-CBA-CGA
7	L	1005	BPH	O1D-CGD-O2D-CED
8	L	1016	LDA	C1-C2-C3-C4
12	M	1008	U10	C5-C4-O4-C4M
7	M	1006	BPH	C4B-C3B-CAB-OBB
7	L	1005	BPH	C1-C2-C3-C4
6	M	1003	BCL	C2-C3-C5-C6
6	L	1004	BCL	C11-C10-C8-C9
6	L	1002	BCL	CAD-CBD-CGD-O2D
6	M	1003	BCL	CHA-CBD-CGD-O1D
6	M	1003	BCL	CHA-CBD-CGD-O2D
6	L	1004	BCL	CHA-CBD-CGD-O2D
12	M	1008	U10	C26-C27-C28-C29
7	M	1006	BPH	C2B-C3B-CAB-CBB
7	M	1006	BPH	C2B-C3B-CAB-OBB
12	M	1008	U10	C14-C16-C17-C18
6	M	1003	BCL	CAA-CBA-CGA-O2A
6	L	1002	BCL	C15-C16-C17-C18

There are no ring outliers.


11 monomers are involved in 43 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	H	1019	LDA	1	0
6	L	1002	BCL	8	0
8	M	1015	LDA	1	0
7	M	1006	BPH	3	0
8	M	1012	LDA	3	0
6	M	1003	BCL	11	0
9	C	1022	HTO	6	0
8	M	1013	LDA	1	0
6	L	1004	BCL	5	0
6	M	1001	BCL	7	0
7	L	1005	BPH	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





Ligand BPH M 1006




Ligand U10 M 1008





Ligand BCL M 1003**Ligand BCL L 1004**

Ligand BCL M 1001



Ligand HEM C 1009





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	L	281/281 (100%)	0.45	15 (5%) 26 25	36, 56, 75, 85	0
2	M	267/307 (86%)	0.51	15 (5%) 24 23	34, 52, 71, 86	0
3	H	246/260 (94%)	0.66	27 (10%) 5 5	50, 73, 113, 139	0
4	C	124/124 (100%)	0.36	5 (4%) 38 37	38, 58, 82, 103	0
All	All	918/972 (94%)	0.51	62 (6%) 17 15	34, 60, 88, 139	0

All (62) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	H	138	ALA	9.2
3	H	253	ALA	8.9
3	H	141	HIS	6.3
3	H	142	VAL	6.0
3	H	252	VAL	5.7
3	H	144	ALA	4.9
3	H	251	VAL	4.3
3	H	143	SER	4.1
1	L	22	PHE	4.1
3	H	85	ILE	4.1
3	H	90	THR	4.0
3	H	137	ALA	4.0
4	C	2	GLU	3.9
3	H	140	PHE	3.9
4	C	124	PRO	3.9
3	H	80	SER	3.7
3	H	51	ALA	3.6
3	H	139	GLY	3.6
1	L	1	ALA	3.6
2	M	35	PHE	3.5
3	H	9	ASN	3.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	H	81	GLU	3.5
1	L	51	TRP	3.2
1	L	30	TYR	3.1
2	M	36	SER	3.1
4	C	1	GLN	3.0
3	H	79	GLU	3.0
2	M	240	ASP	2.9
2	M	37	THR	2.9
4	C	66	ALA	2.8
1	L	281	GLY	2.8
3	H	77	GLY	2.8
2	M	206	ILE	2.7
1	L	23	ASP	2.7
1	L	33	PHE	2.7
3	H	146	LYS	2.7
2	M	209	LEU	2.6
1	L	15	THR	2.5
3	H	223	THR	2.5
2	M	213	ALA	2.5
1	L	19	GLY	2.5
1	L	59	TRP	2.4
2	M	38	LEU	2.4
3	H	8	GLY	2.4
2	M	212	SER	2.4
2	M	207	ALA	2.4
1	L	21	LEU	2.3
2	M	98	ALA	2.3
1	L	88	ILE	2.3
2	M	208	PHE	2.2
3	H	245	ALA	2.2
2	M	214	LEU	2.2
3	H	136	ALA	2.2
3	H	145	GLY	2.1
3	H	108	GLY	2.1
4	C	63	GLU	2.1
1	L	16	LEU	2.1
2	M	135	LEU	2.1
1	L	20	ASN	2.1
1	L	237	SER	2.0
2	M	204	LEU	2.0
3	H	134	MET	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
8	LDA	L	1020	16/16	0.54	0.37	82,87,93,93	0
5	NA	L	1011	1/1	0.58	0.21	81,81,81,81	0
8	LDA	H	1014	16/16	0.61	0.42	132,133,134,134	0
9	HTO	C	1022	10/10	0.62	0.48	77,81,84,86	0
8	LDA	L	1018	16/16	0.63	0.52	94,95,102,102	0
8	LDA	M	1015	16/16	0.67	0.33	84,88,90,92	0
9	HTO	L	1021	10/10	0.68	0.36	97,103,104,104	0
8	LDA	H	1019	16/16	0.69	0.40	115,117,120,121	0
8	LDA	M	1013	16/16	0.71	0.47	68,83,96,97	0
8	LDA	M	1012	16/16	0.75	0.32	75,78,87,87	0
8	LDA	L	1016	16/16	0.75	0.25	120,122,124,125	0
8	LDA	L	1017	16/16	0.77	0.34	101,105,114,114	0
6	BCL	M	1001	50/66	0.90	0.21	43,47,71,73	0
7	BPH	L	1005	55/65	0.90	0.23	38,46,78,78	0
7	BPH	M	1006	65/65	0.90	0.26	42,53,77,81	0
6	BCL	M	1003	66/66	0.91	0.25	23,32,78,80	0
11	CL	M	1010	1/1	0.92	0.30	72,72,72,72	0
6	BCL	L	1002	66/66	0.92	0.23	17,34,69,74	0
12	U10	M	1008	37/63	0.93	0.26	41,54,87,87	0
6	BCL	L	1004	66/66	0.94	0.28	36,48,75,77	0
13	HEM	C	1009	43/43	0.97	0.16	38,42,46,50	0
10	FE2	M	1007	1/1	1.00	0.17	45,45,45,45	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around BCL M 1001:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BPH L 1005:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





Electron density around BPH M 1006:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL M 1003:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around BCL L 1002:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around U10 M 1008:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BCL L 1004:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM C 1009:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.