



Full wwPDB NMR Structure Validation Report ⓘ

May 28, 2020 – 10:59 pm BST

PDB ID : 2LC8
Title : Solution structure of the MLV readthrough pseudoknot
Authors : Houck-Loomis, B.; Durney, M.A.
Deposited on : 2011-04-26

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)
NmrClust : Kelley et al. (1996)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : 2.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR


The overall completeness of chemical shifts assignment is 21%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
RNA backbone	4643	676

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	63	

2 Ensemble composition and analysis ⓘ

This entry contains 10 models. This entry does not contain polypeptide chains, therefore identification of well-defined residues and clustering analysis are not possible. All residues are included in the validation scores.

3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 1810 atoms, of which 610 are hydrogens and 0 are deuteriums.

- Molecule 1 is a RNA chain called RNA (56-MER).


Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	P	
1	A	56	1810	535	610	224	385	56	0


4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA and DNA chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: RNA (56-MER)

Chain A: 





4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1


- Molecule 1: RNA (56-MER)

Chain A: 



4.2.2 Score per residue for model 2

- Molecule 1: RNA (56-MER)


Chain A: 



C
C
C

4.2.3 Score per residue for model 3

- Molecule 1: RNA (56-MER)


Chain A:  78% 10% 11%

Residue	Score
G4	Yellow
G5	Yellow
U6	Yellow
C7	Yellow
A8	Yellow
G9	Yellow
G10	Yellow
G11	Yellow
U12	Yellow
C13	Yellow
A14	Yellow
G15	Yellow
G16	Yellow
A17	Yellow
G18	Yellow
C19	Yellow
C20	Yellow
C21	Yellow
C22	Yellow
C23	Yellow
C24	Yellow
C25	Yellow
C26	Yellow
U27	Yellow
G28	Yellow
A29	Yellow
A30	Yellow
C31	Yellow
C32	Yellow
C33	Yellow
A34	Yellow
G35	Yellow
G36	Yellow
A37	Yellow
U38	Yellow
A39	Yellow
A40	Yellow
C41	Yellow
C42	Yellow
C43	Yellow
U44	Yellow
C45	Yellow
A46	Yellow
A47	Yellow
A48	Yellow
G49	Yellow
U50	Yellow
C51	Yellow
G52	Yellow
G53	Yellow
G54	Yellow
G55	Yellow
G56	Yellow
G57	Yellow
C58	Yellow
A59	Yellow
A	Grey

C
C
C

4.2.4 Score per residue for model 4

- Molecule 1: RNA (56-MER)


Chain A:  79% 10% 11%

Residue	Score
G4	Yellow
G5	Yellow
U6	Yellow
C7	Yellow
A8	Yellow
G9	Yellow
G10	Yellow
G11	Yellow
U12	Yellow
C13	Yellow
A14	Yellow
G15	Yellow
G16	Yellow
A17	Yellow
G18	Yellow
C19	Yellow
C20	Yellow
C21	Yellow
C22	Yellow
C23	Yellow
C24	Yellow
C25	Yellow
C26	Yellow
U27	Yellow
G28	Yellow
A29	Yellow
A30	Yellow
C31	Yellow
C32	Yellow
C33	Yellow
A34	Yellow
G35	Yellow
G36	Yellow
A37	Yellow
U38	Yellow
A39	Yellow
A40	Yellow
C41	Yellow
C42	Yellow
C43	Yellow
U44	Yellow
C45	Yellow
A46	Yellow
A47	Yellow
A48	Yellow
G49	Yellow
U50	Yellow
C51	Yellow
G52	Yellow
G53	Yellow
G54	Yellow
G55	Yellow
G56	Yellow
G57	Yellow
C58	Yellow
A59	Yellow
A	Grey

C
C
C

4.2.5 Score per residue for model 5

- Molecule 1: RNA (56-MER)


Chain A:  81% 8% 11%

Residue	Score
G4	Yellow
G5	Yellow
U6	Yellow
C7	Yellow
A8	Yellow
G9	Yellow
G10	Yellow
G11	Yellow
U12	Yellow
C13	Yellow
A14	Yellow
G15	Yellow
G16	Yellow
A17	Yellow
G18	Yellow
C19	Yellow
C20	Yellow
C21	Yellow
C22	Yellow
C23	Yellow
C24	Yellow
C25	Yellow
C26	Yellow
U27	Yellow
G28	Yellow
A29	Yellow
A30	Yellow
C31	Yellow
C32	Yellow
C33	Yellow
A34	Yellow
G35	Yellow
G36	Yellow
A37	Yellow
U38	Yellow
A39	Yellow
A40	Yellow
C41	Yellow
C42	Yellow
C43	Yellow
U44	Yellow
C45	Yellow
A46	Yellow
A47	Yellow
A48	Yellow
G49	Yellow
U50	Yellow
C51	Yellow
G52	Yellow
G53	Yellow
G54	Yellow
G55	Yellow
G56	Yellow
G57	Yellow
C58	Yellow
A59	Yellow
A	Grey

C
C
C

4.2.6 Score per residue for model 6

- Molecule 1: RNA (56-MER)


Chain A:  78% 11% 11%

Residue	Score
G4	Yellow
G5	Yellow
U6	Yellow
C7	Yellow
A8	Yellow
G9	Yellow
G10	Yellow
G11	Yellow
U12	Yellow
C13	Yellow
A14	Yellow
G15	Yellow
G16	Yellow
A17	Yellow
G18	Yellow
C19	Yellow
C20	Yellow
C21	Yellow
C22	Yellow
C23	Yellow
C24	Yellow
C25	Yellow
C26	Yellow
U27	Yellow
G28	Yellow
A29	Yellow
A30	Yellow
C31	Yellow
C32	Yellow
C33	Yellow
A34	Yellow
G35	Yellow
G36	Yellow
A37	Yellow
U38	Yellow
A39	Yellow
A40	Yellow
C41	Yellow
C42	Yellow
C43	Yellow
U44	Yellow
C45	Yellow
A46	Yellow
A47	Yellow
A48	Yellow
G49	Yellow
U50	Yellow
C51	Yellow
G52	Yellow
G53	Yellow
G54	Yellow
G55	Yellow
G56	Yellow
G57	Yellow
C58	Yellow
A59	Yellow
A	Grey

C
C
C


4.2.7 Score per residue for model 7

- Molecule 1: RNA (56-MER)




4.2.8 Score per residue for model 8

- Molecule 1: RNA (56-MER)




4.2.9 Score per residue for model 9

- Molecule 1: RNA (56-MER)



4.2.10 Score per residue for model 10

- Molecule 1: RNA (56-MER)



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 200 calculated structures, 10 were deposited, based on the following criterion: *structures with the least restraint violations*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure solution	
CYANA	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 6 of this report.

Chemical shift file(s)	input_cs.cif
Number of chemical shift lists	1
Total number of shifts	274
Number of shifts mapped to atoms	274
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	21%

No validations of the models with respect to experimental NMR restraints is performed at this time.

COVALENT-GEOMETRY INFOmissingINFO

5.1 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
All	All	12000	6100	6110	-

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is -.

There are no clashes.

5.2 Torsion angles [i](#)

5.2.1 Protein backbone [i](#)

There are no protein molecules in this entry.

5.2.2 Protein sidechains [i](#)

There are no protein molecules in this entry.

5.2.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers	Suiteness
1	A	55/63 (87%)	7±2 (13±3%)	1±1 (1±1%)	0.33±0.02
All	All	550/630 (87%)	74 (13%)	5 (1%)	0.33

The overall RNA backbone suiteness is 0.33.

All unique RNA backbone outliers are listed below:

Mol	Chain	Res	Type	Models (Total)
1	A	30	A	10
1	A	29	A	10
1	A	52	G	8
1	A	38	U	8
1	A	39	A	8
1	A	40	A	5
1	A	17	A	4
1	A	18	G	3
1	A	58	C	3
1	A	8	A	3
1	A	47	A	2
1	A	51	C	2
1	A	41	C	1
1	A	45	C	1
1	A	19	C	1
1	A	42	C	1
1	A	43	C	1
1	A	36	G	1
1	A	44	U	1
1	A	49	G	1

All unique RNA pucker outliers are listed below:

Mol	Chain	Res	Type	Models (Total)
1	A	38	U	4
1	A	49	G	1

5.3 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.4 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.5 Ligand geometry [i](#)

There are no ligands in this entry.

5.6 Other polymers [i](#)

There are no such molecules in this entry.

5.7 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 21% for the well-defined parts and 21% for the entire structure.

6.1 Chemical shift list 1

File name: input_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

6.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	274
Number of shifts mapped to atoms	274
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	84

6.1.2 Chemical shift referencing

No chemical shift referencing corrections were calculated (not enough data).

6.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 21%, i.e. 228 atoms were assigned a chemical shift out of a possible 1070. 0 out of 0 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Sidechain	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Aromatic	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Overall	228/1070 (21%)	155/622 (25%)	73/374 (20%)	0/74 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 21%, i.e. 228 atoms were assigned a chemical shift out of a possible 1070. 0 out of 0 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Sidechain	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Aromatic	0/0 (—%)	0/0 (—%)	0/0 (—%)	0/0 (—%)
Overall	228/1070 (21%)	155/622 (25%)	73/374 (20%)	0/74 (0%)

6.1.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	14	A	C2	109.71	161.87 – 144.47	-25.0
1	A	59	A	C2	110.95	161.87 – 144.47	-24.3
1	A	37	A	C2	111.80	161.87 – 144.47	-23.8
1	A	30	A	C2	111.86	161.87 – 144.47	-23.7
1	A	34	A	C2	112.10	161.87 – 144.47	-23.6
1	A	47	A	C2	112.28	161.87 – 144.47	-23.5
1	A	46	A	C2	112.33	161.87 – 144.47	-23.5
1	A	60	A	C2	112.44	161.87 – 144.47	-23.4
1	A	48	A	C2	112.55	161.87 – 144.47	-23.3
1	A	17	A	C2	112.89	161.87 – 144.47	-23.1
1	A	38	U	C6	100.14	150.24 – 132.24	-22.8
1	A	12	U	C6	100.30	150.24 – 132.24	-22.7
1	A	50	U	C6	100.52	150.24 – 132.24	-22.6
1	A	6	U	C6	100.55	150.24 – 132.24	-22.6
1	A	27	U	C6	100.60	150.24 – 132.24	-22.6
1	A	14	A	C1'	130.38	100.89 – 81.39	20.1
1	A	34	A	C1'	129.45	100.89 – 81.39	19.6
1	A	48	A	C1'	128.43	100.89 – 81.39	19.1
1	A	3	A	C1'	127.24	100.89 – 81.39	18.5
1	A	58	C	C6	117.60	148.60 – 132.80	-14.6
1	A	24	C	C6	117.96	148.60 – 132.80	-14.4
1	A	62	C	C1'	118.95	101.54 – 82.94	14.4
1	A	31	C	C6	118.78	148.60 – 132.80	-13.9
1	A	60	A	C8	116.36	148.09 – 130.69	-13.2
1	A	34	A	C8	116.95	148.09 – 130.69	-12.9
1	A	59	A	C8	117.06	148.09 – 130.69	-12.8
1	A	3	A	C2	130.97	161.87 – 144.47	-12.8
1	A	3	A	C8	117.65	148.09 – 130.69	-12.5
1	A	37	A	C8	117.84	148.09 – 130.69	-12.4
1	A	8	A	C8	117.84	148.09 – 130.69	-12.4
1	A	48	A	C8	118.26	148.09 – 130.69	-12.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	42	C	C5	116.40	104.91 – 88.81	12.1
1	A	63	C	C5	116.38	104.91 – 88.81	12.1
1	A	41	C	C5	116.31	104.91 – 88.81	12.1
1	A	57	G	C8	112.85	146.33 – 126.73	-12.1
1	A	56	G	C8	112.85	146.33 – 126.73	-12.1
1	A	11	G	C8	112.85	146.33 – 126.73	-12.1
1	A	39	A	C2	132.32	161.87 – 144.47	-12.0
1	A	55	G	C8	113.06	146.33 – 126.73	-12.0
1	A	36	G	C8	113.07	146.33 – 126.73	-12.0
1	A	8	A	C2	132.39	161.87 – 144.47	-11.9
1	A	40	A	C8	118.63	148.09 – 130.69	-11.9
1	A	62	C	C5	116.06	104.91 – 88.81	11.9
1	A	47	A	C8	118.67	148.09 – 130.69	-11.9
1	A	30	A	C8	118.69	148.09 – 130.69	-11.9
1	A	10	G	C8	113.25	146.33 – 126.73	-11.9
1	A	45	C	C5	115.92	104.91 – 88.81	11.8
1	A	40	A	C2	132.59	161.87 – 144.47	-11.8
1	A	35	G	C8	113.37	146.33 – 126.73	-11.8
1	A	4	G	C8	113.41	146.33 – 126.73	-11.8
1	A	15	G	C8	113.46	146.33 – 126.73	-11.8
1	A	29	A	C8	118.91	148.09 – 130.69	-11.8
1	A	29	A	C2	132.72	161.87 – 144.47	-11.8
1	A	46	A	C8	119.02	148.09 – 130.69	-11.7
1	A	39	A	C8	119.14	148.09 – 130.69	-11.6
1	A	25	C	C5	115.35	104.91 – 88.81	11.5
1	A	54	G	C8	114.03	146.33 – 126.73	-11.5
1	A	5	G	C8	114.07	146.33 – 126.73	-11.5
1	A	26	C	C5	115.29	104.91 – 88.81	11.4
1	A	9	G	C8	114.09	146.33 – 126.73	-11.4
1	A	16	G	C8	114.13	146.33 – 126.73	-11.4
1	A	51	C	C5	115.08	104.91 – 88.81	11.3
1	A	53	G	C8	114.42	146.33 – 126.73	-11.3
1	A	17	A	C8	119.87	148.09 – 130.69	-11.2
1	A	61	C	C5	114.71	104.91 – 88.81	11.1
1	A	31	C	C5	114.65	104.91 – 88.81	11.0
1	A	28	G	C8	115.24	146.33 – 126.73	-10.9
1	A	52	G	C8	115.75	146.33 – 126.73	-10.6
1	A	2	G	C8	115.88	146.33 – 126.73	-10.5
1	A	18	G	C8	116.31	146.33 – 126.73	-10.3
1	A	49	G	C8	116.61	146.33 – 126.73	-10.2
1	A	59	A	C1'	110.74	100.89 – 81.39	10.1
1	A	61	C	C1'	110.81	101.54 – 82.94	10.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atom	Shift, <i>ppm</i>	Expected range, <i>ppm</i>	Z-score
1	A	1	G	C8	117.30	146.33 – 126.73	-9.8
1	A	30	A	C1'	109.88	100.89 – 81.39	9.6
1	A	60	A	C1'	109.86	100.89 – 81.39	9.6
1	A	8	A	C1'	108.90	100.89 – 81.39	9.1
1	A	42	C	C1'	109.03	101.54 – 82.94	9.0
1	A	47	A	C1'	108.46	100.89 – 81.39	8.9
1	A	46	A	C1'	107.99	100.89 – 81.39	8.6
1	A	29	A	C1'	107.94	100.89 – 81.39	8.6
1	A	40	A	C1'	107.92	100.89 – 81.39	8.6
1	A	39	A	C1'	107.61	100.89 – 81.39	8.4
1	A	17	A	C1'	106.01	100.89 – 81.39	7.6

6.1.5 Random Coil Index (RCI) plots [i](#)

No *random coil index* (RCI) plot could be generated from the current chemical shift list (assigned_chem_shift_list_1). RCI is only applicable to proteins.