



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 25, 2021 – 10:07 AM EDT

PDB ID : 7LD2  
Title : Zoogloea ramigera biosynthetic thiolase Q183Y mutant, RbCl soak  
Authors : Marshall, A.C.; Bruning, J.B.  
Deposited on : 2021-01-12  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.23.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	399	
1	B	399	
1	C	399	
1	D	399	

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 11969 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Acetyl-CoA acetyltransferase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	390	Total	C	N	O	S	0	0	0
			2820	1754	506	539	21			
1	B	390	Total	C	N	O	S	0	1	0
			2829	1759	509	540	21			
1	C	390	Total	C	N	O	S	0	0	0
			2801	1743	503	534	21			
1	D	390	Total	C	N	O	S	0	0	0
			2782	1733	497	532	20			

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	initiating methionine	UNP P07097
A	-5	HIS	-	expression tag	UNP P07097
A	-4	HIS	-	expression tag	UNP P07097
A	-3	HIS	-	expression tag	UNP P07097
A	-2	HIS	-	expression tag	UNP P07097
A	-1	HIS	-	expression tag	UNP P07097
A	0	HIS	-	expression tag	UNP P07097
A	11	ALA	-	insertion	UNP P07097
A	129	ARG	ALA	conflict	UNP P07097
A	183	TYR	GLN	engineered mutation	UNP P07097
B	-6	MET	-	initiating methionine	UNP P07097
B	-5	HIS	-	expression tag	UNP P07097
B	-4	HIS	-	expression tag	UNP P07097
B	-3	HIS	-	expression tag	UNP P07097
B	-2	HIS	-	expression tag	UNP P07097
B	-1	HIS	-	expression tag	UNP P07097
B	0	HIS	-	expression tag	UNP P07097
B	11	ALA	-	insertion	UNP P07097
B	129	ARG	ALA	conflict	UNP P07097
B	183	TYR	GLN	engineered mutation	UNP P07097
C	-6	MET	-	initiating methionine	UNP P07097

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-5	HIS	-	expression tag	UNP P07097
C	-4	HIS	-	expression tag	UNP P07097
C	-3	HIS	-	expression tag	UNP P07097
C	-2	HIS	-	expression tag	UNP P07097
C	-1	HIS	-	expression tag	UNP P07097
C	0	HIS	-	expression tag	UNP P07097
C	11	ALA	-	insertion	UNP P07097
C	129	ARG	ALA	conflict	UNP P07097
C	183	TYR	GLN	engineered mutation	UNP P07097
D	-6	MET	-	initiating methionine	UNP P07097
D	-5	HIS	-	expression tag	UNP P07097
D	-4	HIS	-	expression tag	UNP P07097
D	-3	HIS	-	expression tag	UNP P07097
D	-2	HIS	-	expression tag	UNP P07097
D	-1	HIS	-	expression tag	UNP P07097
D	0	HIS	-	expression tag	UNP P07097
D	11	ALA	-	insertion	UNP P07097
D	129	ARG	ALA	conflict	UNP P07097
D	183	TYR	GLN	engineered mutation	UNP P07097

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is COENZYME A (three-letter code: COA) (formula:  $C_{21}H_{36}N_7O_{16}P_3S$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	B	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	C	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		
3	D	1	Total	C	N	O	P	S	0	0
			48	21	7	16	3	1		

- Molecule 4 is RUBIDIUM ION (three-letter code: RB) (formula: Rb) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Rb	0	0
			1	1		
4	B	1	Total	Rb	0	0
			1	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	C	1	Total 1	Rb 1	0	0
4	D	1	Total 1	Rb 1	0	0

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	6	Total 6	Cl 6	0	0
5	B	4	Total 4	Cl 4	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	167	Total 167	O 167	0	0
6	B	182	Total 182	O 182	0	0
6	C	81	Total 81	O 81	0	0
6	D	81	Total 81	O 81	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Acetyl-CoA acetyltransferase




#### • Molecule 1: Acetyl-CoA acetyltransferase




#### • Molecule 1: Acetyl-CoA acetyltransferase



#### • Molecule 1: Acetyl-CoA acetyltransferase







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	84.68Å 79.68Å 149.60Å 90.00° 93.45° 90.00°	Depositor
Resolution (Å)	34.83 – 2.80 34.83 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.5 (34.83-2.80) 99.5 (34.83-2.80)	Depositor EDS
$R_{merge}$	0.36	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.19 (at 2.81Å)	Xtriage
Refinement program	PHENIX 1.15_3459	Depositor
R, $R_{free}$	0.234 , 0.271 0.233 , 0.270	Depositor DCC
$R_{free}$ test set	2424 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	31.1	Xtriage
Anisotropy	0.515	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 15.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.44$ , $\langle L^2 \rangle = 0.26$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.88	EDS
Total number of atoms	11969	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.04% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SCY, COA, CL, SO4, RB

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.25	0/2853	0.43	0/3852
1	B	0.25	0/2862	0.43	0/3864
1	C	0.25	0/2834	0.42	0/3831
1	D	0.24	0/2815	0.43	0/3809
All	All	0.25	0/11364	0.43	0/15356

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2820	0	2817	22	0
1	B	2829	0	2823	26	0
1	C	2801	0	2777	27	0
1	D	2782	0	2744	21	0
2	A	10	0	0	0	0
2	B	10	0	0	0	0
3	A	48	0	32	0	0
3	B	48	0	32	1	0
3	C	48	0	32	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	48	0	32	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	6	0	0	1	0
5	B	4	0	0	0	0
6	A	167	0	0	2	0
6	B	182	0	0	2	0
6	C	81	0	0	4	0
6	D	81	0	0	1	0
All	All	11969	0	11289	87	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (87) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:316:ASN:HD22	1:B:377:LEU:HD23	1.51	0.74
1:B:274:ARG:NH2	1:B:390:GLU:OE1	2.27	0.67
1:B:364:GLU:OE1	1:B:367:ARG:NH1	2.28	0.67
1:C:129:ARG:HH21	1:D:122:ALA:HB3	1.63	0.64
1:A:85:MET:HA	1:B:85:MET:HA	1.81	0.63
1:C:316:ASN:HD22	1:C:377:LEU:HD23	1.64	0.62
1:C:372:LYS:N	6:C:507:HOH:O	2.32	0.62
1:A:48:GLU:OE1	1:A:267:ARG:NH1	2.33	0.59
1:B:68:ARG:NH1	1:B:80:ALA:O	2.32	0.59
1:D:263:GLU:OE1	1:D:266:ARG:NH1	2.38	0.57
1:C:364:GLU:OE1	1:C:367:ARG:NH1	2.38	0.57
1:B:220:ARG:NH1	6:B:507:HOH:O	2.37	0.56
1:C:141:ASP:OD1	1:D:129:ARG:NH2	2.36	0.56
1:C:89:SCY:OCD	1:C:380:GLY:N	2.28	0.56
1:A:47:GLY:N	5:A:407:CL:CL	2.75	0.55
1:B:348:HIS:CE1	3:B:403:COA:H21	2.42	0.54
1:C:85:MET:HA	1:D:85:MET:HA	1.89	0.54
1:B:48:GLU:OE1	1:B:267:ARG:NH1	2.39	0.54
1:A:274:ARG:NH2	1:A:390:GLU:OE1	2.41	0.53
1:D:48:GLU:OE2	1:D:267:ARG:NH1	2.40	0.52
1:A:263:GLU:OE1	1:A:266:ARG:NH1	2.43	0.52
1:C:316:ASN:ND2	1:C:377:LEU:HD23	2.25	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:297:ARG:NE	6:A:508:HOH:O	2.36	0.51
1:C:274:ARG:NH2	1:C:390:GLU:OE1	2.43	0.51
1:B:88:LEU:HB2	1:B:379:ILE:HG23	1.93	0.51
1:D:5:ILE:HG13	1:D:100:MET:HG2	1.93	0.51
1:D:88:LEU:HB2	1:D:379:ILE:HG23	1.93	0.51
1:C:122:ALA:HB3	1:D:129:ARG:HH21	1.76	0.51
1:D:274:ARG:NH2	1:D:390:GLU:OE1	2.44	0.50
1:B:316:ASN:ND2	1:B:377:LEU:HD23	2.25	0.50
1:D:282:GLY:HA2	1:D:383:MET:HA	1.94	0.49
1:A:68:ARG:NH1	1:A:80:ALA:O	2.35	0.49
1:A:114:GLY:HA3	1:A:255:ALA:HA	1.95	0.49
1:A:122:ALA:HB3	1:B:129:ARG:HH21	1.78	0.49
1:A:89:SCY:OCD	1:A:380:GLY:N	2.36	0.48
1:B:313:VAL:HB	1:B:337:VAL:HG22	1.96	0.48
1:A:364:GLU:OE1	1:A:367:ARG:NH1	2.41	0.47
1:C:339:VAL:HG11	1:C:368:ARG:NH2	2.29	0.47
1:B:89:SCY:OCD	1:B:380:GLY:N	2.30	0.47
1:C:153:TYR:HE1	1:C:285:PRO:HG2	1.79	0.47
1:A:141:ASP:OD1	1:B:129:ARG:NH2	2.45	0.47
1:D:68:ARG:NH1	1:D:80:ALA:O	2.44	0.47
1:C:371:ARG:HB2	1:C:371:ARG:HH11	1.80	0.46
1:B:339:VAL:HG11	1:B:368:ARG:NH2	2.31	0.46
1:C:311:ASP:HB2	6:C:507:HOH:O	2.15	0.46
1:C:114:GLY:HA3	1:C:255:ALA:HA	1.96	0.46
1:B:292:PRO:HD3	1:B:378:CYS:HB3	1.98	0.46
1:A:313:VAL:HB	1:A:337:VAL:HG22	1.98	0.45
1:B:314:GLU:HG3	1:B:361:LEU:HB2	1.98	0.45
1:D:263:GLU:HG3	1:D:267:ARG:HE	1.82	0.45
1:A:317:GLU:OE2	6:A:501:HOH:O	2.20	0.45
1:D:117:GLU:HG2	1:D:350:ILE:HG13	1.99	0.45
1:C:15:VAL:O	6:C:501:HOH:O	2.20	0.44
1:B:98:LEU:O	1:B:102:GLN:HG2	2.17	0.44
1:C:28:HIS:ND1	1:C:62:GLU:OE2	2.43	0.43
1:D:293:ILE:HG13	1:D:326:VAL:HG22	1.98	0.43
1:D:339:VAL:HG11	1:D:368:ARG:NH2	2.33	0.43
1:A:83:TRP:HH2	1:A:98:LEU:HD13	1.82	0.43
1:B:319:PHE:O	1:B:322:GLN:HG3	2.19	0.43
1:C:68:ARG:HG3	1:D:152:PHE:HZ	1.84	0.43
1:B:114:GLY:HA3	1:B:255:ALA:HA	1.99	0.42
1:D:35:ILE:HD11	1:D:54:LEU:HD11	2.01	0.42
1:C:262:ALA:O	1:C:266:ARG:HG3	2.19	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:339:VAL:HG11	1:C:368:ARG:HH22	1.83	0.42
1:C:46:ALA:HB1	1:C:76:VAL:HA	2.01	0.42
1:C:236:ASP:HB3	1:C:239:GLY:HA3	2.02	0.42
1:A:129:ARG:HH21	1:B:122:ALA:HB3	1.83	0.42
1:D:365:MET:HA	1:D:370:ALA:HB3	2.02	0.42
1:A:144:ILE:HD13	1:A:148:LEU:HD12	2.00	0.42
1:C:233:PRO:HA	1:C:242:THR:HG22	2.02	0.42
1:B:83:TRP:HH2	1:B:98:LEU:HD13	1.84	0.41
1:B:316:ASN:HD21	1:B:348:HIS:CD2	2.38	0.41
1:A:282:GLY:HA2	1:A:383:MET:HA	2.02	0.41
1:B:16:GLY:HA2	1:B:217:GLU:HG2	2.03	0.41
1:C:371:ARG:N	6:C:507:HOH:O	2.53	0.41
1:A:98:LEU:O	1:A:102:GLN:HG2	2.21	0.41
1:C:29:GLU:HG2	1:C:73:LYS:HE2	2.03	0.41
1:C:83:TRP:HH2	1:C:98:LEU:HD13	1.86	0.41
1:A:168:TRP:CH2	1:A:329:ASP:HB2	2.56	0.41
1:A:364:GLU:O	1:A:368:ARG:HG2	2.21	0.41
1:D:291:GLY:O	1:D:294:PRO:HD2	2.21	0.41
1:D:371:ARG:NH1	6:D:512:HOH:O	2.54	0.41
1:A:319:PHE:O	1:A:322:GLN:HG3	2.20	0.40
1:C:313:VAL:HB	1:C:337:VAL:HG22	2.04	0.40
1:D:89:SCY:OCD	1:D:380:GLY:N	2.36	0.40
1:B:291:GLY:O	1:B:294:PRO:HD2	2.22	0.40
1:B:78:GLN:HG2	6:B:533:HOH:O	2.20	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	387/399 (97%)	374 (97%)	13 (3%)	0	<a href="#">100</a> <a href="#">100</a>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	388/399 (97%)	374 (96%)	14 (4%)	0	100	100
1	C	387/399 (97%)	377 (97%)	10 (3%)	0	100	100
1	D	387/399 (97%)	375 (97%)	12 (3%)	0	100	100
All	All	1549/1596 (97%)	1500 (97%)	49 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	275/285 (96%)	269 (98%)	6 (2%)	52	83
1	B	275/285 (96%)	270 (98%)	5 (2%)	59	86
1	C	269/285 (94%)	263 (98%)	6 (2%)	52	83
1	D	265/285 (93%)	260 (98%)	5 (2%)	57	85
All	All	1084/1140 (95%)	1062 (98%)	22 (2%)	55	84

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	LEU
1	A	155	TYR
1	A	237	LYS
1	A	288	MET
1	A	332	TRP
1	A	353	SER
1	B	155	TYR
1	B	237	LYS
1	B	288	MET
1	B	322	GLN
1	B	332	TRP
1	C	155	TYR
1	C	288	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	332	TRP
1	C	350	ILE
1	C	353	SER
1	C	371	ARG
1	D	155	TYR
1	D	288	MET
1	D	298	LYS
1	D	332	TRP
1	D	350	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	SCY	D	89	1	7,8,9	0.91	0	3,9,11	0.79	0
1	SCY	C	89	1	7,8,9	0.90	0	3,9,11	0.75	0
1	SCY	A	89	1	7,8,9	0.91	0	3,9,11	0.79	0
1	SCY	B	89	1	7,8,9	0.93	0	3,9,11	0.81	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	SCY	D	89	1	-	2/5/7/9	-
1	SCY	C	89	1	-	2/5/7/9	-
1	SCY	A	89	1	-	2/5/7/9	-
1	SCY	B	89	1	-	2/5/7/9	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	89	SCY	OCD-CD-SG-CB
1	B	89	SCY	OCD-CD-SG-CB
1	C	89	SCY	OCD-CD-SG-CB
1	D	89	SCY	OCD-CD-SG-CB
1	A	89	SCY	CE-CD-SG-CB
1	B	89	SCY	CE-CD-SG-CB
1	C	89	SCY	CE-CD-SG-CB
1	D	89	SCY	CE-CD-SG-CB

There are no ring outliers.

4 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	D	89	SCY	1	0
1	C	89	SCY	1	0
1	A	89	SCY	1	0
1	B	89	SCY	1	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 22 ligands modelled in this entry, 14 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The



Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	COA	A	403	-	41,50,50	1.03	2 (4%)	52,75,75	1.39	6 (11%)
3	COA	C	401	-	41,50,50	1.01	2 (4%)	52,75,75	1.48	7 (13%)
3	COA	B	403	-	41,50,50	1.06	2 (4%)	52,75,75	1.61	10 (19%)
2	SO4	B	402	-	4,4,4	0.14	0	6,6,6	0.05	0
2	SO4	A	402	-	4,4,4	0.14	0	6,6,6	0.05	0
2	SO4	A	401	-	4,4,4	0.14	0	6,6,6	0.04	0
3	COA	D	401	-	41,50,50	1.05	2 (4%)	52,75,75	1.54	8 (15%)
2	SO4	B	401	-	4,4,4	0.14	0	6,6,6	0.04	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	COA	A	403	-	-	8/44/64/64	0/3/3/3
3	COA	B	403	-	-	17/44/64/64	0/3/3/3
3	COA	C	401	-	-	8/44/64/64	0/3/3/3
3	COA	D	401	-	-	10/44/64/64	0/3/3/3

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	401	COA	O4B-C1B	3.36	1.45	1.41
3	A	403	COA	O4B-C1B	3.18	1.45	1.41
3	C	401	COA	O4B-C1B	3.04	1.45	1.41
3	B	403	COA	O4B-C1B	2.99	1.45	1.41
3	B	403	COA	C8A-N7A	-2.49	1.30	1.34
3	A	403	COA	C8A-N7A	-2.45	1.30	1.34
3	C	401	COA	C8A-N7A	-2.33	1.30	1.34
3	D	401	COA	C8A-N7A	-2.32	1.30	1.34

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	401	COA	P2A-O3A-P1A	-6.53	110.41	132.83
3	B	403	COA	P2A-O3A-P1A	-6.43	110.77	132.83
3	C	401	COA	P2A-O3A-P1A	-6.19	111.59	132.83
3	A	403	COA	P2A-O3A-P1A	-5.73	113.17	132.83
3	C	401	COA	N3A-C2A-N1A	-3.98	122.45	128.68
3	D	401	COA	N3A-C2A-N1A	-3.95	122.50	128.68
3	A	403	COA	N3A-C2A-N1A	-3.89	122.61	128.68
3	B	403	COA	N3A-C2A-N1A	-3.86	122.64	128.68
3	D	401	COA	C7P-C6P-C5P	-2.78	107.72	112.36
3	B	403	COA	C2P-C3P-N4P	-2.78	105.96	112.31
3	D	401	COA	P2A-O6A-CCP	-2.68	106.11	121.56
3	B	403	COA	P2A-O6A-CCP	-2.67	106.15	121.56
3	D	401	COA	P1A-O5B-C5B	-2.67	106.02	121.68
3	B	403	COA	C7P-C6P-C5P	-2.55	108.11	112.36
3	B	403	COA	C3B-C2B-C1B	2.54	105.51	99.89
3	C	401	COA	P2A-O6A-CCP	-2.54	106.94	121.56
3	C	401	COA	C7P-C6P-C5P	-2.49	108.22	112.36
3	C	401	COA	P1A-O5B-C5B	-2.43	107.40	121.68
3	B	403	COA	C6P-C5P-N4P	2.43	120.51	116.42
3	A	403	COA	P1A-O5B-C5B	-2.43	107.44	121.68
3	D	401	COA	C6P-C5P-N4P	2.37	120.42	116.42
3	B	403	COA	P1A-O5B-C5B	-2.35	107.89	121.68
3	C	401	COA	C6P-C5P-N4P	2.33	120.35	116.42
3	D	401	COA	C4A-C5A-N7A	-2.31	107.00	109.40
3	B	403	COA	C4A-C5A-N7A	-2.22	107.08	109.40
3	A	403	COA	P2A-O6A-CCP	-2.22	108.78	121.56
3	A	403	COA	C4A-C5A-N7A	-2.17	107.14	109.40
3	D	401	COA	C2B-C3B-C4B	-2.15	99.41	103.22
3	B	403	COA	O5P-C5P-N4P	-2.06	119.13	123.01
3	C	401	COA	C4A-C5A-N7A	-2.06	107.25	109.40
3	A	403	COA	C2B-C3B-C4B	-2.00	99.67	103.22

There are no chirality outliers.

All (43) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	403	COA	CCP-O6A-P2A-O3A
3	A	403	COA	CCP-O6A-P2A-O4A
3	A	403	COA	CCP-O6A-P2A-O5A
3	B	403	COA	C4B-C3B-O3B-P3B
3	B	403	COA	CCP-O6A-P2A-O3A
3	B	403	COA	OAP-CAP-CBP-CCP
3	B	403	COA	C9P-CAP-CBP-CCP

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
3	B	403	COA	OAP-CAP-CBP-CDP
3	B	403	COA	C9P-CAP-CBP-CDP
3	B	403	COA	C5P-C6P-C7P-N8P
3	C	401	COA	CCP-O6A-P2A-O3A
3	C	401	COA	CCP-O6A-P2A-O4A
3	C	401	COA	CCP-O6A-P2A-O5A
3	C	401	COA	CDP-CBP-CCP-O6A
3	C	401	COA	CAP-CBP-CCP-O6A
3	D	401	COA	C3B-O3B-P3B-O7A
3	D	401	COA	C5B-O5B-P1A-O1A
3	D	401	COA	C5B-O5B-P1A-O3A
3	D	401	COA	CCP-O6A-P2A-O4A
3	D	401	COA	S1P-C2P-C3P-N4P
3	B	403	COA	C6P-C5P-N4P-C3P
3	A	403	COA	O4B-C4B-C5B-O5B
3	B	403	COA	O5P-C5P-N4P-C3P
3	D	401	COA	C4B-C3B-O3B-P3B
3	A	403	COA	C3B-C4B-C5B-O5B
3	C	401	COA	CEP-CBP-CCP-O6A
3	D	401	COA	C2B-C3B-O3B-P3B
3	A	403	COA	CDP-CBP-CCP-O6A
3	A	403	COA	CEP-CBP-CCP-O6A
3	B	403	COA	OAP-CAP-CBP-CEP
3	C	401	COA	S1P-C2P-C3P-N4P
3	A	403	COA	C3B-O3B-P3B-O7A
3	B	403	COA	C9P-CAP-CBP-CEP
3	C	401	COA	P2A-O3A-P1A-O2A
3	B	403	COA	CCP-O6A-P2A-O4A
3	B	403	COA	CCP-O6A-P2A-O5A
3	D	401	COA	C4B-C5B-O5B-P1A
3	B	403	COA	C2P-C3P-N4P-C5P
3	B	403	COA	CEP-CBP-CCP-O6A
3	B	403	COA	O4B-C4B-C5B-O5B
3	D	401	COA	CCP-O6A-P2A-O3A
3	D	401	COA	C3B-C4B-C5B-O5B
3	B	403	COA	CDP-CBP-CCP-O6A


There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	403	COA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	389/399 (97%)	-0.70	0 100 100	19, 34, 54, 90	0
1	B	389/399 (97%)	-0.69	0 100 100	21, 34, 56, 104	0
1	C	389/399 (97%)	-0.51	0 100 100	40, 53, 74, 114	0
1	D	389/399 (97%)	-0.22	11 (2%) 53 43	42, 66, 104, 135	0
All	All	1556/1596 (97%)	-0.53	11 (0%) 87 84	19, 47, 87, 135	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	319	PHE	3.4
1	D	236	ASP	3.2
1	D	221	HIS	2.6
1	D	321	ALA	2.5
1	D	331	GLY	2.5
1	D	164	VAL	2.3
1	D	227	SER	2.3
1	D	229	ALA	2.3
1	D	382	GLY	2.2
1	D	234	ALA	2.1
1	D	322	GLN	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	SCY	B	89	9/10	0.95	0.15	27,28,43,43	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
1	SCY	C	89	9/10	0.96	0.14	50,51,58,58	0
1	SCY	D	89	9/10	0.96	0.16	63,66,75,75	0
1	SCY	A	89	9/10	0.97	0.13	25,29,43,44	0

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	COA	D	401	48/48	0.89	0.26	51,99,115,116	48
2	SO4	B	402	5/5	0.92	0.38	110,110,112,117	0
3	COA	C	401	48/48	0.95	0.15	36,50,77,81	48
2	SO4	A	401	5/5	0.95	0.17	90,94,95,97	0
4	RB	D	402	1/1	0.95	0.04	94,94,94,94	1
2	SO4	B	401	5/5	0.96	0.16	116,127,128,129	0
2	SO4	A	402	5/5	0.97	0.32	85,90,95,96	0
3	COA	A	403	48/48	0.97	0.13	14,34,59,65	48
3	COA	B	403	48/48	0.97	0.13	25,55,90,94	0
5	CL	A	407	1/1	0.98	0.07	32,32,32,32	0
5	CL	A	409	1/1	0.98	0.09	41,41,41,41	0
5	CL	B	405	1/1	0.98	0.08	25,25,25,25	0
5	CL	A	405	1/1	0.99	0.05	33,33,33,33	0
5	CL	A	406	1/1	0.99	0.08	45,45,45,45	0
4	RB	B	404	1/1	0.99	0.09	36,36,36,36	1
5	CL	A	408	1/1	0.99	0.06	32,32,32,32	0
4	RB	C	402	1/1	0.99	0.08	40,40,40,40	1
5	CL	A	410	1/1	0.99	0.05	44,44,44,44	0
4	RB	A	404	1/1	0.99	0.07	33,33,33,33	1
5	CL	B	407	1/1	0.99	0.09	32,32,32,32	0
5	CL	B	406	1/1	1.00	0.07	29,29,29,29	0
5	CL	B	408	1/1	1.00	0.05	44,44,44,44	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around COA D 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around COA C 401:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around RB D 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around COA A 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around COA B 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around RB B 404:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around RB C 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers ⓘ

There are no such residues in this entry.