



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 24, 2020 – 03:29 PM BST

PDB ID : 5LF1  
Title : Human 20S proteasome complex with Dihydroeponemycin at 2.0 Angstrom  
Authors : Schrader, J.; Henneberg, F.; Mata, R.; Tittmann, K.; Schneider, T.R.; Stark, H.; Bourenkov, G.; Chari, A.  
Deposited on : 2016-06-30  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
<i>R<sub>free</sub></i>	130704	8085 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	234	<div><div>3%</div><div>91%</div><div>6% ..</div></div>
1	O	234	<div><div>14%</div><div>92%</div><div>5% ..</div></div>
2	B	261	<div><div>5%</div><div>91%</div><div>5%</div></div>
2	P	261	<div><div>15%</div><div>88%</div><div>7% • 5%</div></div>
3	C	248	<div><div>11%</div><div>90%</div><div>5% •</div></div>
3	Q	248	<div><div>19%</div><div>88%</div><div>7% • •</div></div>
4	D	241	<div><div>7%</div><div>92%</div><div>• • •</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	R	241	
5	E	263	
5	S	263	
6	F	255	
6	T	255	
7	G	246	
7	U	246	
8	H	234	
8	V	234	
9	I	205	
9	W	205	
10	J	201	
10	X	201	
11	K	204	
11	Y	204	
12	L	213	
12	Z	213	
13	M	219	
13	a	219	
14	N	205	
14	b	205	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	6V1	U	47	X	-	-	-

## 2 Entry composition

There are 20 unique types of molecules in this entry. The entry contains 52156 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	230	Total	C	N	O	S	0	3	0
			1788	1145	301	336	6			
1	O	230	Total	C	N	O	S	0	0	0
			1741	1111	293	331	6			

- Molecule 2 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	248	Total	C	N	O	S	0	2	0
			1922	1217	331	363	11			
2	P	248	Total	C	N	O	S	0	2	0
			1909	1206	325	367	11			

- Molecule 3 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	237	Total	C	N	O	S	0	2	0
			1798	1121	320	352	5			
3	Q	239	Total	C	N	O	S	0	0	0
			1820	1136	320	359	5			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	233	Total	C	N	O	S	0	1	0
			1762	1105	290	356	11			
4	R	233	Total	C	N	O	S	0	1	0
			1753	1103	293	346	11			

- Molecule 5 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	234	Total	C	N	O	S	0	1	0
			1822	1144	325	342	11			
5	S	238	Total	C	N	O	S	0	3	0
			1875	1175	340	349	11			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	148	6V1	CYS	conflict	UNP P25786
S	148	6V1	CYS	conflict	UNP P25786

- Molecule 6 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	239	Total	C	N	O	S	0	4	0
			1888	1198	325	353	12			
6	T	240	Total	C	N	O	S	0	1	0
			1856	1178	315	351	12			

- Molecule 7 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	244	Total	C	N	O	S	0	2	0
			1912	1214	321	364	13			
7	U	238	Total	C	N	O	S	0	1	0
			1815	1147	304	350	14			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	47	6V1	CYS	conflict	UNP P60900
G	161	6V1	CYS	conflict	UNP P60900
U	47	6V1	CYS	conflict	UNP P60900
U	161	6V1	CYS	conflict	UNP P60900

- Molecule 8 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	220	Total	C	N	O	S	0	2	0
			1664	1047	284	320	13			
8	V	220	Total	C	N	O	S	0	2	0
			1622	1023	269	318	12			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	3	0
			1613	1028	270	295	20			
9	W	204	Total	C	N	O	S	0	2	0
			1599	1018	267	295	19			

- Molecule 10 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	196	Total	C	N	O	S	0	3	0
			1590	1021	271	288	10			
10	X	196	Total	C	N	O	S	0	2	0
			1576	1012	267	287	10			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
J	91	6V1	CYS	conflict	UNP P49721
X	91	6V1	CYS	conflict	UNP P49721

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	200	Total	C	N	O	S	0	0	0
			1545	974	269	293	9			
11	Y	201	Total	C	N	O	S	0	3	0
			1580	996	280	294	10			

- Molecule 12 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	213	Total	C	N	O	S	0	2	0
			1636	1038	277	310	11			
12	Z	213	Total	C	N	O	S	0	1	0
			1642	1041	280	310	11			

- Molecule 13 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	216	Total	C	N	O	S	0	1	0
			1692	1067	291	322	12			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	a	216	Total	C	N	O	S	0	2	0
			1688	1064	291	321	12			

- Molecule 14 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	202	Total	C	N	O	S	0	1	0
			1519	953	258	295	13			
14	b	203	Total	C	N	O	S	0	1	0
			1524	956	259	296	13			

- Molecule 15 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	P	1	Total	Cl	0	0
			1	1		
15	K	4	Total	Cl	0	0
			4	4		
15	B	2	Total	Cl	0	0
			2	2		
15	W	1	Total	Cl	0	0
			1	1		
15	N	4	Total	Cl	0	0
			4	4		
15	S	3	Total	Cl	0	0
			3	3		
15	E	4	Total	Cl	0	0
			4	4		
15	b	4	Total	Cl	0	0
			4	4		
15	V	1	Total	Cl	0	0
			1	1		
15	A	4	Total	Cl	0	0
			4	4		
15	R	2	Total	Cl	0	0
			2	2		
15	M	3	Total	Cl	0	0
			3	3		
15	D	1	Total	Cl	0	0
			1	1		
15	I	1	Total	Cl	0	0
			1	1		

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	a	3	Total Cl 3 3	0	0
15	U	1	Total Cl 1 1	0	0
15	G	2	Total Cl 2 2	0	0
15	Q	2	Total Cl 2 2	0	0
15	H	1	Total Cl 1 1	0	0
15	C	2	Total Cl 2 2	0	0
15	O	4	Total Cl 4 4	0	0
15	Y	5	Total Cl 5 5	0	0
15	F	1	Total Cl 1 1	0	0

- Molecule 16 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
16	G	1	Total K 1 1	0	0
16	b	1	Total K 1 1	0	0
16	Z	1	Total K 1 1	0	0
16	N	1	Total K 1 1	0	0
16	U	1	Total K 1 1	0	0
16	L	1	Total K 1 1	0	0

- Molecule 17 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
17	J	1	Total Mg 1 1	0	0
17	K	1	Total Mg 1 1	0	0


*Continued on next page...*



Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	H	2	Total	Mg	0	0
			2	2		
17	I	2	Total	Mg	0	0
			2	2		
17	V	1	Total	Mg	0	0
			1	1		
17	W	1	Total	Mg	0	0
			1	1		
17	X	1	Total	Mg	0	0
			1	1		
17	L	1	Total	Mg	0	0
			1	1		

- Molecule 18 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula:  $C_{10}H_{22}O_6$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
18	H	1	Total	C	O	0	0
			16	10	6		
18	I	1	Total	C	O	0	0
			16	10	6		
18	L	1	Total	C	O	0	0
			16	10	6		
18	M	1	Total	C	O	0	0
			16	10	6		
18	N	1	Total	C	O	0	0
			16	10	6		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
18	U	1	Total	C	O	0	0
			16	10	6		
18	W	1	Total	C	O	0	0
			16	10	6		
18	Z	1	Total	C	O	0	0
			16	10	6		
18	a	1	Total	C	O	0	0
			16	10	6		

- Molecule 19 is {N}-[(2 {S})-1-[(2 {S},3 {R},4 {S})-2,6-dimethyl-1,2,3-tris(oxidanyl)heptan-4-yl]amino]-3-oxidanyl-1-oxidanylidene-propan-2-yl]-6-methyl-heptanamide (three-letter code: 6VC) (formula: C<sub>20</sub>H<sub>40</sub>N<sub>2</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
19	H	1	Total	C	N	O	0	0
			28	20	2	6		
19	K	1	Total	C	N	O	0	0
			28	20	2	6		
19	N	1	Total	C	N	O	0	0
			28	20	2	6		
19	V	1	Total	C	N	O	0	0
			28	20	2	6		
19	Y	1	Total	C	N	O	0	0
			28	20	2	6		
19	b	1	Total	C	N	O	0	0
			28	20	2	6		

- Molecule 20 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
20	A	110	Total O 110 110	0	0
20	B	127	Total O 127 127	0	0
20	C	82	Total O 82 82	0	0
20	D	91	Total O 91 91	0	0
20	E	140	Total O 140 140	0	0
20	F	186	Total O 186 186	0	0
20	G	191	Total O 191 191	0	0
20	H	156	Total O 156 156	0	0
20	I	153	Total O 153 153	0	0
20	J	138	Total O 138 138	0	0
20	K	98	Total O 98 98	0	0
20	L	130	Total O 130 130	0	0
20	M	149	Total O 149 149	0	0
20	N	165	Total O 165 165	0	0
20	O	91	Total O 91 91	0	0
20	P	123	Total O 123 123	0	0
20	Q	75	Total O 75 75	0	0
20	R	127	Total O 127 127	0	0
20	S	122	Total O 122 122	0	0
20	T	93	Total O 93 93	0	0
20	U	112	Total O 112 112	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	V	109	Total 109	O 109	0	0
20	W	116	Total 116	O 116	0	0
20	X	127	Total 127	O 127	0	0
20	Y	141	Total 141	O 141	0	0
20	Z	171	Total 171	O 171	0	0
20	a	174	Total 174	O 174	0	0
20	b	124	Total 124	O 124	0	0







- Molecule 3: Proteasome subunit alpha type-7




- Molecule 4: Proteasome subunit alpha type-5




- Molecule 4: Proteasome subunit alpha type-5




- Molecule 5: Proteasome subunit alpha type-1



- Molecule 5: Proteasome subunit alpha type-1






- Molecule 6: Proteasome subunit alpha type-3

Chain F: 87% 6% 6%



- Molecule 6: Proteasome subunit alpha type-3

Chain T: 7% 86% 7% 6%




- Molecule 7: Proteasome subunit alpha type-6

Chain G: 2% 94% 2%




- Molecule 7: Proteasome subunit alpha type-6

Chain U: 13% 91% 6%




- Molecule 8: Proteasome subunit beta type-7

Chain H: 2% 89% 5% 6%



- Molecule 8: Proteasome subunit beta type-7

Chain V: 3% 89% 5% 6%



- Molecule 9: Proteasome subunit beta type-3

Chain I: 96%




- Molecule 9: Proteasome subunit beta type-3

Chain W: 97%




- Molecule 10: Proteasome subunit beta type-2

Chain J: 92%




- Molecule 10: Proteasome subunit beta type-2

Chain X: 92%



- Molecule 11: Proteasome subunit beta type-5

Chain K: 92%



- Molecule 11: Proteasome subunit beta type-5

Chain Y: 92%



- Molecule 12: Proteasome subunit beta type-1




Chain L:  96% .



- Molecule 12: Proteasome subunit beta type-1

Chain Z:  95% .



- Molecule 13: Proteasome subunit beta type-4

Chain M:  95% ..



- Molecule 13: Proteasome subunit beta type-4

Chain a:  94% 5% .



- Molecule 14: Proteasome subunit beta type-6

Chain N:  95% ..



- Molecule 14: Proteasome subunit beta type-6

Chain b:  96% ...



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	113.89Å 203.49Å 316.04Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	171.09 – 2.00 49.09 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.5 (171.09-2.00) 99.5 (49.09-2.00)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.40 (at 2.00Å)	Xtriage
Refinement program	REFMAC 5.8.0103	Depositor
R, $R_{free}$	0.178 , 0.213 0.184 , 0.216	Depositor DCC
$R_{free}$ test set	24379 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	39.6	Xtriage
Anisotropy	0.246	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 44.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	52156	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.85% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL, K, 6V1, 1PE, YCM, 6VC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.68	0/1833	0.82	4/2489 (0.2%)
1	O	0.60	0/1778	0.80	3/2419 (0.1%)
2	B	0.73	1/1958 (0.1%)	0.83	4/2645 (0.2%)
2	P	0.66	0/1945	0.84	4/2631 (0.2%)
3	C	0.68	0/1818	0.90	2/2469 (0.1%)
3	Q	0.67	1/1834 (0.1%)	0.87	3/2490 (0.1%)
4	D	0.70	0/1789	0.83	2/2424 (0.1%)
4	R	0.76	0/1780	0.90	3/2408 (0.1%)
5	E	0.69	0/1842	0.85	4/2493 (0.2%)
5	S	0.67	0/1901	0.84	3/2571 (0.1%)
6	F	0.79	0/1935	0.94	7/2605 (0.3%)
6	T	0.73	1/1894 (0.1%)	0.93	9/2556 (0.4%)
7	G	0.79	2/1909 (0.1%)	0.83	6/2579 (0.2%)
7	U	0.68	1/1804 (0.1%)	0.82	7/2441 (0.3%)
8	H	0.76	0/1697	1.04	10/2299 (0.4%)
8	V	0.67	0/1655	0.91	4/2251 (0.2%)
9	I	0.76	1/1648 (0.1%)	1.06	9/2219 (0.4%)
9	W	0.64	0/1630	0.97	9/2197 (0.4%)
10	J	0.73	0/1613	1.01	9/2180 (0.4%)
10	X	0.70	0/1599	0.96	7/2163 (0.3%)
11	K	0.73	0/1576	0.95	8/2131 (0.4%)
11	Y	0.80	0/1620	1.02	9/2185 (0.4%)
12	L	0.69	0/1672	0.86	3/2257 (0.1%)
12	Z	0.80	1/1675 (0.1%)	0.91	5/2257 (0.2%)
13	M	0.77	0/1728	0.91	6/2339 (0.3%)
13	a	0.82	0/1724	0.94	4/2336 (0.2%)
14	N	0.85	1/1548 (0.1%)	0.89	5/2095 (0.2%)
14	b	0.79	2/1554 (0.1%)	0.89	3/2104 (0.1%)
All	All	0.73	11/48959 (0.0%)	0.90	152/66233 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	P	0	4
3	Q	0	2
4	D	0	4
4	R	0	2
7	U	1	0
9	I	0	1
9	W	0	1
10	J	0	2
10	X	0	1
13	a	0	1
All	All	1	18

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	G	108	GLU	CD-OE1	8.64	1.35	1.25
12	Z	3	SER	CB-OG	6.72	1.50	1.42
14	N	150	GLU	CG-CD	6.05	1.61	1.51
7	G	108	GLU	CD-OE2	5.77	1.31	1.25
3	Q	13	ASP	CB-CG	5.53	1.63	1.51
9	I	105	GLU	CD-OE2	5.38	1.31	1.25
2	B	103	GLU	CD-OE1	5.38	1.31	1.25
14	b	92	GLU	CD-OE2	5.31	1.31	1.25
14	b	150	GLU	CG-CD	5.27	1.59	1.51
6	T	7	TYR	N-CA	5.23	1.56	1.46
7	U	108	GLU	CD-OE1	5.12	1.31	1.25

All (152) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	J	86	ARG	NE-CZ-NH2	-15.30	112.65	120.30
10	X	86	ARG	NE-CZ-NH2	-14.55	113.02	120.30
9	I	69	ARG	NE-CZ-NH1	14.17	127.39	120.30
10	J	86	ARG	NE-CZ-NH1	13.60	127.10	120.30
8	H	72	ARG	NE-CZ-NH2	-13.05	113.77	120.30
9	W	69	ARG	NE-CZ-NH1	12.84	126.72	120.30
10	X	86	ARG	NE-CZ-NH1	12.12	126.36	120.30
9	I	25[A]	ARG	NE-CZ-NH1	10.54	125.57	120.30
9	I	25[B]	ARG	NE-CZ-NH1	10.54	125.57	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
8	H	72	ARG	NE-CZ-NH1	9.83	125.21	120.30
9	I	69	ARG	NE-CZ-NH2	-9.62	115.49	120.30
4	R	120[A]	ALA	C-N-CA	9.47	145.39	121.70
4	R	120[B]	ALA	C-N-CA	9.47	145.39	121.70
14	b	29	ARG	NE-CZ-NH1	9.23	124.91	120.30
9	W	69	ARG	NE-CZ-NH2	-9.11	115.74	120.30
11	Y	157	ARG	NE-CZ-NH2	-8.78	115.91	120.30
9	I	16[A]	LYS	C-N-CA	8.68	143.41	121.70
9	I	16[B]	LYS	C-N-CA	8.68	143.41	121.70
11	Y	157	ARG	NE-CZ-NH1	8.65	124.63	120.30
9	W	16[A]	LYS	C-N-CA	8.65	143.32	121.70
9	W	16[B]	LYS	C-N-CA	8.65	143.32	121.70
6	F	117	MET	CG-SD-CE	8.16	113.26	100.20
7	U	88	ARG	NE-CZ-NH1	8.13	124.36	120.30
7	G	117	ARG	NE-CZ-NH1	8.06	124.33	120.30
9	W	25[A]	ARG	NE-CZ-NH1	7.90	124.25	120.30
9	W	25[B]	ARG	NE-CZ-NH1	7.90	124.25	120.30
6	T	117	MET	CG-SD-CE	7.82	112.71	100.20
2	P	96	ARG	NE-CZ-NH1	7.79	124.19	120.30
2	B	96	ARG	NE-CZ-NH1	7.73	124.16	120.30
6	T	27	MET	CG-SD-CE	7.69	112.50	100.20
11	Y	158	ARG	NE-CZ-NH1	7.56	124.08	120.30
12	Z	99	ARG	NE-CZ-NH1	7.54	124.07	120.30
12	Z	71	ARG	NE-CZ-NH2	7.26	123.93	120.30
8	H	81	ARG	NE-CZ-NH2	-7.21	116.70	120.30
12	L	99	ARG	NE-CZ-NH1	7.17	123.89	120.30
12	L	99	ARG	NE-CZ-NH2	-7.15	116.72	120.30
11	K	157	ARG	NE-CZ-NH2	-7.08	116.76	120.30
12	Z	99	ARG	NE-CZ-NH2	-7.05	116.77	120.30
13	M	151	ARG	NE-CZ-NH1	7.02	123.81	120.30
7	U	117	ARG	NE-CZ-NH1	6.87	123.74	120.30
8	V	72	ARG	NE-CZ-NH2	-6.78	116.91	120.30
5	E	122	ARG	NE-CZ-NH2	-6.74	116.93	120.30
13	a	5	MET	CG-SD-CE	6.73	110.97	100.20
7	U	88	ARG	NE-CZ-NH2	-6.67	116.97	120.30
11	K	157	ARG	NE-CZ-NH1	6.62	123.61	120.30
9	I	25[A]	ARG	NE-CZ-NH2	-6.59	117.00	120.30
9	I	25[B]	ARG	NE-CZ-NH2	-6.59	117.00	120.30
11	K	158	ARG	NE-CZ-NH2	-6.55	117.03	120.30
8	H	198	ARG	NE-CZ-NH1	6.54	123.57	120.30
11	Y	158	ARG	NE-CZ-NH2	-6.52	117.04	120.30
1	O	181	LEU	CA-CB-CG	6.49	130.23	115.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	F	190	VAL	CB-CA-C	-6.47	99.10	111.40
13	M	5	MET	CG-SD-CE	6.43	110.49	100.20
10	J	88	LEU	CB-CG-CD2	6.43	121.93	111.00
1	A	219	ARG	NE-CZ-NH1	6.38	123.49	120.30
12	Z	172	MET	CG-SD-CE	-6.34	90.05	100.20
4	D	9	ASP	CB-CG-OD1	6.33	124.00	118.30
11	K	120	ARG	NE-CZ-NH1	6.33	123.47	120.30
11	K	154	ASP	CB-CG-OD2	6.33	123.99	118.30
8	V	72	ARG	NE-CZ-NH1	6.30	123.45	120.30
1	A	73	LEU	CA-CB-CG	6.30	129.79	115.30
7	U	80[A]	MET	CG-SD-CE	6.30	110.27	100.20
7	U	80[B]	MET	CG-SD-CE	6.30	110.27	100.20
5	E	122	ARG	NE-CZ-NH1	6.29	123.44	120.30
5	S	122	ARG	NE-CZ-NH2	-6.26	117.17	120.30
2	B	4	ARG	NE-CZ-NH1	6.24	123.42	120.30
8	H	72	ARG	CD-NE-CZ	6.21	132.29	123.60
8	H	86	MET	CG-SD-CE	-6.18	90.31	100.20
10	J	33	ASP	CB-CG-OD1	6.15	123.83	118.30
7	G	183	VAL	CB-CA-C	-6.09	99.82	111.40
13	a	151	ARG	NE-CZ-NH1	6.07	123.33	120.30
11	Y	120	ARG	NE-CZ-NH1	6.06	123.33	120.30
6	T	70	ASP	CB-CG-OD1	6.04	123.74	118.30
2	P	6	ASP	CB-CG-OD2	6.03	123.73	118.30
14	b	22	THR	CB-CA-C	-6.02	95.34	111.60
4	R	9	ASP	CB-CG-OD1	6.00	123.70	118.30
7	G	88	ARG	NE-CZ-NH2	-6.00	117.30	120.30
9	I	134	ASP	CB-CG-OD1	5.94	123.65	118.30
6	T	169	ARG	NE-CZ-NH1	5.94	123.27	120.30
6	T	113	ASP	CB-CG-OD2	-5.94	112.96	118.30
12	L	172	MET	CG-SD-CE	-5.93	90.72	100.20
5	S	122	ARG	NE-CZ-NH1	5.92	123.26	120.30
8	H	89	ARG	NE-CZ-NH1	5.89	123.24	120.30
6	T	6	GLY	C-N-CA	5.86	136.36	121.70
1	O	73	LEU	CA-CB-CG	5.84	128.73	115.30
3	C	117	ARG	NE-CZ-NH1	5.84	123.22	120.30
13	M	99	ARG	NE-CZ-NH1	5.82	123.21	120.30
11	K	86	MET	CG-SD-CE	5.82	109.51	100.20
6	F	70	ASP	CB-CG-OD1	5.81	123.53	118.30
6	T	99	ARG	NE-CZ-NH1	5.80	123.20	120.30
11	K	158	ARG	NE-CZ-NH1	5.80	123.20	120.30
6	T	190	VAL	CB-CA-C	-5.78	100.43	111.40
2	P	96	ARG	NE-CZ-NH2	-5.76	117.42	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	a	182	ARG	NE-CZ-NH1	5.74	123.17	120.30
6	F	99	ARG	NE-CZ-NH1	5.73	123.17	120.30
1	A	219	ARG	NE-CZ-NH2	-5.71	117.45	120.30
3	Q	5	ARG	NE-CZ-NH1	5.69	123.14	120.30
14	N	144	ARG	NE-CZ-NH1	5.65	123.13	120.30
10	X	90	ASP	CB-CG-OD1	5.65	123.39	118.30
9	W	134	ASP	CB-CG-OD1	5.58	123.32	118.30
7	G	86	ASP	CB-CG-OD1	5.55	123.30	118.30
11	K	107	ARG	NE-CZ-NH1	5.55	123.08	120.30
14	N	22	THR	CB-CA-C	-5.54	96.65	111.60
14	N	45	ARG	NE-CZ-NH1	5.53	123.06	120.30
6	F	85	ARG	NE-CZ-NH1	5.52	123.06	120.30
8	H	198	ARG	NE-CZ-NH2	-5.51	117.54	120.30
10	J	93	ARG	NE-CZ-NH1	5.51	123.06	120.30
12	Z	125	ASP	CB-CG-OD1	5.50	123.25	118.30
7	U	11	ARG	NE-CZ-NH1	5.48	123.04	120.30
10	J	86	ARG	CD-NE-CZ	5.48	131.27	123.60
6	T	7	TYR	N-CA-CB	5.45	120.41	110.60
2	B	96	ARG	NE-CZ-NH2	-5.43	117.58	120.30
7	G	117	ARG	NE-CZ-NH2	-5.39	117.61	120.30
11	Y	107	ARG	NE-CZ-NH1	5.39	123.00	120.30
10	X	70	ARG	NE-CZ-NH2	-5.38	117.61	120.30
5	S	174	ARG	NE-CZ-NH1	5.38	122.99	120.30
8	V	86	MET	CG-SD-CE	-5.37	91.61	100.20
2	B	4	ARG	NE-CZ-NH2	-5.34	117.63	120.30
3	C	5	ARG	NE-CZ-NH1	5.33	122.97	120.30
13	a	166	ARG	NE-CZ-NH2	-5.31	117.64	120.30
14	N	116	MET	CG-SD-CE	-5.27	91.77	100.20
8	V	81	ARG	NE-CZ-NH2	-5.24	117.68	120.30
13	M	166	ARG	NE-CZ-NH2	-5.22	117.69	120.30
10	X	93	ARG	NE-CZ-NH1	5.21	122.91	120.30
7	G	245	ARG	NE-CZ-NH1	5.21	122.90	120.30
9	W	25[A]	ARG	NE-CZ-NH2	-5.20	117.70	120.30
9	W	25[B]	ARG	NE-CZ-NH2	-5.20	117.70	120.30
1	A	17	LYS	CD-CE-NZ	5.19	123.63	111.70
6	F	85	ARG	NE-CZ-NH2	-5.18	117.71	120.30
4	D	90	ASP	CB-CG-OD2	5.18	122.96	118.30
14	N	45	ARG	NE-CZ-NH2	-5.17	117.72	120.30
1	O	73	LEU	CB-CA-C	-5.16	100.40	110.20
11	Y	61	ARG	NE-CZ-NH1	5.15	122.88	120.30
10	J	70	ARG	NE-CZ-NH2	-5.14	117.73	120.30
5	E	174	ARG	NE-CZ-NH1	5.13	122.86	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	J	184	ASP	CB-CG-OD1	5.13	122.91	118.30
3	Q	5	ARG	NE-CZ-NH2	-5.12	117.74	120.30
14	b	29	ARG	NE-CZ-NH2	-5.12	117.74	120.30
7	U	117	ARG	NE-CZ-NH2	-5.10	117.75	120.30
8	H	81	ARG	NE-CZ-NH1	5.09	122.84	120.30
13	M	73	ASP	CB-CG-OD1	5.08	122.87	118.30
10	X	33	ASP	CB-CG-OD1	5.07	122.86	118.30
13	M	166	ARG	NE-CZ-NH1	5.06	122.83	120.30
3	Q	13	ASP	CB-CA-C	5.04	120.48	110.40
10	J	93	ARG	NE-CZ-NH2	-5.04	117.78	120.30
2	P	4	ARG	NE-CZ-NH1	5.03	122.82	120.30
5	E	155	ASP	CB-CG-OD1	5.03	122.82	118.30
8	H	72	ARG	CG-CD-NE	-5.03	101.25	111.80
6	F	114	ARG	NE-CZ-NH2	-5.02	117.79	120.30
11	Y	9	ARG	NE-CZ-NH1	5.02	122.81	120.30
11	Y	86	MET	CG-SD-CE	5.02	108.23	100.20
10	X	88	LEU	CB-CG-CD2	5.00	119.51	111.00

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	U	47	6V1	C1

All (18) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
4	D	127	ASP	Peptide
4	D	175[A]	GLU	Peptide
4	D	175[B]	GLU	Mainchain,Peptide
9	I	78	GLY	Peptide
10	J	1[A]	MET	Peptide
10	J	1[B]	MET	Peptide
2	P	203	VAL	Peptide
2	P	244	GLU	Peptide
2	P	245	ALA	Peptide
2	P	52	ILE	Peptide
3	Q	47	LYS	Peptide
3	Q	49	SER	Peptide
4	R	130	PRO	Peptide
4	R	223	GLY	Peptide
9	W	78	GLY	Peptide
10	X	1	MET	Peptide

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Group
13	a	215	ILE	Peptide

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/234 (99%)	221 (96%)	6 (3%)	4 (2%)	9	4
1	O	228/234 (97%)	217 (95%)	7 (3%)	4 (2%)	8	3
2	B	248/261 (95%)	238 (96%)	10 (4%)	0	100	100
2	P	248/261 (95%)	233 (94%)	11 (4%)	4 (2%)	9	4
3	C	236/248 (95%)	223 (94%)	7 (3%)	6 (2%)	5	2
3	Q	236/248 (95%)	221 (94%)	7 (3%)	8 (3%)	3	1
4	D	232/241 (96%)	223 (96%)	6 (3%)	3 (1%)	12	6
4	R	232/241 (96%)	223 (96%)	6 (3%)	3 (1%)	12	6
5	E	232/263 (88%)	226 (97%)	5 (2%)	1 (0%)	34	30
5	S	238/263 (90%)	231 (97%)	5 (2%)	2 (1%)	19	13
6	F	241/255 (94%)	239 (99%)	2 (1%)	0	100	100
6	T	239/255 (94%)	233 (98%)	3 (1%)	3 (1%)	12	6
7	G	241/246 (98%)	237 (98%)	4 (2%)	0	100	100
7	U	232/246 (94%)	227 (98%)	3 (1%)	2 (1%)	17	11
8	H	220/234 (94%)	217 (99%)	3 (1%)	0	100	100
8	V	220/234 (94%)	216 (98%)	4 (2%)	0	100	100
9	I	205/205 (100%)	202 (98%)	3 (2%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
9	W	204/205 (100%)	199 (98%)	5 (2%)	0	100	100
10	J	195/201 (97%)	193 (99%)	2 (1%)	0	100	100
10	X	195/201 (97%)	193 (99%)	2 (1%)	0	100	100
11	K	198/204 (97%)	195 (98%)	3 (2%)	0	100	100
11	Y	202/204 (99%)	198 (98%)	3 (2%)	1 (0%)	29	23
12	L	213/213 (100%)	211 (99%)	2 (1%)	0	100	100
12	Z	212/213 (100%)	210 (99%)	2 (1%)	0	100	100
13	M	215/219 (98%)	208 (97%)	7 (3%)	0	100	100
13	a	216/219 (99%)	210 (97%)	6 (3%)	0	100	100
14	N	201/205 (98%)	198 (98%)	2 (1%)	1 (0%)	29	23
14	b	202/205 (98%)	198 (98%)	3 (2%)	1 (0%)	29	23
All	All	6212/6458 (96%)	6040 (97%)	129 (2%)	43 (1%)	22	16

All (43) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	52	LYS
3	C	204	LYS
4	D	176	GLY
1	O	52	LYS
2	P	54	LYS
3	Q	206	ILE
3	Q	221	ASN
4	R	128	ALA
4	R	129	ASP
4	R	130	PRO
5	S	238	GLU
11	Y	200	SER
1	A	53	SER
3	C	50	VAL
4	D	175[A]	GLU
4	D	175[B]	GLU
5	E	59	HIS
14	N	198	ALA
1	O	53	SER
1	O	231	ALA
3	Q	47	LYS
3	Q	50	VAL

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
3	Q	201	SER
3	Q	203	GLY
5	S	236	LEU
6	T	7	TYR
1	A	176	ARG
3	C	51	ALA
3	C	200	GLN
3	C	216	SER
1	O	176	ARG
3	Q	51	ALA
3	Q	216	SER
7	U	58	ASP
7	U	59	LYS
14	b	198	ALA
1	A	50	LYS
2	P	58	GLU
2	P	204	SER
6	T	208	ALA
3	C	203	GLY
2	P	52	ILE
6	T	6	GLY

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/191 (97%)	173 (94%)	12 (6%)	17	12
1	O	176/191 (92%)	164 (93%)	12 (7%)	16	11
2	B	199/221 (90%)	192 (96%)	7 (4%)	36	35
2	P	197/221 (89%)	187 (95%)	10 (5%)	24	19
3	C	179/210 (85%)	174 (97%)	5 (3%)	43	44
3	Q	184/210 (88%)	175 (95%)	9 (5%)	25	21
4	D	189/203 (93%)	182 (96%)	7 (4%)	34	32
4	R	187/203 (92%)	184 (98%)	3 (2%)	62	67

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	E	192/223 (86%)	184 (96%)	8 (4%)	30	27
5	S	197/223 (88%)	192 (98%)	5 (2%)	47	49
6	F	199/212 (94%)	188 (94%)	11 (6%)	21	17
6	T	192/212 (91%)	181 (94%)	11 (6%)	20	16
7	G	202/207 (98%)	196 (97%)	6 (3%)	41	41
7	U	186/207 (90%)	182 (98%)	4 (2%)	52	55
8	H	181/195 (93%)	175 (97%)	6 (3%)	38	37
8	V	172/195 (88%)	164 (95%)	8 (5%)	26	22
9	I	176/174 (101%)	175 (99%)	1 (1%)	86	90
9	W	173/174 (99%)	172 (99%)	1 (1%)	86	90
10	J	166/170 (98%)	158 (95%)	8 (5%)	25	22
10	X	165/170 (97%)	159 (96%)	6 (4%)	35	34
11	K	154/159 (97%)	146 (95%)	8 (5%)	23	19
11	Y	159/159 (100%)	153 (96%)	6 (4%)	33	31
12	L	175/178 (98%)	168 (96%)	7 (4%)	31	29
12	Z	175/178 (98%)	169 (97%)	6 (3%)	37	36
13	M	180/181 (99%)	178 (99%)	2 (1%)	73	78
13	a	178/181 (98%)	173 (97%)	5 (3%)	43	44
14	N	158/159 (99%)	155 (98%)	3 (2%)	57	61
14	b	158/159 (99%)	154 (98%)	4 (2%)	47	49
All	All	5034/5366 (94%)	4853 (96%)	181 (4%)	36	34

All (181) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	17	LYS
1	A	61	VAL
1	A	69	LYS
1	A	73	LEU
1	A	142	ARG
1	A	176	ARG
1	A	180	ASP
1	A	189	THR
1	A	206	ASN
1	A	223	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	226	LYS
1	A	227	ASP
2	B	33	THR
2	B	58	GLU
2	B	190	LEU
2	B	207	SER
2	B	229	LYS
2	B	238	LYS
2	B	249	ARG
3	C	2	SER
3	C	148	ASP
3	C	163	ARG
3	C	205	ASN
3	C	208	LEU
4	D	9	ASP
4	D	46	VAL
4	D	95	GLU
4	D	117	SER
4	D	126	GLU
4	D	199	LEU
4	D	208	GLU
5	E	29	VAL
5	E	61	LYS
5	E	95	SER
5	E	101[A]	ARG
5	E	101[B]	ARG
5	E	181	GLU
5	E	189	LYS
5	E	202	GLU
6	F	17	ASP
6	F	31	GLU
6	F	53	VAL
6	F	81	LEU
6	F	87	LEU
6	F	174	THR
6	F	187	ARG
6	F	190	VAL
6	F	215	TRP
6	F	240	LYS
6	F	244	LYS
7	G	42	VAL
7	G	78	CYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
7	G	88	ARG
7	G	183	VAL
7	G	190	THR
7	G	206	LEU
8	H	6	VAL
8	H	22	GLU
8	H	65	LEU
8	H	68	LEU
8	H	183	LEU
8	H	220	GLU
9	I	35	THR
10	J	1[A]	MET
10	J	1[B]	MET
10	J	27[A]	GLN
10	J	27[B]	GLN
10	J	62	LYS
10	J	88	LEU
10	J	95	ARG
10	J	155	ARG
11	K	12	VAL
11	K	41	LEU
11	K	138	VAL
11	K	147	LEU
11	K	158	ARG
11	K	174	VAL
11	K	187	VAL
11	K	192	VAL
12	L	3[A]	SER
12	L	3[B]	SER
12	L	102	PHE
12	L	125	ASP
12	L	169	ASP
12	L	174	LEU
12	L	207	THR
13	M	100	ARG
13	M	154	LEU
14	N	22	THR
14	N	35	THR
14	N	196	LYS
1	O	10	THR
1	O	73	LEU
1	O	118	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	O	142	ARG
1	O	176	ARG
1	O	180	ASP
1	O	181	LEU
1	O	189	THR
1	O	206	ASN
1	O	221	THR
1	O	223	THR
1	O	226	LYS
2	P	7[A]	SER
2	P	7[B]	SER
2	P	33	THR
2	P	190	LEU
2	P	204	SER
2	P	207	SER
2	P	235	GLN
2	P	236	LEU
2	P	246	LYS
2	P	249	ARG
3	Q	2	SER
3	Q	56	GLU
3	Q	148	ASP
3	Q	163	ARG
3	Q	170	GLU
3	Q	197	GLU
3	Q	206	ILE
3	Q	208	LEU
3	Q	227	LYS
4	R	9	ASP
4	R	46	VAL
4	R	117	SER
5	S	29	VAL
5	S	45	VAL
5	S	101	ARG
5	S	122	ARG
5	S	234	GLU
6	T	17	ASP
6	T	31	GLU
6	T	53	VAL
6	T	81	LEU
6	T	87	LEU
6	T	174	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
6	T	190	VAL
6	T	215	TRP
6	T	223	ARG
6	T	240	LYS
6	T	241	GLU
7	U	42	VAL
7	U	78	CYS
7	U	199	ILE
7	U	206	LEU
8	V	6	VAL
8	V	22	GLU
8	V	65	LEU
8	V	68	LEU
8	V	108	PRO
8	V	183	LEU
8	V	199	LEU
8	V	213	THR
9	W	35	THR
10	X	1	MET
10	X	8	GLN
10	X	62	LYS
10	X	88	LEU
10	X	95	ARG
10	X	158	GLU
11	Y	8	PHE
11	Y	12	VAL
11	Y	41	LEU
11	Y	138	VAL
11	Y	147	LEU
11	Y	192	VAL
12	Z	102	PHE
12	Z	125	ASP
12	Z	169	ASP
12	Z	174	LEU
12	Z	207	THR
12	Z	208	VAL
13	a	92	LEU
13	a	100	ARG
13	a	154	LEU
13	a	198	GLU
13	a	216	SER
14	b	22	THR

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
14	b	29	ARG
14	b	35	THR
14	b	196	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (41) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	51	GLN
1	A	108	GLN
1	A	206	ASN
2	B	40	ASN
2	B	109	GLN
3	C	54	GLN
3	C	175	ASN
4	D	227	HIS
5	E	16	GLN
5	E	65	HIS
6	F	143	ASN
8	H	153	ASN
9	I	161	HIS
10	J	87	ASN
10	J	101	ASN
11	K	162	GLN
12	L	157	ASN
13	M	162	GLN
14	N	193	GLN
1	O	101	GLN
1	O	118	GLN
1	O	206	ASN
2	P	40	ASN
2	P	109	GLN
2	P	146	GLN
3	Q	18	GLN
4	R	227	HIS
5	S	86	ASN
5	S	175	HIS
6	T	68	ASN
6	T	143	ASN
8	V	193	ASN
9	W	172	ASN
10	X	24	ASN
10	X	174	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
11	Y	162	GLN
12	Z	79	ASN
12	Z	157	ASN
13	a	89	HIS
13	a	162	GLN
14	b	193	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

12 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
7	YCM	G	137	7	7,9,10	1.75	3 (42%)	4,10,12	2.49	1 (25%)
3	YCM	Q	63	3	7,9,10	1.27	1 (14%)	4,10,12	3.17	3 (75%)
7	6V1	G	47	7	12,15,16	2.21	4 (33%)	9,20,22	2.07	1 (11%)
10	6V1	J	91	10	12,15,16	1.79	2 (16%)	9,20,22	5.68	6 (66%)
7	6V1	U	161	7	12,15,16	1.86	4 (33%)	9,20,22	2.89	4 (44%)
3	YCM	C	63	3	7,9,10	0.97	0	4,10,12	0.70	0
5	6V1	E	148	5	12,15,16	1.74	3 (25%)	9,20,22	3.87	3 (33%)
7	YCM	U	137	7	7,9,10	0.95	0	4,10,12	1.36	1 (25%)
7	6V1	U	47	7	12,15,16	1.76	2 (16%)	9,20,22	1.95	3 (33%)
7	6V1	G	161	7	12,15,16	1.59	4 (33%)	9,20,22	2.50	4 (44%)
10	6V1	X	91	10	12,15,16	1.75	3 (25%)	9,20,22	5.57	6 (66%)
5	6V1	S	148	5	12,15,16	1.66	3 (25%)	9,20,22	3.08	5 (55%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.  
'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	YCM	G	137	7	-	2/6/8/10	-
3	YCM	Q	63	3	-	3/6/8/10	-
7	6V1	G	47	7	-	0/6/25/27	0/1/1/1
10	6V1	J	91	10	-	3/6/25/27	0/1/1/1
7	6V1	U	161	7	-	1/6/25/27	0/1/1/1
3	YCM	C	63	3	-	1/6/8/10	-
5	6V1	E	148	5	-	2/6/25/27	0/1/1/1
7	YCM	U	137	7	-	1/6/8/10	-
7	6V1	U	47	7	1/1/5/6	2/6/25/27	0/1/1/1
7	6V1	G	161	7	-	3/6/25/27	0/1/1/1
10	6V1	X	91	10	-	2/6/25/27	0/1/1/1
5	6V1	S	148	5	-	1/6/25/27	0/1/1/1

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	G	47	6V1	CB-SG	-5.44	1.76	1.82
10	J	91	6V1	C1-SG	-5.12	1.77	1.83
7	U	47	6V1	CB-SG	-4.83	1.76	1.82
10	X	91	6V1	C1-SG	-4.63	1.78	1.83
5	E	148	6V1	CB-SG	-4.08	1.77	1.82
7	U	161	6V1	CB-SG	-3.62	1.78	1.82
5	S	148	6V1	CB-SG	-3.39	1.78	1.82
7	G	47	6V1	C2-N3	-3.37	1.33	1.38
5	S	148	6V1	C2-N3	-3.18	1.34	1.38
7	U	161	6V1	C2-N3	-3.11	1.34	1.38
7	U	161	6V1	C4-N3	-3.09	1.33	1.38
7	G	47	6V1	C4-N3	-3.08	1.33	1.38
7	G	137	YCM	CE-NZ2	3.07	1.42	1.32
7	G	161	6V1	C2-N3	-3.00	1.34	1.38
7	G	161	6V1	CB-SG	-2.89	1.78	1.82
5	E	148	6V1	C4-N3	-2.79	1.34	1.38
3	Q	63	YCM	CD-SG	-2.75	1.74	1.81
10	X	91	6V1	O7-C2	2.62	1.27	1.22
7	U	161	6V1	C1-SG	-2.47	1.80	1.83
5	S	148	6V1	C5-C4	2.47	1.54	1.50
5	E	148	6V1	C2-N3	-2.43	1.35	1.38
7	G	137	YCM	CD-SG	2.40	1.87	1.81
10	X	91	6V1	C4-N3	-2.30	1.34	1.38

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	G	47	6V1	C5-C4	2.15	1.54	1.50
10	J	91	6V1	O7-C2	2.15	1.26	1.22
7	G	137	YCM	CB-SG	-2.12	1.72	1.80
7	U	47	6V1	C4-N3	-2.05	1.35	1.38
7	G	161	6V1	C1-SG	-2.03	1.81	1.83
7	G	161	6V1	C4-N3	-2.03	1.35	1.38

All (37) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	J	91	6V1	C5-C4-N3	9.65	113.82	108.13
10	X	91	6V1	C5-C4-N3	8.20	112.96	108.13
10	X	91	6V1	O7-C2-N3	8.03	133.96	124.14
10	X	91	6V1	C6-N3-C2	7.90	133.38	123.36
10	J	91	6V1	C6-N3-C2	7.82	133.28	123.36
5	E	148	6V1	C2-N3-C4	-7.46	108.61	113.04
10	J	91	6V1	O7-C2-N3	7.35	133.13	124.14
5	E	148	6V1	C5-C4-N3	6.95	112.23	108.13
10	J	91	6V1	C2-N3-C4	-6.92	108.94	113.04
10	X	91	6V1	C2-N3-C4	-6.27	109.32	113.04
7	U	161	6V1	C2-N3-C4	-5.97	109.50	113.04
5	S	148	6V1	C5-C4-N3	5.94	111.63	108.13
7	G	47	6V1	C2-N3-C4	-5.53	109.76	113.04
5	S	148	6V1	C2-N3-C4	-5.50	109.77	113.04
10	X	91	6V1	C6-N3-C4	-4.91	116.19	122.59
3	Q	63	YCM	CE-CD-SG	-4.85	99.31	113.59
5	E	148	6V1	C6-N3-C2	4.68	129.29	123.36
7	U	161	6V1	C5-C4-N3	4.34	110.69	108.13
10	J	91	6V1	C6-N3-C4	-4.32	116.96	122.59
7	G	137	YCM	CE-CD-SG	4.28	126.20	113.59
10	X	91	6V1	O8-C4-C5	-4.01	121.40	127.24
7	G	161	6V1	C2-N3-C4	-3.86	110.75	113.04
7	G	161	6V1	O8-C4-N3	3.82	128.15	123.92
7	U	47	6V1	C5-C4-N3	3.69	110.31	108.13
7	G	161	6V1	O8-C4-C5	-3.64	121.94	127.24
10	J	91	6V1	O8-C4-C5	-3.23	122.53	127.24
3	Q	63	YCM	CA-CB-SG	-3.19	102.06	113.74
7	U	47	6V1	C2-N3-C4	-3.10	111.20	113.04
7	U	161	6V1	O8-C4-C5	-3.01	122.86	127.24
7	G	161	6V1	C5-C4-N3	2.94	109.86	108.13
5	S	148	6V1	C6-N3-C4	2.69	126.09	122.59
5	S	148	6V1	O8-C4-C5	-2.43	123.69	127.24

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	Q	63	YCM	CB-SG-CD	2.41	126.85	104.44
5	S	148	6V1	O7-C2-N3	-2.30	121.33	124.14
7	U	161	6V1	O8-C4-N3	2.28	126.44	123.92
7	U	137	YCM	CE-CD-SG	2.15	119.91	113.59
7	U	47	6V1	O8-C4-C5	-2.12	124.16	127.24

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	U	47	6V1	C1

All (21) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	G	137	YCM	CE-CD-SG-CB
7	G	137	YCM	SG-CD-CE-NZ2
3	Q	63	YCM	CE-CD-SG-CB
3	Q	63	YCM	SG-CD-CE-OZ1
3	Q	63	YCM	SG-CD-CE-NZ2
10	J	91	6V1	C3-C6-N3-C2
10	J	91	6V1	C3-C6-N3-C4
5	E	148	6V1	C3-C6-N3-C2
5	E	148	6V1	C3-C6-N3-C4
7	U	137	YCM	CE-CD-SG-CB
10	X	91	6V1	C3-C6-N3-C2
10	X	91	6V1	C3-C6-N3-C4
7	G	161	6V1	C3-C6-N3-C4
3	C	63	YCM	CE-CD-SG-CB
7	G	161	6V1	C3-C6-N3-C2
7	U	161	6V1	N-CA-CB-SG
7	G	161	6V1	N-CA-CB-SG
7	U	47	6V1	C3-C6-N3-C4
10	J	91	6V1	CA-CB-SG-C1
7	U	47	6V1	C3-C6-N3-C2
5	S	148	6V1	C3-C6-N3-C4

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 87 ligands modelled in this entry, 72 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
18	1PE	W	303	-	15,15,15	0.57	0	14,14,14	0.36	0
18	1PE	H	304	-	15,15,15	0.60	0	14,14,14	0.59	0
19	6VC	Y	306	11	26,27,27	0.95	3 (11%)	30,36,36	1.30	4 (13%)
19	6VC	N	307	14	26,27,27	0.80	0	30,36,36	1.65	4 (13%)
18	1PE	U	302	-	15,15,15	0.62	0	14,14,14	0.96	1 (7%)
18	1PE	a	304	-	15,15,15	0.69	0	14,14,14	0.46	0
19	6VC	V	303	8	26,27,27	0.80	1 (3%)	30,36,36	1.38	5 (16%)
18	1PE	Z	301	-	15,15,15	0.61	0	14,14,14	0.53	0
19	6VC	H	305	8	26,27,27	0.91	1 (3%)	30,36,36	1.46	5 (16%)
18	1PE	M	304	-	15,15,15	0.62	0	14,14,14	0.35	0
18	1PE	L	301	-	15,15,15	0.62	0	14,14,14	0.64	0
19	6VC	K	306	11	26,27,27	0.64	0	30,36,36	1.41	6 (20%)
18	1PE	N	305	-	15,15,15	0.53	0	14,14,14	0.54	0
18	1PE	I	303	-	15,15,15	0.57	0	14,14,14	0.84	0
19	6VC	b	306	14	26,27,27	1.03	3 (11%)	30,36,36	2.04	9 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	1PE	W	303	-	-	7/13/13/13	-
18	1PE	H	304	-	-	10/13/13/13	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
19	6VC	Y	306	11	-	4/38/38/38	-
19	6VC	N	307	14	-	2/38/38/38	-
18	1PE	U	302	-	-	8/13/13/13	-
18	1PE	a	304	-	-	7/13/13/13	-
19	6VC	V	303	8	-	6/38/38/38	-
18	1PE	Z	301	-	-	8/13/13/13	-
19	6VC	H	305	8	-	6/38/38/38	-
18	1PE	M	304	-	-	8/13/13/13	-
18	1PE	L	301	-	-	6/13/13/13	-
19	6VC	K	306	11	-	5/38/38/38	-
18	1PE	N	305	-	-	4/13/13/13	-
18	1PE	I	303	-	-	6/13/13/13	-
19	6VC	b	306	14	-	5/38/38/38	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
19	H	305	6VC	C23-C22	3.32	1.58	1.52
19	b	306	6VC	C23-C22	3.03	1.57	1.52
19	Y	306	6VC	C13-N3	-2.45	1.42	1.46
19	b	306	6VC	C14-C13	2.23	1.56	1.52
19	b	306	6VC	C9-C12	-2.16	1.47	1.52
19	Y	306	6VC	C9-C12	-2.06	1.47	1.52
19	V	303	6VC	C23-C22	2.05	1.56	1.52
19	Y	306	6VC	O4-C12	-2.01	1.19	1.23

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	N	307	6VC	C10-C9-N2	-5.79	97.52	110.56
19	b	306	6VC	O3-C10-C9	-5.14	98.18	111.03
19	b	306	6VC	C1-C6-C5	-4.76	96.06	113.19
19	b	306	6VC	O2-C8-C5	-3.86	114.95	122.02
19	H	305	6VC	O3-C10-C9	-3.83	101.47	111.03
19	N	307	6VC	C10-C9-C12	3.73	119.30	110.21
19	K	306	6VC	O3-C10-C9	-3.32	102.72	111.03
19	b	306	6VC	C10-C9-C12	-3.26	102.26	110.21
19	b	306	6VC	O4-C12-N3	3.26	128.97	122.93
19	H	305	6VC	O2-C8-C5	-3.17	116.23	122.02

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	Y	306	6VC	O3-C10-C9	-2.99	103.55	111.03
19	Y	306	6VC	C10-C9-C12	-2.91	103.11	110.21
18	U	302	1PE	C26-OH6-C15	2.90	125.86	113.29
19	b	306	6VC	C10-C9-N2	2.90	117.08	110.56
19	b	306	6VC	O2-C8-N2	2.87	127.80	122.95
19	V	303	6VC	O3-C10-C9	-2.86	103.87	111.03
19	V	303	6VC	C10-C9-C12	-2.74	103.54	110.21
19	K	306	6VC	C10-C9-C12	-2.69	103.65	110.21
19	V	303	6VC	C10-C9-N2	2.59	116.39	110.56
19	H	305	6VC	C10-C9-N2	2.57	116.34	110.56
19	K	306	6VC	C6-C5-C8	-2.55	106.10	113.26
19	H	305	6VC	C10-C9-C12	-2.54	104.03	110.21
19	N	307	6VC	O3-C10-C9	-2.54	104.68	111.03
19	Y	306	6VC	C5-C8-N2	2.48	120.14	115.83
19	Y	306	6VC	O2-C8-C5	-2.44	117.55	122.02
19	b	306	6VC	C6-C1-C2	2.38	122.04	113.62
19	H	305	6VC	O4-C12-N3	2.34	127.27	122.93
19	V	303	6VC	O2-C8-C5	-2.29	117.83	122.02
19	K	306	6VC	C5-C8-N2	2.27	119.78	115.83
19	K	306	6VC	O2-C8-C5	-2.27	117.86	122.02
19	K	306	6VC	C1-C6-C5	2.25	121.27	113.19
19	b	306	6VC	C9-C12-N3	-2.20	111.88	116.70
19	N	307	6VC	O2-C8-C5	-2.03	118.31	122.02
19	V	303	6VC	C20-C15-C14	2.02	118.52	111.11

There are no chirality outliers.

All (92) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
19	b	306	6VC	O3-C10-C9-N2
18	U	302	1PE	C25-C15-OH6-C26
18	L	301	1PE	C16-C26-OH6-C15
18	I	303	1PE	C15-C25-OH5-C14
18	U	302	1PE	OH4-C13-C23-OH3
18	a	304	1PE	OH4-C13-C23-OH3
18	Z	301	1PE	OH6-C15-C25-OH5
18	Z	301	1PE	C16-C26-OH6-C15
18	H	304	1PE	C24-C14-OH5-C25
18	L	301	1PE	OH5-C14-C24-OH4
18	a	304	1PE	OH5-C14-C24-OH4
19	V	303	6VC	C6-C1-C2-C3
19	N	307	6VC	C2-C1-C6-C5

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
18	M	304	1PE	OH5-C14-C24-OH4
18	H	304	1PE	OH4-C13-C23-OH3
18	L	301	1PE	OH6-C15-C25-OH5
18	M	304	1PE	OH4-C13-C23-OH3
18	I	303	1PE	OH6-C15-C25-OH5
18	H	304	1PE	OH7-C16-C26-OH6
18	N	305	1PE	OH2-C12-C22-OH3
18	a	304	1PE	OH2-C12-C22-OH3
19	Y	306	6VC	C6-C1-C2-C3
18	W	303	1PE	OH6-C15-C25-OH5
18	a	304	1PE	OH7-C16-C26-OH6
18	Z	301	1PE	OH2-C12-C22-OH3
18	N	305	1PE	OH4-C13-C23-OH3
19	V	303	6VC	C2-C1-C6-C5
19	V	303	6VC	C1-C2-C3-C7
19	H	305	6VC	C1-C2-C3-C7
18	W	303	1PE	OH7-C16-C26-OH6
19	b	306	6VC	O3-C10-C9-C12
18	N	305	1PE	OH7-C16-C26-OH6
18	M	304	1PE	OH6-C15-C25-OH5
19	b	306	6VC	C6-C1-C2-C3
19	Y	306	6VC	C2-C1-C6-C5
19	H	305	6VC	C1-C2-C3-C4
19	K	306	6VC	C2-C1-C6-C5
19	H	305	6VC	C2-C1-C6-C5
19	K	306	6VC	C1-C2-C3-C4
18	L	301	1PE	OH2-C12-C22-OH3
19	H	305	6VC	C6-C1-C2-C3
18	I	303	1PE	OH4-C13-C23-OH3
18	L	301	1PE	C25-C15-OH6-C26
19	V	303	6VC	C1-C2-C3-C4
19	b	306	6VC	C2-C1-C6-C5
19	K	306	6VC	C1-C2-C3-C7
19	V	303	6VC	O3-C10-C9-N2
19	H	305	6VC	O3-C10-C9-N2
18	H	304	1PE	C12-C22-OH3-C23
18	M	304	1PE	C15-C25-OH5-C14
18	H	304	1PE	OH2-C12-C22-OH3
18	I	303	1PE	OH2-C12-C22-OH3
18	L	301	1PE	C13-C23-OH3-C22
18	U	302	1PE	C16-C26-OH6-C15
18	I	303	1PE	C24-C14-OH5-C25

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
18	M	304	1PE	C23-C13-OH4-C24
19	Y	306	6VC	C6-C5-C8-O2
19	N	307	6VC	O5-C21-C22-C24
19	b	306	6VC	O5-C21-C22-C24
18	H	304	1PE	C16-C26-OH6-C15
18	U	302	1PE	C24-C14-OH5-C25
18	W	303	1PE	C12-C22-OH3-C23
18	a	304	1PE	C23-C13-OH4-C24
18	H	304	1PE	C23-C13-OH4-C24
18	a	304	1PE	C16-C26-OH6-C15
18	M	304	1PE	C14-C24-OH4-C13
18	W	303	1PE	C13-C23-OH3-C22
18	Z	301	1PE	C12-C22-OH3-C23
18	U	302	1PE	OH6-C15-C25-OH5
18	a	304	1PE	OH6-C15-C25-OH5
18	Z	301	1PE	C15-C25-OH5-C14
18	N	305	1PE	C12-C22-OH3-C23
18	U	302	1PE	OH5-C14-C24-OH4
18	Z	301	1PE	OH5-C14-C24-OH4
18	H	304	1PE	OH6-C15-C25-OH5
18	Z	301	1PE	C13-C23-OH3-C22
18	M	304	1PE	OH2-C12-C22-OH3
18	Z	301	1PE	OH4-C13-C23-OH3
19	Y	306	6VC	C6-C5-C8-N2
18	H	304	1PE	OH5-C14-C24-OH4
18	W	303	1PE	C14-C24-OH4-C13
18	H	304	1PE	C13-C23-OH3-C22
19	K	306	6VC	C6-C5-C8-O2
18	M	304	1PE	C24-C14-OH5-C25
18	W	303	1PE	C23-C13-OH4-C24
18	I	303	1PE	OH5-C14-C24-OH4
19	K	306	6VC	C6-C5-C8-N2
18	W	303	1PE	C24-C14-OH5-C25
19	V	303	6VC	O5-C21-C22-C24
19	H	305	6VC	O5-C21-C22-C24
18	U	302	1PE	C14-C24-OH4-C13
18	U	302	1PE	OH2-C12-C22-OH3



There are no ring outliers.

No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## Ligand 6VC H 305



## Ligand 6VC K 306





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å <sup>2</sup> )	Q<0.9
1	A	230/234 (98%)	-0.03	7 (3%)	50	49	31, 46, 82, 92	0
1	O	230/234 (98%)	0.59	32 (13%)	2	2	41, 63, 100, 120	0
2	B	248/261 (95%)	0.30	14 (5%)	24	23	35, 52, 89, 136	0
2	P	248/261 (95%)	0.77	40 (16%)	1	1	40, 61, 106, 142	0
3	C	236/248 (95%)	0.57	27 (11%)	5	4	36, 61, 100, 139	0
3	Q	238/248 (95%)	0.85	46 (19%)	1	0	34, 61, 112, 149	0
4	D	233/241 (96%)	0.26	16 (6%)	16	16	39, 58, 88, 114	0
4	R	233/241 (96%)	0.06	6 (2%)	56	54	32, 44, 71, 93	0
5	E	233/263 (88%)	0.13	13 (5%)	24	23	29, 43, 86, 100	0
5	S	237/263 (90%)	0.08	10 (4%)	36	35	34, 47, 81, 104	0
6	F	239/255 (93%)	-0.08	0	100	100	27, 36, 58, 74	0
6	T	240/255 (94%)	0.27	19 (7%)	12	11	35, 52, 85, 107	0
7	G	241/246 (97%)	0.15	6 (2%)	57	56	27, 40, 73, 101	0
7	U	235/246 (95%)	0.61	32 (13%)	3	2	42, 60, 95, 124	0
8	H	220/234 (94%)	-0.07	4 (1%)	68	66	27, 36, 66, 100	0
8	V	220/234 (94%)	0.12	6 (2%)	54	53	36, 48, 84, 97	0
9	I	204/205 (99%)	0.03	1 (0%)	91	90	29, 38, 58, 74	0
9	W	204/205 (99%)	0.08	3 (1%)	73	72	36, 50, 73, 81	0
10	J	195/201 (97%)	-0.12	3 (1%)	73	72	32, 42, 60, 76	0
10	X	195/201 (97%)	-0.06	1 (0%)	91	90	34, 44, 59, 74	0
11	K	200/204 (98%)	0.07	2 (1%)	82	81	36, 46, 71, 84	0
11	Y	201/204 (98%)	0.03	4 (1%)	65	63	28, 37, 59, 70	0
12	L	213/213 (100%)	-0.09	0	100	100	34, 49, 71, 85	0
12	Z	213/213 (100%)	0.07	4 (1%)	66	65	27, 38, 60, 74	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
13	M	216/219 (98%)	0.12	3 (1%) 75 74	27, 39, 62, 95	0
13	a	216/219 (98%)	-0.05	3 (1%) 75 74	27, 39, 60, 82	0
14	N	202/205 (98%)	-0.05	0 100 100	27, 35, 56, 94	0
14	b	203/205 (99%)	0.15	8 (3%) 39 38	32, 41, 66, 97	0
All	All	6223/6458 (96%)	0.18	310 (4%) 28 28	27, 46, 85, 149	0

All (310) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	P	204	SER	14.1
1	O	232	ILE	11.1
4	D	241	ILE	9.9
2	P	203	VAL	8.8
3	Q	232	ILE	7.8
3	Q	238	GLU	7.6
7	G	187	PHE	7.2
3	Q	234	LYS	7.1
3	C	225	ILE	7.0
4	R	241	ILE	6.4
5	E	237	GLU	6.4
2	P	61	PHE	6.3
3	C	232	ILE	6.2
3	Q	240	GLU	6.1
3	Q	236	LYS	6.1
3	Q	202	GLY	6.0
3	Q	203	GLY	6.0
7	U	2	SER	6.0
8	H	204	CYS	6.0
11	K	40	TYR	6.0
2	P	247	ALA	6.0
2	P	202	ASP	5.9
3	Q	239	ASN	5.8
5	E	54	SER	5.7
7	G	189	TRP	5.7
1	O	201	GLN	5.6
3	C	49	SER	5.6
7	U	208	ILE	5.5
3	C	203	GLY	5.4
3	C	229	VAL	5.4
13	a	216	SER	5.4
2	B	61	PHE	5.4

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	203	VAL	5.2
3	Q	225	ILE	5.2
7	U	206	LEU	5.2
3	Q	229	VAL	5.2
7	U	242	LEU	5.1
3	C	202	GLY	5.1
2	P	234	GLU	5.0
4	R	130	PRO	4.9
14	b	203	PRO	4.9
2	B	248	GLU	4.9
3	Q	233	GLU	4.9
2	P	206	LEU	4.8
8	H	203	ARG	4.8
2	P	205	LYS	4.8
8	V	203	ARG	4.7
3	C	201	SER	4.7
7	U	3	ARG	4.7
3	Q	237	GLU	4.7
11	Y	40	TYR	4.7
3	Q	48	LYS	4.6
6	T	208	ALA	4.6
8	V	199	LEU	4.6
2	B	204	SER	4.5
1	A	230	ALA	4.4
3	C	48	LYS	4.4
1	A	231	ALA	4.4
4	D	237	VAL	4.4
5	E	52	ALA	4.4
4	D	240	ASP	4.3
1	A	232	ILE	4.3
2	P	249	ARG	4.3
2	B	247	ALA	4.3
1	O	192	LEU	4.2
3	Q	201	SER	4.2
7	G	188	ASP	4.2
5	E	235	GLY	4.1
5	S	239	ARG	4.1
6	T	207	LYS	4.1
3	C	234	LYS	4.1
7	U	243	ALA	4.1
10	J	1[A]	MET	4.1
1	O	199	GLU	4.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	Q	223	GLU	4.0
3	Q	226	GLU	4.0
3	Q	192	ILE	3.9
3	C	233	GLU	3.9
2	P	220	ASN	3.9
2	P	244	GLU	3.8
1	O	200	GLY	3.8
5	S	57	ALA	3.8
1	O	181	LEU	3.8
3	Q	179	GLU	3.7
4	D	234	LEU	3.7
2	B	205	LYS	3.7
1	O	229	LEU	3.7
3	C	230	ALA	3.7
3	Q	230	ALA	3.7
4	R	128	ALA	3.6
1	O	177	TYR	3.6
7	U	204	THR	3.6
3	C	138	PHE	3.6
1	O	184	GLU	3.6
6	T	204	VAL	3.6
2	P	246	LYS	3.6
8	V	202	TYR	3.6
6	T	206	ASP	3.6
3	C	236	LYS	3.5
5	S	2	PHE	3.5
7	U	199	ILE	3.5
1	O	40	ALA	3.5
7	U	177	SER	3.5
6	T	205	LYS	3.5
7	U	58	ASP	3.5
4	D	127	ASP	3.5
3	C	195	LEU	3.5
9	W	113	PRO	3.4
3	Q	200	GLN	3.4
1	O	176	ARG	3.4
10	X	95	ARG	3.4
12	Z	161	VAL	3.4
4	D	239	LYS	3.4
2	P	230	GLN	3.4
2	P	243	GLU	3.4
7	U	240	VAL	3.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	Q	181	ILE	3.3
6	T	5	THR	3.3
14	b	199	VAL	3.3
7	U	207	SER	3.3
1	O	225	VAL	3.3
2	P	233	VAL	3.3
2	P	201	MET	3.3
3	Q	47	LYS	3.3
4	R	127	ASP	3.3
3	C	200	GLN	3.3
1	O	198	PHE	3.3
8	H	201	ARG	3.2
3	C	228	TYR	3.2
2	P	177	GLN	3.2
1	O	186	ALA	3.2
6	T	209	PHE	3.2
7	U	245	ARG	3.2
5	S	3	ARG	3.2
6	T	203	GLU	3.1
1	O	223	THR	3.1
7	U	183	VAL	3.1
5	E	56	LEU	3.1
2	P	52	ILE	3.1
7	U	212	PRO	3.0
7	U	196	GLU	3.0
1	O	157	TRP	3.0
4	R	131	GLY	3.0
3	Q	180	ALA	3.0
2	B	202	ASP	3.0
7	U	178	PHE	3.0
13	M	215	ILE	3.0
6	T	243	LEU	3.0
12	Z	164	VAL	2.9
2	P	200	THR	2.9
2	P	51	ASN	2.9
1	O	3	ARG	2.9
2	B	237	ILE	2.9
2	P	237	ILE	2.9
1	O	59	ARG	2.9
2	P	248	GLU	2.9
1	O	187	ILE	2.9
14	b	26	ILE	2.9

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	O	228	TYR	2.9
1	O	182	GLU	2.9
5	S	174	ARG	2.9
3	Q	199	VAL	2.9
4	D	130	PRO	2.9
7	G	209	ASP	2.9
2	P	241	GLU	2.9
3	Q	37	GLY	2.9
4	D	131	GLY	2.9
2	P	197	LEU	2.8
7	U	56	VAL	2.8
2	B	242	GLU	2.8
2	P	58	GLU	2.8
3	C	237	GLU	2.8
14	b	200	ALA	2.8
3	C	220	LEU	2.8
7	U	57	PRO	2.8
3	C	238	GLU	2.8
2	P	55	LEU	2.8
2	P	178	ASP	2.8
5	E	202	GLU	2.8
13	M	216	SER	2.8
3	Q	178	ASP	2.7
3	C	222	PRO	2.7
5	E	53	GLN	2.7
6	T	237	LYS	2.7
7	U	209	ASP	2.7
11	K	145	TYR	2.7
2	B	249	ARG	2.7
4	D	236	GLU	2.7
4	D	188	SER	2.7
4	D	235	GLU	2.7
3	Q	220	LEU	2.7
7	U	205	VAL	2.7
11	Y	200	SER	2.7
6	T	241	GLU	2.7
4	D	232	GLU	2.6
8	V	197	THR	2.6
2	P	199	LYS	2.6
3	C	227	LYS	2.6
2	B	206	LEU	2.6
6	T	54	LEU	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
8	V	204	CYS	2.6
2	P	207	SER	2.6
1	O	227	ASP	2.6
3	Q	213	ARG	2.6
5	E	218	ASP	2.6
4	D	128	ALA	2.6
6	T	240	LYS	2.6
2	B	241	GLU	2.5
3	Q	185	ASP	2.5
5	S	18[A]	ARG	2.5
7	G	3	ARG	2.5
3	Q	228	TYR	2.5
7	G	57	PRO	2.5
3	Q	204	LYS	2.5
1	O	195	LYS	2.5
10	J	95	ARG	2.5
7	U	200	THR	2.5
2	P	53	HIS	2.5
3	Q	138	PHE	2.5
9	W	116	PHE	2.5
13	M	33	LEU	2.5
5	S	238	GLU	2.5
7	U	223	GLU	2.5
11	Y	201	GLY	2.4
1	O	172	PHE	2.4
13	a	194	GLU	2.4
3	Q	205	ASN	2.4
3	Q	49	SER	2.4
7	U	179	LEU	2.4
1	O	191	ILE	2.4
5	E	201	ALA	2.4
3	C	56	GLU	2.4
6	T	233	GLU	2.4
7	U	174	GLU	2.4
5	S	204	ASP	2.4
6	T	236	GLU	2.4
2	P	180	LYS	2.4
3	Q	183	THR	2.4
3	Q	38	ARG	2.3
6	T	180	GLN	2.3
3	Q	184	ASP	2.3
2	P	240	HIS	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
5	E	59	HIS	2.3
2	P	219	GLU	2.3
2	B	245	ALA	2.3
2	B	243	GLU	2.3
3	Q	224	GLU	2.3
3	Q	235	GLU	2.3
7	U	210	PHE	2.3
5	E	58	ALA	2.3
7	U	195	VAL	2.3
4	D	230	THR	2.3
3	C	226	GLU	2.3
4	D	183	GLU	2.3
1	O	50	LYS	2.3
6	T	230	ASP	2.3
1	A	198	PHE	2.2
4	D	223	GLY	2.2
2	P	211	VAL	2.2
6	T	202	ASP	2.2
9	W	192	ASP	2.2
2	P	183	GLU	2.2
3	C	231	GLU	2.2
3	Q	219	ILE	2.2
14	b	201	THR	2.2
2	P	187	LYS	2.2
3	Q	186	LEU	2.2
8	V	132	LEU	2.2
3	Q	190	LEU	2.2
2	P	30	HIS	2.2
12	Z	163	HIS	2.2
7	U	7	ALA	2.2
2	P	235	GLN	2.2
2	P	198	ASN	2.2
1	A	229	LEU	2.1
3	C	235	GLU	2.1
3	Q	210	VAL	2.1
1	O	41	ASN	2.1
14	b	202	LEU	2.1
1	O	138	TRP	2.1
3	Q	39	ASP	2.1
1	A	3	ARG	2.1
7	U	173	THR	2.1
4	R	240	ASP	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
5	S	4	ASN	2.1
8	H	220	GLU	2.1
11	Y	26	ILE	2.1
5	S	235	GLY	2.1
1	O	168	ASN	2.1
3	C	85[A]	ASN	2.1
5	E	203	GLN	2.1
5	E	234	GLU	2.1
3	C	204	LYS	2.1
7	U	202	LEU	2.1
9	I	179	VAL	2.1
3	Q	177	THR	2.1
13	a	215	ILE	2.0
7	U	186	LYS	2.0
10	J	185	LYS	2.0
6	T	6	GLY	2.0
1	O	180	ASP	2.0
1	O	202	MET	2.0
1	O	194	LEU	2.0
2	P	56	LEU	2.0
12	Z	143	ALA	2.0
1	A	199	GLU	2.0
14	b	9	ASP	2.0
3	Q	197	GLU	2.0
7	U	198	ALA	2.0
14	b	27	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
7	6V1	U	47	15/16	0.78	0.38	72,103,109,110	0
7	YCM	U	137	10/11	0.82	0.18	51,59,75,76	0
5	6V1	S	148	15/16	0.87	0.20	37,63,68,70	0
3	YCM	C	63	10/11	0.88	0.12	55,56,63,64	0
7	YCM	G	137	10/11	0.88	0.16	33,39,51,53	0
5	6V1	E	148	15/16	0.90	0.17	32,54,64,65	0
7	6V1	G	47	15/16	0.90	0.20	39,61,64,65	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
10	6V1	J	91	15/16	0.91	0.20	33,53,58,59	0
10	6V1	X	91	15/16	0.91	0.22	36,54,57,61	0
3	YCM	Q	63	10/11	0.91	0.13	51,54,64,67	0
7	6V1	U	161	15/16	0.92	0.12	53,73,78,78	0
7	6V1	G	161	15/16	0.92	0.17	33,51,57,58	0

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
18	1PE	M	304	16/16	0.66	0.34	78,83,97,98	0
18	1PE	a	304	16/16	0.71	0.26	66,70,86,87	0
18	1PE	L	301	16/16	0.75	0.21	60,70,74,76	0
18	1PE	H	304	16/16	0.77	0.28	58,69,77,79	0
18	1PE	W	303	16/16	0.81	0.25	59,64,71,74	0
15	CL	O	303	1/1	0.82	0.25	87,87,87,87	0
18	1PE	Z	301	16/16	0.83	0.20	57,66,72,73	0
18	1PE	I	303	16/16	0.88	0.21	55,58,68,71	0
18	1PE	U	302	16/16	0.88	0.17	46,56,73,75	0
15	CL	M	303	1/1	0.90	0.10	59,59,59,59	0
15	CL	O	304	1/1	0.90	0.07	67,67,67,67	0
15	CL	Q	302	1/1	0.90	0.23	64,64,64,64	0
15	CL	E	303	1/1	0.90	0.16	64,64,64,64	0
15	CL	B	302	1/1	0.91	0.11	57,57,57,57	0
15	CL	D	301	1/1	0.91	0.22	69,69,69,69	0
15	CL	Y	305	1/1	0.91	0.23	63,63,63,63	0
18	1PE	N	305	16/16	0.91	0.15	41,49,62,64	0
15	CL	I	302	1/1	0.91	0.08	48,48,48,48	0
19	6VC	V	303	28/28	0.92	0.14	42,45,60,61	0
15	CL	R	301	1/1	0.92	0.09	58,58,58,58	0
15	CL	V	302	1/1	0.93	0.10	59,59,59,59	0
17	MG	V	301	1/1	0.93	0.24	58,58,58,58	0
15	CL	K	304	1/1	0.93	0.16	60,60,60,60	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
15	CL	Q	301	1/1	0.93	0.17	67,67,67,67	0
15	CL	E	304	1/1	0.94	0.09	63,63,63,63	0
15	CL	A	302	1/1	0.94	0.10	64,64,64,64	0
15	CL	C	301	1/1	0.94	0.10	60,60,60,60	0
15	CL	K	303	1/1	0.94	0.07	69,69,69,69	0
19	6VC	H	305	28/28	0.95	0.11	33,37,55,60	0
17	MG	H	301	1/1	0.95	0.17	57,57,57,57	0
15	CL	K	305	1/1	0.95	0.23	65,65,65,65	0
15	CL	M	301	1/1	0.95	0.22	56,56,56,56	0
15	CL	Y	303	1/1	0.95	0.09	64,64,64,64	0
15	CL	O	302	1/1	0.95	0.09	63,63,63,63	0
19	6VC	N	307	28/28	0.95	0.17	25,29,49,52	0
15	CL	a	303	1/1	0.95	0.08	60,60,60,60	0
15	CL	C	302	1/1	0.95	0.16	71,71,71,71	0
15	CL	B	301	1/1	0.96	0.07	41,41,41,41	0
15	CL	Y	304	1/1	0.96	0.08	57,57,57,57	0
19	6VC	Y	306	28/28	0.96	0.15	27,29,51,56	0
17	MG	W	301	1/1	0.96	0.06	38,38,38,38	0
15	CL	S	303	1/1	0.96	0.06	55,55,55,55	0
19	6VC	K	306	28/28	0.96	0.14	36,39,61,62	0
16	K	b	305	1/1	0.96	0.07	41,41,41,41	0
15	CL	R	302	1/1	0.96	0.17	57,57,57,57	0
16	K	L	302	1/1	0.96	0.04	47,47,47,47	0
17	MG	I	301	1/1	0.96	0.08	33,33,33,33	0
15	CL	b	302	1/1	0.96	0.09	55,55,55,55	0
19	6VC	b	306	28/28	0.96	0.15	31,34,55,56	0
15	CL	O	301	1/1	0.96	0.10	55,55,55,55	0
17	MG	L	303	1/1	0.97	0.04	37,37,37,37	0
15	CL	K	302	1/1	0.97	0.07	42,42,42,42	0
15	CL	F	301	1/1	0.97	0.11	51,51,51,51	0
17	MG	J	301	1/1	0.97	0.05	48,48,48,48	0
15	CL	b	303	1/1	0.97	0.08	56,56,56,56	0
15	CL	N	304	1/1	0.97	0.12	52,52,52,52	0
15	CL	G	302	1/1	0.97	0.11	60,60,60,60	0
17	MG	I	304	1/1	0.97	0.07	30,30,30,30	0
15	CL	A	304	1/1	0.97	0.14	57,57,57,57	0
15	CL	E	302	1/1	0.97	0.05	55,55,55,55	0
15	CL	a	301	1/1	0.97	0.13	59,59,59,59	0
15	CL	H	303	1/1	0.97	0.07	53,53,53,53	0
15	CL	W	302	1/1	0.97	0.07	54,54,54,54	0
15	CL	A	303	1/1	0.97	0.08	50,50,50,50	0
15	CL	U	301	1/1	0.98	0.12	54,54,54,54	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
15	CL	b	304	1/1	0.98	0.11	42,42,42,42	0
15	CL	a	302	1/1	0.98	0.08	43,43,43,43	0
17	MG	H	302	1/1	0.98	0.05	33,33,33,33	0
15	CL	G	301	1/1	0.98	0.18	48,48,48,48	0
15	CL	P	301	1/1	0.98	0.07	53,53,53,53	0
15	CL	E	301	1/1	0.98	0.05	61,61,61,61	0
15	CL	Y	302	1/1	0.98	0.15	59,59,59,59	0
17	MG	K	301	1/1	0.98	0.08	36,36,36,36	0
15	CL	S	301	1/1	0.98	0.31	64,64,64,64	0
15	CL	N	303	1/1	0.98	0.11	56,56,56,56	0
16	K	G	303	1/1	0.98	0.05	33,33,33,33	0
17	MG	X	301	1/1	0.98	0.11	49,49,49,49	0
16	K	U	303	1/1	0.98	0.06	41,41,41,41	0
15	CL	b	301	1/1	0.98	0.06	45,45,45,45	0
15	CL	M	302	1/1	0.99	0.07	40,40,40,40	0
15	CL	A	301	1/1	0.99	0.11	52,52,52,52	0
15	CL	N	301	1/1	0.99	0.15	35,35,35,35	0
15	CL	N	302	1/1	0.99	0.06	45,45,45,45	0
16	K	N	306	1/1	0.99	0.08	38,38,38,38	0
15	CL	S	302	1/1	0.99	0.13	63,63,63,63	0
16	K	Z	302	1/1	0.99	0.08	39,39,39,39	0
15	CL	Y	301	1/1	1.00	0.08	38,38,38,38	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around 6VC V 303:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 6VC H 305:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around 6VC N 307:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around 6VC Y 306:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around 6VC K 306:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around 6VC b 306:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.