



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 20, 2020 – 01:22 PM BST

PDB ID : 5LF3
Title : Human 20S proteasome complex with Bortezomib at 2.1 Angstrom
Authors : Schrader, J.; Henneberg, F.; Mata, R.; Tittmann, K.; Schneider, T.R.; Stark, H.; Bourenkov, G.; Chari, A.
Deposited on : 2016-06-30
Resolution : 2.10 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.
























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5197 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	234	<div> <div>91%</div> <div>6% ..</div> </div>
1	O	234	<div> <div>4%</div> <div>92%</div> <div>5% ..</div> </div>
2	B	261	<div> <div>2%</div> <div>91%</div> <div>5%</div> </div>
2	P	261	<div> <div>5%</div> <div>89%</div> <div>5% • 5%</div> </div>
3	C	248	<div> <div>3%</div> <div>89%</div> <div>7% •</div> </div>
3	Q	248	<div> <div>10%</div> <div>85%</div> <div>10% • •</div> </div>
4	D	241	<div> <div>2%</div> <div>93%</div> <div>• •</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	R	241	
5	E	263	
5	S	263	
6	F	255	
6	T	255	
7	G	246	
7	U	246	
8	H	234	
8	V	234	
9	I	205	
9	W	205	
10	J	201	
10	X	201	
11	K	204	
11	Y	204	
12	L	213	
12	Z	213	
13	M	219	
13	a	219	
14	N	205	
14	b	205	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	6V1	U	47	X	-	-	-

2 Entry composition

There are 20 unique types of molecules in this entry. The entry contains 52211 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	230	Total	C	N	O	S	0	3	0
			1788	1145	301	336	6			
1	O	230	Total	C	N	O	S	0	0	0
			1741	1111	293	331	6			

- Molecule 2 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	248	Total	C	N	O	S	0	2	0
			1926	1220	332	363	11			
2	P	248	Total	C	N	O	S	0	2	0
			1909	1206	325	367	11			

- Molecule 3 is a protein called Proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	237	Total	C	N	O	S	0	2	0
			1798	1121	320	352	5			
3	Q	239	Total	C	N	O	S	0	0	0
			1820	1136	320	359	5			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	233	Total	C	N	O	S	0	1	0
			1762	1105	290	356	11			
4	R	233	Total	C	N	O	S	0	1	0
			1753	1103	293	346	11			

- Molecule 5 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	234	Total	C	N	O	S	0	1	0
			1822	1144	325	342	11			
5	S	238	Total	C	N	O	S	0	3	0
			1875	1175	340	349	11			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	148	6V1	CYS	engineered mutation	UNP P25786
S	148	6V1	CYS	engineered mutation	UNP P25786

- Molecule 6 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	239	Total	C	N	O	S	0	4	0
			1888	1198	325	353	12			
6	T	240	Total	C	N	O	S	0	1	0
			1856	1178	315	351	12			

- Molecule 7 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	244	Total	C	N	O	S	0	2	0
			1912	1214	321	364	13			
7	U	238	Total	C	N	O	S	0	1	0
			1815	1147	304	350	14			

- Molecule 8 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	220	Total	C	N	O	S	0	2	0
			1664	1047	284	320	13			
8	V	220	Total	C	N	O	S	0	2	0
			1622	1023	269	318	12			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	3	0
			1613	1028	270	295	20			
9	W	204	Total	C	N	O	S	0	2	0
			1599	1018	267	295	19			

- Molecule 10 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	196	Total	C	N	O	S	0	3	0
			1590	1021	271	288	10			
10	X	196	Total	C	N	O	S	0	2	0
			1574	1012	267	285	10			

- Molecule 11 is a protein called Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	200	Total	C	N	O	S	0	1	0
			1550	978	269	293	10			
11	Y	201	Total	C	N	O	S	0	3	0
			1580	996	280	294	10			

- Molecule 12 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	213	Total	C	N	O	S	0	2	0
			1636	1038	277	310	11			
12	Z	213	Total	C	N	O	S	0	1	0
			1642	1041	280	310	11			

- Molecule 13 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	216	Total	C	N	O	S	0	1	0
			1692	1067	291	322	12			
13	a	216	Total	C	N	O	S	0	2	0
			1688	1064	291	321	12			

- Molecule 14 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	202	Total	C	N	O	S	0	1	0
			1519	953	258	295	13			
14	b	203	Total	C	N	O	S	0	1	0
			1524	956	259	296	13			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
N	1	THR	-	expression tag	UNP P28072

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
b	1	THR	-	expression tag	UNP P28072

- Molecule 15 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
15	P	1	Total Cl 1 1	0	0
15	K	3	Total Cl 3 3	0	0
15	B	2	Total Cl 2 2	0	0
15	W	1	Total Cl 1 1	0	0
15	N	2	Total Cl 2 2	0	0
15	S	3	Total Cl 3 3	0	0
15	E	3	Total Cl 3 3	0	0
15	b	2	Total Cl 2 2	0	0
15	V	1	Total Cl 1 1	0	0
15	A	4	Total Cl 4 4	0	0
15	R	2	Total Cl 2 2	0	0
15	M	4	Total Cl 4 4	0	0
15	D	2	Total Cl 2 2	0	0
15	I	1	Total Cl 1 1	0	0
15	a	3	Total Cl 3 3	0	0
15	U	1	Total Cl 1 1	0	0
15	G	2	Total Cl 2 2	0	0
15	Q	2	Total Cl 2 2	0	0
15	H	1	Total Cl 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	C	2	Total 2	Cl 2	0	0
15	O	4	Total 4	Cl 4	0	0
15	Y	4	Total 4	Cl 4	0	0
15	F	1	Total 1	Cl 1	0	0

- Molecule 16 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total 1	K 1	0	0
16	b	1	Total 1	K 1	0	0
16	Z	1	Total 1	K 1	0	0
16	N	1	Total 1	K 1	0	0
16	U	1	Total 1	K 1	0	0
16	L	1	Total 1	K 1	0	0

- Molecule 17 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	J	1	Total 1	Mg 1	0	0
17	K	1	Total 1	Mg 1	0	0
17	H	2	Total 2	Mg 2	0	0
17	I	2	Total 2	Mg 2	0	0
17	V	1	Total 1	Mg 1	0	0
17	W	1	Total 1	Mg 1	0	0
17	X	1	Total 1	Mg 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
17	L	1	Total	Mg	0	0
			1	1		


- Molecule 18 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: $C_{10}H_{22}O_6$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
18	H	1	Total	C	O	0	0
			16	10	6		
18	H	1	Total	C	O	0	0
			16	10	6		
18	I	1	Total	C	O	0	0
			16	10	6		
18	I	1	Total	C	O	0	0
			16	10	6		
18	L	1	Total	C	O	0	0
			16	10	6		
18	M	1	Total	C	O	0	0
			16	10	6		
18	W	1	Total	C	O	0	0
			16	10	6		
18	Z	1	Total	C	O	0	0
			16	10	6		
18	b	1	Total	C	O	0	0
			16	10	6		

- Molecule 19 is N-[(1R)-1-(DIHYDROXYBORYL)-3-METHYLBUTYL]-N-(PYRAZI N-2-YLCARBONYL)-L-PHENYLALANINAMIDE (three-letter code: BO2) (formula:

C₁₉H₂₅BN₄O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
19	H	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
19	K	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
19	N	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
19	V	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
19	Y	1	Total	B	C	N	O	0	0
			28	1	19	4	4		
19	b	1	Total	B	C	N	O	0	0
			28	1	19	4	4		

- Molecule 20 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	A	115	Total	O	0	0
			115	115		
20	B	131	Total	O	0	0
			131	131		
20	C	75	Total	O	0	0
			75	75		
20	D	95	Total	O	0	0
			95	95		
20	E	147	Total	O	0	0
			147	147		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	F	186	Total 186	O 186	0	0
20	G	196	Total 196	O 196	0	0
20	H	159	Total 159	O 159	0	0
20	I	157	Total 157	O 157	0	0
20	J	138	Total 138	O 138	0	0
20	K	105	Total 105	O 105	0	0
20	L	125	Total 125	O 125	0	0
20	M	147	Total 147	O 147	0	0
20	N	162	Total 162	O 162	0	0
20	O	95	Total 95	O 95	0	0
20	P	125	Total 125	O 125	0	0
20	Q	75	Total 75	O 75	0	0
20	R	132	Total 132	O 132	0	0
20	S	130	Total 130	O 130	0	0
20	T	100	Total 100	O 100	0	0
20	U	107	Total 107	O 107	0	0
20	V	120	Total 120	O 120	0	0
20	W	118	Total 118	O 118	0	0
20	X	125	Total 125	O 125	0	0
20	Y	142	Total 142	O 142	0	0
20	Z	169	Total 169	O 169	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
20	a	174	Total 174	O 174	0	0
20	b	124	Total 124	O 124	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2

Chain A:  91% 6% ..



- Molecule 1: Proteasome subunit alpha type-2

Chain O:  92% 5% ..





- Molecule 2: Proteasome subunit alpha type-4

Chain B:  91% 5%




- Molecule 2: Proteasome subunit alpha type-4

Chain P:  89% 5% 5%





- Molecule 3: Proteasome subunit alpha type-7


Chain C:  89% 7%




- Molecule 3: Proteasome subunit alpha type-7





- Molecule 4: Proteasome subunit alpha type-5




- Molecule 4: Proteasome subunit alpha type-5




- Molecule 5: Proteasome subunit alpha type-1




- Molecule 5: Proteasome subunit alpha type-1




- Molecule 6: Proteasome subunit alpha type-3




- Molecule 6: Proteasome subunit alpha type-3




- Molecule 7: Proteasome subunit alpha type-6




- Molecule 7: Proteasome subunit alpha type-6




- Molecule 8: Proteasome subunit beta type-7




- Molecule 8: Proteasome subunit beta type-7



- Molecule 9: Proteasome subunit beta type-3




- Molecule 9: Proteasome subunit beta type-3



- Molecule 10: Proteasome subunit beta type-2

Chain J:  93% 



- Molecule 10: Proteasome subunit beta type-2

Chain X:  94% 




- Molecule 11: Proteasome subunit beta type-5

Chain K:  93% 5% 



- Molecule 11: Proteasome subunit beta type-5

Chain Y:  94% 



- Molecule 12: Proteasome subunit beta type-1

Chain L:  96% 



- Molecule 12: Proteasome subunit beta type-1

Chain Z:  97% 



- Molecule 13: Proteasome subunit beta type-4

Chain M:  95% 



- Molecule 13: Proteasome subunit beta type-4

Chain a:

94%

..



● Molecule 14: Proteasome subunit beta type-6

Chain N:

95%

..



● Molecule 14: Proteasome subunit beta type-6

Chain b:

97%

..



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	113.37Å 202.72Å 314.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	170.45 – 2.10 170.45 – 2.10	Depositor EDS
% Data completeness (in resolution range)	98.6 (170.45-2.10) 98.6 (170.45-2.10)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.15 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.8.0103	Depositor
R, R_{free}	0.184 , 0.226 0.191 , 0.230	Depositor DCC
R_{free} test set	20644 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	40.7	Xtriage
Anisotropy	0.168	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 47.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	52211	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.75% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, CL, BO2, 6V1, 1PE, YCM, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.71	0/1833	0.83	1/2489 (0.0%)
1	O	0.63	0/1778	0.81	0/2419
2	B	0.70	0/1962	0.85	3/2649 (0.1%)
2	P	0.69	0/1945	0.89	4/2631 (0.2%)
3	C	0.66	0/1818	0.89	1/2469 (0.0%)
3	Q	0.67	0/1834	0.89	4/2490 (0.2%)
4	D	0.70	0/1789	0.81	2/2424 (0.1%)
4	R	0.73	0/1780	0.89	3/2408 (0.1%)
5	E	0.71	0/1842	0.86	2/2493 (0.1%)
5	S	0.68	0/1901	0.85	3/2571 (0.1%)
6	F	0.78	0/1935	0.90	3/2605 (0.1%)
6	T	0.68	1/1894 (0.1%)	0.92	6/2556 (0.2%)
7	G	0.78	1/1909 (0.1%)	0.83	2/2579 (0.1%)
7	U	0.64	0/1804	0.81	6/2441 (0.2%)
8	H	0.80	0/1697	0.97	8/2299 (0.3%)
8	V	0.69	0/1655	0.89	5/2251 (0.2%)
9	I	0.73	0/1648	0.97	5/2219 (0.2%)
9	W	0.66	0/1630	0.92	6/2197 (0.3%)
10	J	0.71	0/1613	0.99	5/2180 (0.2%)
10	X	0.72	0/1597	0.98	3/2160 (0.1%)
11	K	0.75	2/1584 (0.1%)	0.89	4/2141 (0.2%)
11	Y	0.79	1/1620 (0.1%)	0.94	4/2185 (0.2%)
12	L	0.73	0/1672	0.89	4/2257 (0.2%)
12	Z	0.80	1/1675 (0.1%)	0.91	3/2257 (0.1%)
13	M	0.74	0/1728	0.91	6/2339 (0.3%)
13	a	0.76	0/1724	0.91	5/2336 (0.2%)
14	N	0.81	0/1548	0.84	3/2095 (0.1%)
14	b	0.70	0/1554	0.83	0/2104
All	All	0.72	6/48969 (0.0%)	0.89	101/66244 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	P	0	3
3	C	0	1
3	Q	0	2
4	D	0	4
4	R	0	2
5	E	0	1
6	T	0	1
7	U	1	0
9	I	0	1
9	W	0	1
10	J	0	2
10	X	0	1
11	Y	0	1
13	a	0	1
All	All	1	21

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	Z	3	SER	CB-OG	7.53	1.52	1.42
7	G	108	GLU	CD-OE1	7.45	1.33	1.25
11	Y	40	TYR	CE1-CZ	6.05	1.46	1.38
11	K	40	TYR	CE1-CZ	5.66	1.46	1.38
11	K	40	TYR	CG-CD1	5.44	1.46	1.39

The worst 5 of 101 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	J	86	ARG	NE-CZ-NH2	-16.38	112.11	120.30
10	X	86	ARG	NE-CZ-NH2	-15.92	112.34	120.30
10	J	86	ARG	NE-CZ-NH1	13.76	127.18	120.30
10	X	86	ARG	NE-CZ-NH1	13.18	126.89	120.30
2	P	124	PHE	CB-CG-CD1	-10.33	113.57	120.80

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	U	47	6V1	C1

5 of 21 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	C	237	GLU	Peptide
4	D	127	ASP	Peptide
4	D	175[A]	GLU	Peptide
4	D	175[B]	GLU	Peptide
4	D	223	GLY	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	231/234 (99%)	222 (96%)	4 (2%)	5 (2%)	6	2
1	O	228/234 (97%)	218 (96%)	4 (2%)	6 (3%)	5	2
2	B	248/261 (95%)	239 (96%)	7 (3%)	2 (1%)	19	15
2	P	248/261 (95%)	232 (94%)	13 (5%)	3 (1%)	13	8
3	C	236/248 (95%)	224 (95%)	6 (2%)	6 (2%)	5	2
3	Q	236/248 (95%)	218 (92%)	8 (3%)	10 (4%)	3	0
4	D	232/241 (96%)	224 (97%)	4 (2%)	4 (2%)	9	4
4	R	232/241 (96%)	222 (96%)	7 (3%)	3 (1%)	12	7
5	E	232/263 (88%)	226 (97%)	5 (2%)	1 (0%)	34	32
5	S	238/263 (90%)	230 (97%)	6 (2%)	2 (1%)	19	15
6	F	241/255 (94%)	240 (100%)	1 (0%)	0	100	100
6	T	239/255 (94%)	233 (98%)	2 (1%)	4 (2%)	9	4
7	G	241/246 (98%)	235 (98%)	5 (2%)	1 (0%)	34	32
7	U	232/246 (94%)	228 (98%)	4 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	H	220/234 (94%)	217 (99%)	3 (1%)	0	100	100
8	V	220/234 (94%)	217 (99%)	2 (1%)	1 (0%)	29	26
9	I	205/205 (100%)	200 (98%)	5 (2%)	0	100	100
9	W	204/205 (100%)	199 (98%)	5 (2%)	0	100	100
10	J	195/201 (97%)	192 (98%)	3 (2%)	0	100	100
10	X	195/201 (97%)	193 (99%)	2 (1%)	0	100	100
11	K	199/204 (98%)	196 (98%)	3 (2%)	0	100	100
11	Y	202/204 (99%)	198 (98%)	3 (2%)	1 (0%)	29	26
12	L	213/213 (100%)	211 (99%)	2 (1%)	0	100	100
12	Z	212/213 (100%)	210 (99%)	2 (1%)	0	100	100
13	M	215/219 (98%)	208 (97%)	7 (3%)	0	100	100
13	a	216/219 (99%)	209 (97%)	7 (3%)	0	100	100
14	N	201/205 (98%)	199 (99%)	2 (1%)	0	100	100
14	b	202/205 (98%)	200 (99%)	2 (1%)	0	100	100
All	All	6213/6458 (96%)	6040 (97%)	124 (2%)	49 (1%)	19	15

5 of 49 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	50	LYS
1	A	52	LYS
1	A	53	SER
4	D	176	GLY
5	E	59	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/191 (97%)	172 (93%)	13 (7%)	15	12
1	O	176/191 (92%)	166 (94%)	10 (6%)	20	18

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	200/221 (90%)	194 (97%)	6 (3%)	41	44
2	P	197/221 (89%)	186 (94%)	11 (6%)	21	18
3	C	179/210 (85%)	170 (95%)	9 (5%)	24	23
3	Q	184/210 (88%)	171 (93%)	13 (7%)	14	11
4	D	189/203 (93%)	184 (97%)	5 (3%)	46	50
4	R	187/203 (92%)	185 (99%)	2 (1%)	73	79
5	E	192/223 (86%)	183 (95%)	9 (5%)	26	25
5	S	197/223 (88%)	191 (97%)	6 (3%)	41	44
6	F	199/212 (94%)	188 (94%)	11 (6%)	21	19
6	T	192/212 (91%)	181 (94%)	11 (6%)	20	18
7	G	202/207 (98%)	196 (97%)	6 (3%)	41	44
7	U	186/207 (90%)	180 (97%)	6 (3%)	39	41
8	H	181/195 (93%)	178 (98%)	3 (2%)	60	67
8	V	172/195 (88%)	166 (96%)	6 (4%)	36	38
9	I	176/174 (101%)	175 (99%)	1 (1%)	86	90
9	W	173/174 (99%)	172 (99%)	1 (1%)	86	90
10	J	166/170 (98%)	160 (96%)	6 (4%)	35	36
10	X	164/170 (96%)	159 (97%)	5 (3%)	41	44
11	K	155/159 (98%)	148 (96%)	7 (4%)	27	27
11	Y	159/159 (100%)	155 (98%)	4 (2%)	47	52
12	L	175/178 (98%)	167 (95%)	8 (5%)	27	26
12	Z	175/178 (98%)	170 (97%)	5 (3%)	42	46
13	M	180/181 (99%)	178 (99%)	2 (1%)	73	79
13	a	178/181 (98%)	173 (97%)	5 (3%)	43	47
14	N	158/159 (99%)	154 (98%)	4 (2%)	47	52
14	b	158/159 (99%)	154 (98%)	4 (2%)	47	52
All	All	5035/5366 (94%)	4856 (96%)	179 (4%)	36	36

5 of 179 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
12	L	169	ASP
2	P	7[A]	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	102	PHE
12	L	207	THR
1	O	10	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 37 such sidechains are listed below:

Mol	Chain	Res	Type
13	M	162	GLN
2	P	40	ASN
12	Z	157	ASN
1	O	62	HIS
1	O	118	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

12 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	YCM	C	63	3	7,9,10	0.85	0	4,10,12	0.85	0
5	6V1	S	148	5	12,15,16	2.11	4 (33%)	9,20,22	3.26	5 (55%)
7	6V1	G	161	7	12,15,16	1.57	2 (16%)	9,20,22	2.23	5 (55%)
7	YCM	G	137	7	7,9,10	1.66	1 (14%)	4,10,12	2.42	2 (50%)
7	6V1	U	161	7	12,15,16	1.52	2 (16%)	9,20,22	2.37	4 (44%)
7	6V1	G	47	7	12,15,16	2.16	3 (25%)	9,20,22	1.68	2 (22%)
10	6V1	J	91	10	12,15,16	2.22	3 (25%)	9,20,22	4.06	5 (55%)
10	6V1	X	91	10	12,15,16	1.73	2 (16%)	9,20,22	4.61	5 (55%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	YCM	Q	63	3	7,9,10	1.26	1 (14%)	4,10,12	3.37	3 (75%)
7	YCM	U	137	7	7,9,10	1.07	1 (14%)	4,10,12	1.42	1 (25%)
5	6V1	E	148	5	12,15,16	2.01	3 (25%)	9,20,22	3.09	5 (55%)
7	6V1	U	47	7	12,15,16	2.01	4 (33%)	9,20,22	2.57	4 (44%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	YCM	C	63	3	-	0/6/8/10	-
5	6V1	S	148	5	-	0/6/25/27	0/1/1/1
7	6V1	G	161	7	-	1/6/25/27	0/1/1/1
7	YCM	G	137	7	-	2/6/8/10	-
7	6V1	U	161	7	-	1/6/25/27	0/1/1/1
7	6V1	G	47	7	-	1/6/25/27	0/1/1/1
10	6V1	J	91	10	-	2/6/25/27	0/1/1/1
10	6V1	X	91	10	-	2/6/25/27	0/1/1/1
3	YCM	Q	63	3	-	3/6/8/10	-
7	YCM	U	137	7	-	1/6/8/10	-
5	6V1	E	148	5	-	2/6/25/27	0/1/1/1
7	6V1	U	47	7	1/1/5/6	0/6/25/27	0/1/1/1

The worst 5 of 26 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	J	91	6V1	C1-SG	-6.52	1.76	1.83
7	G	47	6V1	CB-SG	-5.92	1.75	1.82
5	S	148	6V1	CB-SG	-5.56	1.76	1.82
5	E	148	6V1	CB-SG	-5.02	1.76	1.82
10	X	91	6V1	C1-SG	-4.63	1.78	1.83

The worst 5 of 41 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	X	91	6V1	C5-C4-N3	8.57	113.18	108.13
10	J	91	6V1	C5-C4-N3	7.82	112.74	108.13
5	E	148	6V1	C5-C4-N3	7.14	112.34	108.13
10	X	91	6V1	C2-N3-C4	-6.67	109.08	113.04

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	S	148	6V1	C2-N3-C4	-5.98	109.49	113.04

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
7	U	47	6V1	C1

5 of 15 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	G	137	YCM	CE-CD-SG-CB
7	G	137	YCM	SG-CD-CE-NZ2
10	J	91	6V1	C3-C6-N3-C2
10	J	91	6V1	C3-C6-N3-C4
10	X	91	6V1	C3-C6-N3-C2

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 82 ligands modelled in this entry, 67 are monoatomic - leaving 15 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
18	1PE	M	305	-	15,15,15	0.53	0	14,14,14	0.32	0
18	1PE	Z	301	-	15,15,15	0.58	0	14,14,14	0.45	0
19	BO2	H	306	8	25,29,29	1.02	1 (4%)	32,38,38	1.20	1 (3%)
18	1PE	W	303	-	15,15,15	0.58	0	14,14,14	0.38	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
19	BO2	V	303	8	25,29,29	0.77	0	32,38,38	1.44	2 (6%)
18	1PE	b	303	-	15,15,15	0.60	0	14,14,14	0.65	0
19	BO2	K	305	11	25,29,29	0.69	0	32,38,38	1.28	4 (12%)
18	1PE	L	301	-	15,15,15	0.56	0	14,14,14	0.68	0
19	BO2	N	304	14	25,29,29	0.94	1 (4%)	32,38,38	1.79	10 (31%)
19	BO2	b	305	14	25,29,29	0.89	0	32,38,38	1.30	4 (12%)
18	1PE	I	303	-	15,15,15	0.54	0	14,14,14	0.85	1 (7%)
18	1PE	H	305	-	15,15,15	0.55	0	14,14,14	0.38	0
19	BO2	Y	305	11	25,29,29	0.66	0	32,38,38	1.11	2 (6%)
18	1PE	H	304	-	15,15,15	0.51	0	14,14,14	0.53	0
18	1PE	I	304	-	15,15,15	0.52	0	14,14,14	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	1PE	M	305	-	-	6/13/13/13	-
18	1PE	Z	301	-	-	6/13/13/13	-
19	BO2	H	306	8	-	5/22/28/28	0/2/2/2
18	1PE	W	303	-	-	9/13/13/13	-
19	BO2	V	303	8	-	5/22/28/28	0/2/2/2
18	1PE	b	303	-	-	6/13/13/13	-
19	BO2	K	305	11	-	3/22/28/28	0/2/2/2
18	1PE	L	301	-	-	6/13/13/13	-
19	BO2	N	304	14	-	1/22/28/28	0/2/2/2
19	BO2	b	305	14	-	2/22/28/28	0/2/2/2
18	1PE	I	303	-	-	6/13/13/13	-
18	1PE	H	305	-	-	4/13/13/13	-
19	BO2	Y	305	11	-	3/22/28/28	0/2/2/2
18	1PE	H	304	-	-	7/13/13/13	-
18	1PE	I	304	-	-	10/13/13/13	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
19	H	306	BO2	C11-C10	-2.19	1.48	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
19	N	304	BO2	O8-C7	-2.03	1.19	1.23

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
19	V	303	BO2	C7-C2-N1	4.92	123.29	117.48
19	N	304	BO2	C6-N1-C2	4.63	122.94	116.93
19	H	306	BO2	C7-C2-N1	4.16	122.39	117.48
19	N	304	BO2	C3-C2-N1	-3.52	117.42	121.61
19	K	305	BO2	C7-C2-N1	3.29	121.37	117.48

There are no chirality outliers.

5 of 79 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
19	Y	305	BO2	C3-C2-C7-N9
19	H	306	BO2	N1-C2-C7-N9
19	H	306	BO2	C3-C2-C7-O8
19	H	306	BO2	C3-C2-C7-N9
19	K	305	BO2	C3-C2-C7-N9

There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand BO2 H 306




Ligand BO2 V 303




Ligand BO2 K 305




Ligand BO2 N 304



Ligand BO2 b 305





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	230/234 (98%)	-0.26	1 (0%) 92 93	31, 46, 82, 94	0
1	O	230/234 (98%)	0.06	9 (3%) 39 45	43, 63, 103, 122	0
2	B	248/261 (95%)	-0.20	4 (1%) 72 75	34, 52, 94, 132	0
2	P	248/261 (95%)	0.02	12 (4%) 30 36	39, 57, 100, 142	0
3	C	236/248 (95%)	0.03	8 (3%) 45 51	35, 62, 101, 125	0
3	Q	238/248 (95%)	0.38	25 (10%) 6 8	38, 66, 116, 153	0
4	D	233/241 (96%)	-0.05	4 (1%) 70 74	38, 57, 85, 118	0
4	R	233/241 (96%)	-0.18	3 (1%) 77 80	33, 47, 75, 97	0
5	E	233/263 (88%)	-0.07	11 (4%) 31 37	29, 43, 89, 116	0
5	S	237/263 (90%)	-0.11	8 (3%) 45 51	38, 51, 89, 114	0
6	F	239/255 (93%)	-0.25	0 100 100	27, 37, 59, 74	0
6	T	240/255 (94%)	0.08	8 (3%) 46 53	40, 60, 90, 114	0
7	G	241/246 (97%)	-0.20	3 (1%) 79 82	28, 42, 74, 108	0
7	U	235/246 (95%)	0.18	12 (5%) 28 33	45, 68, 100, 131	0
8	H	220/234 (94%)	-0.24	4 (1%) 68 72	29, 38, 69, 109	0
8	V	220/234 (94%)	-0.17	5 (2%) 60 65	37, 49, 79, 105	0
9	I	204/205 (99%)	-0.35	0 100 100	29, 38, 58, 76	0
9	W	204/205 (99%)	-0.25	0 100 100	34, 47, 71, 77	0
10	J	195/201 (97%)	-0.35	0 100 100	32, 43, 60, 75	0
10	X	195/201 (97%)	-0.37	0 100 100	33, 43, 58, 73	0
11	K	200/204 (98%)	-0.33	1 (0%) 91 92	32, 44, 69, 81	0
11	Y	201/204 (98%)	-0.27	3 (1%) 73 77	28, 40, 63, 80	0
12	L	213/213 (100%)	-0.32	0 100 100	32, 46, 68, 82	0
12	Z	213/213 (100%)	-0.34	0 100 100	29, 39, 61, 73	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
13	M	216/219 (98%)	-0.29	1 (0%) 91 92	28, 41, 64, 90	0
13	a	216/219 (98%)	-0.32	1 (0%) 91 92	30, 43, 64, 83	0
14	N	202/205 (98%)	-0.33	0 100 100	29, 38, 57, 87	0
14	b	203/205 (99%)	-0.26	0 100 100	34, 46, 72, 101	0
All	All	6223/6458 (96%)	-0.16	123 (1%) 65 69	27, 48, 87, 153	0

The worst 5 of 123 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	P	204	SER	12.9
1	O	232	ILE	9.6
4	D	241	ILE	9.0
3	Q	202	GLY	7.6
2	P	203	VAL	7.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
7	6V1	U	47	15/16	0.77	0.29	82,108,112,115	0
3	YCM	C	63	10/11	0.89	0.10	55,60,68,69	0
7	YCM	U	137	10/11	0.90	0.15	57,65,83,84	0
7	YCM	G	137	10/11	0.91	0.14	35,43,60,61	0
10	6V1	J	91	15/16	0.92	0.16	36,55,59,59	0
10	6V1	X	91	15/16	0.92	0.16	38,59,64,70	0
5	6V1	S	148	15/16	0.92	0.15	39,63,69,69	0
7	6V1	U	161	15/16	0.92	0.14	58,72,79,80	0
7	6V1	G	47	15/16	0.93	0.13	42,58,60,61	0
5	6V1	E	148	15/16	0.93	0.11	32,51,59,59	0
3	YCM	Q	63	10/11	0.93	0.09	54,57,66,68	0
7	6V1	G	161	15/16	0.94	0.16	33,54,60,63	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
18	1PE	I	304	16/16	0.79	0.29	62,76,88,88	0
18	1PE	M	305	16/16	0.79	0.19	75,80,95,96	0
18	1PE	L	301	16/16	0.82	0.17	55,70,75,76	0
15	CL	O	303	1/1	0.82	0.11	87,87,87,87	0
18	1PE	Z	301	16/16	0.83	0.16	57,71,80,80	0
15	CL	A	302	1/1	0.83	0.11	69,69,69,69	0
18	1PE	H	305	16/16	0.84	0.20	65,69,89,90	0
15	CL	Q	301	1/1	0.85	0.17	78,78,78,78	0
15	CL	C	301	1/1	0.87	0.08	66,66,66,66	0
18	1PE	W	303	16/16	0.87	0.12	56,63,79,79	0
18	1PE	b	303	16/16	0.87	0.16	52,59,77,78	0
18	1PE	I	303	16/16	0.88	0.15	56,60,68,72	0
15	CL	V	302	1/1	0.89	0.10	60,60,60,60	0
15	CL	K	304	1/1	0.89	0.13	71,71,71,71	0
15	CL	Q	302	1/1	0.90	0.14	70,70,70,70	0
17	MG	V	301	1/1	0.90	0.09	57,57,57,57	0
19	BO2	V	303	28/28	0.91	0.15	49,54,66,67	0
15	CL	Y	304	1/1	0.91	0.19	70,70,70,70	0
15	CL	S	302	1/1	0.91	0.11	69,69,69,69	0
17	MG	I	301	1/1	0.91	0.07	37,37,37,37	0
19	BO2	H	306	28/28	0.91	0.15	38,45,67,67	0
15	CL	K	303	1/1	0.91	0.12	68,68,68,68	0
15	CL	O	304	1/1	0.92	0.12	70,70,70,70	0
16	K	b	304	1/1	0.93	0.07	46,46,46,46	0
18	1PE	H	304	16/16	0.93	0.13	46,51,64,67	0
15	CL	C	302	1/1	0.93	0.08	69,69,69,69	0
19	BO2	b	305	28/28	0.93	0.14	37,43,53,55	0
15	CL	G	302	1/1	0.94	0.05	62,62,62,62	0
19	BO2	N	304	28/28	0.94	0.12	35,37,44,47	0
15	CL	U	301	1/1	0.94	0.12	64,64,64,64	0
15	CL	Y	303	1/1	0.94	0.07	64,64,64,64	0
15	CL	a	303	1/1	0.95	0.07	66,66,66,66	0
17	MG	L	303	1/1	0.95	0.09	37,37,37,37	0
15	CL	S	301	1/1	0.95	0.22	75,75,75,75	0
15	CL	P	301	1/1	0.95	0.06	51,51,51,51	0
15	CL	b	301	1/1	0.96	0.15	68,68,68,68	0
15	CL	S	303	1/1	0.96	0.06	61,61,61,61	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
15	CL	a	301	1/1	0.96	0.07	67,67,67,67	0
15	CL	I	302	1/1	0.96	0.08	44,44,44,44	0
15	CL	O	301	1/1	0.96	0.09	59,59,59,59	0
15	CL	R	302	1/1	0.96	0.18	58,58,58,58	0
15	CL	H	303	1/1	0.96	0.08	47,47,47,47	0
15	CL	D	301	1/1	0.96	0.16	73,73,73,73	0
15	CL	N	302	1/1	0.96	0.10	59,59,59,59	0
15	CL	B	302	1/1	0.96	0.13	62,62,62,62	0
15	CL	E	303	1/1	0.96	0.06	60,60,60,60	0
15	CL	R	301	1/1	0.96	0.09	61,61,61,61	0
15	CL	Y	301	1/1	0.96	0.10	67,67,67,67	0
17	MG	W	301	1/1	0.96	0.06	36,36,36,36	0
15	CL	D	302	1/1	0.96	0.07	65,65,65,65	0
15	CL	b	302	1/1	0.96	0.17	64,64,64,64	0
15	CL	B	301	1/1	0.97	0.10	45,45,45,45	0
15	CL	N	301	1/1	0.97	0.10	37,37,37,37	0
19	BO2	Y	305	28/28	0.97	0.10	29,32,37,38	0
15	CL	O	302	1/1	0.97	0.11	60,60,60,60	0
17	MG	X	301	1/1	0.97	0.04	49,49,49,49	0
17	MG	K	301	1/1	0.97	0.05	34,34,34,34	0
17	MG	H	302	1/1	0.97	0.14	34,34,34,34	0
15	CL	M	304	1/1	0.97	0.09	58,58,58,58	0
15	CL	W	302	1/1	0.97	0.06	52,52,52,52	0
15	CL	M	302	1/1	0.97	0.15	65,65,65,65	0
15	CL	E	302	1/1	0.97	0.09	53,53,53,53	0
16	K	N	303	1/1	0.97	0.08	45,45,45,45	0
19	BO2	K	305	28/28	0.97	0.10	32,37,41,42	0
15	CL	M	301	1/1	0.98	0.22	68,68,68,68	0
16	K	L	302	1/1	0.98	0.05	49,49,49,49	0
15	CL	A	301	1/1	0.98	0.08	48,48,48,48	0
15	CL	K	302	1/1	0.98	0.08	74,74,74,74	0
15	CL	A	303	1/1	0.98	0.06	52,52,52,52	0
15	CL	A	304	1/1	0.98	0.11	59,59,59,59	0
15	CL	a	302	1/1	0.98	0.08	49,49,49,49	0
16	K	Z	302	1/1	0.98	0.08	42,42,42,42	0
17	MG	I	305	1/1	0.98	0.07	31,31,31,31	0
15	CL	E	301	1/1	0.98	0.09	65,65,65,65	0
15	CL	F	301	1/1	0.98	0.09	56,56,56,56	0
16	K	U	302	1/1	0.98	0.04	46,46,46,46	0
15	CL	Y	302	1/1	0.99	0.04	68,68,68,68	0
15	CL	M	303	1/1	0.99	0.07	47,47,47,47	0
17	MG	H	301	1/1	0.99	0.06	53,53,53,53	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
15	CL	G	301	1/1	0.99	0.13	50,50,50,50	0
17	MG	J	301	1/1	0.99	0.06	48,48,48,48	0
16	K	G	303	1/1	1.00	0.07	37,37,37,37	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around BO2 V 303:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BO2 H 306:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BO2 b 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around BO2 N 304:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around BO2 Y 305:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.