



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 8, 2020 – 03:42 AM BST

PDB ID : 6LF7  
Title : Crystal structure of the complex of goat lactoperoxidase with hypothiocyanite and hydrogen peroxide at 1.79 Å resolution.  
Authors : Viswanathan, V.; Tyagi, T.K.; Singh, R.P.; Singh, A.K.; Singh, A.; Bhushan, A.; Sinha, M.; Kaur, P.; Sharma, S.; Singh, T.P.  
Deposited on : 2019-11-30  
Resolution : 1.79 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	595	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	GOL	A	638	-	-	X	-
7	PEO	A	618	-	-	X	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
8	OSM	A	622[A]	-	-	X	-
8	OSM	A	622[B]	-	-	X	-
8	OSM	A	625	-	-	X	-
8	OSM	A	626	-	-	X	-
8	OSM	A	628	-	-	X	-
9	SCN	A	631	-	-	X	-
9	SCN	A	632	-	-	X	-
9	SCN	A	633	-	-	X	-

## 2 Entry composition [i](#)


There are 11 unique types of molecules in this entry. The entry contains 5467 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Lactoperoxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	595	4800	3057	852	862	29	0	8	0

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	14	8	1	5	0	0
2	A	1	14	8	1	5	0	0
2	A	1	14	8	1	5	0	0

- Molecule 3 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by author).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Ca	0	0
			1	1		

- Molecule 5 is IODIDE ION (three-letter code: IOD) (formula: I) (labeled as "Ligand of Interest" by author).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	12	Total	I	0	0
			12	12		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>) (labeled as "Ligand of Interest" by author).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		
6	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 7 is HYDROGEN PEROXIDE (three-letter code: PEO) (formula:  $\text{H}_2\text{O}_2$ ) (labeled as "Ligand of Interest" by author).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total O 2 2	0	0

- Molecule 8 is 1-(OXIDOSULFANYL)METHANAMINE (three-letter code: OSM) (formula: CH<sub>5</sub>NOS) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
8	A	1	Total	C	N	O	S	0	1
			8	2	2	2	2		
8	A	1	Total	C	N	O	S	0	0
			4	1	1	1	1		
8	A	1	Total	C	N	O	S	0	0
			4	1	1	1	1		
8	A	1	Total	C	N	O	S	0	0
			4	1	1	1	1		
8	A	1	Total	C	N	O	S	0	0
			4	1	1	1	1		
8	A	1	Total	C	N	O	S	0	0
			4	1	1	1	1		
8	A	1	Total	C	N	O	S	0	0
			4	1	1	1	1		

- Molecule 9 is THIOCYANATE ION (three-letter code: SCN) (formula: CNS) (labeled as "Ligand of Interest" by author).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
9	A	1	Total	C	N	S	0	0
			3	1	1	1		
9	A	1	Total	C	N	S	0	0
			3	1	1	1		
9	A	1	Total	C	N	S	0	0
			3	1	1	1		
9	A	1	Total	C	N	S	0	0
			3	1	1	1		
9	A	1	Total	C	N	S	0	0
			3	1	1	1		
9	A	1	Total	C	N	S	0	0
			3	1	1	1		

- Molecule 10 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
10	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 11 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
11	A	488	Total	O	0	0
			488	488		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Lactoperoxidase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	53.88Å 80.73Å 75.14Å 90.00° 101.53° 90.00°	Depositor
Resolution (Å)	27.21 – 1.79 27.20 – 1.79	Depositor EDS
% Data completeness (in resolution range)	96.4 (27.21-1.79) 96.4 (27.20-1.79)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.23 (at 1.79Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, $R_{free}$	0.231 , 0.297 0.237 , 0.298	Depositor DCC
$R_{free}$ test set	2871 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	21.2	Xtriage
Anisotropy	0.025	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 46.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	5467	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.67% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SCN, NAG, CA, EDO, PEO, OSM, HEM, IOD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.69	0/4953	0.81	0/6721

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	167	CYS	Peptide
1	A	169	THR	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4800	0	4733	104	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	A	42	0	39	2	0
3	A	43	0	30	6	0
4	A	1	0	0	0	0
5	A	12	0	0	5	0
6	A	16	0	23	5	0
7	A	2	0	0	2	0
8	A	36	0	45	18	0
9	A	21	0	0	11	0
10	A	6	0	8	4	0
11	A	488	0	0	36	0
All	All	5467	0	4878	118	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (118) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:258:GLU:OE2	3:A:604:HEM:CMB	1.66	1.44
8:A:622[B]:OSM:N	11:A:701:HOH:O	1.75	1.11
1:A:258:GLU:OE2	3:A:604:HEM:HMB1	0.86	1.04
1:A:198:SER:HB2	10:A:638:GOL:O2	1.70	0.89
1:A:446:MET:CE	9:A:631:SCN:N	2.41	0.84
6:A:637:EDO:H11	11:A:832:HOH:O	1.77	0.83
1:A:529:TRP:HE3	11:A:708:HOH:O	1.62	0.83
1:A:11:PRO:HA	11:A:748:HOH:O	1.78	0.81
1:A:526:ASP:HB3	11:A:708:HOH:O	1.82	0.80
1:A:258:GLU:HG3	8:A:622[A]:OSM:H2	1.67	0.75
8:A:629:OSM:N	11:A:707:HOH:O	2.19	0.75
7:A:618:PEO:O1	8:A:622[B]:OSM:O	2.05	0.75
5:A:614:IOD:I	11:A:1012:HOH:O	2.74	0.74
1:A:565:HIS:HB3	8:A:626:OSM:H1	1.72	0.71
1:A:22:ARG:HD2	11:A:999:HOH:O	1.90	0.71
1:A:541:ARG:HH22	8:A:625:OSM:HS	1.38	0.71
1:A:219:ALA:HB2	8:A:628:OSM:N	2.06	0.71
1:A:567:PHE:H	8:A:626:OSM:HS	1.37	0.70
8:A:622[B]:OSM:H1	11:A:1083:HOH:O	1.90	0.70
1:A:423:GLN:NE2	11:A:710:HOH:O	2.24	0.70
1:A:446:MET:HE2	9:A:631:SCN:N	2.06	0.69
1:A:410:ASN:OD1	11:A:703:HOH:O	2.11	0.68
7:A:618:PEO:O1	8:A:622[A]:OSM:O	2.10	0.68

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:602:NAG:O7	11:A:702:HOH:O	2.10	0.68
1:A:258:GLU:CD	3:A:604:HEM:CMB	2.61	0.67
1:A:258:GLU:OE2	3:A:604:HEM:HMB2	1.88	0.67
8:A:622[A]:OSM:N	11:A:709:HOH:O	2.22	0.67
1:A:197:PRO:HD2	9:A:632:SCN:N	2.10	0.65
1:A:168:PRO:HB3	11:A:1090:HOH:O	1.95	0.65
1:A:213:MET:HG2	1:A:273:HIS:CD2	2.33	0.63
1:A:408:ASN:OD1	1:A:410:ASN:ND2	2.32	0.62
1:A:410:ASN:HB3	11:A:1029:HOH:O	2.00	0.61
1:A:531:GLU:OE1	11:A:704:HOH:O	2.15	0.61
1:A:446:MET:HE1	9:A:631:SCN:N	2.15	0.60
1:A:117:THR:HB	11:A:894:HOH:O	2.02	0.60
1:A:198:SER:C	10:A:638:GOL:O2	2.39	0.60
1:A:348:ARG:HH11	1:A:437:ASN:ND2	1.99	0.60
1:A:82[A]:ILE:HD13	1:A:480:LEU:HD23	1.86	0.58
1:A:219:ALA:HB2	8:A:628:OSM:HN1	1.69	0.58
1:A:570:ASN:ND2	11:A:717:HOH:O	2.36	0.58
1:A:536:PHE:O	1:A:541:ARG:NH1	2.37	0.57
1:A:197:PRO:CD	9:A:632:SCN:N	2.67	0.57
1:A:332:ASN:ND2	11:A:716:HOH:O	2.34	0.56
1:A:8:ALA:N	1:A:9:PRO:HD3	2.20	0.56
1:A:258:GLU:HG3	8:A:622[A]:OSM:C	2.36	0.55
1:A:341:ASN:HB3	9:A:631:SCN:C	2.37	0.55
1:A:348:ARG:HH11	1:A:437:ASN:HD22	1.53	0.55
1:A:237:CYS:HA	1:A:381:PHE:O	2.07	0.54
1:A:169:THR:HG22	11:A:1020:HOH:O	2.08	0.54
1:A:236:PRO:HA	5:A:609:IOD:I	2.78	0.54
1:A:352[B]:MET:HB3	1:A:407:MET:HG2	1.90	0.53
1:A:197:PRO:CG	9:A:632:SCN:N	2.72	0.52
8:A:623:OSM:N	11:A:712:HOH:O	2.28	0.52
1:A:529:TRP:CE3	11:A:708:HOH:O	2.46	0.51
5:A:615:IOD:I	11:A:892:HOH:O	2.90	0.51
1:A:544:LEU:O	1:A:547:VAL:HG22	2.11	0.51
1:A:167:CYS:N	1:A:168:PRO:HA	2.26	0.50
1:A:526:ASP:CB	11:A:708:HOH:O	2.49	0.50
1:A:363:GLU:H	1:A:363:GLU:CD	2.15	0.50
1:A:393:ASP:OD1	1:A:557:THR:HB	2.11	0.50
1:A:205:ASN:HA	11:A:1010:HOH:O	2.11	0.50
1:A:529:TRP:HB2	11:A:708:HOH:O	2.10	0.50
1:A:113:PHE:O	1:A:115:PRO:HD3	2.11	0.50
6:A:612:EDO:H22	11:A:1043:HOH:O	2.11	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:352[A]:MET:SD	1:A:407:MET:SD	3.10	0.49
1:A:410:ASN:HB3	5:A:621:IOD:I	2.82	0.49
1:A:468:GLN:HG2	1:A:474:LYS:HA	1.94	0.49
1:A:258:GLU:OE2	3:A:604:HEM:C2B	2.58	0.48
1:A:377:HIS:HA	1:A:380:PHE:CE2	2.49	0.48
1:A:567:PHE:HD1	8:A:626:OSM:S	2.36	0.48
1:A:408:ASN:HB2	11:A:884:HOH:O	2.12	0.48
1:A:473:ASN:ND2	1:A:476:LEU:H	2.11	0.48
1:A:568:GLN:NE2	11:A:717:HOH:O	2.46	0.47
1:A:361:LEU:HD21	6:A:613:EDO:H21	1.95	0.47
1:A:352[B]:MET:CB	1:A:407:MET:HG2	2.44	0.47
1:A:306:ILE:HA	9:A:633:SCN:N	2.29	0.47
1:A:407:MET:HE3	1:A:407:MET:C	2.34	0.47
1:A:146:LYS:O	1:A:147:ASN:HB2	2.15	0.46
1:A:570:ASN:HD22	1:A:575:ASP:HB3	1.80	0.46
1:A:526:ASP:OD2	11:A:708:HOH:O	2.21	0.46
1:A:513:CYS:O	1:A:517[A]:ARG:HG3	2.15	0.46
1:A:198:SER:CB	10:A:638:GOL:O2	2.53	0.46
1:A:95:ASN:ND2	2:A:601:NAG:C7	2.79	0.45
1:A:410:ASN:H	1:A:410:ASN:HD22	1.63	0.45
1:A:8:ALA:N	1:A:9:PRO:CD	2.80	0.45
1:A:10:VAL:HG23	11:A:947:HOH:O	2.16	0.45
8:A:622[A]:OSM:N	11:A:701:HOH:O	2.36	0.45
1:A:473:ASN:HD22	1:A:473:ASN:C	2.21	0.44
1:A:588:SER:N	1:A:589:PRO:CD	2.80	0.44
1:A:541:ARG:NH2	8:A:625:OSM:HS	2.09	0.44
3:A:604:HEM:HMB2	3:A:604:HEM:HBB2	1.98	0.44
1:A:313:LEU:N	1:A:314:PRO:CD	2.82	0.43
1:A:258:GLU:HB2	8:A:622[A]:OSM:H1	2.00	0.43
1:A:14:LYS:HD2	11:A:1187:HOH:O	2.19	0.43
1:A:165:PHE:CE2	1:A:168:PRO:O	2.72	0.43
1:A:76:ARG:HH12	1:A:419:ASN:ND2	2.17	0.43
1:A:169:THR:CB	1:A:170:PRO:HD2	2.49	0.43
1:A:193:TYR:CZ	1:A:297:ARG:HA	2.54	0.43
1:A:54:GLY:HA2	11:A:1047:HOH:O	2.18	0.43
1:A:197:PRO:HA	6:A:612:EDO:H12	2.01	0.43
1:A:31:ARG:NH1	11:A:757:HOH:O	2.52	0.43
1:A:561:LYS:N	9:A:634:SCN:N	2.66	0.43
1:A:198:SER:HB2	10:A:638:GOL:C2	2.45	0.42
1:A:341:ASN:HB3	1:A:446:MET:HE1	2.00	0.42
1:A:281:LYS:HE3	1:A:285:PRO:O	2.20	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:530:TRP:NE1	9:A:633:SCN:N	2.67	0.42
1:A:91:VAL:HG12	1:A:411:LYS:HD3	2.01	0.42
1:A:216:ASN:HA	5:A:607:IOD:I	2.90	0.41
1:A:99:LEU:HD21	1:A:549:PHE:CD1	2.56	0.41
1:A:197:PRO:HG2	9:A:632:SCN:N	2.34	0.41
1:A:225:ALA:N	6:A:637:EDO:O2	2.46	0.41
1:A:169:THR:CB	1:A:170:PRO:CD	2.99	0.41
1:A:63[A]:GLN:HG2	11:A:978:HOH:O	2.20	0.40
1:A:189:ALA:HB2	1:A:304:ILE:HD12	2.03	0.40
1:A:464:LEU:HA	1:A:481:LEU:HD12	2.03	0.40
1:A:169:THR:HB	1:A:170:PRO:CD	2.50	0.40
1:A:424:PRO:O	1:A:425:THR:HB	2.22	0.40
1:A:523:ARG:HG3	1:A:529:TRP:CE2	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	601/595 (101%)	561 (93%)	32 (5%)	8 (1%)	<b>12</b> <b>3</b>

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	9	PRO
1	A	167	CYS
1	A	168	PRO
1	A	170	PRO
1	A	117	THR
1	A	123	GLU
1	A	11	PRO
1	A	425	THR



### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	525/517 (102%)	499 (95%)	26 (5%)	24	10

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	TRP
1	A	3	GLU
1	A	12	LEU
1	A	13	VAL
1	A	14	LYS
1	A	124	HIS
1	A	170	PRO
1	A	175	LEU
1	A	198	SER
1	A	201	SER
1	A	202	ARG
1	A	286	HIS
1	A	347	PHE
1	A	371	GLU
1	A	410	ASN
1	A	465	LYS
1	A	473	ASN
1	A	478	LYS
1	A	483	LEU
1	A	513	CYS
1	A	538	GLU
1	A	545	GLN
1	A	561	LYS
1	A	564	LEU
1	A	585	LEU
1	A	595	ASN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	138	ASN
1	A	147	ASN
1	A	329	GLN
1	A	410	ASN
1	A	419	ASN
1	A	437	ASN
1	A	468	GLN
1	A	473	ASN
1	A	497	ASN
1	A	558	HIS
1	A	568	GLN
1	A	570	ASN
1	A	595	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 39 ligands modelled in this entry, 13 are monoatomic - leaving 26 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	NAG	A	601	1	14,14,15	0.77	0	17,19,21	2.03	2 (11%)
9	SCN	A	635	-	1,2,2	0.58	0	0,1,1	0.00	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
9	SCN	A	630	-	1,2,2	0.89	0	0,1,1	0.00	-
8	OSM	A	629	-	1,3,3	0.05	0	0,2,2	0.00	-
2	NAG	A	602	1	14,14,15	1.13	2 (14%)	17,19,21	1.47	2 (11%)
9	SCN	A	632	-	1,2,2	0.69	0	0,1,1	0.00	-
8	OSM	A	625	-	1,3,3	0.02	0	0,2,2	0.00	-
7	PEO	A	618	3	1,1,1	0.30	0	-		
9	SCN	A	634	-	1,2,2	0.36	0	0,1,1	0.00	-
8	OSM	A	627	-	1,3,3	0.01	0	0,2,2	0.00	-
8	OSM	A	626	-	1,3,3	0.05	0	0,2,2	0.00	-
8	OSM	A	623	-	1,3,3	0.09	0	0,2,2	0.00	-
6	EDO	A	637	-	3,3,3	0.22	0	2,2,2	0.65	0
3	HEM	A	604	1,7	27,50,50	1.21	3 (11%)	17,82,82	1.29	3 (17%)
8	OSM	A	628	-	1,3,3	0.05	0	0,2,2	0.00	-
8	OSM	A	622[B]	-	1,3,3	0.09	0	0,2,2	0.00	-
9	SCN	A	636	-	1,2,2	0.71	0	0,1,1	0.00	-
8	OSM	A	622[A]	-	1,3,3	0.01	0	0,2,2	0.00	-
8	OSM	A	624	-	1,3,3	0.01	0	0,2,2	0.00	-
6	EDO	A	612	-	3,3,3	0.36	0	2,2,2	0.35	0
6	EDO	A	613	-	3,3,3	0.69	0	2,2,2	0.19	0
10	GOL	A	638	-	5,5,5	0.61	0	5,5,5	0.61	0
9	SCN	A	633	-	1,2,2	1.32	0	0,1,1	0.00	-
2	NAG	A	603	1	14,14,15	0.76	0	17,19,21	1.72	3 (17%)
9	SCN	A	631	-	1,2,2	0.11	0	0,1,1	0.00	-
6	EDO	A	611	-	3,3,3	0.24	0	2,2,2	0.35	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	601	1	-	2/6/23/26	0/1/1/1
6	EDO	A	637	-	-	1/1/1/1	-
3	HEM	A	604	1,7	-	0/6/54/54	-
6	EDO	A	612	-	-	0/1/1/1	-
8	OSM	A	625	-	-	0/0/1/1	-
10	GOL	A	638	-	-	4/4/4/4	-
6	EDO	A	613	-	-	0/1/1/1	-
8	OSM	A	628	-	-	0/0/1/1	-
2	NAG	A	603	1	-	0/6/23/26	0/1/1/1
8	OSM	A	623	-	-	0/0/1/1	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	OSM	A	622[B]	-	-	0/0/1/1	-
8	OSM	A	629	-	-	0/0/1/1	-
8	OSM	A	624	-	-	0/0/1/1	-
8	OSM	A	627	-	-	0/0/1/1	-
2	NAG	A	602	1	-	0/6/23/26	0/1/1/1
8	OSM	A	626	-	-	0/0/1/1	-
8	OSM	A	622[A]	-	-	0/0/1/1	-
6	EDO	A	611	-	-	1/1/1/1	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	604	HEM	C4D-C3D	3.67	1.50	1.42
3	A	604	HEM	C3B-C2B	-2.72	1.36	1.40
3	A	604	HEM	C1A-NA	2.59	1.41	1.36
2	A	602	NAG	C2-N2	-2.29	1.42	1.46
2	A	602	NAG	O5-C1	-2.00	1.40	1.43

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	NAG	C2-N2-C7	-6.71	113.34	122.90
2	A	603	NAG	C1-O5-C5	-4.34	106.31	112.19
2	A	602	NAG	C1-O5-C5	3.34	116.72	112.19
2	A	603	NAG	C3-C4-C5	-3.31	104.33	110.24
2	A	601	NAG	C4-C3-C2	-3.15	106.41	111.02
2	A	602	NAG	C6-C5-C4	-3.03	105.90	113.00
3	A	604	HEM	CBD-CAD-C3D	-2.52	107.83	112.48
3	A	604	HEM	CBA-CAA-C2A	-2.20	108.42	112.49
2	A	603	NAG	C4-C3-C2	-2.19	107.81	111.02
3	A	604	HEM	CMC-C2C-C3C	2.09	128.59	124.68

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	611	EDO	O1-C1-C2-O2
2	A	601	NAG	C8-C7-N2-C2
2	A	601	NAG	O7-C7-N2-C2
10	A	638	GOL	O1-C1-C2-O2
10	A	638	GOL	O1-C1-C2-C3

*Continued on next page...*

*Continued from previous page...*




Mol	Chain	Res	Type	Atoms
10	A	638	GOL	C1-C2-C3-O3
10	A	638	GOL	O2-C2-C3-O3
6	A	637	EDO	O1-C1-C2-O2



There are no ring outliers.





19 monomers are involved in 46 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	601	NAG	1	0
8	A	629	OSM	1	0
2	A	602	NAG	1	0
9	A	632	SCN	4	0
8	A	625	OSM	2	0
7	A	618	PEO	2	0
9	A	634	SCN	1	0
8	A	626	OSM	3	0
8	A	623	OSM	1	0
6	A	637	EDO	2	0
3	A	604	HEM	6	0
8	A	628	OSM	2	0
8	A	622[B]	OSM	3	0
8	A	622[A]	OSM	6	0
6	A	612	EDO	2	0
6	A	613	EDO	1	0
10	A	638	GOL	4	0
9	A	633	SCN	2	0
9	A	631	SCN	4	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	595/595 (100%)	0.96	77 (12%) 3 2	14, 31, 81, 159	0

All (77) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	172	TYR	26.8
1	A	2	TRP	20.9
1	A	119	LEU	13.2
1	A	122	SER	11.5
1	A	12	LEU	11.3
1	A	171	PRO	9.4
1	A	13	VAL	8.8
1	A	4	VAL	8.7
1	A	121	SER	8.7
1	A	173	GLN	8.6
1	A	120	GLY	8.4
1	A	174	SER	8.2
1	A	1	SER	7.6
1	A	283	LEU	6.9
1	A	8	ALA	6.6
1	A	169	THR	6.6
1	A	10	VAL	6.3
1	A	118	GLU	6.2
1	A	170	PRO	6.2
1	A	124	HIS	6.0
1	A	168	PRO	6.0
1	A	7	GLY	5.6
1	A	11	PRO	5.4
1	A	595	ASN	4.9
1	A	9	PRO	4.9
1	A	117	THR	4.6
1	A	324	TRP	4.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	15	CYS	4.1
1	A	591	ALA	4.1
1	A	127	VAL	3.9
1	A	593	ARG	3.8
1	A	167	CYS	3.8
1	A	223	GLY	3.7
1	A	210	LEU	3.7
1	A	539	LYS	3.6
1	A	132	TYR	3.6
1	A	594	GLU	3.5
1	A	592	SER	3.4
1	A	134	ILE	3.3
1	A	209	PRO	3.2
1	A	125	SER	3.1
1	A	5	GLY	3.1
1	A	6	CYS	2.9
1	A	292	LEU	2.9
1	A	220	TRP	2.8
1	A	128	GLN	2.8
1	A	284	ASN	2.8
1	A	131	GLU	2.7
1	A	579	CYS	2.7
1	A	574	HIS	2.7
1	A	229	PHE	2.7
1	A	304	ILE	2.6
1	A	123	GLU	2.5
1	A	334	SER	2.5
1	A	146	LYS	2.5
1	A	549	PHE	2.4
1	A	282	ARG	2.4
1	A	287	TRP	2.4
1	A	245	HIS	2.4
1	A	206	LEU	2.3
1	A	187	LEU	2.3
1	A	279	GLU	2.3
1	A	212	LEU	2.2
1	A	322	GLN	2.2
1	A	543	SER	2.2
1	A	142	ILE	2.2
1	A	32	ARG	2.2
1	A	277	ALA	2.2
1	A	17	GLU	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	202	ARG	2.1
1	A	285	PRO	2.1
1	A	226	TYR	2.1
1	A	3	GLU	2.1
1	A	40[A]	ASN	2.1
1	A	537	THR	2.1
1	A	16	ASP	2.0
1	A	175	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	NAG	A	601	14/15	0.79	0.24	51,56,62,64	0
5	IOD	A	614	1/1	0.86	0.13	70,70,70,70	1
2	NAG	A	602	14/15	0.86	0.13	38,45,48,50	0
6	EDO	A	612	4/4	0.86	0.12	39,39,42,42	0
10	GOL	A	638	6/6	0.86	0.15	21,26,28,32	0
8	OSM	A	628	4/4	0.88	0.16	39,47,50,51	0
6	EDO	A	637	4/4	0.90	0.15	37,37,37,39	0
5	IOD	A	610	1/1	0.90	0.11	66,66,66,66	1
6	EDO	A	611	4/4	0.91	0.15	30,44,45,45	0
8	OSM	A	625	4/4	0.92	0.17	49,49,50,54	0
2	NAG	A	603	14/15	0.92	0.11	31,41,47,49	0
6	EDO	A	613	4/4	0.92	0.15	21,28,32,36	0
7	PEO	A	618	2/2	0.94	0.11	32,32,32,34	0
8	OSM	A	626	4/4	0.94	0.16	32,35,36,39	0
8	OSM	A	627	4/4	0.95	0.09	41,43,43,51	0

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
8	OSM	A	624	4/4	0.96	0.12	44,44,47,52	0
8	OSM	A	623	4/4	0.96	0.11	22,29,35,35	0
5	IOD	A	615	1/1	0.96	0.11	61,61,61,61	1
8	OSM	A	629	4/4	0.97	0.12	46,48,49,50	0
8	OSM	A	622[A]	4/4	0.97	0.10	13,19,19,20	4
8	OSM	A	622[B]	4/4	0.97	0.10	11,13,15,17	4
5	IOD	A	621	1/1	0.98	0.04	45,45,45,45	1
5	IOD	A	607	1/1	0.98	0.07	55,55,55,55	1
3	HEM	A	604	43/43	0.98	0.09	14,17,22,24	0
9	SCN	A	636	3/3	0.98	0.08	18,18,20,20	3
4	CA	A	605	1/1	0.98	0.04	21,21,21,21	0
5	IOD	A	620	1/1	0.98	0.04	31,31,31,31	1
5	IOD	A	617	1/1	0.99	0.05	27,27,27,27	1
5	IOD	A	609	1/1	0.99	0.04	35,35,35,35	1
5	IOD	A	616	1/1	0.99	0.03	27,27,27,27	1
9	SCN	A	630	3/3	0.99	0.05	10,10,11,11	3
9	SCN	A	635	3/3	0.99	0.05	10,10,10,11	3
5	IOD	A	619	1/1	0.99	0.04	43,43,43,43	1
9	SCN	A	633	3/3	0.99	0.07	9,9,10,11	3
9	SCN	A	632	3/3	0.99	0.06	15,15,15,17	3
9	SCN	A	634	3/3	0.99	0.08	12,12,13,13	3
5	IOD	A	608	1/1	1.00	0.03	33,33,33,33	1
9	SCN	A	631	3/3	1.00	0.07	13,13,15,16	3
5	IOD	A	606	1/1	1.00	0.05	18,18,18,18	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around NAG A 601:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around IOD A 614:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAG A 602:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around EDO A 612:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around OSM A 628:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around EDO A 637:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around IOD A 610:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around EDO A 611:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OSM A 625:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAG A 603:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around EDO A 613:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around PEO A 618:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around OSM A 626:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around OSM A 627:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OSM A 624:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OSM A 623:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around IOD A 615:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around OSM A 629:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around OSM A 622 (A):**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around OSM A 622 (B):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around IOD A 621:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around IOD A 607:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEM A 604:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SCN A 636:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around CA A 605:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around IOD A 620:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around IOD A 617:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around IOD A 609:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around IOD A 616:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SCN A 630:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around SCN A 635:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around IOD A 619:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around SCN A 633:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around SCN A 632:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SCN A 634:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around IOD A 608:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around SCN A 631:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around IOD A 606:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers ⓘ

There are no such residues in this entry.