



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 2, 2020 – 04:09 PM JST

PDB ID : 6LHJ  
Title : Quadruple mutant (N51I+C59R+S108N+I164L) plasmodium falciparum dihydrofolate reductase-thymidylate synthase (PfDHFR-TS) complexed with C452 (compound 16) and NADPH  
Authors : Vanichtanankul, J.; Vitsupakorn, D.  
Deposited on : 2019-12-09  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.14.6  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.14.6


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	608	 6% 77% 11% • 10%
1	B	608	 11% 71% 17% • 11%

## 2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 9940 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Bifunctional dihydrofolate reductase-thymidylate synthase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	547	Total	C	N	O	S	0	1	0
			4542	2932	752	831	27			
1	B	541	Total	C	N	O	S	0	0	0
			4502	2907	743	826	26			

- Molecule 2 is 1-[3-(2-chloranyl-4-fluoranyl-phenoxy)propoxy]-6,6-dimethyl-1,3,5-triazine-2,4-diamine (three-letter code: EA6) (formula: C<sub>14</sub>H<sub>19</sub>ClFN<sub>5</sub>O<sub>2</sub>) (labeled as "Ligand of Interest" by author).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Cl	F	N	O	0
			23	14	1	1	5	2	
2	B	1	Total	C	Cl	F	N	O	0
			23	14	1	1	5	2	

- Molecule 3 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C<sub>21</sub>H<sub>30</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
3	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 4 is 2'-DEOXYURIDINE 5'-MONOPHOSPHATE (three-letter code: UMP) (formula: C<sub>9</sub>H<sub>13</sub>N<sub>2</sub>O<sub>8</sub>P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	P	0	0
			20	9	2	8	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	B	1	Total	C	N	O	P	0	0
			20	9	2	8	1		

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	377	Total	O	0	0
			377	377		
6	B	331	Total	O	0	0
			331	331		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Bifunctional dihydrofolate reductase-thymidylate synthase



- Molecule 1: Bifunctional dihydrofolate reductase-thymidylate synthase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.28Å 156.48Å 164.45Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.40 10.00 – 2.40	Depositor EDS
% Data completeness (in resolution range)	94.6 (10.00-2.40) 96.1 (10.00-2.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.50 (at 2.41Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, $R_{free}$	0.173 , 0.203 0.182 , 0.209	Depositor DCC
$R_{free}$ test set	2781 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	38.4	Xtriage
Anisotropy	0.036	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 54.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.012 for -h,l,k	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	9940	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.41% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, UMP, NDP, EA6

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.74	0/4647	0.90	3/6275 (0.0%)
1	B	0.74	0/4606	0.89	5/6221 (0.1%)
All	All	0.74	0/9253	0.89	8/12496 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	410	ARG	NE-CZ-NH2	-6.89	116.86	120.30
1	B	410	ARG	NE-CZ-NH2	-6.89	116.86	120.30
1	A	410	ARG	NE-CZ-NH1	6.20	123.40	120.30
1	B	410	ARG	NE-CZ-NH1	5.94	123.27	120.30
1	A	525	TYR	CB-CA-C	5.92	122.25	110.40
1	B	194	ASP	CB-CA-C	-5.72	98.97	110.40
1	B	514	LEU	C-N-CA	-5.43	110.89	122.30
1	B	416	ARG	NE-CZ-NH2	-5.20	117.70	120.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4542	0	4486	55	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	4502	0	4445	81	0
2	A	23	0	0	0	0
2	B	23	0	0	1	0
3	A	48	0	26	1	0
3	B	48	0	26	0	0
4	A	20	0	11	0	0
4	B	20	0	11	0	0
5	A	6	0	8	0	0
6	A	377	0	0	22	1
6	B	331	0	0	18	1
All	All	9940	0	9013	130	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (130) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:50:CYS:SG	6:B:1064:HOH:O	2.23	0.95
1:B:100:ASN:HD22	1:B:160:LYS:H	1.22	0.86
1:A:343:SER:HA	6:A:1039:HOH:O	1.74	0.85
1:B:77:ARG:O	1:B:81:LEU:HD12	1.75	0.85
1:A:129:ARG:NH1	6:A:802:HOH:O	2.09	0.84
1:B:124:ASN:HD22	1:B:124:ASN:N	1.77	0.82
1:B:284:ASP:HA	1:B:287:GLU:HG3	1.62	0.81
1:A:461:ASN:HB3	6:A:892:HOH:O	1.82	0.79
1:B:421:ARG:NH1	6:B:801:HOH:O	2.06	0.79
1:B:122:ARG:O	1:B:124:ASN:ND2	2.16	0.78
1:B:328:TYR:CZ	1:B:332:ILE:HD11	2.20	0.77
1:B:100:ASN:ND2	1:B:160:LYS:H	1.83	0.76
1:A:542:GLN:OE1	6:A:801:HOH:O	2.05	0.75
1:A:455:GLN:HE22	1:A:475:CYS:H	1.35	0.74
1:A:344:ASP:N	6:A:805:HOH:O	2.21	0.73
1:B:43:LYS:N	1:B:194:ASP:OD2	2.18	0.73
1:A:307:ILE:HA	6:A:981:HOH:O	1.88	0.73
1:B:215:THR:H	1:B:364:GLN:NE2	1.91	0.67
1:B:306:SER:HA	6:B:858:HOH:O	1.96	0.65
1:B:12:TYR:HE2	1:B:160:LYS:CD	2.11	0.64
1:B:461:ASN:ND2	6:B:804:HOH:O	2.31	0.64
1:B:298:GLU:HB2	1:B:302:LYS:HB2	1.81	0.63
1:B:312:PHE:HE1	1:B:561:LYS:HG2	1.66	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:17:CYS:HA	1:B:39:GLY:O	2.01	0.61
1:B:124:ASN:HD22	1:B:124:ASN:H	1.48	0.60
1:B:304:LYS:NZ	6:B:806:HOH:O	2.34	0.60
1:A:322:TYR:OH	6:A:804:HOH:O	2.16	0.59
1:B:100:ASN:HD22	1:B:160:LYS:N	1.98	0.58
1:A:117:LYS:HA	1:A:118:PRO:C	2.23	0.58
1:B:312:PHE:HA	1:B:565:ASN:HD21	1.70	0.56
1:B:112:ILE:HB	1:B:117:LYS:HE3	1.87	0.56
1:B:12:TYR:HE2	1:B:160:LYS:HD2	1.70	0.56
1:B:530:HIS:HD2	6:B:1081:HOH:O	1.87	0.56
1:A:307:ILE:O	1:A:307:ILE:HG22	2.09	0.53
1:A:344:ASP:CA	6:A:805:HOH:O	2.55	0.53
1:A:547:LEU:N	1:A:547:LEU:HD12	2.23	0.52
1:A:340:ASN:HB3	1:B:499:PHE:CE1	2.44	0.52
1:B:106:ARG:NH1	1:B:110:GLU:OE2	2.42	0.52
1:A:344:ASP:HA	6:A:805:HOH:O	2.08	0.52
1:B:143:ILE:CG2	1:B:148:ASP:HB2	2.39	0.52
1:B:77:ARG:O	1:B:81:LEU:CD1	2.53	0.52
1:A:398:ASN:ND2	6:A:812:HOH:O	2.34	0.51
1:A:354:PHE:CE2	1:B:506:ILE:HG13	2.46	0.51
6:A:1028:HOH:O	1:B:285:GLU:HA	2.10	0.50
1:B:109:TRP:O	1:B:117:LYS:HE2	2.12	0.50
1:A:369:LEU:HD22	1:A:519:PRO:HB3	1.92	0.50
1:B:86:VAL:HG11	1:B:157:ASN:HD21	1.77	0.50
1:B:195:VAL:HA	6:B:1002:HOH:O	2.13	0.49
1:B:309:PRO:HB3	6:B:803:HOH:O	2.12	0.49
1:A:335:ILE:CD1	1:A:514:LEU:HD13	2.43	0.49
1:B:14:ILE:O	2:B:701:EA6:N4	2.45	0.49
1:B:86:VAL:CG1	1:B:157:ASN:HD21	2.26	0.49
1:A:479:VAL:HB	1:B:437:PHE:CD1	2.48	0.49
1:B:124:ASN:N	1:B:124:ASN:ND2	2.52	0.49
1:A:455:GLN:NE2	1:A:475:CYS:H	2.05	0.48
1:B:12:TYR:CE2	1:B:160:LYS:HD2	2.47	0.48
1:B:286:GLU:HB2	6:B:826:HOH:O	2.13	0.48
1:A:168:VAL:O	1:A:172:GLU:HG2	2.13	0.48
1:A:410:ARG:HD2	6:A:871:HOH:O	2.14	0.48
1:B:12:TYR:HE2	1:B:160:LYS:HD3	1.76	0.48
1:B:490:CYS:SG	6:B:1065:HOH:O	2.25	0.48
1:B:518:VAL:N	1:B:519:PRO:CD	2.78	0.47
1:B:167:SER:OG	1:B:168:VAL:N	2.47	0.47
1:A:59:ARG:NH2	6:A:826:HOH:O	2.48	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:328:TYR:CZ	1:B:332:ILE:CD1	2.96	0.46
1:A:493:LEU:C	1:A:493:LEU:HD12	2.35	0.46
1:B:547:LEU:HD12	1:B:547:LEU:N	2.30	0.46
1:A:306:SER:C	1:A:308:HIS:H	2.19	0.46
1:A:484:GLN:HG3	6:A:991:HOH:O	2.14	0.46
1:A:487:LEU:CD2	1:A:487:LEU:N	2.79	0.45
1:A:491:HIS:ND1	6:A:803:HOH:O	2.10	0.45
1:A:348:VAL:HG21	6:A:811:HOH:O	2.15	0.45
1:A:427:GLY:HA2	1:A:441:TYR:CE2	2.51	0.45
1:A:210:VAL:HG12	1:A:323:HIS:HB2	1.99	0.45
1:A:127:LEU:HD23	1:A:143:ILE:HG13	1.98	0.45
1:A:102:VAL:HB	1:A:164:LEU:HD22	1.99	0.45
1:B:491:HIS:CD2	6:B:808:HOH:O	2.69	0.45
1:B:349:GLY:HA3	1:B:554:ASN:OD1	2.17	0.45
1:B:214:TYR:HA	1:B:364:GLN:HE21	1.81	0.45
1:B:138:GLU:O	1:B:139:ASP:HB2	2.17	0.44
1:B:312:PHE:HB3	1:B:315:TYR:HB3	1.98	0.44
1:A:214:TYR:O	1:A:220:THR:HA	2.17	0.44
1:B:208:ILE:HD11	1:B:225:ILE:CG2	2.48	0.44
1:B:88:ASN:ND2	6:B:819:HOH:O	2.49	0.44
1:A:315:TYR:OH	1:A:330:ASN:ND2	2.49	0.44
1:B:143:ILE:HG23	1:B:148:ASP:HB2	1.98	0.44
1:B:376:LEU:HD22	1:B:379:ILE:HD11	2.00	0.44
1:A:66:ASN:HD22	1:A:69:LYS:HE2	1.82	0.44
1:A:40:LEU:HB2	1:A:195:VAL:HG23	2.00	0.43
1:B:182:ILE:HB	1:B:226:TYR:HB2	2.00	0.43
1:A:40:LEU:O	3:A:702:NDP:H2N	2.19	0.43
1:A:582:ASN:HB3	6:A:854:HOH:O	2.18	0.43
1:A:318:LEU:HB2	1:A:321:LYS:HD3	1.99	0.43
1:B:493:LEU:HD12	1:B:493:LEU:C	2.38	0.43
1:A:456:LEU:O	1:A:459:ILE:HG13	2.18	0.43
1:B:491:HIS:HD2	6:B:808:HOH:O	2.01	0.43
1:B:201:ASN:HB2	1:B:204:GLU:HB2	2.01	0.43
1:A:285:GLU:CD	1:B:12:TYR:HH	2.22	0.43
1:B:197:PHE:CE1	1:B:200:ILE:HD11	2.54	0.43
1:A:306:SER:O	1:A:308:HIS:N	2.52	0.43
1:B:214:TYR:O	1:B:220:THR:HA	2.18	0.43
1:B:344:ASP:OD2	1:B:346:THR:HG22	2.19	0.43
1:B:311:ASP:OD2	1:B:561:LYS:NZ	2.47	0.42
1:B:101:VAL:HG23	1:B:158:TYR:HB2	2.02	0.42
1:A:328:TYR:CZ	1:A:332:ILE:HD11	2.53	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:66:ASN:ND2	1:A:69:LYS:HE2	2.34	0.42
1:B:100:ASN:ND2	1:B:160:LYS:N	2.58	0.42
1:A:19:LYS:HG2	1:A:36:THR:HG22	2.01	0.42
6:A:957:HOH:O	1:B:285:GLU:HG2	2.20	0.42
1:A:181:LYS:NZ	1:B:289:ASP:OD2	2.45	0.42
1:A:455:GLN:HB3	1:A:474:LEU:HD12	2.02	0.42
1:A:230:ASN:N	6:A:839:HOH:O	2.53	0.41
1:A:74:LYS:HE3	6:A:936:HOH:O	2.19	0.41
1:B:45:VAL:HG13	6:B:1027:HOH:O	2.21	0.41
1:B:12:TYR:CE1	1:B:180:LYS:HB3	2.55	0.41
1:B:347:GLY:CA	6:B:891:HOH:O	2.68	0.41
1:B:100:ASN:ND2	1:B:159:TYR:HB3	2.35	0.41
1:B:119:LEU:N	1:B:124:ASN:OD1	2.50	0.41
1:B:553:TYR:HB3	1:B:555:ASN:OD1	2.21	0.41
1:A:359:LYS:HE3	6:A:1154:HOH:O	2.20	0.41
1:B:302:LYS:HD2	1:B:302:LYS:HA	1.79	0.41
1:A:487:LEU:HD23	1:A:487:LEU:N	2.35	0.41
1:B:130:THR:HG22	1:B:131:LEU:N	2.36	0.41
1:B:97:LYS:HB3	6:B:1032:HOH:O	2.20	0.41
1:A:476:ALA:HB1	6:A:1001:HOH:O	2.21	0.40
1:B:426:LEU:C	6:B:801:HOH:O	2.59	0.40
1:A:487:LEU:HD23	1:A:487:LEU:H	1.86	0.40
1:A:493:LEU:HD22	1:B:492:ILE:HG21	2.03	0.40
1:B:589:SER:HB3	6:B:1098:HOH:O	2.22	0.40
1:B:65:VAL:HG12	1:B:159:TYR:CB	2.51	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:1168:HOH:O	6:B:1044:HOH:O[1_655]	1.91	0.29

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	542/608 (89%)	503 (93%)	31 (6%)	8 (2%)	10	14
1	B	533/608 (88%)	489 (92%)	39 (7%)	5 (1%)	17	25
All	All	1075/1216 (88%)	992 (92%)	70 (6%)	13 (1%)	13	19

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	27	LYS
1	A	84	GLU
1	A	304	LYS
1	B	134	GLU
1	A	26	GLY
1	A	307	ILE
1	A	348	VAL
1	B	50	CYS
1	B	120	SER
1	B	430	TYR
1	A	308	HIS
1	A	344	ASP
1	B	123	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	507/570 (89%)	491 (97%)	16 (3%)	39	59
1	B	506/570 (89%)	487 (96%)	19 (4%)	33	51
All	All	1013/1140 (89%)	978 (96%)	35 (4%)	36	55

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	28	LYS
1	A	29	ASN
1	A	85	THR
1	A	97	LYS
1	A	145	LYS
1	A	172	GLU
1	A	177	LYS
1	A	230	ASN
1	A	300	GLU
1	A	304	LYS
1	A	417	LYS
1	A	487	LEU
1	A	514	LEU
1	A	537	ASN
1	A	559	SER
1	A	606	MET
1	B	2	MET
1	B	68	SER
1	B	72	LYS
1	B	84	GLU
1	B	124	ASN
1	B	129	ARG
1	B	131	LEU
1	B	147	GLU
1	B	176	LYS
1	B	180	LYS
1	B	189	SER
1	B	204	GLU
1	B	299	LYS
1	B	301	GLU
1	B	306	SER
1	B	307	ILE
1	B	348	VAL
1	B	514	LEU
1	B	592	THR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	29	ASN
1	A	171	GLN
1	A	330	ASN
1	A	338	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	394	ASN
1	A	424	ASN
1	A	450	ASN
1	A	455	GLN
1	A	458	ASN
1	A	530	HIS
1	A	542	GLN
1	A	554	ASN
1	B	34	ASN
1	B	100	ASN
1	B	157	ASN
1	B	217	ASN
1	B	313	GLN
1	B	330	ASN
1	B	364	GLN
1	B	394	ASN
1	B	424	ASN
1	B	450	ASN
1	B	461	ASN
1	B	491	HIS
1	B	530	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	GOL	A	704	-	5,5,5	0.15	0	5,5,5	0.49	0
4	UMP	A	703	-	18,21,21	1.06	1 (5%)	21,31,31	1.08	1 (4%)
4	UMP	B	703	-	18,21,21	1.10	1 (5%)	21,31,31	1.41	2 (9%)
3	NDP	A	702	-	45,52,52	1.69	8 (17%)	53,80,80	1.57	10 (18%)
2	EA6	A	701	-	21,24,24	0.53	0	23,34,34	0.84	1 (4%)
3	NDP	B	702	-	45,52,52	1.97	12 (26%)	53,80,80	1.64	9 (16%)
2	EA6	B	701	-	21,24,24	0.45	0	23,34,34	0.92	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	A	704	-	-	4/4/4/4	-
4	UMP	A	703	-	-	2/7/22/22	0/2/2/2
4	UMP	B	703	-	-	2/7/22/22	0/2/2/2
3	NDP	A	702	-	-	4/30/77/77	0/5/5/5
2	EA6	A	701	-	-	0/8/27/27	0/2/2/2
3	NDP	B	702	-	-	5/30/77/77	0/5/5/5
2	EA6	B	701	-	-	0/8/27/27	0/2/2/2

All (22) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	702	NDP	O4B-C1B	4.76	1.47	1.41
3	B	702	NDP	C2A-N3A	4.48	1.39	1.32
3	B	702	NDP	O4B-C1B	4.44	1.47	1.41
3	B	702	NDP	C4N-C5N	-4.39	1.37	1.48
3	A	702	NDP	C2A-N3A	4.36	1.39	1.32
3	B	702	NDP	C4N-C3N	-4.16	1.41	1.49
3	B	702	NDP	C2A-N1A	3.63	1.40	1.33
3	A	702	NDP	C2A-N1A	3.47	1.40	1.33
3	B	702	NDP	C6N-C5N	3.34	1.39	1.33
4	B	703	UMP	C4-N3	3.21	1.38	1.33

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	702	NDP	C4A-N3A	-3.07	1.31	1.35
3	B	702	NDP	C7N-C3N	-3.05	1.42	1.48
4	A	703	UMP	C4-N3	3.03	1.38	1.33
3	A	702	NDP	C6N-C5N	2.95	1.38	1.33
3	B	702	NDP	C6A-C5A	-2.68	1.33	1.43
3	B	702	NDP	C5A-C4A	-2.61	1.34	1.40
3	B	702	NDP	O4D-C1D	2.58	1.48	1.42
3	B	702	NDP	O3D-C3D	2.24	1.48	1.43
3	A	702	NDP	C7N-C3N	-2.18	1.44	1.48
3	A	702	NDP	O4B-C4B	-2.14	1.40	1.45
3	B	702	NDP	C2N-C3N	2.07	1.40	1.34
3	A	702	NDP	P2B-O3X	-2.02	1.47	1.54

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	702	NDP	N3A-C2A-N1A	-6.75	118.13	128.68
3	A	702	NDP	C4A-C5A-N7A	-4.57	104.64	109.40
3	B	702	NDP	O4D-C1D-N1N	4.14	116.15	108.06
4	B	703	UMP	C5-C4-N3	-3.98	114.56	123.31
4	A	703	UMP	C5-C4-N3	-3.76	115.03	123.31
3	A	702	NDP	O2B-P2B-O1X	-3.52	95.80	109.39
3	A	702	NDP	C1D-N1N-C2N	-3.33	115.56	121.11
3	A	702	NDP	N3A-C2A-N1A	-2.97	124.03	128.68
3	A	702	NDP	C2D-C1D-N1N	2.86	120.48	113.30
3	A	702	NDP	O4D-C1D-N1N	-2.83	102.52	108.06
3	A	702	NDP	PN-O3-PA	-2.72	123.49	132.83
3	A	702	NDP	C1B-N9A-C4A	-2.69	121.91	126.64
3	B	702	NDP	C5A-C6A-N6A	-2.67	116.29	120.35
3	A	702	NDP	C3B-C2B-C1B	-2.62	97.96	102.89
3	B	702	NDP	O4D-C4D-C5D	-2.59	100.87	109.37
3	B	702	NDP	O2A-PA-O1A	2.50	124.62	112.24
3	B	702	NDP	C2B-C3B-C4B	-2.43	96.71	101.99
4	B	703	UMP	C2'-C1'-N1	2.30	119.58	114.27
3	B	702	NDP	O2B-P2B-O1X	-2.27	100.62	109.39
3	B	702	NDP	O3X-P2B-O2X	2.25	116.24	107.64
3	B	702	NDP	C1D-N1N-C6N	2.12	125.41	120.83
2	A	701	EA6	C1-C2-C3	-2.09	107.80	110.86
3	A	702	NDP	O2A-PA-O1A	2.06	122.44	112.24

There are no chirality outliers.

All (17) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
5	A	704	GOL	O1-C1-C2-C3
4	B	703	UMP	O4'-C4'-C5'-O5'
5	A	704	GOL	O1-C1-C2-O2
4	B	703	UMP	C3'-C4'-C5'-O5'
5	A	704	GOL	C1-C2-C3-O3
5	A	704	GOL	O2-C2-C3-O3
4	A	703	UMP	O4'-C4'-C5'-O5'
3	A	702	NDP	PA-O3-PN-O5D
4	A	703	UMP	C3'-C4'-C5'-O5'
3	B	702	NDP	O4D-C1D-N1N-C2N
3	B	702	NDP	C2D-C1D-N1N-C2N
3	B	702	NDP	O4D-C1D-N1N-C6N
3	A	702	NDP	O4D-C1D-N1N-C2N
3	B	702	NDP	C4D-C5D-O5D-PN
3	A	702	NDP	C2D-C1D-N1N-C2N
3	B	702	NDP	C2D-C1D-N1N-C6N
3	A	702	NDP	C2N-C3N-C7N-N7N


There are no ring outliers.

2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	702	NDP	1	0
2	B	701	EA6	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






## Ligand EA6 A 701







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	547/608 (89%)	-0.31	38 (6%) 16 15	25, 37, 97, 99	0
1	B	541/608 (88%)	0.02	68 (12%) 3 3	24, 44, 99, 99	0
All	All	1088/1216 (89%)	-0.14	106 (9%) 7 7	24, 39, 99, 99	0

All (106) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	MET	9.1
1	B	1	MET	8.6
1	B	22	SER	8.3
1	B	135	ASP	8.3
1	A	2	MET	8.2
1	B	231	ASN	7.9
1	B	2	MET	7.3
1	A	26	GLY	7.2
1	A	24	ASN	7.1
1	A	22	SER	6.9
1	B	86	VAL	6.9
1	A	283	ASP	6.8
1	B	302	LYS	6.7
1	A	608	ALA	6.7
1	A	84	GLU	6.3
1	A	230	ASN	6.2
1	B	82	ASN	5.7
1	A	346	THR	5.7
1	A	85	THR	5.5
1	B	87	ASP	5.4
1	A	285	GLU	5.2
1	A	23	LYS	5.2
1	B	75	TYR	5.1
1	A	301	GLU	5.1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	144	ASN	4.8
1	A	302	LYS	4.7
1	B	298	GLU	4.7
1	B	136	PHE	4.7
1	A	28	LYS	4.6
1	A	231	ASN	4.6
1	A	82	ASN	4.5
1	A	284	ASP	4.5
1	B	300	GLU	4.5
1	B	138	GLU	4.4
1	B	299	LYS	4.4
1	B	3	GLU	4.4
1	A	29	ASN	4.3
1	B	145	LYS	4.2
1	B	139	ASP	4.1
1	B	88	ASN	4.1
1	B	230	ASN	4.1
1	B	283	ASP	4.1
1	B	7	ASP	4.1
1	B	29	ASN	4.0
1	B	301	GLU	3.9
1	B	129	ARG	3.9
1	A	27	LYS	3.9
1	B	345	ARG	3.9
1	B	232	LYS	3.8
1	A	300	GLU	3.8
1	B	201	ASN	3.8
1	B	134	GLU	3.8
1	A	297	LYS	3.8
1	A	25	GLU	3.8
1	A	299	LYS	3.7
1	A	75	TYR	3.7
1	A	306	SER	3.7
1	B	346	THR	3.7
1	A	298	GLU	3.6
1	B	4	GLN	3.6
1	B	85	THR	3.6
1	B	49	LYS	3.5
1	A	96	LYS	3.5
1	A	607	ALA	3.4
1	B	148	ASP	3.4
1	B	603	SER	3.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	137	ASP	3.4
1	B	151	VAL	3.3
1	B	116	PHE	3.3
1	B	97	LYS	3.0
1	B	6	CYS	3.0
1	A	71	GLU	3.0
1	B	285	GLU	3.0
1	B	157	ASN	3.0
1	B	110	GLU	2.9
1	B	113	PRO	2.8
1	B	306	SER	2.8
1	B	284	ASP	2.8
1	B	72	LYS	2.8
1	A	310	ASN	2.7
1	B	130	THR	2.7
1	B	114	LYS	2.7
1	B	128	SER	2.6
1	B	202	GLU	2.6
1	B	140	VAL	2.6
1	B	147	GLU	2.6
1	A	202	GLU	2.5
1	B	84	GLU	2.5
1	B	605	ASP	2.4
1	B	155	LYS	2.4
1	A	345	ARG	2.4
1	B	303	ASN	2.4
1	A	606	MET	2.4
1	B	203	ASN	2.4
1	B	67	GLU	2.3
1	B	68	SER	2.3
1	A	4	GLN	2.2
1	B	310	ASN	2.2
1	A	79	LYS	2.2
1	B	71	GLU	2.2
1	B	117	LYS	2.1
1	B	118	PRO	2.1
1	A	343	SER	2.1
1	B	80	TYR	2.1
1	B	171	GLN	2.1
1	B	115	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	NDP	B	702	48/48	0.92	0.16	52,80,99,99	0
5	GOL	A	704	6/6	0.93	0.11	42,58,63,80	0
2	EA6	B	701	23/23	0.94	0.11	44,50,60,64	0
4	UMP	B	703	20/20	0.95	0.15	39,59,75,80	0
4	UMP	A	703	20/20	0.96	0.12	37,52,77,79	0
2	EA6	A	701	23/23	0.97	0.08	23,33,38,41	0
3	NDP	A	702	48/48	0.98	0.09	30,36,44,47	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around NDP B 702:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around EA6 B 701:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around UMP B 703:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around UMP A 703:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around EA6 A 701:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NDP A 702:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.