



Full wwPDB X-ray Structure Validation Report ⓘ

Jan 30, 2021 – 06:45 PM EST

PDB ID : 3LL3
Title : The crystal structure of ligand bound xylulose kinase from *Lactobacillus acidophilus*
Authors : Zhang, Z.; Burley, S.K.; Swaminathan, S.; New York SGX Research Center for Structural Genomics (NYSGXRC)
Deposited on : 2010-01-28
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.16
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.16


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	504	<div> <div>%</div> <div> <div></div> <div>83%</div> <div>13%</div> <div>..</div> </div> </div>
1	B	504	<div> <div>2%</div> <div> <div></div> <div>77%</div> <div>18%</div> <div>..</div> </div> </div>

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 8329 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Gluconate kinase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	492	Total	C	N	O	S	Se	0	1	0
			3813	2451	638	709	5	10			
1	B	490	Total	C	N	O	S	Se	0	0	0
			3795	2442	634	704	5	10			

There are 22 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MSE	-	expression tag	UNP Q5FM28
A	0	SER	-	expression tag	UNP Q5FM28
A	1	LEU	-	expression tag	UNP Q5FM28
A	495	GLU	-	expression tag	UNP Q5FM28
A	496	GLY	-	expression tag	UNP Q5FM28
A	497	HIS	-	expression tag	UNP Q5FM28
A	498	HIS	-	expression tag	UNP Q5FM28
A	499	HIS	-	expression tag	UNP Q5FM28
A	500	HIS	-	expression tag	UNP Q5FM28
A	501	HIS	-	expression tag	UNP Q5FM28
A	502	HIS	-	expression tag	UNP Q5FM28
B	-1	MSE	-	expression tag	UNP Q5FM28
B	0	SER	-	expression tag	UNP Q5FM28
B	1	LEU	-	expression tag	UNP Q5FM28
B	495	GLU	-	expression tag	UNP Q5FM28
B	496	GLY	-	expression tag	UNP Q5FM28
B	497	HIS	-	expression tag	UNP Q5FM28
B	498	HIS	-	expression tag	UNP Q5FM28
B	499	HIS	-	expression tag	UNP Q5FM28
B	500	HIS	-	expression tag	UNP Q5FM28
B	501	HIS	-	expression tag	UNP Q5FM28
B	502	HIS	-	expression tag	UNP Q5FM28

- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 3 is 1-DEOXY-D-XYLULOSE-5-PHOSPHATE (three-letter code: DXP) (formula: $\text{C}_5\text{H}_{11}\text{O}_7\text{P}$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total 13	C 5	O 7	P 1	0	0
3	B	1	Total 13	C 5	O 7	P 1	0	0

- Molecule 4 is D-XYLULOSE (three-letter code: XUL) (formula: $C_5H_{10}O_5$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			10	5	5		

- Molecule 5 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	359	Total 359	O 359	0	0
6	B	268	Total 268	O 268	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Gluconate kinase



• Molecule 1: Gluconate kinase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	57.89Å 73.06Å 82.87Å 84.75° 86.32° 77.95°	Depositor
Resolution (Å)	36.14 – 2.00 36.14 – 2.00	Depositor EDS
% Data completeness (in resolution range)	89.6 (36.14-2.00) 95.6 (36.14-2.00)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.07 (at 2.00Å)	Xtriage
Refinement program	PHENIX (phenix.refine)	Depositor
R, R_{free}	0.196 , 0.224 0.194 , 0.222	Depositor DCC
R_{free} test set	4263 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	29.5	Xtriage
Anisotropy	0.301	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8329	wwPDB-VP
Average B, all atoms (Å ²)	35.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: XUL, ATP, ADP, DXF

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.42	0/3884	0.58	1/5248 (0.0%)
1	B	0.38	0/3862	0.55	0/5216
All	All	0.40	0/7746	0.56	1/10464 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	385	LEU	CA-CB-CG	5.19	127.23	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3813	0	3882	59	0
1	B	3795	0	3870	66	0
2	A	31	0	11	1	0
3	A	13	0	9	0	0
3	B	13	0	9	2	0
4	A	10	0	10	1	0
5	B	27	0	12	0	0
6	A	359	0	0	12	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	268	0	0	3	0
All	All	8329	0	7803	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:MSE:SE	6:A:762:HOH:O	2.25	1.04
3:B:3265:DXP:HC12	3:B:3265:DXP:O4	1.58	1.03
1:A:124:MSE:HE2	1:A:130:ALA:HB2	1.43	1.01
1:B:358:THR:HG22	1:B:360:MSE:H	1.28	0.96
1:A:358:THR:HG23	1:A:360:MSE:H	1.31	0.94
1:A:359:ARG:HD3	6:A:600:HOH:O	1.73	0.87
1:B:302:ASN:HD21	1:B:305:ARG:HH21	1.21	0.87
1:B:108:ASP:HB3	1:B:112:ARG:NH1	1.94	0.83
1:B:108:ASP:HB3	1:B:112:ARG:HH12	1.43	0.81
1:B:181:ASN:HD22	1:B:184:THR:H	1.30	0.80
1:B:368:ARG:HD3	1:B:372:GLU:OE2	1.82	0.79
3:B:3265:DXP:C1	3:B:3265:DXP:O4	2.30	0.79
1:B:358:THR:HG22	1:B:360:MSE:N	2.00	0.77
1:B:358:THR:CG2	1:B:360:MSE:H	2.00	0.75
1:A:181:ASN:HD22	1:A:184:THR:H	1.38	0.71
1:A:252:HIS:HE1	6:A:851:HOH:O	1.74	0.69
1:B:423:LYS:HE2	6:B:701:HOH:O	1.92	0.69
1:B:11:THR:HG22	1:B:12:THR:HG23	1.74	0.69
1:A:124:MSE:CE	1:A:130:ALA:HB2	2.23	0.67
1:A:68:LYS:HG2	1:A:226:ASP:OD2	1.96	0.66
1:B:424:GLU:HG3	6:B:722:HOH:O	1.95	0.65
1:A:273:ASP:HB2	1:A:278:TYR:CE2	2.30	0.65
1:B:302:ASN:ND2	1:B:305:ARG:HH21	1.93	0.65
1:A:368:ARG:HD3	1:A:372:GLU:OE2	1.97	0.64
1:B:55:GLN:NE2	1:B:222:LYS:HD3	2.13	0.64
1:A:139:LYS:HE2	1:A:196:LYS:HD2	1.79	0.63
1:A:358:THR:CG2	1:A:360:MSE:H	2.08	0.62
6:A:677:HOH:O	1:B:362:GLN:HG2	1.99	0.62
1:A:302:ASN:HD21	1:A:305:ARG:HH21	1.48	0.62
1:B:423:LYS:HD2	1:B:454:GLN:HB2	1.82	0.61
1:A:444:GLN:HG3	6:A:551:HOH:O	2.01	0.61
1:A:403:LYS:HE2	6:A:657:HOH:O	2.01	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:MSE:HE2	1:A:130:ALA:CB	2.25	0.60
1:B:296:ASN:HB3	1:B:300:VAL:HG21	1.84	0.60
1:A:395:ILE:HG12	1:A:417:VAL:CG2	2.31	0.60
1:B:164:THR:CG2	1:B:166:LYS:H	2.15	0.59
1:A:199:LYS:HE2	1:A:200:GLU:OE2	2.03	0.59
1:A:151:LYS:HE3	6:A:746:HOH:O	2.02	0.58
1:B:55:GLN:HE22	1:B:222:LYS:HD3	1.66	0.58
1:A:124:MSE:HE1	1:A:129:MSE:CG	2.34	0.57
1:B:199:LYS:HE3	1:B:200:GLU:OE2	2.03	0.57
1:B:395:ILE:HG12	1:B:417:VAL:CG2	2.35	0.56
1:A:195:LEU:HB3	1:A:197:ILE:HG12	1.87	0.56
1:A:302:ASN:ND2	1:A:305:ARG:HH21	2.03	0.56
1:B:144:GLU:HG3	1:B:148:GLN:HE21	1.71	0.55
1:A:399:GLY:H	1:A:425:GLN:NE2	2.04	0.55
1:A:30:SER:O	1:A:31:LYS:HD3	2.07	0.55
1:B:105:ILE:CD1	1:B:137:TRP:HD1	2.21	0.54
1:B:164:THR:HG23	1:B:166:LYS:H	1.72	0.53
1:B:363:LYS:HB3	1:B:364:PRO:HD3	1.88	0.53
1:A:141:LYS:O	1:A:142:LYS:HD2	2.07	0.53
1:A:18:LEU:HD21	1:A:65:ILE:HG12	1.89	0.53
1:B:131:PRO:HG2	1:B:177:THR:HA	1.91	0.53
1:B:18:LEU:HD21	1:B:65:ILE:HG12	1.89	0.53
1:B:273:ASP:HB2	1:B:278:TYR:CE2	2.43	0.53
1:B:108:ASP:CB	1:B:112:ARG:HH12	2.19	0.52
1:B:430:LEU:HD23	1:B:430:LEU:C	2.29	0.52
1:A:144:GLU:HG3	1:A:148:GLN:HE21	1.75	0.52
1:A:181:ASN:ND2	1:A:183:LYS:H	2.07	0.51
1:B:313:GLU:HG3	1:B:317:ASP:HB2	1.92	0.51
1:B:74:TRP:HD1	1:B:232:ILE:O	1.93	0.51
1:B:399:GLY:H	1:B:425:GLN:NE2	2.09	0.50
1:A:396:ASN:HD22	1:A:396:ASN:N	2.08	0.50
1:B:195:LEU:HB3	1:B:197:ILE:HG12	1.93	0.50
1:A:399:GLY:H	1:A:425:GLN:HE22	1.59	0.50
1:A:448:GLU:O	1:A:451:GLN:HG2	2.12	0.49
1:B:397:ALA:HB1	1:B:402:LEU:HD23	1.95	0.49
1:B:181:ASN:ND2	1:B:184:THR:H	2.06	0.49
1:A:395:ILE:HG12	1:A:417:VAL:HG23	1.94	0.49
1:B:161:PHE:HB2	1:B:167:LEU:HD23	1.94	0.49
1:A:444:GLN:HG2	1:A:445:ASP:OD1	2.12	0.48
1:B:211:VAL:HG11	1:B:230:LYS:HG2	1.94	0.48
1:B:58:ILE:HD13	1:B:72:ILE:HD13	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:330:ARG:O	1:A:331:ASN:HB2	2.12	0.48
1:B:108:ASP:HB3	1:B:112:ARG:CZ	2.42	0.48
1:B:49:LEU:HD12	6:B:693:HOH:O	2.13	0.48
1:A:219:TYR:O	1:A:223:LEU:HG	2.14	0.47
1:B:237:ASP:OD1	1:B:238:GLY:N	2.47	0.47
1:B:212:ILE:N	1:B:212:ILE:HD12	2.30	0.47
1:B:434:PHE:HA	1:B:437:ARG:HG3	1.97	0.47
1:A:127:HIS:CG	1:A:128:PRO:HD2	2.50	0.47
1:B:105:ILE:HD13	1:B:137:TRP:HD1	1.80	0.46
1:A:401:PHE:HA	2:A:1760:ATP:N3	2.30	0.46
1:B:399:GLY:H	1:B:425:GLN:HE22	1.61	0.46
1:B:113:GLY:HA2	1:B:116:GLN:OE1	2.15	0.46
1:B:213:PHE:HB2	1:B:214:PRO:HA	1.98	0.46
1:A:151:LYS:HE2	1:A:167:LEU:HD12	1.99	0.45
1:A:305:ARG:HH11	1:A:305:ARG:HG2	1.80	0.45
1:A:387:LYS:HB3	1:A:388:ASN:H	1.57	0.45
1:B:181:ASN:ND2	1:B:183:LYS:H	2.15	0.45
1:A:214:PRO:HD2	6:A:514:HOH:O	2.17	0.45
1:A:40:VAL:HG23	6:A:776:HOH:O	2.17	0.45
1:A:124:MSE:HE1	1:A:129:MSE:CE	2.48	0.44
1:A:396:ASN:ND2	1:A:396:ASN:N	2.65	0.44
1:B:140:ASN:O	1:B:141:LYS:HG2	2.17	0.44
1:A:358:THR:CG2	1:A:360:MSE:HB2	2.48	0.44
1:B:87:ASP:O	1:B:88:ASP:HB2	2.17	0.44
1:A:430:LEU:HD23	1:A:430:LEU:C	2.38	0.43
1:B:105:ILE:HD13	1:B:137:TRP:CD1	2.53	0.43
1:A:140:ASN:HB2	6:A:653:HOH:O	2.18	0.43
1:A:124:MSE:HE1	1:A:129:MSE:HG3	2.00	0.43
1:A:395:ILE:HB	1:A:419:ILE:HD13	2.00	0.42
1:B:144:GLU:HG3	1:B:148:GLN:NE2	2.33	0.42
1:A:142:LYS:HB3	1:A:145:VAL:HG22	2.01	0.42
1:A:8:ASP:HB3	1:A:15:LYS:HE2	2.01	0.42
1:B:199:LYS:HB3	1:B:199:LYS:HE2	1.77	0.42
1:B:358:THR:HB	1:B:361:HIS:ND1	2.35	0.42
1:A:146:PHE:CZ	1:A:197:ILE:HD11	2.54	0.42
1:A:285:LYS:HD3	6:A:596:HOH:O	2.19	0.42
1:B:140:ASN:C	1:B:141:LYS:HG2	2.40	0.42
1:B:45:GLU:O	1:B:47:PRO:HD3	2.19	0.42
1:B:160:ILE:O	1:B:164:THR:HG22	2.19	0.42
1:B:410:LEU:HD11	1:B:469:TYR:OH	2.19	0.42
1:A:78:MSE:HB2	4:A:7778:XUL:H51	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:164:THR:HG22	1:B:166:LYS:H	1.84	0.42
1:A:144:GLU:O	1:A:148:GLN:HG2	2.20	0.42
1:B:285:LYS:HA	1:B:285:LYS:HD2	1.74	0.42
1:A:305:ARG:NH1	1:A:305:ARG:HG2	2.35	0.41
1:B:253:CYS:SG	1:B:392:PRO:HG3	2.60	0.41
1:B:279:PHE:HB2	1:B:281:TYR:CE1	2.56	0.41
1:A:285:LYS:HA	1:A:285:LYS:HD2	1.93	0.41
1:B:127:HIS:CG	1:B:128:PRO:HD2	2.56	0.41
1:B:36:ILE:HB	1:B:44:GLU:HB2	2.01	0.41
1:B:395:ILE:HG12	1:B:417:VAL:HG23	2.03	0.41
1:A:368:ARG:NH2	6:A:716:HOH:O	2.54	0.40
1:B:74:TRP:HE1	1:B:231:ILE:HG23	1.87	0.40
1:A:172:THR:HG22	1:A:283:ALA:HA	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	491/504 (97%)	474 (96%)	16 (3%)	1 (0%)	47	44
1	B	486/504 (96%)	474 (98%)	12 (2%)	0	100	100
All	All	977/1008 (97%)	948 (97%)	28 (3%)	1 (0%)	51	49

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	342	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	407/407 (100%)	393 (97%)	14 (3%)	37	36
1	B	405/407 (100%)	384 (95%)	21 (5%)	23	19
All	All	812/814 (100%)	777 (96%)	35 (4%)	29	26

All (35) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	33	TYR
1	A	40	VAL
1	A	103	LYS
1	A	141	LYS
1	A	142	LYS
1	A	195	LEU
1	A	199	LYS
1	A	217	THR
1	A	230	LYS
1	A	358	THR
1	A	385	LEU
1	A	387	LYS
1	A	410	LEU
1	A	457	LYS
1	B	15	LYS
1	B	33	TYR
1	B	103	LYS
1	B	141	LYS
1	B	142	LYS
1	B	145	VAL
1	B	164	THR
1	B	182	LEU
1	B	195	LEU
1	B	230	LYS
1	B	275	SER
1	B	308	LEU
1	B	312	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	358	THR
1	B	385	LEU
1	B	389	THR
1	B	390	LYS
1	B	402	LEU
1	B	435	LEU
1	B	437	ARG
1	B	478	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	77	GLN
1	A	148	GLN
1	A	181	ASN
1	A	252	HIS
1	A	302	ASN
1	A	377	ASN
1	A	396	ASN
1	A	409	GLN
1	A	425	GLN
1	A	444	GLN
1	B	55	GLN
1	B	77	GLN
1	B	148	GLN
1	B	181	ASN
1	B	302	ASN
1	B	377	ASN
1	B	396	ASN
1	B	409	GLN
1	B	425	GLN
1	B	451	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry ⓘ

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	ADP	B	1761	-	24,29,29	2.38	10 (41%)	29,45,45	1.52	4 (13%)
3	DXP	A	3264	-	11,12,12	2.10	5 (45%)	13,17,17	1.99	5 (38%)
3	DXP	B	3265	-	11,12,12	1.79	4 (36%)	13,17,17	3.08	4 (30%)
2	ATP	A	1760	-	26,33,33	2.41	10 (38%)	31,52,52	1.78	4 (12%)
4	XUL	A	7778	-	7,9,9	0.75	0	5,11,11	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	ADP	B	1761	-	-	1/12/32/32	0/3/3/3
3	DXP	A	3264	-	-	4/14/14/14	-
3	DXP	B	3265	-	-	9/14/14/14	-
2	ATP	A	1760	-	-	2/18/38/38	0/3/3/3
4	XUL	A	7778	-	-	7/12/12/12	-

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1760	ATP	PG-O1G	5.00	1.66	1.50
5	B	1761	ADP	PB-O1B	4.77	1.65	1.50
5	B	1761	ADP	C8-N7	4.62	1.42	1.34
2	A	1760	ATP	C8-N7	4.53	1.42	1.34

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	B	1761	ADP	C2-N3	4.39	1.39	1.32
2	A	1760	ATP	C2-N3	4.18	1.38	1.32
5	B	1761	ADP	PA-O1A	4.08	1.65	1.50
2	A	1760	ATP	PB-O1B	3.95	1.64	1.50
2	A	1760	ATP	PA-O1A	3.80	1.64	1.50
2	A	1760	ATP	C6-N6	3.34	1.46	1.34
3	A	3264	DXP	C3-C2	3.32	1.55	1.52
5	B	1761	ADP	C6-N6	3.22	1.45	1.34
2	A	1760	ATP	PG-O2G	3.04	1.66	1.54
5	B	1761	ADP	PB-O3B	2.98	1.66	1.54
3	B	3265	DXP	P-O3P	-2.75	1.41	1.50
3	A	3264	DXP	P-O3P	-2.72	1.41	1.50
3	A	3264	DXP	C1-C2	2.51	1.56	1.49
3	B	3265	DXP	C1-C2	2.49	1.56	1.49
3	A	3264	DXP	C5-C4	2.49	1.55	1.51
5	B	1761	ADP	C2'-C3'	2.41	1.59	1.53
2	A	1760	ATP	C5-C4	-2.37	1.34	1.40
3	B	3265	DXP	O3-C3	-2.36	1.37	1.42
2	A	1760	ATP	C2-N1	2.26	1.38	1.33
5	B	1761	ADP	PB-O2B	-2.19	1.46	1.54
3	A	3264	DXP	O3-C3	-2.17	1.37	1.42
2	A	1760	ATP	PG-O3G	-2.15	1.46	1.54
5	B	1761	ADP	C5-C4	-2.14	1.35	1.40
5	B	1761	ADP	PA-O5'	2.07	1.67	1.59
3	B	3265	DXP	O5-C5	-2.02	1.37	1.44

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	3265	DXP	C1-C2-C3	-9.88	111.64	118.39
2	A	1760	ATP	N3-C2-N1	-6.56	118.42	128.68
5	B	1761	ADP	N3-C2-N1	-5.81	119.59	128.68
2	A	1760	ATP	PB-O3B-PG	-3.79	119.81	132.83
3	A	3264	DXP	P-O5-C5	3.39	127.62	118.30
3	A	3264	DXP	O5-C5-C4	3.05	117.51	109.36
2	A	1760	ATP	O4'-C4'-C5'	2.80	118.60	109.37
3	B	3265	DXP	O5-C5-C4	2.72	116.62	109.36
3	A	3264	DXP	O2P-P-O3P	-2.71	100.07	110.68
3	A	3264	DXP	O1P-P-O2P	2.71	117.98	107.64
2	A	1760	ATP	C1'-N9-C4	-2.64	122.01	126.64
3	A	3264	DXP	C1-C2-C3	-2.59	116.62	118.39
5	B	1761	ADP	O4'-C4'-C5'	2.44	117.41	109.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	3265	DXP	O5-P-O3P	2.38	113.14	106.47
5	B	1761	ADP	O3'-C3'-C2'	2.21	118.98	111.82
5	B	1761	ADP	O3B-PB-O3A	2.14	111.80	104.64
3	B	3265	DXP	O2-C2-C3	-2.06	116.60	118.98

There are no chirality outliers.

All (23) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	3264	DXP	O3-C3-C4-O4
3	A	3264	DXP	C3-C4-C5-O5
3	A	3264	DXP	O4-C4-C5-O5
3	B	3265	DXP	C1-C2-C3-C4
3	B	3265	DXP	C3-C4-C5-O5
3	B	3265	DXP	O4-C4-C5-O5
3	B	3265	DXP	C5-O5-P-O2P
3	B	3265	DXP	C5-O5-P-O1P
3	B	3265	DXP	C5-O5-P-O3P
2	A	1760	ATP	PB-O3B-PG-O2G
4	A	7778	XUL	O1-C1-C2-O2
4	A	7778	XUL	C1-C2-C3-C4
4	A	7778	XUL	C1-C2-C3-O3
4	A	7778	XUL	O2-C2-C3-C4
4	A	7778	XUL	O2-C2-C3-O3
4	A	7778	XUL	O4-C4-C5-O5
3	B	3265	DXP	C1-C2-C3-O3
3	B	3265	DXP	O3-C3-C4-O4
5	B	1761	ADP	C5'-O5'-PA-O1A
3	A	3264	DXP	O3-C3-C4-C5
3	B	3265	DXP	O3-C3-C4-C5
2	A	1760	ATP	C3'-C4'-C5'-O5'
4	A	7778	XUL	C3-C4-C5-O5


There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	3265	DXP	2	0
2	A	1760	ATP	1	0
4	A	7778	XUL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	482/504 (95%)	-0.30	4 (0%) 86 85	21, 30, 46, 64	0
1	B	480/504 (95%)	-0.12	12 (2%) 57 56	22, 35, 55, 66	0
All	All	962/1008 (95%)	-0.21	16 (1%) 70 68	21, 33, 52, 66	0

All (16) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	311	ALA	4.1
1	B	311	ALA	3.9
1	B	38	THR	3.4
1	B	388	ASN	3.1
1	B	36	ILE	3.1
1	B	40	VAL	2.7
1	B	37	GLN	2.7
1	B	312	ASP	2.5
1	A	489	LYS	2.4
1	B	489	LYS	2.2
1	A	37	GLN	2.2
1	B	39	LYS	2.1
1	B	491	SER	2.1
1	A	312	ASP	2.1
1	B	35	LEU	2.0
1	B	444	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	XUL	A	7778	10/10	0.79	0.22	35,43,46,47	0
3	DXP	A	3264	13/13	0.94	0.13	36,50,59,60	0
3	DXP	B	3265	13/13	0.95	0.15	38,49,59,64	0
2	ATP	A	1760	31/31	0.96	0.11	28,33,56,65	0
5	ADP	B	1761	27/27	0.97	0.09	28,32,43,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.