



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 14, 2022 – 10:03 AM EST

PDB ID : 7LSC  
Title : Crystal structure of near-infrared fluorescent protein miRFP670nano3  
Authors : Pletnev, S.  
Deposited on : 2021-02-18  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.26  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.26


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	163	<div> <div>6%</div> <div> <div></div> <div>83%</div> <div>15%</div> <div>..</div> </div> </div>
1	B	163	<div> <div>4%</div> <div> <div></div> <div>73%</div> <div>16%</div> <div>10%</div> </div> </div>
1	C	163	<div> <div>4%</div> <div> <div></div> <div>82%</div> <div>11%</div> <div>7%</div> </div> </div>
1	D	163	<div> <div>9%</div> <div> <div></div> <div>75%</div> <div>13%</div> <div>11%</div> </div> </div>




In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called miRFP670nano3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	161	Total 1323	C 841	N 237	O 239	S 6	0	1	0
1	B	147	Total 1206	C 773	N 206	O 221	S 6	0	0	0
1	C	151	Total 1227	C 785	N 210	O 226	S 6	0	0	0
1	D	145	Total 1193	C 765	N 204	O 219	S 5	0	0	0

- Molecule 2 is 3-[2-[( {Z})]-[5-[( {Z})]-[(3 {S},4 {R})-3-ethenyl-4-methyl-5-oxidanylidene-pyrrolidin-2-ylidene]methyl]-3-(3-hydroxy-3-oxopropyl)-4-methyl-pyrrol-2-ylidene]methyl]-5-[( {Z})-(4-ethenyl-3-methyl-5-oxidanylidene-pyrrol-2-ylidene)methyl]-4-methyl-1 {H}-pyrrol-3-yl]propanoic acid (three-letter code: JRA) (formula: C<sub>33</sub>H<sub>36</sub>N<sub>4</sub>O<sub>6</sub>) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total 43	C 33	N 4	O 6	0	0
2	B	1	Total 43	C 33	N 4	O 6	0	0
2	C	1	Total 43	C 33	N 4	O 6	0	0
2	D	1	Total 43	C 33	N 4	O 6	0	0


- Molecule 3 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	132	Total 132	O 132	0	0
3	B	109	Total 109	O 109	0	0
3	C	65	Total 65	O 65	0	0
3	D	65	Total 65	O 65	0	0




- Molecule 1: miRFP670nano3





- Chain B:  4% 73% 16% 10%



- Chain C:  4% 82% 11% 7%



- Chain D:  9% 75% 13% 11%



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	111.53Å 73.95Å 83.74Å 90.00° 101.71° 90.00°	Depositor
Resolution (Å)	29.83 – 1.80 29.82 – 1.80	Depositor EDS
% Data completeness (in resolution range)	98.2 (29.83-1.80) 98.3 (29.82-1.80)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.93 (at 1.80Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, $R_{free}$	0.178 , 0.237 0.188 , 0.246	Depositor DCC
$R_{free}$ test set	1185 reflections (1.96%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	30.5	Xtriage
Anisotropy	0.158	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 46.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	5492	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.32% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: JRA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.76	0/1353	0.91	2/1829 (0.1%)
1	B	0.74	0/1230	0.94	2/1664 (0.1%)
1	C	0.69	0/1251	0.84	0/1693
1	D	0.69	0/1217	0.88	0/1647
All	All	0.72	0/5051	0.90	4/6833 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
1	C	0	1
All	All	0	3

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	45	ARG	NE-CZ-NH2	-6.13	117.23	120.30
1	A	45	ARG	CB-CA-C	-5.62	99.16	110.40
1	A	44	ASP	CB-CA-C	-5.37	99.66	110.40
1	B	45	ARG	CB-CG-CD	-5.24	97.98	111.60

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	33	TYR	Peptide
1	B	33	TYR	Peptide
1	C	33	TYR	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1323	0	1301	21	0
1	B	1206	0	1201	22	0
1	C	1227	0	1221	13	0
1	D	1193	0	1184	15	0
2	A	43	0	0	1	0
2	B	43	0	0	6	0
2	C	43	0	0	2	0
2	D	43	0	0	2	0
3	A	132	0	0	7	0
3	B	109	0	0	8	0
3	C	65	0	0	2	0
3	D	65	0	0	3	0
All	All	5492	0	4907	64	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (64) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:56:ASP:OD2	2:B:900:JRA:ND	2.14	0.81
1:B:46:TRP:HH2	3:B:1075:HOH:O	1.65	0.79
1:D:81:ALA:O	1:D:88:ARG:NH2	2.17	0.77
1:D:114:LEU:HD22	1:D:140:MET:HE3	1.66	0.76
1:C:65:GLU:HG3	3:C:1054:HOH:O	1.86	0.74
1:A:69:HIS:HD2	1:C:72:TYR:OH	1.74	0.70
1:C:56:ASP:OD2	2:C:900:JRA:ND	2.24	0.70
1:B:77:ASP:OD1	3:B:1001:HOH:O	2.09	0.69
1:A:14:GLU:HG3	1:B:10:THR:HG21	1.77	0.66

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:10:THR:HG21	1:D:14:GLU:HG3	1.79	0.65
1:B:43:ASP:CG	3:B:1026:HOH:O	2.36	0.64
1:B:7:MET:HE1	3:B:1051:HOH:O	1.99	0.62
1:D:56:ASP:OD2	2:D:900:JRA:ND	2.33	0.62
1:A:56:ASP:OD2	2:A:900:JRA:ND	2.32	0.62
1:D:114:LEU:HD22	1:D:140:MET:CE	2.30	0.61
1:A:136:GLN:OE1	3:A:1002:HOH:O	2.16	0.59
1:A:6:LYS:HD3	3:A:1127:HOH:O	2.01	0.59
1:A:0:THR:O	1:A:3:ASN:HB2	2.07	0.55
1:A:56:ASP:O	1:A:60:MET:HG3	2.07	0.55
1:A:128:TRP:CD2	1:B:146:GLN:HG3	2.43	0.54
1:A:145:GLN:HE21	1:A:145:GLN:HA	1.72	0.54
1:A:145:GLN:HG3	3:A:1083:HOH:O	2.08	0.53
1:A:139:VAL:HG11	1:B:136:GLN:HE22	1.74	0.53
1:D:3:ASN:ND2	3:D:1003:HOH:O	2.41	0.53
1:B:27:PHE:CZ	2:B:900:JRA:CMB	2.92	0.52
1:B:93:GLU:HG3	3:B:1032:HOH:O	2.08	0.52
1:D:145:GLN:NE2	3:D:1005:HOH:O	2.43	0.52
1:A:-3:ALA:HB3	1:A:0:THR:HG23	1.93	0.49
1:C:76:ALA:HA	1:C:123:ARG:O	2.13	0.48
1:A:109:LYS:NZ	3:A:1001:HOH:O	2.15	0.47
1:B:131:ASP:O	1:B:135:GLN:HG2	2.15	0.47
1:A:76:ALA:HA	1:A:123:ARG:O	2.15	0.47
1:C:97:ARG:HG3	1:C:122:PRO:HA	1.97	0.47
1:C:58:TYR:HB2	2:C:900:JRA:C3D	2.45	0.46
1:C:128:TRP:CE3	1:D:146:GLN:HG3	2.51	0.46
1:B:76:ALA:HA	1:B:123:ARG:O	2.16	0.46
1:B:146:GLN:OE1	3:B:1002:HOH:O	2.21	0.46
2:B:900:JRA:OB	2:B:900:JRA:CBB	2.63	0.46
1:A:128:TRP:CE3	1:B:146:GLN:HG3	2.51	0.46
1:D:85:GLU:OE1	1:D:85:GLU:HA	2.15	0.46
1:D:36:THR:HG22	3:D:1004:HOH:O	2.15	0.45
1:A:97:ARG:HD3	3:A:1081:HOH:O	2.15	0.44
1:B:4:LEU:HD22	1:B:147:SER:HB2	1.98	0.44
1:B:57:ARG:H	2:B:900:JRA:CHD	2.30	0.44
1:C:97:ARG:HG2	1:C:121:GLY:C	2.38	0.44
1:B:47:ILE:HG12	1:B:95:GLN:OE1	2.17	0.44
1:A:135:GLN:HG2	1:B:138:VAL:HG12	1.99	0.44
1:D:47:ILE:HG13	1:D:95:GLN:OE1	2.18	0.43
1:D:29:PHE:CD2	1:D:112:GLY:HA2	2.53	0.43
1:C:-3:ALA:O	1:C:0:THR:HG23	2.19	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:56:ASP:OD1	1:C:58:TYR:HB3	2.18	0.43
1:B:59:PHE:HE2	2:B:900:JRA:C4A	2.31	0.43
1:C:20:GLN:HG2	3:C:1041:HOH:O	2.18	0.42
1:A:97:ARG:NH2	3:A:1004:HOH:O	2.37	0.42
1:B:43:ASP:CB	3:B:1026:HOH:O	2.67	0.42
1:C:106:GLN:NE2	1:C:106:GLN:HA	2.34	0.42
1:D:76:ALA:HA	1:D:123:ARG:O	2.20	0.42
1:B:107:GLY:N	1:B:145:GLN:OE1	2.53	0.41
1:A:109:LYS:CE	3:A:1001:HOH:O	2.66	0.41
1:B:58:TYR:HB2	2:B:900:JRA:C3D	2.51	0.41
1:A:50:LEU:O	1:A:51[A]:LYS:HB2	2.20	0.41
1:A:-9:HIS:HE1	3:B:1070:HOH:O	2.04	0.40
1:D:50:LEU:O	1:D:51:LYS:HB2	2.21	0.40
1:D:73:GLN:NE2	2:D:900:JRA:CAA	2.85	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	160/163 (98%)	158 (99%)	2 (1%)	0	100	100
1	B	145/163 (89%)	142 (98%)	3 (2%)	0	100	100
1	C	149/163 (91%)	147 (99%)	2 (1%)	0	100	100
1	D	143/163 (88%)	139 (97%)	4 (3%)	0	100	100
All	All	597/652 (92%)	586 (98%)	11 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	139/139 (100%)	135 (97%)	4 (3%)	42	29
1	B	128/139 (92%)	124 (97%)	4 (3%)	40	25
1	C	129/139 (93%)	127 (98%)	2 (2%)	62	54
1	D	127/139 (91%)	125 (98%)	2 (2%)	62	54
All	All	523/556 (94%)	511 (98%)	12 (2%)	50	37

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	-13	SER
1	A	-12	HIS
1	A	1	MET
1	A	145	GLN
1	B	6	LYS
1	B	7	MET
1	B	57	ARG
1	B	108	LYS
1	C	7	MET
1	C	82	ASN
1	D	53	GLN
1	D	108	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	69	HIS
1	A	145	GLN
1	B	3	ASN
1	B	39	HIS
1	B	73	GLN
1	B	136	GLN
1	B	146	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	3	ASN
1	D	73	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

## 5.6 Ligand geometry ⓘ

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	JRA	A	900	1	34,46,46	3.78	10 (29%)	42,67,67	2.79	19 (45%)
2	JRA	C	900	1	34,46,46	4.33	12 (35%)	42,67,67	3.07	21 (50%)
2	JRA	D	900	1	34,46,46	4.24	13 (38%)	42,67,67	2.82	23 (54%)
2	JRA	B	900	1	34,46,46	4.16	11 (32%)	42,67,67	3.34	21 (50%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	JRA	A	900	1	-	9/22/74/74	0/4/4/4
2	JRA	C	900	1	-	10/22/74/74	0/4/4/4
2	JRA	D	900	1	-	12/22/74/74	0/4/4/4
2	JRA	B	900	1	-	9/22/74/74	0/4/4/4

All (46) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	900	JRA	CHA-C4D	19.67	1.51	1.35
2	D	900	JRA	CHA-C4D	19.35	1.51	1.35
2	B	900	JRA	CHA-C4D	18.87	1.50	1.35
2	A	900	JRA	CHA-C4D	16.80	1.49	1.35
2	B	900	JRA	CHB-C1B	8.70	1.52	1.34
2	D	900	JRA	CHB-C1B	8.60	1.52	1.34
2	C	900	JRA	CHB-C1B	8.40	1.51	1.34
2	A	900	JRA	CHB-C1B	7.63	1.50	1.34
2	B	900	JRA	C3D-C2D	6.40	1.50	1.36
2	C	900	JRA	C3D-C2D	6.33	1.50	1.36
2	A	900	JRA	C3D-C2D	5.70	1.48	1.36
2	D	900	JRA	C3D-C2D	5.38	1.48	1.36
2	C	900	JRA	C3B-C2B	5.29	1.48	1.37
2	D	900	JRA	C3B-C2B	5.16	1.47	1.37
2	B	900	JRA	CHD-C1D	5.02	1.52	1.40
2	A	900	JRA	CHD-C1D	4.82	1.51	1.40
2	C	900	JRA	CHD-C1D	4.62	1.51	1.40
2	D	900	JRA	CHD-C1D	4.40	1.50	1.40
2	D	900	JRA	C2A-C3A	4.23	1.50	1.37
2	C	900	JRA	C2A-C3A	4.17	1.50	1.37
2	B	900	JRA	C3B-C2B	4.08	1.45	1.37
2	B	900	JRA	C2A-C3A	4.03	1.49	1.37
2	A	900	JRA	C3B-C2B	3.97	1.45	1.37
2	D	900	JRA	C4D-C3D	3.86	1.51	1.45
2	D	900	JRA	OB-C4B	3.78	1.30	1.23
2	B	900	JRA	C4D-C3D	3.52	1.51	1.45
2	A	900	JRA	OB-C4B	3.50	1.30	1.23
2	A	900	JRA	C2A-C3A	3.48	1.48	1.37
2	C	900	JRA	C4D-C3D	3.47	1.51	1.45
2	B	900	JRA	OB-C4B	3.46	1.30	1.23
2	C	900	JRA	C4A-CHB	3.41	1.54	1.41
2	A	900	JRA	C3C-CAC	3.14	1.56	1.51
2	C	900	JRA	OB-C4B	3.13	1.29	1.23
2	A	900	JRA	C4A-CHB	2.94	1.52	1.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	900	JRA	C4A-CHB	2.80	1.52	1.41
2	B	900	JRA	C4A-CHB	2.79	1.52	1.41
2	C	900	JRA	C1A-CHA	2.76	1.51	1.41
2	C	900	JRA	C1C-NC	-2.72	1.34	1.37
2	D	900	JRA	C1C-NC	-2.56	1.34	1.37
2	B	900	JRA	C1A-CHA	2.48	1.50	1.41
2	C	900	JRA	C1B-C2B	2.48	1.49	1.45
2	D	900	JRA	C4C-NC	-2.31	1.32	1.37
2	D	900	JRA	C1B-C2B	2.29	1.49	1.45
2	A	900	JRA	C4D-C3D	2.26	1.49	1.45
2	D	900	JRA	C1A-CHA	2.16	1.49	1.41
2	B	900	JRA	C1D-C2D	2.14	1.50	1.45

All (84) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	900	JRA	OB-C4B-C3B	-9.22	108.56	129.46
2	C	900	JRA	OB-C4B-C3B	-8.62	109.92	129.46
2	C	900	JRA	C3B-C4B-NB	8.02	115.25	106.19
2	B	900	JRA	C3B-C4B-NB	7.20	114.32	106.19
2	C	900	JRA	C1A-CHA-C4D	7.16	137.37	128.81
2	B	900	JRA	CHB-C1B-C2B	-7.15	112.85	126.97
2	A	900	JRA	C3B-C4B-NB	6.94	114.03	106.19
2	A	900	JRA	OB-C4B-C3B	-6.73	114.21	129.46
2	B	900	JRA	OC-C1C-C2C	-6.50	121.01	126.17
2	D	900	JRA	C3B-C4B-NB	6.45	113.47	106.19
2	D	900	JRA	OB-C4B-C3B	-5.70	116.55	129.46
2	D	900	JRA	CHB-C1B-C2B	-5.59	115.93	126.97
2	A	900	JRA	CHB-C1B-C2B	-5.49	116.12	126.97
2	A	900	JRA	OC-C1C-C2C	-5.27	121.98	126.17
2	B	900	JRA	OB-C4B-NB	5.06	136.84	125.08
2	D	900	JRA	OC-C1C-C2C	-5.03	122.17	126.17
2	C	900	JRA	CBA-CAA-C2A	-4.86	103.53	112.49
2	D	900	JRA	C2C-C1C-NC	4.85	112.45	108.27
2	B	900	JRA	C1B-NB-C4B	-4.73	104.65	110.67
2	B	900	JRA	CHD-C4C-NC	4.57	130.64	125.20
2	C	900	JRA	CHB-C1B-C2B	-4.46	118.17	126.97
2	A	900	JRA	C1B-NB-C4B	-4.43	105.03	110.67
2	B	900	JRA	C1A-CHA-C4D	4.38	134.04	128.81
2	B	900	JRA	C3C-C4C-NC	-4.35	104.37	108.11
2	C	900	JRA	C1B-NB-C4B	-4.26	105.24	110.67
2	C	900	JRA	OB-C4B-NB	4.19	134.82	125.08

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900	JRA	C2C-C1C-NC	4.02	111.74	108.27
2	D	900	JRA	CAD-C3D-C4D	3.96	132.01	125.01
2	D	900	JRA	C1B-NB-C4B	-3.94	105.65	110.67
2	D	900	JRA	C2B-C1B-NB	3.80	112.55	106.99
2	A	900	JRA	C4D-C3D-C2D	-3.75	102.63	106.78
2	C	900	JRA	C4B-C3B-C2B	-3.74	103.12	107.92
2	B	900	JRA	C4D-C3D-C2D	-3.74	102.65	106.78
2	D	900	JRA	CAA-CBA-CGA	-3.67	106.52	112.67
2	B	900	JRA	CHA-C4D-ND	-3.64	123.77	128.83
2	B	900	JRA	CAA-CBA-CGA	-3.64	106.56	112.67
2	A	900	JRA	C2B-C1B-NB	3.58	112.24	106.99
2	D	900	JRA	C4D-C3D-C2D	-3.52	102.88	106.78
2	A	900	JRA	CBA-CAA-C2A	-3.52	105.99	112.49
2	D	900	JRA	C3B-C2B-C1B	-3.50	103.80	108.03
2	B	900	JRA	CAD-C3D-C4D	3.44	131.09	125.01
2	B	900	JRA	C4B-C3B-C2B	-3.36	103.62	107.92
2	C	900	JRA	CAA-CBA-CGA	-3.35	107.05	112.67
2	A	900	JRA	C3B-C2B-C1B	-3.29	104.06	108.03
2	D	900	JRA	CHA-C4D-ND	-3.20	124.39	128.83
2	B	900	JRA	C2C-C1C-NC	3.17	111.01	108.27
2	C	900	JRA	CMB-C2B-C1B	3.03	127.95	124.17
2	D	900	JRA	C1A-CHA-C4D	3.02	132.42	128.81
2	C	900	JRA	C2B-C1B-NB	3.01	111.39	106.99
2	D	900	JRA	CMA-C3A-C2A	2.97	130.53	124.94
2	C	900	JRA	C3C-C4C-NC	-2.96	105.57	108.11
2	C	900	JRA	OC-C1C-C2C	-2.91	123.86	126.17
2	B	900	JRA	C2B-C1B-NB	2.90	111.23	106.99
2	A	900	JRA	C3D-C4D-ND	2.86	114.21	110.05
2	D	900	JRA	CMC-C2C-C3C	2.82	120.32	116.11
2	A	900	JRA	OB-C4B-NB	2.81	131.62	125.08
2	C	900	JRA	CAD-C3D-C4D	2.76	129.90	125.01
2	A	900	JRA	CMB-C2B-C1B	2.73	127.57	124.17
2	D	900	JRA	C4B-C3B-C2B	-2.66	104.51	107.92
2	A	900	JRA	C4B-C3B-C2B	-2.64	104.53	107.92
2	A	900	JRA	CAD-C3D-C4D	2.60	129.60	125.01
2	C	900	JRA	C3B-C2B-C1B	-2.52	104.98	108.03
2	B	900	JRA	OC-C1C-NC	2.47	127.94	124.94
2	A	900	JRA	CHA-C4D-C3D	-2.47	119.61	125.32
2	C	900	JRA	CBB-CAB-C3B	-2.42	115.59	127.62
2	C	900	JRA	C4D-C3D-C2D	-2.40	104.12	106.78
2	A	900	JRA	CMD-C2D-C1D	2.40	128.76	125.06
2	D	900	JRA	CMB-C2B-C1B	2.38	127.14	124.17

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	900	JRA	CMC-C2C-C3C	2.37	119.65	116.11
2	A	900	JRA	CHD-C4C-NC	2.37	128.02	125.20
2	D	900	JRA	CMD-C2D-C1D	2.36	128.70	125.06
2	C	900	JRA	C1D-C2D-C3D	-2.31	103.86	106.51
2	D	900	JRA	CBB-CAB-C3B	-2.24	116.45	127.62
2	C	900	JRA	CHA-C4D-ND	-2.24	125.72	128.83
2	D	900	JRA	CBA-CAA-C2A	-2.17	108.49	112.49
2	B	900	JRA	CBB-CAB-C3B	-2.15	116.90	127.62
2	D	900	JRA	C3C-CAC-CBC	-2.15	121.23	124.59
2	C	900	JRA	C2C-C1C-NC	2.14	110.12	108.27
2	B	900	JRA	CBA-CAA-C2A	-2.13	108.55	112.49
2	B	900	JRA	CMA-C3A-C2A	2.09	128.88	124.94
2	D	900	JRA	OB-C4B-NB	2.07	129.91	125.08
2	C	900	JRA	CMD-C2D-C1D	2.06	128.23	125.06
2	D	900	JRA	C3D-C4D-ND	2.06	113.04	110.05
2	B	900	JRA	C2C-C3C-C4C	2.03	103.99	100.03

There are no chirality outliers.

All (40) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	900	JRA	C2C-C3C-CAC-CBC
2	A	900	JRA	C4C-C3C-CAC-CBC
2	A	900	JRA	NC-C4C-CHD-C1D
2	A	900	JRA	C3C-C4C-CHD-C1D
2	A	900	JRA	ND-C1D-CHD-C4C
2	A	900	JRA	C3D-CAD-CBD-CGD
2	B	900	JRA	C2C-C3C-CAC-CBC
2	B	900	JRA	C4C-C3C-CAC-CBC
2	B	900	JRA	NC-C4C-CHD-C1D
2	B	900	JRA	C3C-C4C-CHD-C1D
2	B	900	JRA	ND-C1D-CHD-C4C
2	C	900	JRA	C2C-C3C-CAC-CBC
2	C	900	JRA	C4C-C3C-CAC-CBC
2	C	900	JRA	NC-C4C-CHD-C1D
2	C	900	JRA	C3C-C4C-CHD-C1D
2	D	900	JRA	NA-C1A-CHA-C4D
2	D	900	JRA	C2A-C1A-CHA-C4D
2	D	900	JRA	C2C-C3C-CAC-CBC
2	D	900	JRA	C4C-C3C-CAC-CBC
2	D	900	JRA	NC-C4C-CHD-C1D
2	D	900	JRA	C3C-C4C-CHD-C1D

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	D	900	JRA	ND-C1D-CHD-C4C
2	D	900	JRA	C2D-C3D-CAD-CBD
2	D	900	JRA	C4D-C3D-CAD-CBD
2	D	900	JRA	C3D-CAD-CBD-CGD
2	B	900	JRA	C2D-C3D-CAD-CBD
2	B	900	JRA	C4D-C3D-CAD-CBD
2	C	900	JRA	ND-C1D-CHD-C4C
2	A	900	JRA	C2D-C1D-CHD-C4C
2	B	900	JRA	C2D-C1D-CHD-C4C
2	D	900	JRA	C2D-C1D-CHD-C4C
2	A	900	JRA	C4D-C3D-CAD-CBD
2	A	900	JRA	C2D-C3D-CAD-CBD
2	C	900	JRA	C2D-C1D-CHD-C4C
2	C	900	JRA	C2D-C3D-CAD-CBD
2	B	900	JRA	C3D-CAD-CBD-CGD
2	C	900	JRA	C4B-C3B-CAB-CBB
2	C	900	JRA	C4D-C3D-CAD-CBD
2	C	900	JRA	C2B-C3B-CAB-CBB
2	D	900	JRA	ND-C4D-CHA-C1A


There are no ring outliers.

4 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	900	JRA	1	0
2	C	900	JRA	2	0
2	D	900	JRA	2	0
2	B	900	JRA	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


## Ligand JRA A 900




## Ligand JRA C 900



## Ligand JRA D 900



## Ligand JRA B 900



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	161/163 (98%)	0.14	10 (6%) 20 16	19, 33, 58, 77	0
1	B	147/163 (90%)	-0.00	6 (4%) 37 31	15, 28, 57, 82	0
1	C	151/163 (92%)	0.12	6 (3%) 38 32	24, 42, 71, 88	0
1	D	145/163 (88%)	0.48	14 (9%) 7 6	25, 43, 69, 86	0
All	All	604/652 (92%)	0.18	36 (5%) 21 17	15, 38, 67, 88	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	-1	GLY	5.6
1	B	147	SER	5.0
1	A	-13	SER	4.8
1	C	82	ASN	4.4
1	A	-2	ALA	4.4
1	C	147	SER	4.3
1	A	1	MET	3.9
1	A	57	ARG	3.9
1	D	82	ASN	3.8
1	D	31	GLU	3.6
1	D	115	VAL	3.4
1	A	115	VAL	3.3
1	D	147	SER	3.0
1	D	122	PRO	3.0
1	D	80	THR	3.0
1	D	102	VAL	2.6
1	B	82	ASN	2.6
1	A	-3	ALA	2.6
1	D	116	ALA	2.5
1	C	80	THR	2.5
1	B	119	LEU	2.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	86	CYS	2.4
1	D	114	LEU	2.4
1	C	85	GLU	2.4
1	D	24	VAL	2.4
1	C	-2	ALA	2.3
1	A	101	ALA	2.3
1	C	31	GLU	2.2
1	A	-4	SER	2.2
1	D	85	GLU	2.2
1	A	102	VAL	2.2
1	B	115	VAL	2.2
1	B	57	ARG	2.1
1	D	113	LEU	2.1
1	B	1	MET	2.1
1	D	99	ILE	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	JRA	C	900	43/43	0.64	0.37	50,89,120,132	0
2	JRA	D	900	43/43	0.64	0.31	48,88,121,139	0
2	JRA	B	900	43/43	0.71	0.28	32,75,93,102	0
2	JRA	A	900	43/43	0.72	0.26	35,58,93,97	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around JRA C 900:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around JRA D 900:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around JRA B 900:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around JRA A 900:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.