



Full wwPDB X-ray Structure Validation Report ⓘ

May 26, 2020 – 05:53 am BST

PDB ID : 5LTT
Title : Yeast 20S proteasome with human beta5i (1-138; R57T)in complex with PR-924
Authors : Groll, M.; Huber, E.M.
Deposited on : 2016-09-07
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	250	<div><div>4%</div><div><div></div><div></div><div></div><div></div></div><div>98%</div><div></div></div>
1	O	250	<div><div>4%</div><div><div></div><div></div><div></div><div></div></div><div>98%</div><div></div></div>
2	B	258	<div><div>4%</div><div><div></div><div></div><div></div><div></div></div><div>88%</div><div>6%</div><div>5%</div></div>
2	P	258	<div><div>4%</div><div><div></div><div></div><div></div><div></div></div><div>90%</div><div></div><div>5%</div></div>
3	C	254	<div><div>11%</div><div><div></div><div></div><div></div><div></div></div><div>86%</div><div>7%</div><div>6%</div></div>
3	Q	254	<div><div>11%</div><div><div></div><div></div><div></div><div></div></div><div>87%</div><div>6%</div><div>6%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	D	260	
4	R	260	
5	E	234	
5	S	234	
6	F	288	
6	T	288	
7	G	252	
7	U	252	
8	H	232	
8	V	232	
9	I	205	
9	W	205	
10	J	198	
10	X	198	
11	K	211	
11	Y	211	
12	L	222	
12	Z	222	
13	M	246	
13	a	246	
14	N	196	
14	b	196	

2 Entry composition

There are 19 unique types of molecules in this entry. The entry contains 49881 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proteasome subunit alpha type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			
1	O	250	Total	C	N	O	S	0	0	0
			1915	1219	315	377	4			

- Molecule 2 is a protein called Proteasome subunit alpha type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			
2	P	244	Total	C	N	O	S	0	0	0
			1904	1201	321	379	3			

- Molecule 3 is a protein called Proteasome subunit alpha type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			
3	Q	240	Total	C	N	O	S	0	0	0
			1881	1176	329	372	4			

- Molecule 4 is a protein called Proteasome subunit alpha type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			
4	R	235	Total	C	N	O	S	0	0	0
			1813	1136	304	366	7			

- Molecule 5 is a protein called Proteasome subunit alpha type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	E	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			
5	S	231	Total	C	N	O	S	0	0	0
			1773	1114	307	348	4			

- Molecule 6 is a protein called Probable proteasome subunit alpha type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
6	F	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			
6	T	243	Total	C	N	O	S	0	0	0
			1892	1203	329	356	4			

- Molecule 7 is a protein called Proteasome subunit alpha type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
7	G	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			
7	U	241	Total	C	N	O	S	0	0	0
			1907	1214	320	365	8			

- Molecule 8 is a protein called Proteasome subunit beta type-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
8	H	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			
8	V	226	Total	C	N	O	S	0	0	0
			1719	1082	298	332	7			

- Molecule 9 is a protein called Proteasome subunit beta type-3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
9	I	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			
9	W	204	Total	C	N	O	S	0	0	0
			1581	1010	258	305	8			

- Molecule 10 is a protein called Proteasome subunit beta type-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	J	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
10	X	195	Total	C	N	O	S	0	0	0
			1561	992	264	299	6			

- Molecule 11 is a protein called Proteasome subunit beta type-8, Proteasome subunit beta type-5.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
11	K	211	Total	C	N	O	S	0	0	0
			1636	1033	279	312	12			
11	Y	211	Total	C	N	O	S	0	0	0
			1636	1033	279	312	12			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
K	57	THR	ARG	engineered mutation	UNP P28062
Y	57	THR	ARG	engineered mutation	UNP P28062

- Molecule 12 is a protein called Proteasome subunit beta type-6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
12	L	222	Total	C	N	O	S	0	0	0
			1757	1115	303	335	4			
12	Z	222	Total	C	N	O	S	0	1	0
			1764	1120	305	335	4			

- Molecule 13 is a protein called Proteasome subunit beta type-7.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
13	M	233	Total	C	N	O	S	0	1	0
			1832	1159	315	351	7			
13	a	233	Total	C	N	O	S	0	0	0
			1824	1154	312	351	7			

- Molecule 14 is a protein called Proteasome subunit beta type-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
14	N	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			
14	b	196	Total	C	N	O	S	0	0	0
			1512	955	250	300	7			


- Molecule 15 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
15	G	1	Total	Mg	0	0
			1	1		
15	J	1	Total	Mg	0	0
			1	1		
15	K	1	Total	Mg	0	0
			1	1		
15	I	1	Total	Mg	0	0
			1	1		
15	V	1	Total	Mg	0	0
			1	1		
15	Z	1	Total	Mg	0	0
			1	1		
15	N	1	Total	Mg	0	0
			1	1		
15	Y	1	Total	Mg	0	0
			1	1		

- Molecule 16 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
16	G	1	Total	Cl	0	0
			1	1		
16	U	1	Total	Cl	0	0
			1	1		

- Molecule 17 is N-[(3-methyl-1H-inden-2-yl)carbonyl]-D-alanyl-N-[(2S,4R)-5-hydroxy-4-methyl-3-oxo-1-phenylpentan-2-yl]-L-tryptophanamide (three-letter code: 39V) (formula: C₃₇H₄₀N₄O₅).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
17	K	1	Total 46	C 37	N 4	O 5	0	0
17	Y	1	Total 46	C 37	N 4	O 5	0	0

- Molecule 18 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: $\text{C}_6\text{H}_{13}\text{NO}_4\text{S}$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
18	K	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
18	Y	1	Total	C	N	O	S	0	0
			12	6	1	4	1		

- Molecule 19 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	A	16	Total	O	0	0
			16	16		
19	B	16	Total	O	0	0
			16	16		
19	C	11	Total	O	0	0
			11	11		
19	D	11	Total	O	0	0
			11	11		
19	E	6	Total	O	0	0
			6	6		
19	F	16	Total	O	0	0
			16	16		
19	G	13	Total	O	0	0
			13	13		
19	H	16	Total	O	0	0
			16	16		
19	I	19	Total	O	0	0
			19	19		
19	J	12	Total	O	0	0
			12	12		
19	K	15	Total	O	0	0
			15	15		
19	L	20	Total	O	0	0
			20	20		
19	M	15	Total	O	0	0
			15	15		
19	N	15	Total	O	0	0
			15	15		
19	O	10	Total	O	0	0
			10	10		
19	P	10	Total	O	0	0
			10	10		
19	Q	9	Total	O	0	0
			9	9		
19	R	12	Total	O	0	0
			12	12		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
19	S	7	Total 7	O 7	0	0
19	T	19	Total 19	O 19	0	0
19	U	20	Total 20	O 20	0	0
19	V	11	Total 11	O 11	0	0
19	W	7	Total 7	O 7	0	0
19	X	19	Total 19	O 19	0	0
19	Y	10	Total 10	O 10	0	0
19	Z	15	Total 15	O 15	0	0
19	a	20	Total 20	O 20	0	0
19	b	20	Total 20	O 20	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proteasome subunit alpha type-2





- Molecule 1: Proteasome subunit alpha type-2




- Molecule 2: Proteasome subunit alpha type-3




- Molecule 2: Proteasome subunit alpha type-3





- Molecule 3: Proteasome subunit alpha type-4









- Molecule 3: Proteasome subunit alpha type-4




- Molecule 4: Proteasome subunit alpha type-5



- Molecule 4: Proteasome subunit alpha type-5




- Molecule 5: Proteasome subunit alpha type-6




- Molecule 5: Proteasome subunit alpha type-6





- Molecule 6: Probable proteasome subunit alpha type-7






- Molecule 6: Probable proteasome subunit alpha type-7



- Molecule 7: Proteasome subunit alpha type-1





- Molecule 7: Proteasome subunit alpha type-1



- Molecule 8: Proteasome subunit beta type-2



- Molecule 8: Proteasome subunit beta type-2




- Molecule 9: Proteasome subunit beta type-3









- Molecule 9: Proteasome subunit beta type-3





- Molecule 10: Proteasome subunit beta type-4





- Molecule 10: Proteasome subunit beta type-4





- Molecule 11: Proteasome subunit beta type-8, Proteasome subunit beta type-5



- Molecule 11: Proteasome subunit beta type-8, Proteasome subunit beta type-5




- Molecule 12: Proteasome subunit beta type-6





- Molecule 12: Proteasome subunit beta type-6

Chain Z:  94% 5% 2%





- Molecule 13: Proteasome subunit beta type-7

Chain M:  89% 5% 2%




- Molecule 13: Proteasome subunit beta type-7

Chain a:  92% 5% 0%




- Molecule 14: Proteasome subunit beta type-1

Chain N:  96% 0% 0%



- Molecule 14: Proteasome subunit beta type-1

Chain b:  98% 0% 2%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	135.85Å 300.35Å 145.58Å 90.00° 113.36° 90.00°	Depositor
Resolution (Å)	15.00 – 2.70 15.00 – 2.70	Depositor EDS
% Data completeness (in resolution range)	95.6 (15.00-2.70) 95.6 (15.00-2.70)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.64 (at 2.69Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, R_{free}	0.223 , 0.247 0.231 , 0.253	Depositor DCC
R_{free} test set	13882 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	53.9	Xtriage
Anisotropy	0.069	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 32.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	49881	wwPDB-VP
Average B, all atoms (Å ²)	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: MG, 39V, MES, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.28	0/1952	0.47	0/2642
1	O	0.28	0/1952	0.47	0/2642
2	B	0.28	0/1934	0.49	0/2618
2	P	0.27	0/1934	0.49	0/2618
3	C	0.28	0/1910	0.50	0/2586
3	Q	0.27	0/1910	0.50	0/2586
4	D	0.27	0/1837	0.47	0/2475
4	R	0.26	0/1837	0.47	0/2475
5	E	0.27	0/1800	0.47	0/2433
5	S	0.27	0/1800	0.47	0/2433
6	F	0.28	0/1932	0.45	0/2609
6	T	0.27	0/1932	0.45	0/2609
7	G	0.27	0/1945	0.47	0/2634
7	U	0.27	0/1945	0.47	0/2634
8	H	0.27	0/1750	0.51	0/2373
8	V	0.27	0/1750	0.51	0/2373
9	I	0.27	0/1611	0.51	0/2174
9	W	0.27	0/1611	0.51	0/2174
10	J	0.29	0/1589	0.97	6/2142 (0.3%)
10	X	0.27	0/1589	0.95	6/2142 (0.3%)
11	K	0.39	0/1673	0.55	0/2259
11	Y	0.32	0/1673	0.54	0/2259
12	L	0.29	0/1795	0.52	0/2420
12	Z	0.41	2/1806 (0.1%)	0.60	4/2435 (0.2%)
13	M	0.32	0/1866	0.69	6/2528 (0.2%)
13	a	0.28	0/1855	0.51	0/2514
14	N	0.27	0/1541	0.51	0/2087
14	b	0.27	0/1541	0.51	0/2087
All	All	0.29	2/50270 (0.0%)	0.55	22/67961 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if

the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
10	J	0	2
10	X	0	2
All	All	0	4

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	Z	108[A]	HIS	CA-C	8.30	1.74	1.52
12	Z	108[B]	HIS	CA-C	8.30	1.74	1.52

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	J	95	ARG	NE-CZ-NH2	-20.62	109.99	120.30
10	X	149	ARG	NE-CZ-NH2	-20.20	110.20	120.30
10	J	149	ARG	NE-CZ-NH1	-20.05	110.27	120.30
10	X	95	ARG	NE-CZ-NH1	-18.90	110.85	120.30
10	J	149	ARG	NE-CZ-NH2	16.09	128.34	120.30
10	X	95	ARG	NE-CZ-NH2	15.81	128.20	120.30
10	X	149	ARG	NE-CZ-NH1	15.44	128.02	120.30
10	J	95	ARG	NE-CZ-NH1	14.18	127.39	120.30
13	M	190[A]	ARG	CA-C-O	10.38	141.90	120.10
13	M	190[B]	ARG	CA-C-O	10.38	141.90	120.10
10	J	95	ARG	CD-NE-CZ	10.36	138.11	123.60
10	J	149	ARG	CD-NE-CZ	10.00	137.61	123.60
10	X	149	ARG	CD-NE-CZ	9.59	137.03	123.60
10	X	95	ARG	CD-NE-CZ	9.05	136.27	123.60
13	M	190[A]	ARG	CA-C-N	-8.62	98.23	117.20
13	M	190[B]	ARG	CA-C-N	-8.62	98.23	117.20
12	Z	108[A]	HIS	CA-C-O	7.94	136.77	120.10
12	Z	108[B]	HIS	CA-C-O	7.94	136.77	120.10
12	Z	108[A]	HIS	CA-C-N	-6.25	103.44	117.20
12	Z	108[B]	HIS	CA-C-N	-6.25	103.44	117.20
13	M	190[A]	ARG	N-CA-C	6.13	127.54	111.00
13	M	190[B]	ARG	N-CA-C	6.13	127.54	111.00

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
10	J	149	ARG	Sidechain
10	J	95	ARG	Sidechain
10	X	149	ARG	Sidechain
10	X	95	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1915	0	1929	0	0
1	O	1915	0	1929	1	0
2	B	1904	0	1904	5	0
2	P	1904	0	1904	4	0
3	C	1881	0	1895	10	0
3	Q	1881	0	1895	7	0
4	D	1813	0	1797	3	0
4	R	1813	0	1797	3	0
5	E	1773	0	1775	2	0
5	S	1773	0	1775	2	0
6	F	1892	0	1883	1	0
6	T	1892	0	1883	2	0
7	G	1907	0	1901	3	0
7	U	1907	0	1901	5	0
8	H	1719	0	1719	6	0
8	V	1719	0	1719	4	0
9	I	1581	0	1574	7	0
9	W	1581	0	1574	8	0
10	J	1561	0	1569	10	0
10	X	1561	0	1569	7	0
11	K	1636	0	1572	21	0
11	Y	1636	0	1573	15	0
12	L	1757	0	1711	11	0
12	Z	1764	0	1718	7	0
13	M	1832	0	1845	3	0
13	a	1824	0	1832	0	0
14	N	1512	0	1481	3	0
14	b	1512	0	1481	0	0
15	G	1	0	0	0	0
15	I	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
15	J	1	0	0	0	0
15	K	1	0	0	0	0
15	N	1	0	0	0	0
15	V	1	0	0	0	0
15	Y	1	0	0	0	0
15	Z	1	0	0	0	0
16	G	1	0	0	0	0
16	U	1	0	0	0	0
17	K	46	0	39	3	0
17	Y	46	0	39	10	0
18	K	12	0	13	0	0
18	Y	12	0	13	1	0
19	A	16	0	0	0	0
19	B	16	0	0	0	0
19	C	11	0	0	0	0
19	D	11	0	0	0	0
19	E	6	0	0	0	0
19	F	16	0	0	0	0
19	G	13	0	0	0	0
19	H	16	0	0	0	0
19	I	19	0	0	0	0
19	J	12	0	0	0	0
19	K	15	0	0	0	0
19	L	20	0	0	0	0
19	M	15	0	0	0	0
19	N	15	0	0	0	0
19	O	10	0	0	0	0
19	P	10	0	0	0	0
19	Q	9	0	0	0	0
19	R	12	0	0	0	0
19	S	7	0	0	0	0
19	T	19	0	0	0	0
19	U	20	0	0	1	0
19	V	11	0	0	0	0
19	W	7	0	0	0	0
19	X	19	0	0	0	0
19	Y	10	0	0	0	0
19	Z	15	0	0	0	0
19	a	20	0	0	0	0
19	b	20	0	0	0	0
All	All	49881	0	49209	135	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 1.

All (135) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
10:J:22:THR:O	10:J:23:ARG:NH1	2.03	0.91
11:Y:33:LYS:HZ3	17:Y:301:39V:H38	1.36	0.90
11:Y:33:LYS:NZ	17:Y:301:39V:H38	1.89	0.87
12:Z:108[A]:HIS:CA	12:Z:109:THR:N	2.42	0.81
17:Y:301:39V:H41	17:Y:301:39V:N28	2.04	0.72
17:Y:301:39V:H41	17:Y:301:39V:C26	2.26	0.65
10:X:23:ARG:NH2	11:Y:119:THR:OG1	2.28	0.64
10:J:23:ARG:HD3	11:K:115:ASP:OD2	2.01	0.60
9:I:38:LYS:NZ	11:Y:208:ASN:O	2.35	0.60
11:K:18:SER:OG	11:K:30:ARG:HA	2.00	0.60
14:N:152:VAL:HA	14:N:175:MET:HE1	1.84	0.60
17:Y:301:39V:O3	17:Y:301:39V:H4	1.99	0.60
17:K:301:39V:H9	12:L:132:GLU:HB2	1.82	0.59
17:K:301:39V:H4	17:K:301:39V:O3	2.02	0.59
11:Y:20:ALA:HB3	11:Y:28:ALA:HB3	1.85	0.58
11:K:20:ALA:HB3	11:K:28:ALA:HB3	1.87	0.57
11:K:50:ALA:HB2	12:L:128:VAL:HG23	1.86	0.57
7:U:23:PHE:O	7:U:26:THR:HB	2.07	0.55
7:G:23:PHE:O	7:G:26:THR:HB	2.06	0.54
11:K:208:ASN:O	9:W:38:LYS:NZ	2.40	0.54
11:Y:9:GLN:HB3	11:Y:10:HIS:HD2	1.72	0.54
17:Y:301:39V:H9	12:Z:132:GLU:HG2	1.89	0.54
10:J:177:LYS:NZ	10:X:169:GLU:O	2.41	0.54
11:Y:18:SER:OG	11:Y:30:ARG:HA	2.07	0.54
10:J:169:GLU:O	10:X:177:LYS:NZ	2.42	0.52
9:W:9:GLY:HA3	9:W:41:LYS:HE2	1.91	0.52
10:J:1:MET:HG2	10:J:34:LYS:HE3	1.90	0.52
10:J:23:ARG:HG3	10:J:23:ARG:HH11	1.74	0.52
10:X:1:MET:HG2	10:X:34:LYS:HE3	1.91	0.52
11:Y:144:LYS:HB2	11:Y:147:LEU:HD13	1.92	0.52
10:J:23:ARG:HG3	10:J:23:ARG:NH1	2.25	0.51
3:Q:201:VAL:O	3:Q:202:GLN:CB	2.58	0.51
3:C:201:VAL:O	3:C:202:GLN:CB	2.58	0.51
11:K:144:LYS:HB2	11:K:147:LEU:HD13	1.92	0.51
13:M:35:ARG:HG2	13:M:36:PHE:CE2	2.46	0.51
9:I:9:GLY:HA3	9:I:41:LYS:HE2	1.92	0.50
4:D:89:VAL:HG12	11:K:61:LYS:HG3	1.93	0.50
11:K:50:ALA:N	12:L:130:SER:HB3	2.27	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
14:N:83:LYS:HG3	14:N:119:VAL:CG2	2.42	0.50
11:Y:1:THR:HG22	11:Y:2:THR:N	2.25	0.50
11:K:9:GLN:HB3	11:K:10:HIS:CD2	2.47	0.49
4:R:89:VAL:HG12	11:Y:61:LYS:HG3	1.95	0.49
12:Z:31:THR:HG23	12:Z:36:ASN:HD21	1.77	0.49
14:N:176:VAL:HG12	14:N:178:LEU:HD13	1.95	0.49
11:K:50:ALA:HA	12:L:130:SER:HB3	1.95	0.49
11:Y:9:GLN:HB3	11:Y:10:HIS:CD2	2.47	0.48
12:L:31:THR:HG23	12:L:36:ASN:HD21	1.78	0.48
11:K:50:ALA:CA	12:L:130:SER:HB3	2.44	0.48
10:X:16:ALA:HB2	10:X:161:LEU:HD21	1.97	0.47
8:H:3:ILE:HG22	8:H:99:ILE:HD12	1.97	0.47
10:J:16:ALA:HB2	10:J:161:LEU:HD21	1.97	0.47
1:O:23:TYR:CD1	7:U:12:PRO:HA	2.51	0.46
3:C:99:GLU:HG3	11:K:81:LYS:CD	2.45	0.46
11:K:1:THR:HG22	11:K:2:THR:N	2.30	0.46
4:D:160:ASN:HB3	4:D:179:TRP:CE2	2.51	0.46
10:J:23:ARG:CG	10:J:23:ARG:HH11	2.28	0.45
3:Q:201:VAL:O	3:Q:202:GLN:HB3	2.16	0.45
11:Y:33:LYS:HZ1	17:Y:301:39V:H38	1.76	0.45
12:L:13:LEU:HD11	12:L:150:LEU:HD21	1.98	0.45
8:H:50:ALA:CB	9:I:126:ILE:HG23	2.46	0.45
3:C:201:VAL:O	3:C:202:GLN:HB3	2.17	0.45
11:K:18:SER:OG	11:K:29:LEU:O	2.35	0.45
3:C:160:GLN:HA	3:C:160:GLN:HE21	1.81	0.45
9:I:20:VAL:HG23	9:I:189:ILE:HB	1.98	0.45
9:W:20:VAL:HG23	9:W:189:ILE:HB	1.99	0.45
4:R:160:ASN:HB3	4:R:179:TRP:CE2	2.52	0.45
11:Y:19:ARG:O	17:Y:301:39V:H39	2.17	0.45
12:Z:8:ASN:HA	12:Z:30:ILE:O	2.17	0.45
3:C:51:LYS:O	3:C:52:LEU:HB2	2.17	0.44
2:P:50:LYS:O	2:P:51:VAL:C	2.55	0.44
3:Q:160:GLN:HA	3:Q:160:GLN:HE21	1.82	0.44
9:W:20:VAL:HG13	9:W:118:PRO:HB3	1.99	0.44
3:Q:51:LYS:O	3:Q:52:LEU:HB2	2.16	0.44
11:Y:9:GLN:HB2	11:Y:145:TRP:O	2.18	0.44
5:E:12:PHE:H	6:F:19:GLN:HE22	1.66	0.44
2:B:47:ALA:HB1	2:B:64:LYS:HD2	2.00	0.44
10:J:3:ILE:HG23	10:J:18:SER:HB3	2.00	0.44
12:L:148:PRO:HB2	9:W:148:MET:SD	2.58	0.44
8:H:53:GLU:O	8:H:57:GLN:HG2	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:S:12:PHE:H	6:T:19:GLN:HE22	1.66	0.44
8:V:53:GLU:O	8:V:57:GLN:HG2	2.18	0.44
12:Z:42:LYS:HD2	12:Z:55:ASN:HD22	1.83	0.44
2:B:50:LYS:O	2:B:51:VAL:C	2.55	0.44
9:I:20:VAL:HG13	9:I:118:PRO:HB3	2.00	0.44
2:P:47:ALA:HB1	2:P:64:LYS:HD2	2.00	0.44
8:V:104:ASP:HB2	8:V:105:PRO:HD2	1.99	0.44
12:Z:13:LEU:HD11	12:Z:150:LEU:HD21	1.99	0.44
12:L:8:ASN:HA	12:L:30:ILE:O	2.17	0.43
12:L:42:LYS:HD2	12:L:55:ASN:HD22	1.83	0.43
8:H:163:ILE:HG23	8:H:170:GLY:HA2	2.00	0.43
8:H:104:ASP:HB2	8:H:105:PRO:HD2	1.99	0.43
7:U:149:ASP:HB2	7:U:150:PRO:CD	2.49	0.43
9:W:10:ILE:HG21	9:W:141:ALA:HB3	2.00	0.43
7:G:149:ASP:HB2	7:G:150:PRO:CD	2.49	0.43
2:P:151:ASN:HB2	2:P:152:PRO:CD	2.48	0.43
10:X:3:ILE:HG23	10:X:18:SER:HB3	2.01	0.43
2:B:151:ASN:HB2	2:B:152:PRO:CD	2.48	0.43
11:K:30:ARG:HG2	11:K:30:ARG:O	2.18	0.43
17:Y:301:39V:O32	18:Y:303:MES:O3S	2.37	0.43
3:C:99:GLU:HG3	11:K:81:LYS:HD2	2.01	0.42
7:G:78:ILE:N	7:G:79:PRO:CD	2.82	0.42
11:K:9:GLN:HB2	11:K:145:TRP:O	2.18	0.42
7:U:230:GLU:HG2	19:U:403:HOH:O	2.19	0.42
11:Y:104:TRP:CE2	11:Y:181:GLU:HB3	2.55	0.42
11:K:104:TRP:CE2	11:K:181:GLU:HB3	2.54	0.42
7:U:78:ILE:N	7:U:79:PRO:CD	2.82	0.42
10:X:148:TYR:O	10:X:149:ARG:HD3	2.18	0.42
4:D:91:HIS:HB3	4:D:99:ILE:CG2	2.50	0.42
9:I:10:ILE:HG21	9:I:141:ALA:HB3	2.01	0.42
17:K:301:39V:N28	17:K:301:39V:O40	2.52	0.42
9:W:101:PRO:HB3	9:W:126:ILE:HD12	2.00	0.42
9:I:101:PRO:HB3	9:I:126:ILE:HD12	2.00	0.42
17:Y:301:39V:H26	17:Y:301:39V:H39	1.70	0.42
13:M:127:LEU:HG	13:M:142:LEU:HD12	2.02	0.42
13:M:17:ASP:OD1	13:M:18:ASN:N	2.52	0.42
3:Q:35:LYS:HG2	3:Q:158:SER:O	2.20	0.42
8:V:163:ILE:HG23	8:V:170:GLY:HA2	2.01	0.42
11:K:50:ALA:CB	12:L:128:VAL:HG23	2.50	0.42
3:C:99:GLU:HG3	11:K:81:LYS:NZ	2.35	0.41
3:Q:149:GLU:HB2	3:Q:150:PRO:HD2	2.02	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:35:LYS:HG2	3:C:158:SER:O	2.20	0.41
2:P:50:LYS:HD3	2:P:50:LYS:HA	1.88	0.41
4:R:91:HIS:HB3	4:R:99:ILE:CG2	2.50	0.41
2:B:217:LYS:C	2:B:219:ALA:H	2.24	0.41
3:C:169:VAL:HG23	3:C:196:SER:HB2	2.01	0.41
6:T:202:ASP:N	6:T:202:ASP:OD1	2.54	0.41
11:K:197:TRP:CE2	9:W:200:LYS:HE3	2.56	0.41
3:C:149:GLU:HB2	3:C:150:PRO:HD2	2.03	0.41
8:V:22:GLN:HG3	8:V:27:ALA:HB2	2.03	0.41
3:Q:169:VAL:HG23	3:Q:196:SER:HB2	2.01	0.40
5:S:87:LEU:HD21	5:S:107:ALA:HB1	2.03	0.40
8:H:102:GLY:HA2	8:H:178:MET:SD	2.60	0.40
2:B:221:ASP:O	2:B:223:GLU:N	2.55	0.40
5:E:87:LEU:HD21	5:E:107:ALA:HB1	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	248/250 (99%)	240 (97%)	7 (3%)	1 (0%)	34	60
1	O	248/250 (99%)	239 (96%)	8 (3%)	1 (0%)	34	60
2	B	242/258 (94%)	234 (97%)	4 (2%)	4 (2%)	9	23
2	P	242/258 (94%)	234 (97%)	4 (2%)	4 (2%)	9	23
3	C	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	19	43
3	Q	238/254 (94%)	233 (98%)	3 (1%)	2 (1%)	19	43
4	D	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
4	R	231/260 (89%)	226 (98%)	5 (2%)	0	100	100
5	E	229/234 (98%)	221 (96%)	8 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
5	S	229/234 (98%)	222 (97%)	7 (3%)	0	100	100
6	F	241/288 (84%)	238 (99%)	3 (1%)	0	100	100
6	T	241/288 (84%)	238 (99%)	3 (1%)	0	100	100
7	G	239/252 (95%)	237 (99%)	2 (1%)	0	100	100
7	U	239/252 (95%)	238 (100%)	1 (0%)	0	100	100
8	H	224/232 (97%)	217 (97%)	7 (3%)	0	100	100
8	V	224/232 (97%)	217 (97%)	7 (3%)	0	100	100
9	I	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
9	W	202/205 (98%)	195 (96%)	7 (4%)	0	100	100
10	J	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
10	X	193/198 (98%)	190 (98%)	3 (2%)	0	100	100
11	K	209/211 (99%)	203 (97%)	6 (3%)	0	100	100
11	Y	209/211 (99%)	205 (98%)	4 (2%)	0	100	100
12	L	220/222 (99%)	214 (97%)	6 (3%)	0	100	100
12	Z	221/222 (100%)	215 (97%)	6 (3%)	0	100	100
13	M	232/246 (94%)	225 (97%)	7 (3%)	0	100	100
13	a	231/246 (94%)	224 (97%)	7 (3%)	0	100	100
14	N	194/196 (99%)	187 (96%)	7 (4%)	0	100	100
14	b	194/196 (99%)	187 (96%)	7 (4%)	0	100	100
All	All	6284/6612 (95%)	6123 (97%)	147 (2%)	14 (0%)	47	73

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	51	VAL
3	C	202	GLN
2	P	51	VAL
3	Q	202	GLN
1	A	2	THR
2	B	218	GLY
2	B	222	GLY
1	O	2	THR
2	P	218	GLY
2	P	222	GLY
2	B	220	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	205	ALA
2	P	220	ASN
3	Q	205	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	209/209 (100%)	206 (99%)	3 (1%)	67	86
1	O	209/209 (100%)	206 (99%)	3 (1%)	67	86
2	B	203/216 (94%)	200 (98%)	3 (2%)	65	86
2	P	203/216 (94%)	200 (98%)	3 (2%)	65	86
3	C	212/226 (94%)	201 (95%)	11 (5%)	23	49
3	Q	212/226 (94%)	201 (95%)	11 (5%)	23	49
4	D	194/215 (90%)	186 (96%)	8 (4%)	30	59
4	R	194/215 (90%)	186 (96%)	8 (4%)	30	59
5	E	190/193 (98%)	184 (97%)	6 (3%)	39	68
5	S	190/193 (98%)	184 (97%)	6 (3%)	39	68
6	F	201/239 (84%)	194 (96%)	7 (4%)	36	65
6	T	201/239 (84%)	194 (96%)	7 (4%)	36	65
7	G	206/210 (98%)	200 (97%)	6 (3%)	42	71
7	U	206/210 (98%)	200 (97%)	6 (3%)	42	71
8	H	185/190 (97%)	180 (97%)	5 (3%)	44	74
8	V	185/190 (97%)	178 (96%)	7 (4%)	33	62
9	I	172/173 (99%)	169 (98%)	3 (2%)	60	84
9	W	172/173 (99%)	170 (99%)	2 (1%)	71	88
10	J	173/175 (99%)	169 (98%)	4 (2%)	50	78
10	X	173/175 (99%)	170 (98%)	3 (2%)	60	84
11	K	170/170 (100%)	166 (98%)	4 (2%)	49	77

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
11	Y	170/170 (100%)	165 (97%)	5 (3%)	42	71
12	L	185/185 (100%)	181 (98%)	4 (2%)	52	79
12	Z	186/185 (100%)	183 (98%)	3 (2%)	62	85
13	M	200/208 (96%)	194 (97%)	6 (3%)	41	70
13	a	199/208 (96%)	193 (97%)	6 (3%)	41	70
14	N	162/162 (100%)	159 (98%)	3 (2%)	57	82
14	b	162/162 (100%)	159 (98%)	3 (2%)	57	82
All	All	5324/5542 (96%)	5178 (97%)	146 (3%)	44	74

All (146) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	122	THR
1	A	157	PHE
1	A	250	LEU
2	B	113	ARG
2	B	191	LEU
2	B	238	LEU
3	C	4	ARG
3	C	38	ASN
3	C	51	LYS
3	C	77	ASN
3	C	98	LEU
3	C	147	GLN
3	C	160	GLN
3	C	169	VAL
3	C	180	LYS
3	C	206	LYS
3	C	240	GLU
4	D	99	ILE
4	D	125	LEU
4	D	143	ASP
4	D	176	LEU
4	D	193	LEU
4	D	235	LEU
4	D	236	LYS
4	D	242	GLU
5	E	9	THR
5	E	29	LYS
5	E	71	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	E	184	ASN
5	E	188	LEU
5	E	202	ASP
6	F	117	GLN
6	F	123	ASN
6	F	139	LYS
6	F	171	GLU
6	F	181	GLU
6	F	214	TRP
6	F	240	GLN
7	G	83	ASN
7	G	115	LEU
7	G	122	ARG
7	G	125	MET
7	G	235	ARG
7	G	236	LEU
8	H	30	ASN
8	H	53	GLU
8	H	55	VAL
8	H	68	LEU
8	H	196	ARG
9	I	37	ASN
9	I	171	LEU
9	I	182	TRP
10	J	3	ILE
10	J	23	ARG
10	J	52	ASP
10	J	99	GLN
11	K	4	LEU
11	K	12	VAL
11	K	18	SER
11	K	147	LEU
12	L	23	LEU
12	L	49	ASN
12	L	132	GLU
12	L	150	LEU
13	M	2	GLN
13	M	48	ASN
13	M	70	LEU
13	M	104	ARG
13	M	161	ARG
13	M	187	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	N	9	LYS
14	N	39	ASP
14	N	83	LYS
1	O	122	THR
1	O	157	PHE
1	O	250	LEU
2	P	113	ARG
2	P	191	LEU
2	P	238	LEU
3	Q	4	ARG
3	Q	38	ASN
3	Q	51	LYS
3	Q	77	ASN
3	Q	98	LEU
3	Q	147	GLN
3	Q	160	GLN
3	Q	169	VAL
3	Q	180	LYS
3	Q	206	LYS
3	Q	240	GLU
4	R	99	ILE
4	R	125	LEU
4	R	143	ASP
4	R	176	LEU
4	R	193	LEU
4	R	235	LEU
4	R	236	LYS
4	R	242	GLU
5	S	9	THR
5	S	29	LYS
5	S	71	LEU
5	S	184	ASN
5	S	188	LEU
5	S	202	ASP
6	T	117	GLN
6	T	123	ASN
6	T	139	LYS
6	T	171	GLU
6	T	181	GLU
6	T	214	TRP
6	T	240	GLN
7	U	83	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
7	U	115	LEU
7	U	122	ARG
7	U	125	MET
7	U	235	ARG
7	U	236	LEU
8	V	3	ILE
8	V	22	GLN
8	V	30	ASN
8	V	53	GLU
8	V	55	VAL
8	V	68	LEU
8	V	196	ARG
9	W	37	ASN
9	W	171	LEU
10	X	3	ILE
10	X	52	ASP
10	X	99	GLN
11	Y	4	LEU
11	Y	12	VAL
11	Y	18	SER
11	Y	106	LYS
11	Y	147	LEU
12	Z	23	LEU
12	Z	49	ASN
12	Z	150	LEU
13	a	2	GLN
13	a	48	ASN
13	a	70	LEU
13	a	104	ARG
13	a	161	ARG
13	a	187	ARG
14	b	9	LYS
14	b	83	LYS
14	b	104	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (92) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	94	HIS
2	B	20	GLN
2	B	58	GLN
2	B	95	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	119	GLN
2	B	123	GLN
2	B	155	ASN
3	C	17	GLN
3	C	38	ASN
3	C	77	ASN
3	C	116	GLN
3	C	120	GLN
3	C	147	GLN
3	C	160	GLN
4	D	15	GLN
4	D	91	HIS
4	D	100	ASN
4	D	146	GLN
4	D	225	ASN
5	E	68	HIS
5	E	92	ASN
5	E	99	ASN
5	E	116	GLN
5	E	118	ASN
5	E	120	GLN
5	E	151	ASN
5	E	184	ASN
6	F	19	GLN
6	F	86	ASN
6	F	117	GLN
6	F	123	ASN
6	F	191	GLN
7	G	83	ASN
7	G	114	ASN
7	G	117	GLN
7	G	121	GLN
7	G	166	GLN
8	H	66	HIS
10	J	55	GLN
11	K	85	ASN
11	K	175	ASN
12	L	3	ASN
12	L	49	ASN
12	L	70	ASN
12	L	79	HIS
13	M	48	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
13	M	102	GLN
14	N	161	GLN
1	O	94	HIS
2	P	20	GLN
2	P	58	GLN
2	P	95	GLN
2	P	119	GLN
2	P	123	GLN
3	Q	38	ASN
3	Q	77	ASN
3	Q	116	GLN
3	Q	120	GLN
3	Q	147	GLN
3	Q	160	GLN
4	R	15	GLN
4	R	100	ASN
4	R	146	GLN
4	R	225	ASN
5	S	68	HIS
5	S	99	ASN
5	S	116	GLN
5	S	118	ASN
5	S	120	GLN
5	S	151	ASN
5	S	184	ASN
6	T	19	GLN
6	T	86	ASN
6	T	117	GLN
6	T	123	ASN
6	T	191	GLN
7	U	83	ASN
7	U	114	ASN
7	U	117	GLN
7	U	121	GLN
7	U	166	GLN
8	V	22	GLN
9	W	37	ASN
10	X	55	GLN
11	Y	32	ASN
11	Y	85	ASN
11	Y	175	ASN
12	Z	3	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
12	Z	49	ASN
13	a	48	ASN
13	a	102	GLN
14	b	161	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 10 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
18	MES	K	303	-	12,12,12	2.17	1 (8%)	14,16,16	1.57	3 (21%)
18	MES	Y	303	-	12,12,12	2.26	1 (8%)	14,16,16	1.26	3 (21%)
17	39V	K	301	11	48,50,50	3.72	17 (35%)	56,70,70	1.71	10 (17%)
17	39V	Y	301	11	48,50,50	3.88	16 (33%)	56,70,70	1.46	7 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	MES	K	303	-	-	0/6/14/14	0/1/1/1
18	MES	Y	303	-	-	2/6/14/14	0/1/1/1
17	39V	K	301	11	-	15/41/54/54	0/5/5/5
17	39V	Y	301	11	-	11/41/54/54	0/5/5/5

All (35) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
17	Y	301	39V	C2-C50	-12.34	1.32	1.49
17	K	301	39V	C2-C50	-11.87	1.33	1.49
17	K	301	39V	C51-C50	-10.87	1.36	1.51
17	Y	301	39V	O32-C31	10.61	1.38	1.21
17	Y	301	39V	C51-C50	-10.09	1.38	1.51
17	Y	301	39V	C51-C52	-8.23	1.37	1.50
17	K	301	39V	C51-C52	-7.67	1.38	1.50
18	Y	303	MES	C8-S	-7.49	1.66	1.77
17	K	301	39V	C57-C58	-7.48	1.30	1.44
17	Y	301	39V	C57-C58	-7.14	1.30	1.44
18	K	303	MES	C8-S	-7.12	1.67	1.77
17	K	301	39V	O32-C31	6.98	1.32	1.21
17	K	301	39V	C57-C52	-6.03	1.31	1.39
17	Y	301	39V	C63-C67	-5.93	1.30	1.42
17	Y	301	39V	C60-C68	-5.91	1.31	1.41
17	K	301	39V	C60-C68	-5.89	1.31	1.41
17	K	301	39V	C63-C67	-5.85	1.30	1.42
17	Y	301	39V	C30-C41	-5.32	1.38	1.51
17	Y	301	39V	C57-C52	-5.27	1.32	1.39
17	K	301	39V	C30-C41	-4.93	1.39	1.51
17	Y	301	39V	C56-C57	-4.77	1.32	1.39
17	Y	301	39V	C67-C68	-4.74	1.29	1.42
17	K	301	39V	C56-C57	-4.65	1.32	1.39
17	K	301	39V	C53-C52	-4.57	1.31	1.39
17	Y	301	39V	C53-C52	-4.51	1.32	1.39
17	K	301	39V	C67-C68	-4.42	1.30	1.42
17	Y	301	39V	C65-N69	-2.84	1.30	1.36
17	K	301	39V	C65-N69	-2.63	1.31	1.36
17	Y	301	39V	C50-C58	-2.41	1.31	1.36
17	K	301	39V	C65-C66	-2.38	1.30	1.37
17	K	301	39V	C68-N69	-2.36	1.31	1.38
17	K	301	39V	C50-C58	-2.34	1.31	1.36
17	Y	301	39V	C65-C66	-2.33	1.31	1.37
17	Y	301	39V	C68-N69	-2.31	1.31	1.38
17	K	301	39V	C37-C31	2.25	1.59	1.52

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
17	Y	301	39V	O32-C31-C37	-6.37	109.44	121.26
17	K	301	39V	O32-C31-C37	-5.64	110.80	121.26
17	K	301	39V	C30-C29-N28	-4.21	101.91	110.79
17	K	301	39V	C63-C67-C68	3.26	122.50	118.17
17	K	301	39V	C57-C58-C50	3.10	111.24	109.15
18	K	303	MES	O3S-S-C8	2.89	110.43	105.77
17	K	301	39V	C41-C30-C29	2.74	120.94	113.39
17	Y	301	39V	C17-C66-C65	-2.67	124.67	127.97
18	K	303	MES	O2S-S-C8	2.63	110.08	106.92
17	K	301	39V	C54-C55-C56	-2.47	116.43	120.19
17	Y	301	39V	C62-C61-C60	-2.45	117.00	120.44
18	Y	303	MES	O3S-S-C8	2.44	109.72	105.77
18	K	303	MES	O1S-S-C8	2.33	109.72	106.92
18	Y	303	MES	O1S-S-C8	2.30	109.69	106.92
17	Y	301	39V	C63-C67-C68	2.26	121.17	118.17
18	Y	303	MES	O2S-S-C8	2.15	109.50	106.92
17	Y	301	39V	C30-C41-C46	-2.11	116.71	120.91
17	K	301	39V	C62-C61-C60	-2.11	117.48	120.44
17	K	301	39V	C59-C58-C57	-2.09	120.87	124.76
17	Y	301	39V	C13-C11-N1	-2.08	106.46	111.60
17	Y	301	39V	C54-C55-C56	-2.06	117.06	120.19
17	K	301	39V	C63-C67-C66	-2.05	130.66	134.42
17	K	301	39V	C52-C57-C58	-2.01	107.44	109.41

There are no chirality outliers.

All (28) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
17	Y	301	39V	O32-C31-C37-C38
17	Y	301	39V	C31-C37-C39-O40
17	Y	301	39V	C38-C37-C39-O40
17	K	301	39V	C29-C31-C37-C38
17	K	301	39V	O32-C31-C37-C38
17	K	301	39V	C29-C30-C41-C42
17	K	301	39V	C29-C30-C41-C46
17	Y	301	39V	C29-C30-C41-C42
17	Y	301	39V	C29-C30-C41-C46
17	Y	301	39V	N1-C11-C13-N15
17	K	301	39V	N1-C11-C13-N15
17	Y	301	39V	N1-C11-C13-O14
17	K	301	39V	N28-C29-C30-C41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
17	K	301	39V	N1-C11-C13-O14
18	Y	303	MES	C8-C7-N4-C5
17	K	301	39V	C12-C11-C13-N15
17	Y	301	39V	C12-C11-C13-N15
17	Y	301	39V	C12-C11-C13-O14
17	K	301	39V	C12-C11-C13-O14
18	Y	303	MES	C8-C7-N4-C3
17	Y	301	39V	C13-C11-N1-C2
17	K	301	39V	C31-C29-C30-C41
17	K	301	39V	C30-C29-C31-O32
17	Y	301	39V	N28-C29-C31-C37
17	K	301	39V	N28-C29-C31-C37
17	K	301	39V	N15-C16-C26-N28
17	K	301	39V	N15-C16-C26-O27
17	K	301	39V	C13-C11-N1-C2


There are no ring outliers.


3 monomers are involved in 13 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
18	Y	303	MES	1	0
17	K	301	39V	3	0
17	Y	301	39V	10	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

Ligand 39V K 301





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/250 (100%)	-0.13	9 (3%) 42 42	33, 51, 86, 127	0
1	O	250/250 (100%)	-0.06	10 (4%) 38 37	38, 57, 100, 133	0
2	B	244/258 (94%)	0.06	11 (4%) 33 31	37, 57, 101, 157	0
2	P	244/258 (94%)	0.07	10 (4%) 37 36	41, 60, 105, 159	0
3	C	240/254 (94%)	0.36	27 (11%) 5 4	37, 65, 134, 172	0
3	Q	240/254 (94%)	0.53	29 (12%) 4 3	37, 75, 159, 203	0
4	D	235/260 (90%)	0.01	6 (2%) 56 57	42, 62, 97, 144	0
4	R	235/260 (90%)	0.22	14 (5%) 21 20	55, 72, 112, 144	0
5	E	231/234 (98%)	0.03	9 (3%) 39 38	43, 63, 101, 138	0
5	S	231/234 (98%)	0.09	9 (3%) 39 38	42, 64, 103, 134	0
6	F	243/288 (84%)	-0.13	11 (4%) 33 31	35, 53, 104, 128	0
6	T	243/288 (84%)	0.02	13 (5%) 26 25	37, 59, 115, 149	0
7	G	241/252 (95%)	-0.17	8 (3%) 46 46	32, 51, 88, 145	0
7	U	241/252 (95%)	-0.16	8 (3%) 46 46	35, 51, 89, 129	0
8	H	226/232 (97%)	-0.06	10 (4%) 34 33	36, 49, 84, 148	0
8	V	226/232 (97%)	-0.05	7 (3%) 49 49	38, 53, 89, 171	0
9	I	204/205 (99%)	-0.29	4 (1%) 65 67	36, 49, 82, 100	0
9	W	204/205 (99%)	-0.23	4 (1%) 65 67	37, 51, 84, 98	0
10	J	195/198 (98%)	-0.17	5 (2%) 56 57	34, 52, 77, 115	0
10	X	195/198 (98%)	-0.12	5 (2%) 56 57	37, 55, 80, 135	0
11	K	211/211 (100%)	-0.15	3 (1%) 75 77	30, 57, 90, 108	0
11	Y	211/211 (100%)	-0.11	3 (1%) 75 77	38, 56, 91, 115	0
12	L	222/222 (100%)	-0.11	5 (2%) 60 62	38, 53, 95, 126	0
12	Z	222/222 (100%)	-0.11	4 (1%) 68 70	36, 53, 96, 130	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
13	M	233/246 (94%)	-0.30	4 (1%)	70 72	32, 49, 74, 92	0
13	a	233/246 (94%)	-0.28	3 (1%)	77 78	32, 50, 75, 93	0
14	N	196/196 (100%)	-0.37	2 (1%)	82 83	31, 44, 74, 100	0
14	b	196/196 (100%)	-0.36	3 (1%)	73 76	34, 46, 75, 107	0
All	All	6342/6612 (95%)	-0.06	236 (3%)	41 41	30, 55, 100, 203	0

All (236) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	218	GLY	9.4
2	P	219	ALA	7.8
3	Q	50	LEU	7.3
3	Q	49	THR	7.1
2	P	221	ASP	7.0
8	V	222	ASP	6.8
12	L	174	TYR	6.7
12	Z	174	TYR	6.6
8	V	223	ILE	6.4
3	C	235	GLU	6.4
10	J	1	MET	6.3
9	W	1	SER	6.3
10	X	1	MET	6.0
1	O	1	MET	5.8
10	X	194	ASP	5.7
1	A	249	ALA	5.6
3	Q	240	GLU	5.5
8	V	226	GLU	5.4
2	B	220	ASN	5.4
2	B	217	LYS	5.2
8	V	224	GLN	5.2
3	Q	206	LYS	5.1
8	H	221	CYS	5.1
3	C	238	LYS	5.1
4	R	241	ALA	5.1
2	B	221	ASP	5.0
6	T	244	ASN	4.9
1	O	249	ALA	4.9
3	Q	229	GLN	4.8
2	P	218	GLY	4.7
3	C	239	GLN	4.7
3	C	50	LEU	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	Q	48	SER	4.7
8	V	221	CYS	4.6
8	H	226	GLU	4.5
10	X	193	ASP	4.5
1	A	1	MET	4.5
2	B	219	ALA	4.4
3	C	202	GLN	4.4
2	P	51	VAL	4.3
3	Q	239	GLN	4.3
2	B	51	VAL	4.1
3	C	236	GLN	4.1
8	H	224	GLN	4.1
3	C	225	GLU	4.1
3	C	206	LYS	4.0
11	Y	150	GLU	4.0
6	T	243	ILE	4.0
1	O	2	THR	4.0
2	P	220	ASN	3.8
5	S	202	ASP	3.8
3	Q	202	GLN	3.7
3	C	205	ALA	3.7
4	R	230	GLU	3.7
8	H	223	ILE	3.7
10	J	95	ARG	3.7
9	I	1	SER	3.7
10	X	195	PHE	3.7
3	C	240	GLU	3.7
7	U	2	GLY	3.7
12	L	173	LYS	3.6
8	H	222	ASP	3.6
14	N	105	LYS	3.6
6	F	202	ASP	3.6
5	E	122	TYR	3.6
6	F	181	GLU	3.6
4	D	242	GLU	3.5
13	M	1	THR	3.5
4	R	1	ASP	3.5
3	C	49	THR	3.5
1	A	2	THR	3.4
1	O	52	SER	3.4
3	Q	238	LYS	3.3
2	P	59	ASP	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
13	a	233	ILE	3.3
12	L	163	GLY	3.3
3	Q	51	LYS	3.3
7	U	222	ASP	3.2
4	R	242	GLU	3.2
6	F	2	THR	3.2
5	S	180	LYS	3.2
4	R	217	GLN	3.2
1	A	201	GLU	3.2
4	D	241	ALA	3.2
12	Z	165	ASN	3.2
14	b	104	ASP	3.2
13	a	1	THR	3.1
5	E	233	ILE	3.1
8	H	217	ILE	3.1
3	Q	203	THR	3.1
6	T	205	GLU	3.1
6	F	244	ASN	3.1
13	M	216	ASN	3.1
3	C	203	THR	3.1
12	L	165	ASN	3.1
6	T	180	PRO	3.1
5	S	210	LEU	3.0
6	T	230	ASP	3.0
13	M	47	ASP	3.0
12	L	167	LYS	3.0
3	Q	225	GLU	3.0
3	C	232	THR	3.0
4	D	169	GLU	3.0
8	H	225	GLU	3.0
5	E	202	ASP	2.9
4	D	1	ASP	2.9
3	C	60	SER	2.9
10	J	174	MET	2.9
3	Q	181	GLU	2.9
1	O	201	GLU	2.9
14	b	195	GLN	2.9
1	A	250	LEU	2.9
7	U	207	THR	2.9
5	S	121	SER	2.9
3	Q	180	LYS	2.9
6	T	204	LYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	P	203	SER	2.8
7	G	181	LYS	2.8
3	Q	46	ARG	2.8
3	Q	232	THR	2.8
12	Z	173	LYS	2.8
2	B	60	THR	2.8
6	F	205	GLU	2.8
9	W	133	LYS	2.8
7	G	3	TYR	2.8
14	N	195	GLN	2.8
3	Q	171	GLU	2.7
1	O	182	GLU	2.7
7	U	242	GLN	2.7
5	S	3	ASN	2.7
6	F	228	LYS	2.7
4	R	117	GLU	2.7
1	O	250	LEU	2.7
3	C	175	LYS	2.7
5	S	203	GLU	2.7
7	G	222	ASP	2.7
6	F	215	CYS	2.7
1	A	182	GLU	2.7
3	C	180	LYS	2.6
1	A	248	GLU	2.6
4	R	125	LEU	2.6
11	K	107	LYS	2.6
1	A	231	LYS	2.6
6	T	166	GLN	2.5
9	W	131	GLU	2.5
1	O	231	LYS	2.5
3	C	234	ILE	2.5
5	E	194	GLU	2.5
6	F	242	GLU	2.5
3	Q	204	GLY	2.5
4	R	169	GLU	2.5
4	R	226	GLU	2.5
5	S	173	ARG	2.5
7	U	51	PRO	2.5
11	K	211	GLY	2.5
2	B	204	ALA	2.5
4	R	237	GLU	2.5
9	I	133	LYS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	Q	228	ASN	2.5
3	C	1	GLY	2.4
3	C	233	GLN	2.4
3	Q	141	ASP	2.4
3	Q	236	GLN	2.4
3	C	48	SER	2.4
11	Y	146	ASP	2.4
7	G	179	LYS	2.4
6	F	241	LYS	2.4
1	A	59	GLU	2.4
2	P	225	TYR	2.4
2	B	203	SER	2.4
6	T	215	CYS	2.4
9	I	160	GLU	2.4
8	H	198	GLU	2.3
3	Q	99	GLU	2.3
3	Q	235	GLU	2.3
5	S	227	GLU	2.3
14	b	105	LYS	2.3
3	C	181	GLU	2.3
4	D	240	ALA	2.3
7	U	181	LYS	2.3
7	G	241	GLU	2.3
6	T	181	GLU	2.3
7	U	241	GLU	2.3
11	Y	211	GLY	2.3
11	K	30	ARG	2.3
5	E	123	GLY	2.3
8	H	219	ASN	2.3
3	Q	187	GLU	2.3
3	Q	200	VAL	2.3
3	C	216	ASP	2.3
5	E	176	ASP	2.3
10	J	194	ASP	2.3
10	X	95	ARG	2.3
6	F	178	HIS	2.2
2	P	240	LYS	2.2
8	V	225	GLU	2.2
1	O	53	SER	2.2
3	C	59	PRO	2.2
4	R	116	GLY	2.2
7	G	242	GLN	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	Q	188	GLU	2.2
5	E	227	GLU	2.2
6	T	235	ALA	2.2
10	J	195	PHE	2.2
5	E	207	VAL	2.2
9	I	131	GLU	2.2
3	C	47	ARG	2.2
5	E	163	ARG	2.2
7	U	3	TYR	2.2
4	D	2	ARG	2.2
6	T	241	LYS	2.1
13	M	121	SER	2.1
5	S	54	GLU	2.1
12	Z	171	PRO	2.1
3	C	201	VAL	2.1
3	C	3	ASP	2.1
3	C	58	THR	2.1
6	F	51	THR	2.1
3	Q	237	GLU	2.1
6	T	201	GLU	2.1
2	B	182	ASP	2.1
7	G	2	GLY	2.1
7	G	188	GLU	2.1
3	Q	55	THR	2.1
6	T	237	ASP	2.1
1	O	248	GLU	2.1
9	W	127	GLY	2.1
8	V	215	GLU	2.0
2	P	52	THR	2.0
4	R	54	ASP	2.0
8	H	215	GLU	2.0
13	a	232	LYS	2.0
4	R	201	GLU	2.0
2	B	59	ASP	2.0
3	Q	205	ALA	2.0
4	R	114	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

6.4 Ligands ⓘ




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
18	MES	K	303	12/12	0.79	0.36	58,60,74,79	12
15	MG	G	301	1/1	0.86	0.13	45,45,45,45	0
18	MES	Y	303	12/12	0.89	0.38	51,55,72,73	0
15	MG	Z	301	1/1	0.89	0.17	55,55,55,55	0
17	39V	Y	301	46/46	0.91	0.21	42,53,68,70	0
17	39V	K	301	46/46	0.92	0.19	38,51,61,62	0
15	MG	I	301	1/1	0.94	0.16	50,50,50,50	0
15	MG	N	201	1/1	0.96	0.14	44,44,44,44	0
15	MG	Y	302	1/1	0.96	0.15	46,46,46,46	0
15	MG	J	201	1/1	0.96	0.12	49,49,49,49	0
15	MG	V	301	1/1	0.97	0.07	54,54,54,54	0
15	MG	K	302	1/1	0.97	0.13	50,50,50,50	0
16	CL	U	301	1/1	0.98	0.07	44,44,44,44	0
16	CL	G	302	1/1	0.99	0.10	34,34,34,34	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 39V Y 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 39V K 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.