



# Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 04:16 am BST

PDB ID : 5LTV  
Title : LIGAND BINDING DOMAIN OF PSEUDOMONAS AERUGINOSA PAO1  
AMINO ACID CHEMORECEPTOR PCTC IN COMPLEX WITH GABA  
Authors : Gavira, J.A.; Rico-Jimenez, M.; Conejero-Muriel, M.; Krell, T.  
Deposited on : 2016-09-07  
Resolution : 2.31 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5974 (2.34-2.30)
Clashscore	141614	6604 (2.34-2.30)
Ramachandran outliers	138981	6523 (2.34-2.30)
Sidechain outliers	138945	6523 (2.34-2.30)
RSRZ outliers	127900	5855 (2.34-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	273	<div><div>2%</div><div><div></div><div>66%</div><div>11%</div><div>•</div><div>21%</div></div></div>
1	B	273	<div><div>5%</div><div><div></div><div>67%</div><div>9%</div><div>•</div><div>23%</div></div></div>
1	C	273	<div><div>3%</div><div><div></div><div>73%</div><div>9%</div><div></div><div>18%</div></div></div>
1	D	273	<div><div>%</div><div><div></div><div>72%</div><div>10%</div><div></div><div>17%</div></div></div>
1	E	273	<div><div>4%</div><div><div></div><div>67%</div><div>13%</div><div>•</div><div>18%</div></div></div>
1	F	273	<div><div>3%</div><div><div></div><div>68%</div><div>12%</div><div></div><div>20%</div></div></div>

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	G	273	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	ABU	B	304[B]	-	-	X	-
5	ACT	B	306	-	-	-	X

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 12780 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chemotactic transducer PctC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	215	Total	C	N	O	S	0	7	0
			1697	1085	282	325	5			
1	B	209	Total	C	N	O	S	0	4	0
			1623	1040	272	306	5			
1	C	223	Total	C	N	O	S	0	6	0
			1750	1119	294	332	5			
1	D	226	Total	C	N	O	S	0	9	0
			1791	1139	301	345	6			
1	E	224	Total	C	N	O	S	0	3	0
			1728	1104	287	332	5			
1	F	219	Total	C	N	O	S	0	6	0
			1735	1109	292	329	5			
1	G	200	Total	C	N	O	S	0	7	0
			1589	1020	271	293	5			

There are 154 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	9	MET	-	initiating methionine	UNP A0A080VJ62
A	10	GLY	-	expression tag	UNP A0A080VJ62
A	11	SER	-	expression tag	UNP A0A080VJ62
A	12	SER	-	expression tag	UNP A0A080VJ62
A	13	HIS	-	expression tag	UNP A0A080VJ62
A	14	HIS	-	expression tag	UNP A0A080VJ62
A	15	HIS	-	expression tag	UNP A0A080VJ62
A	16	HIS	-	expression tag	UNP A0A080VJ62
A	17	HIS	-	expression tag	UNP A0A080VJ62
A	18	HIS	-	expression tag	UNP A0A080VJ62
A	19	SER	-	expression tag	UNP A0A080VJ62
A	20	SER	-	expression tag	UNP A0A080VJ62
A	21	GLY	-	expression tag	UNP A0A080VJ62
A	22	LEU	-	expression tag	UNP A0A080VJ62
A	23	VAL	-	expression tag	UNP A0A080VJ62

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	24	PRO	-	expression tag	UNP A0A080VJ62
A	25	ARG	-	expression tag	UNP A0A080VJ62
A	26	GLY	-	expression tag	UNP A0A080VJ62
A	27	SER	-	expression tag	UNP A0A080VJ62
A	28	HIS	-	expression tag	UNP A0A080VJ62
A	29	MET	-	expression tag	UNP A0A080VJ62
A	242	SER	ARG	conflict	UNP A0A080VJ62
B	9	MET	-	initiating methionine	UNP A0A080VJ62
B	10	GLY	-	expression tag	UNP A0A080VJ62
B	11	SER	-	expression tag	UNP A0A080VJ62
B	12	SER	-	expression tag	UNP A0A080VJ62
B	13	HIS	-	expression tag	UNP A0A080VJ62
B	14	HIS	-	expression tag	UNP A0A080VJ62
B	15	HIS	-	expression tag	UNP A0A080VJ62
B	16	HIS	-	expression tag	UNP A0A080VJ62
B	17	HIS	-	expression tag	UNP A0A080VJ62
B	18	HIS	-	expression tag	UNP A0A080VJ62
B	19	SER	-	expression tag	UNP A0A080VJ62
B	20	SER	-	expression tag	UNP A0A080VJ62
B	21	GLY	-	expression tag	UNP A0A080VJ62
B	22	LEU	-	expression tag	UNP A0A080VJ62
B	23	VAL	-	expression tag	UNP A0A080VJ62
B	24	PRO	-	expression tag	UNP A0A080VJ62
B	25	ARG	-	expression tag	UNP A0A080VJ62
B	26	GLY	-	expression tag	UNP A0A080VJ62
B	27	SER	-	expression tag	UNP A0A080VJ62
B	28	HIS	-	expression tag	UNP A0A080VJ62
B	29	MET	-	expression tag	UNP A0A080VJ62
B	242	SER	ARG	conflict	UNP A0A080VJ62
C	9	MET	-	initiating methionine	UNP A0A080VJ62
C	10	GLY	-	expression tag	UNP A0A080VJ62
C	11	SER	-	expression tag	UNP A0A080VJ62
C	12	SER	-	expression tag	UNP A0A080VJ62
C	13	HIS	-	expression tag	UNP A0A080VJ62
C	14	HIS	-	expression tag	UNP A0A080VJ62
C	15	HIS	-	expression tag	UNP A0A080VJ62
C	16	HIS	-	expression tag	UNP A0A080VJ62
C	17	HIS	-	expression tag	UNP A0A080VJ62
C	18	HIS	-	expression tag	UNP A0A080VJ62
C	19	SER	-	expression tag	UNP A0A080VJ62
C	20	SER	-	expression tag	UNP A0A080VJ62
C	21	GLY	-	expression tag	UNP A0A080VJ62

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	22	LEU	-	expression tag	UNP A0A080VJ62
C	23	VAL	-	expression tag	UNP A0A080VJ62
C	24	PRO	-	expression tag	UNP A0A080VJ62
C	25	ARG	-	expression tag	UNP A0A080VJ62
C	26	GLY	-	expression tag	UNP A0A080VJ62
C	27	SER	-	expression tag	UNP A0A080VJ62
C	28	HIS	-	expression tag	UNP A0A080VJ62
C	29	MET	-	expression tag	UNP A0A080VJ62
C	242	SER	ARG	conflict	UNP A0A080VJ62
D	9	MET	-	initiating methionine	UNP A0A080VJ62
D	10	GLY	-	expression tag	UNP A0A080VJ62
D	11	SER	-	expression tag	UNP A0A080VJ62
D	12	SER	-	expression tag	UNP A0A080VJ62
D	13	HIS	-	expression tag	UNP A0A080VJ62
D	14	HIS	-	expression tag	UNP A0A080VJ62
D	15	HIS	-	expression tag	UNP A0A080VJ62
D	16	HIS	-	expression tag	UNP A0A080VJ62
D	17	HIS	-	expression tag	UNP A0A080VJ62
D	18	HIS	-	expression tag	UNP A0A080VJ62
D	19	SER	-	expression tag	UNP A0A080VJ62
D	20	SER	-	expression tag	UNP A0A080VJ62
D	21	GLY	-	expression tag	UNP A0A080VJ62
D	22	LEU	-	expression tag	UNP A0A080VJ62
D	23	VAL	-	expression tag	UNP A0A080VJ62
D	24	PRO	-	expression tag	UNP A0A080VJ62
D	25	ARG	-	expression tag	UNP A0A080VJ62
D	26	GLY	-	expression tag	UNP A0A080VJ62
D	27	SER	-	expression tag	UNP A0A080VJ62
D	28	HIS	-	expression tag	UNP A0A080VJ62
D	29	MET	-	expression tag	UNP A0A080VJ62
D	242	SER	ARG	conflict	UNP A0A080VJ62
E	9	MET	-	initiating methionine	UNP A0A080VJ62
E	10	GLY	-	expression tag	UNP A0A080VJ62
E	11	SER	-	expression tag	UNP A0A080VJ62
E	12	SER	-	expression tag	UNP A0A080VJ62
E	13	HIS	-	expression tag	UNP A0A080VJ62
E	14	HIS	-	expression tag	UNP A0A080VJ62
E	15	HIS	-	expression tag	UNP A0A080VJ62
E	16	HIS	-	expression tag	UNP A0A080VJ62
E	17	HIS	-	expression tag	UNP A0A080VJ62
E	18	HIS	-	expression tag	UNP A0A080VJ62
E	19	SER	-	expression tag	UNP A0A080VJ62

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
E	20	SER	-	expression tag	UNP A0A080VJ62
E	21	GLY	-	expression tag	UNP A0A080VJ62
E	22	LEU	-	expression tag	UNP A0A080VJ62
E	23	VAL	-	expression tag	UNP A0A080VJ62
E	24	PRO	-	expression tag	UNP A0A080VJ62
E	25	ARG	-	expression tag	UNP A0A080VJ62
E	26	GLY	-	expression tag	UNP A0A080VJ62
E	27	SER	-	expression tag	UNP A0A080VJ62
E	28	HIS	-	expression tag	UNP A0A080VJ62
E	29	MET	-	expression tag	UNP A0A080VJ62
E	242	SER	ARG	conflict	UNP A0A080VJ62
F	9	MET	-	initiating methionine	UNP A0A080VJ62
F	10	GLY	-	expression tag	UNP A0A080VJ62
F	11	SER	-	expression tag	UNP A0A080VJ62
F	12	SER	-	expression tag	UNP A0A080VJ62
F	13	HIS	-	expression tag	UNP A0A080VJ62
F	14	HIS	-	expression tag	UNP A0A080VJ62
F	15	HIS	-	expression tag	UNP A0A080VJ62
F	16	HIS	-	expression tag	UNP A0A080VJ62
F	17	HIS	-	expression tag	UNP A0A080VJ62
F	18	HIS	-	expression tag	UNP A0A080VJ62
F	19	SER	-	expression tag	UNP A0A080VJ62
F	20	SER	-	expression tag	UNP A0A080VJ62
F	21	GLY	-	expression tag	UNP A0A080VJ62
F	22	LEU	-	expression tag	UNP A0A080VJ62
F	23	VAL	-	expression tag	UNP A0A080VJ62
F	24	PRO	-	expression tag	UNP A0A080VJ62
F	25	ARG	-	expression tag	UNP A0A080VJ62
F	26	GLY	-	expression tag	UNP A0A080VJ62
F	27	SER	-	expression tag	UNP A0A080VJ62
F	28	HIS	-	expression tag	UNP A0A080VJ62
F	29	MET	-	expression tag	UNP A0A080VJ62
F	242	SER	ARG	conflict	UNP A0A080VJ62
G	9	MET	-	initiating methionine	UNP A0A080VJ62
G	10	GLY	-	expression tag	UNP A0A080VJ62
G	11	SER	-	expression tag	UNP A0A080VJ62
G	12	SER	-	expression tag	UNP A0A080VJ62
G	13	HIS	-	expression tag	UNP A0A080VJ62
G	14	HIS	-	expression tag	UNP A0A080VJ62
G	15	HIS	-	expression tag	UNP A0A080VJ62
G	16	HIS	-	expression tag	UNP A0A080VJ62
G	17	HIS	-	expression tag	UNP A0A080VJ62

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
G	18	HIS	-	expression tag	UNP A0A080VJ62
G	19	SER	-	expression tag	UNP A0A080VJ62
G	20	SER	-	expression tag	UNP A0A080VJ62
G	21	GLY	-	expression tag	UNP A0A080VJ62
G	22	LEU	-	expression tag	UNP A0A080VJ62
G	23	VAL	-	expression tag	UNP A0A080VJ62
G	24	PRO	-	expression tag	UNP A0A080VJ62
G	25	ARG	-	expression tag	UNP A0A080VJ62
G	26	GLY	-	expression tag	UNP A0A080VJ62
G	27	SER	-	expression tag	UNP A0A080VJ62
G	28	HIS	-	expression tag	UNP A0A080VJ62
G	29	MET	-	expression tag	UNP A0A080VJ62
G	242	SER	ARG	conflict	UNP A0A080VJ62

- Molecule 2 is GAMMA-AMINO-BUTANOIC ACID (three-letter code: ABU) (formula:  $C_4H_9NO_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			7	4	1	2		
2	B	1	Total	C	N	O	0	0
			7	4	1	2		
2	B	1	Total	C	N	O	0	1
			14	8	2	4		
2	D	1	Total	C	N	O	0	1
			14	8	2	4		


Continued on next page...



*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	E	1	Total	C	N	O	0	1
			14	8	2	4		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	D	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		
3	E	1	Total	O	S	0	0
			5	4	1		

*Continued on next page...*

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	F	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		
3	G	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	F	1	Total	C	O	0	0
			6	3	3		
4	G	1	Total	C	O	0	0
			6	3	3		

- Molecule 5 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	B	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	E	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	100	Total	O	0	0
			100	100		
6	B	105	Total	O	0	0
			105	105		
6	C	86	Total	O	0	0
			86	86		
6	D	120	Total	O	0	0
			120	120		
6	E	108	Total	O	0	0
			108	108		
6	F	91	Total	O	0	0
			91	91		

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	G	94	Total	O	0	0
			94	94		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Chemotactic transducer PctC





- Molecule 1: Chemotactic transducer PctC




- Molecule 1: Chemotactic transducer PctC




- Molecule 1: Chemotactic transducer PctC




• Molecule 1: Chemotactic transducer PctC



• Molecule 1: Chemotactic transducer PctC



• Molecule 1: Chemotactic transducer PctC



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 64	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	209.76 Å   209.76 Å   68.89 Å 90.00°   90.00°   120.00°	Depositor
Resolution (Å)	48.63 – 2.31 48.63 – 2.31	Depositor EDS
% Data completeness (in resolution range)	99.8 (48.63-2.31) 99.8 (48.63-2.31)	Depositor EDS
$R_{merge}$	0.16	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.82 (at 2.32 Å)	Xtriage
Refinement program	PHENIX 1.10_2155	Depositor
R, $R_{free}$	0.177 , 0.226 0.178 , 0.224	Depositor DCC
$R_{free}$ test set	3821 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	37.2	Xtriage
Anisotropy	0.002	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 48.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	0.027 for h,-h-k,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	12780	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 16.95% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, ACT, ABU, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.60	1/1731 (0.1%)	0.72	3/2354 (0.1%)
1	B	0.56	0/1657	0.94	6/2256 (0.3%)
1	C	0.53	0/1787	0.65	2/2430 (0.1%)
1	D	0.56	0/1829	0.67	1/2488 (0.0%)
1	E	0.62	2/1765 (0.1%)	0.82	6/2404 (0.2%)
1	F	0.61	0/1772	0.66	0/2410
1	G	0.59	0/1622	0.68	0/2204
All	All	0.58	3/12163 (0.0%)	0.74	18/16546 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	G	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	48	GLU	CB-CG	-7.06	1.38	1.52
1	A	80	GLN	C-N	-6.43	1.22	1.34
1	E	238	GLU	CB-CG	-5.40	1.41	1.52

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	189	LEU	CB-CG-CD2	-26.38	66.15	111.00
1	E	48	GLU	OE1-CD-OE2	-15.76	104.39	123.30
1	A	115	ARG	NE-CZ-NH1	8.45	124.53	120.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	115	ARG	NE-CZ-NH2	-7.55	116.52	120.30
1	B	64	ARG	NE-CZ-NH2	-7.41	116.59	120.30
1	E	231	VAL	CG1-CB-CG2	-7.25	99.31	110.90
1	B	64	ARG	NE-CZ-NH1	7.06	123.83	120.30
1	E	48	GLU	CG-CD-OE2	7.05	132.41	118.30
1	E	48	GLU	CB-CG-CD	-6.86	95.67	114.20
1	B	189	LEU	CB-CG-CD1	6.73	122.44	111.00
1	B	115	ARG	NE-CZ-NH1	6.54	123.57	120.30
1	E	161	LEU	CA-CB-CG	6.22	129.61	115.30
1	A	115	ARG	NE-CZ-NH2	-6.11	117.24	120.30
1	D	64	ARG	NE-CZ-NH1	6.05	123.33	120.30
1	A	161	LEU	CA-CB-CG	5.83	128.71	115.30
1	E	157	LEU	CA-CB-CG	5.63	128.26	115.30
1	C	157	LEU	CA-CB-CG	5.24	127.35	115.30
1	C	79	ASP	CB-CG-OD1	-5.06	113.75	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	G	178	LYS	Peptide

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1697	0	1681	19	0
1	B	1623	0	1618	18	0
1	C	1750	0	1739	28	0
1	D	1791	0	1765	22	0
1	E	1728	0	1706	31	0
1	F	1735	0	1712	28	0
1	G	1589	0	1594	31	0
2	A	7	0	5	0	0
2	B	21	0	15	7	0
2	D	14	0	10	0	0
2	E	14	0	10	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	15	0	0	0	0
3	B	10	0	0	0	0
3	C	10	0	0	2	0
3	D	5	0	0	0	0
3	E	10	0	0	0	0
3	F	5	0	0	0	0
3	G	10	0	0	1	0
4	A	6	0	8	0	0
4	F	6	0	8	1	0
4	G	6	0	8	0	0
5	B	12	0	9	0	0
5	C	4	0	3	0	0
5	E	4	0	3	0	0
5	F	4	0	3	0	0
6	A	100	0	0	6	2
6	B	105	0	0	5	1
6	C	86	0	0	6	0
6	D	120	0	0	5	1
6	E	108	0	0	6	0
6	F	91	0	0	8	0
6	G	94	0	0	4	0
All	All	12780	0	11897	171	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (171) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:62:GLU:OE2	6:B:401:HOH:O	1.89	0.88
1:E:131:TRP:HE1	1:F:168:GLN:HE22	1.19	0.88
1:G:147:PHE:O	1:G:156:ILE:N	2.07	0.87
1:B:83:GLU:OE1	6:B:402:HOH:O	1.94	0.86
1:E:144:THR:OG1	6:E:401:HOH:O	1.92	0.85
1:D:129[B]:ARG:NH2	6:D:402:HOH:O	2.09	0.85
1:F:202:ASP:OD1	6:F:401:HOH:O	1.96	0.84
1:A:260:TYR:OH	6:A:401:HOH:O	1.97	0.83
1:E:117:TYR:OH	6:E:402:HOH:O	1.97	0.82
1:E:224:PRO:O	6:E:403:HOH:O	1.99	0.81
1:A:140:ARG:NH1	6:A:404:HOH:O	2.13	0.80
1:B:164[B]:ARG:HH12	2:B:304[B]:ABU:HB1	1.46	0.79

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:179:LEU:H	1:G:179:LEU:CD1	1.94	0.79
3:C:302:SO4:O3	6:C:401:HOH:O	2.00	0.77
1:D:52:LEU:HD11	1:F:189:LEU:HD21	1.67	0.74
1:C:178[A]:LYS:HE3	1:C:180:GLU:HB2	1.70	0.73
1:E:89:GLN:NE2	6:E:405:HOH:O	2.19	0.73
1:F:45:TYR:O	1:F:49:ILE:HD12	1.87	0.73
1:D:43:GLU:OE1	6:D:401:HOH:O	2.06	0.73
1:G:167:GLY:O	6:G:401:HOH:O	2.07	0.72
1:A:51:THR:OG1	6:A:402:HOH:O	2.06	0.71
1:A:232:PRO:O	6:A:403:HOH:O	2.08	0.71
1:G:179:LEU:H	1:G:179:LEU:HD12	1.53	0.71
1:D:41:ASP:N	1:D:43:GLU:OE1	2.24	0.71
1:F:255:PRO:O	6:F:403:HOH:O	2.08	0.70
1:C:82:ASP:OD1	1:C:85:ASN:N	2.24	0.70
1:D:225:LYS:HD3	6:D:501:HOH:O	1.90	0.69
1:E:43:GLU:HG2	1:E:234:VAL:HB	1.73	0.69
1:C:154:GLU:HB3	1:C:178[A]:LYS:HD3	1.73	0.69
1:B:44:ASN:N	6:B:406:HOH:O	2.26	0.68
1:G:156:ILE:HA	1:G:178:LYS:HG3	1.76	0.67
1:B:164[B]:ARG:NH1	2:B:304[B]:ABU:HB1	2.09	0.67
2:B:304[B]:ABU:HG2	1:C:131:TRP:HD1	1.60	0.67
3:G:301:SO4:O2	6:G:402:HOH:O	2.10	0.67
1:A:195:GLY:N	6:A:408:HOH:O	2.27	0.67
1:D:215:VAL:HG12	1:D:216:LEU:HD22	1.76	0.67
1:G:178:LYS:HD3	1:G:179:LEU:HD12	1.76	0.66
1:E:85:ASN:OD1	1:E:88:ARG:NH1	2.28	0.66
1:B:79:ASP:O	6:B:403:HOH:O	2.14	0.65
1:E:62:GLU:HA	1:E:65:MET:HE2	1.79	0.65
1:E:124:TYR:OH	1:F:168:GLN:NE2	2.29	0.64
1:G:178:LYS:HD3	1:G:179:LEU:CD1	2.28	0.64
1:B:169:LEU:O	1:C:129[A]:ARG:NH1	2.30	0.63
1:B:140:ARG:NE	6:B:404:HOH:O	2.18	0.63
1:G:181:THR:O	1:G:185:ILE:HD12	1.99	0.63
1:F:244:GLN:NE2	1:F:266:ASP:OD1	2.32	0.63
1:F:154:GLU:N	6:F:410:HOH:O	2.31	0.62
1:F:128:THR:HA	1:F:133:LYS:HE3	1.81	0.62
1:E:43:GLU:CG	1:E:234:VAL:HB	2.30	0.61
1:C:117:TYR:O	6:C:402:HOH:O	2.16	0.61
1:G:195:GLY:HA2	1:G:264:VAL:O	2.01	0.61
1:B:164[B]:ARG:HH12	2:B:304[B]:ABU:CB	2.13	0.60
1:A:156:ILE:HG22	1:A:178[A]:LYS:HD3	1.83	0.59

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:73:SER:OG	6:F:404:HOH:O	2.16	0.59
1:D:41:ASP:N	6:D:401:HOH:O	2.36	0.59
1:C:155[B]:GLN:NE2	6:C:405:HOH:O	2.36	0.58
1:D:164[A]:ARG:NH2	1:G:213:GLY:O	2.38	0.57
1:A:234:VAL:HG22	1:A:247:SER:HB2	1.87	0.56
1:A:236[B]:GLU:HG3	1:A:245:PHE:CE1	2.40	0.56
1:A:255:PRO:O	6:A:405:HOH:O	2.17	0.56
1:G:179:LEU:N	1:G:179:LEU:CD1	2.66	0.56
1:D:161:LEU:HD12	1:D:162:PRO:HD2	1.89	0.55
1:D:139:ASP:OD2	6:D:403:HOH:O	2.18	0.55
1:C:218:THR:HG23	1:C:220:ALA:N	2.22	0.54
1:C:103:TYR:CE2	1:C:174:ALA:HB3	2.43	0.53
1:E:65:MET:O	1:E:69:GLU:HG3	2.09	0.53
1:C:218:THR:HG22	1:C:221:GLU:CD	2.29	0.53
1:G:91:GLU:HG3	1:G:115:ARG:HG3	1.92	0.52
1:C:215:VAL:HG12	1:C:216:LEU:HG	1.91	0.52
1:E:103:TYR:CE2	1:E:174:ALA:HB3	2.44	0.52
1:G:61:LEU:O	1:G:65:MET:HG3	2.10	0.52
1:E:178:LYS:NZ	6:E:410:HOH:O	2.42	0.52
1:A:60:TRP:CZ3	1:A:182:LEU:HD21	2.44	0.52
1:B:168:GLN:OE1	2:B:304[B]:ABU:N	2.43	0.51
1:C:154:GLU:HB3	1:C:178[A]:LYS:CD	2.39	0.51
1:A:62:GLU:HA	1:A:65:MET:HE2	1.92	0.51
1:B:181:THR:O	1:B:185:ILE:HG12	2.10	0.51
1:E:143:VAL:HG13	1:E:157:LEU:HD13	1.93	0.51
1:E:129:ARG:HH11	2:E:301[B]:ABU:N	2.08	0.51
1:C:134:ASP:HB2	1:C:142:ILE:HD13	1.93	0.51
1:F:205:LYS:HE3	6:F:477:HOH:O	2.10	0.51
1:C:154:GLU:HB3	1:C:178[A]:LYS:CE	2.41	0.50
1:E:238:GLU:HG3	1:E:243:SER:HA	1.93	0.50
1:C:178[A]:LYS:HD2	1:C:179:LEU:N	2.27	0.50
1:C:155[A]:GLN:H	1:C:178[A]:LYS:NZ	2.10	0.50
1:E:141:LEU:HA	1:E:161:LEU:HB3	1.94	0.50
1:E:215:VAL:HG12	1:E:216:LEU:HG	1.94	0.50
1:F:68:VAL:HG12	1:F:161:LEU:HD22	1.94	0.50
1:F:47:GLY:O	1:F:51:THR:HG23	2.12	0.49
1:G:246:VAL:HA	1:G:264:VAL:HG22	1.94	0.49
1:A:45:TYR:O	1:A:49:ILE:HG13	2.13	0.49
1:A:120:MET:HE2	1:A:151:GLY:HA3	1.95	0.48
1:C:218:THR:HG23	1:C:220:ALA:H	1.78	0.48
1:A:100:ALA:HB1	1:A:178[A]:LYS:HE2	1.95	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:238[B]:GLU:CD	1:D:238[B]:GLU:H	2.16	0.48
1:E:244:GLN:NE2	1:E:266:ASP:OD2	2.42	0.48
1:B:188:SER:O	1:B:189:LEU:HD12	2.13	0.48
1:G:207:LEU:O	1:G:208:LEU:HD23	2.14	0.48
1:G:247:SER:HB3	1:G:263:LEU:HB2	1.96	0.48
1:C:152:THR:OG1	1:C:154:GLU:HG3	2.13	0.48
1:C:154:GLU:HB3	1:C:178[A]:LYS:HE2	1.96	0.47
1:E:74:GLN:NE2	6:E:413:HOH:O	2.47	0.47
1:F:178:LYS:HB2	4:F:303:GOL:H12	1.96	0.47
1:F:234:VAL:HG22	1:F:247:SER:HB2	1.96	0.47
1:D:114[A]:MET:HE1	1:D:118:ASP:HB2	1.96	0.47
2:E:301[B]:ABU:N	1:F:168:GLN:NE2	2.63	0.47
1:E:236:GLU:HG3	1:E:245:PHE:CE1	2.50	0.46
1:C:155[A]:GLN:H	1:C:178[A]:LYS:HZ3	1.63	0.46
1:B:182:LEU:HB3	1:B:208:LEU:HD21	1.98	0.46
1:A:154:GLU:OE1	1:A:178[A]:LYS:NZ	2.43	0.46
1:A:141:LEU:HA	1:A:161:LEU:HB3	1.97	0.46
1:F:187:ASN:HD22	1:F:210:PRO:HB3	1.80	0.46
1:G:179:LEU:HD23	1:G:208:LEU:HD22	1.97	0.46
1:G:209:HIS:ND1	1:G:211:ASP:HB2	2.29	0.46
1:B:223:TYR:HA	1:B:224:PRO:HD2	1.73	0.45
1:E:152:THR:OG1	1:E:154:GLU:HG2	2.17	0.45
1:E:228:PRO:HD3	1:E:239:LEU:HD11	1.98	0.45
1:F:88[A]:ARG:NE	6:F:420:HOH:O	2.48	0.45
1:G:103:TYR:CE2	1:G:174:ALA:HB3	2.52	0.45
1:C:178[A]:LYS:HE3	1:C:180:GLU:CB	2.43	0.45
1:B:146:PRO:HB3	1:B:179:LEU:HD11	1.98	0.45
2:E:301[B]:ABU:HG2	1:F:169:LEU:HB2	1.99	0.45
1:G:156:ILE:N	1:G:178:LYS:HE3	2.32	0.45
1:E:231:VAL:CG2	1:E:235:HIS:CD2	3.00	0.45
1:F:109:SER:N	6:F:405:HOH:O	2.17	0.45
1:G:62:GLU:HG2	1:G:65:MET:HE3	1.98	0.45
1:D:45:TYR:CE1	1:F:45:TYR:HE1	2.34	0.45
1:B:115:ARG:HA	1:B:116:PRO:C	2.37	0.44
1:G:168:GLN:HA	6:G:407:HOH:O	2.16	0.44
1:C:133:LYS:NZ	6:C:411:HOH:O	2.50	0.44
1:C:129[A]:ARG:NH2	6:C:413:HOH:O	2.51	0.44
1:D:65:MET:HE3	1:D:255:PRO:HG3	1.99	0.44
1:F:141:LEU:HA	1:F:160:SER:O	2.18	0.43
1:G:148:VAL:HG12	6:G:417:HOH:O	2.18	0.43
1:G:156:ILE:HA	1:G:178:LYS:CG	2.46	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:70:GLY:O	1:F:74:GLN:HG3	2.18	0.43
1:G:45:TYR:CD1	1:G:46:LEU:HD22	2.53	0.43
1:D:103:TYR:CE2	1:D:174:ALA:HB3	2.54	0.43
1:C:164[A]:ARG:NH2	6:C:412:HOH:O	2.51	0.43
1:E:231:VAL:HG23	1:E:235:HIS:CD2	2.54	0.43
1:C:155[A]:GLN:OE1	1:C:215:VAL:HG11	2.19	0.42
1:F:219:LEU:HD23	1:F:219:LEU:HA	1.91	0.42
1:E:130:ALA:H	2:E:301[A]:ABU:HB2	1.83	0.42
1:E:234:VAL:C	1:E:235:HIS:HD1	2.22	0.42
1:D:189:LEU:HD21	1:F:52:LEU:HD22	2.01	0.42
1:A:198:PHE:HB2	1:A:208:LEU:O	2.19	0.42
1:D:142:ILE:O	1:D:159:MET:HA	2.20	0.42
1:E:231:VAL:HG23	1:E:235:HIS:NE2	2.34	0.42
1:E:129:ARG:HA	2:E:301[A]:ABU:HB2	2.02	0.42
1:A:146:PRO:HB3	1:A:179:LEU:HD11	2.02	0.42
1:G:196:TYR:OH	1:G:223:TYR:OH	2.36	0.42
1:C:115:ARG:NH2	3:C:303:SO4:O2	2.45	0.41
1:D:92:GLN:OE1	1:F:73:SER:HB3	2.20	0.41
1:B:207:LEU:O	1:B:208:LEU:HD12	2.19	0.41
1:F:122[B]:GLU:OE1	6:F:402:HOH:O	2.21	0.41
1:G:234:VAL:HA	1:G:246:VAL:O	2.20	0.41
1:G:179:LEU:CD2	1:G:183:THR:OG1	2.69	0.41
1:G:146:PRO:HD2	1:G:207:LEU:HD22	2.02	0.41
1:E:154:GLU:H	1:E:154:GLU:HG2	1.74	0.41
1:F:85:ASN:OD1	1:F:88[A]:ARG:NH1	2.54	0.41
1:D:93:PRO:HG3	1:E:153:GLY:CA	2.51	0.41
2:B:304[B]:ABU:CA	1:C:129[B]:ARG:HD3	2.51	0.41
1:G:197:ALA:HA	1:G:262:ALA:O	2.20	0.41
1:D:219:LEU:HD23	1:D:219:LEU:HA	1.93	0.41
1:D:65:MET:O	1:D:69:GLU:HG3	2.21	0.41
1:B:187:ASN:C	1:B:189:LEU:N	2.75	0.40
1:D:103:TYR:HB3	1:D:114[A]:MET:HG3	2.03	0.40
1:G:68:VAL:HG12	1:G:161:LEU:HD22	2.03	0.40
1:A:181:THR:O	1:A:185:ILE:HG12	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:424:HOH:O	6:D:475:HOH:O[1_556]	1.69	0.51
6:A:484:HOH:O	6:B:463:HOH:O[5_555]	2.04	0.16

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	214/273 (78%)	211 (99%)	3 (1%)	0	100	100
1	B	207/273 (76%)	204 (99%)	3 (1%)	0	100	100
1	C	225/273 (82%)	223 (99%)	2 (1%)	0	100	100
1	D	233/273 (85%)	230 (99%)	3 (1%)	0	100	100
1	E	223/273 (82%)	221 (99%)	2 (1%)	0	100	100
1	F	219/273 (80%)	217 (99%)	2 (1%)	0	100	100
1	G	199/273 (73%)	192 (96%)	7 (4%)	0	100	100
All	All	1520/1911 (80%)	1498 (99%)	22 (1%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	179/220 (81%)	173 (97%)	6 (3%)	37	51
1	B	170/220 (77%)	166 (98%)	4 (2%)	49	65
1	C	183/220 (83%)	183 (100%)	0	100	100
1	D	188/220 (86%)	185 (98%)	3 (2%)	62	77
1	E	181/220 (82%)	176 (97%)	5 (3%)	43	59
1	F	182/220 (83%)	180 (99%)	2 (1%)	73	85
1	G	166/220 (76%)	160 (96%)	6 (4%)	35	48

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	1249/1540 (81%)	1223 (98%)	26 (2%)	59 70

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	45	TYR
1	A	118	ASP
1	A	161	LEU
1	A	177	MET
1	A	236[A]	GLU
1	A	236[B]	GLU
1	B	177	MET
1	B	205	LYS
1	B	212[A]	SER
1	B	212[B]	SER
1	D	56	ASN
1	D	216	LEU
1	D	266	ASP
1	E	161	LEU
1	E	205	LYS
1	E	239	LEU
1	E	240	ASP
1	E	266	ASP
1	F	180[A]	GLU
1	F	180[B]	GLU
1	G	79	ASP
1	G	140[A]	ARG
1	G	140[B]	ARG
1	G	177	MET
1	G	179	LEU
1	G	211	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	92	GLN
1	B	56	ASN
1	B	89	GLN
1	D	168	GLN
1	F	56	ASN
1	F	92	GLN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	F	98	ASN
1	F	168	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	ABU	D	301[A]	-	3,6,6	0.26	0	2,6,6	0.56	0
2	ABU	B	304[A]	-	3,6,6	0.21	0	2,6,6	0.44	0
5	ACT	B	305	-	1,3,3	1.68	0	0,3,3	0.00	-
2	ABU	B	304[B]	-	3,6,6	0.11	0	2,6,6	0.47	0
3	SO4	B	303	-	4,4,4	0.19	0	6,6,6	0.72	0
4	GOL	A	305	-	5,5,5	0.38	0	5,5,5	0.26	0
2	ABU	E	301[A]	-	3,6,6	0.28	0	2,6,6	0.20	0
3	SO4	F	302	-	4,4,4	0.22	0	6,6,6	0.34	0
3	SO4	E	304	-	4,4,4	0.15	0	6,6,6	0.28	0
3	SO4	B	302	-	4,4,4	0.14	0	6,6,6	0.28	0
5	ACT	B	307	-	1,3,3	1.63	0	0,3,3	0.00	-
2	ABU	B	301	-	3,6,6	0.31	0	2,6,6	0.20	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	ABU	A	301	-	3,6,6	0.25	0	2,6,6	0.15	0
2	ABU	E	301[B]	-	3,6,6	0.17	0	2,6,6	0.40	0
3	SO4	G	301	-	4,4,4	0.17	0	6,6,6	0.69	0
5	ACT	F	301	-	1,3,3	1.69	0	0,3,3	0.00	-
5	ACT	C	301	-	1,3,3	1.30	0	0,3,3	0.00	-
3	SO4	C	303	-	4,4,4	0.12	0	6,6,6	0.14	0
3	SO4	G	302	-	4,4,4	0.16	0	6,6,6	0.17	0
5	ACT	B	306	-	1,3,3	1.32	0	0,3,3	0.00	-
3	SO4	C	302	-	4,4,4	0.14	0	6,6,6	0.61	0
3	SO4	A	303	-	4,4,4	0.27	0	6,6,6	0.30	0
3	SO4	A	304	-	4,4,4	0.14	0	6,6,6	0.19	0
3	SO4	E	303	-	4,4,4	0.14	0	6,6,6	0.31	0
4	GOL	F	303	-	5,5,5	0.32	0	5,5,5	0.58	0
3	SO4	D	302	-	4,4,4	0.20	0	6,6,6	0.60	0
4	GOL	G	303	-	5,5,5	0.41	0	5,5,5	0.31	0
3	SO4	A	302	-	4,4,4	0.17	0	6,6,6	0.30	0
2	ABU	D	301[B]	-	3,6,6	0.24	0	2,6,6	1.27	0
5	ACT	E	302	-	1,3,3	1.89	0	0,3,3	0.00	-

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ABU	E	301[A]	-	-	0/2/4/4	-
2	ABU	D	301[A]	-	-	1/2/4/4	-
4	GOL	F	303	-	-	2/4/4/4	-
2	ABU	B	301	-	-	0/2/4/4	-
4	GOL	G	303	-	-	2/4/4/4	-
2	ABU	B	304[A]	-	-	1/2/4/4	-
2	ABU	A	301	-	-	1/2/4/4	-
2	ABU	B	304[B]	-	-	0/2/4/4	-
2	ABU	D	301[B]	-	-	1/2/4/4	-
4	GOL	A	305	-	-	1/4/4/4	-
2	ABU	E	301[B]	-	-	0/2/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	G	303	GOL	O1-C1-C2-C3
2	A	301	ABU	CA-CB-CG-CD
2	D	301[B]	ABU	CA-CB-CG-CD
4	F	303	GOL	O1-C1-C2-C3
4	F	303	GOL	O1-C1-C2-O2
4	G	303	GOL	O1-C1-C2-O2
2	B	304[A]	ABU	CA-CB-CG-CD
2	D	301[A]	ABU	N-CA-CB-CG
4	A	305	GOL	O2-C2-C3-O3

There are no ring outliers.

8 monomers are involved in 16 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	304[A]	ABU	1	0
2	B	304[B]	ABU	6	0
2	E	301[A]	ABU	2	0
2	E	301[B]	ABU	3	0
3	G	301	SO4	1	0
3	C	303	SO4	1	0
3	C	302	SO4	1	0
4	F	303	GOL	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	215/273 (78%)	-0.09	6 (2%) 53 60	21, 35, 85, 102	0
1	B	209/273 (76%)	-0.01	14 (6%) 17 23	21, 37, 87, 118	0
1	C	223/273 (81%)	-0.01	9 (4%) 38 45	22, 43, 98, 131	0
1	D	226/273 (82%)	-0.25	3 (1%) 77 81	22, 35, 77, 105	0
1	E	224/273 (82%)	-0.17	10 (4%) 33 40	22, 38, 89, 111	0
1	F	219/273 (80%)	-0.24	7 (3%) 47 55	24, 36, 83, 129	0
1	G	200/273 (73%)	0.01	14 (7%) 16 22	23, 42, 92, 113	1 (0%)
All	All	1516/1911 (79%)	-0.11	63 (4%) 36 43	21, 38, 89, 131	1 (0%)

All (63) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	225	LYS	5.6
1	B	223	TYR	5.1
1	B	245	PHE	5.1
1	C	166	ALA	4.9
1	B	224	PRO	4.0
1	E	241	GLY	3.9
1	A	223	TYR	3.8
1	C	165	HIS	3.7
1	E	43	GLU	3.7
1	G	264	VAL	3.6
1	E	245	PHE	3.4
1	G	196	TYR	3.4
1	B	265	LEU	3.3
1	F	194	ALA	3.3
1	G	187	ASN	3.3
1	B	226	GLY	3.2
1	F	239	LEU	3.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	222	ALA	3.2
1	C	237	VAL	3.2
1	G	147	PHE	3.1
1	D	240	ASP	3.1
1	E	240	ASP	3.1
1	B	227	ALA	3.0
1	B	244	GLN	3.0
1	G	245	PHE	3.0
1	B	229	ASN	3.0
1	G	148	VAL	2.8
1	C	43	GLU	2.8
1	F	238	GLU	2.7
1	C	245	PHE	2.7
1	A	236[A]	GLU	2.7
1	D	166	ALA	2.6
1	G	48[A]	GLU	2.6
1	C	239	LEU	2.5
1	G	234	VAL	2.5
1	F	235[A]	HIS	2.5
1	A	242	SER	2.4
1	C	229	ASN	2.4
1	C	168	GLN	2.4
1	F	192	ASP	2.3
1	G	233	GLY	2.3
1	E	42	THR	2.3
1	G	197	ALA	2.3
1	E	192	ASP	2.3
1	F	123	GLY	2.3
1	A	227	ALA	2.3
1	G	246	VAL	2.3
1	E	79	ASP	2.3
1	D	45	TYR	2.3
1	B	222	ALA	2.2
1	B	228	PRO	2.2
1	E	242	SER	2.2
1	B	243	SER	2.2
1	C	44	ASN	2.2
1	B	220	ALA	2.2
1	B	233	GLY	2.2
1	E	239	LEU	2.1
1	E	235	HIS	2.1
1	G	79	ASP	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	232	PRO	2.1
1	G	81	PRO	2.0
1	F	266	ASP	2.0
1	G	166	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	ACT	B	306	4/4	0.70	0.73	111,111,112,112	0
4	GOL	A	305	6/6	0.72	0.28	95,98,99,100	0
5	ACT	C	301	4/4	0.79	0.19	87,88,89,90	0
4	GOL	F	303	6/6	0.79	0.34	63,69,76,87	0
3	SO4	C	303	5/5	0.84	0.31	111,111,111,111	5
5	ACT	E	302	4/4	0.90	0.23	69,69,69,69	0
4	GOL	G	303	6/6	0.91	0.12	73,73,76,77	0
5	ACT	F	301	4/4	0.92	0.15	67,69,69,71	0
3	SO4	A	304	5/5	0.93	0.15	109,109,110,110	0
5	ACT	B	305	4/4	0.93	0.10	68,71,71,72	0
3	SO4	A	303	5/5	0.95	0.11	65,66,67,67	0
2	ABU	A	301	7/7	0.95	0.19	24,31,34,35	0
2	ABU	E	301[B]	7/7	0.95	0.26	15,19,21,23	7
3	SO4	G	302	5/5	0.95	0.18	109,110,111,113	0
2	ABU	E	301[A]	7/7	0.95	0.26	19,21,32,39	7
2	ABU	B	304[B]	7/7	0.96	0.23	27,33,35,36	7
2	ABU	B	304[A]	7/7	0.96	0.23	32,34,49,50	7
2	ABU	D	301[A]	7/7	0.96	0.35	22,24,39,41	7
3	SO4	B	302	5/5	0.96	0.13	68,68,70,74	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	ACT	B	307	4/4	0.96	0.12	63,63,63,64	0
2	ABU	D	301[B]	7/7	0.96	0.35	19,21,23,27	7
2	ABU	B	301	7/7	0.96	0.14	27,28,29,31	0
3	SO4	E	304	5/5	0.97	0.17	73,76,77,78	0
3	SO4	G	301	5/5	0.98	0.11	42,47,48,52	0
3	SO4	A	302	5/5	0.98	0.09	39,40,45,46	0
3	SO4	D	302	5/5	0.99	0.10	32,37,41,43	0
3	SO4	B	303	5/5	0.99	0.12	41,44,48,49	0
3	SO4	F	302	5/5	0.99	0.11	37,40,41,47	0
3	SO4	E	303	5/5	0.99	0.12	44,45,48,50	0
3	SO4	C	302	5/5	0.99	0.10	47,49,52,53	0

## 6.5 Other polymers ⓘ

There are no such residues in this entry.