



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 21, 2020 – 02:23 PM BST

PDB ID : 4LUS  
Title : alanine racemase [Clostridium difficile 630]  
Authors : Asojo, O.A.  
Deposited on : 2013-07-25  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	385	<div> <div>76%</div> <div>16%</div> <div>6%</div> </div>
1	C	385	<div> <div>2%</div> <div>66%</div> <div>29%</div> <div>•</div> </div>
1	D	385	<div> <div>4%</div> <div>73%</div> <div>24%</div> <div>••</div> </div>
2	B	385	<div> <div>2%</div> <div>73%</div> <div>22%</div> <div>••</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	GOL	A	401	-	-	X	-

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 12484 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Alanine racemase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	362	Total	C	N	O	P	S	0	0	0
			2880	1828	481	554	1	16			
1	C	382	Total	C	N	O	P	S	0	0	0
			3029	1923	504	585	1	16			
1	D	380	Total	C	N	O	P	S	0	0	0
			3013	1912	501	583	1	16			

- Molecule 2 is a protein called Alanine racemase.


Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	374	Total	C	N	O	P	S	0	1	0
			2972	1888	493	575	1	15			

- Molecule 3 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 4 is 3,3',3''-phosphanetriyltripropanoic acid (three-letter code: TCE) (formula:  $C_9H_{15}O_6P$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	B	1	Total	C	O	P	0	0
			16	9	6	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	186	Total	O	0	0
			186	186		
5	B	150	Total	O	0	0
			150	150		
5	C	125	Total	O	0	0
			125	125		
5	D	107	Total	O	0	0
			107	107		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Alanine racemase




#### • Molecule 1: Alanine racemase




#### • Molecule 1: Alanine racemase





• Molecule 2: Alanine racemase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	85.15Å 93.30Å 107.09Å 90.00° 91.00° 90.00°	Depositor
Resolution (Å)	54.54 – 2.10 54.54 – 2.10	Depositor EDS
% Data completeness (in resolution range)	95.1 (54.54-2.10) 95.1 (54.54-2.10)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	12.41 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, $R_{free}$	0.202 , 0.266 0.215 , 0.264	Depositor DCC
$R_{free}$ test set	4555 reflections (4.90%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.9	Xtriage
Anisotropy	0.018	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 48.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	0.013 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	12484	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.67% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, LLP, KCX, TCE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.63	14/2881 (0.5%)	0.99	10/3883 (0.3%)
1	C	1.45	8/3034 (0.3%)	0.96	10/4092 (0.2%)
1	D	1.38	0/3017	0.94	3/4068 (0.1%)
2	B	1.51	14/2988 (0.5%)	0.93	6/4029 (0.1%)
All	All	1.49	36/11920 (0.3%)	0.96	29/16072 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
2	B	0	2
All	All	0	4

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	345	GLU	CD-OE2	-7.20	1.17	1.25
2	B	363[A]	SER	CB-OG	-7.09	1.33	1.42
2	B	363[B]	SER	CB-OG	-7.09	1.33	1.42
2	B	162	GLU	CD-OE1	-6.63	1.18	1.25
1	A	363	SER	CB-OG	-6.40	1.33	1.42
1	A	357	GLU	CD-OE2	-6.36	1.18	1.25
1	A	72	GLU	CD-OE2	-6.31	1.18	1.25
2	B	55	GLU	CD-OE1	-6.26	1.18	1.25
1	A	55	GLU	CD-OE2	-6.14	1.18	1.25
1	C	72	GLU	CD-OE1	-6.08	1.19	1.25
1	A	85	LEU	C-O	-5.93	1.12	1.23
2	B	357	GLU	CD-OE2	-5.90	1.19	1.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	69	GLU	CD-OE1	-5.87	1.19	1.25
2	B	232	TYR	CG-CD2	-5.85	1.31	1.39
2	B	162	GLU	CD-OE2	-5.84	1.19	1.25
1	C	55	GLU	CD-OE2	-5.80	1.19	1.25
1	A	339	GLU	CD-OE2	-5.56	1.19	1.25
1	C	69	GLU	CD-OE2	-5.52	1.19	1.25
2	B	345	GLU	CD-OE2	-5.50	1.19	1.25
1	C	363	SER	CB-OG	-5.49	1.35	1.42
1	A	162	GLU	CD-OE1	-5.49	1.19	1.25
2	B	69	GLU	CD-OE2	-5.48	1.19	1.25
1	A	107	SER	CB-OG	-5.41	1.35	1.42
1	A	186	TYR	CE1-CZ	-5.35	1.31	1.38
1	C	345	GLU	CD-OE1	-5.26	1.19	1.25
2	B	219	LEU	C-N	-5.25	1.22	1.34
2	B	81	PRO	N-CD	5.23	1.55	1.47
1	A	345	GLU	CD-OE1	-5.17	1.20	1.25
2	B	287	TYR	CE1-CZ	-5.15	1.31	1.38
1	A	157	GLU	CD-OE2	-5.13	1.20	1.25
1	A	96	SER	CB-OG	-5.11	1.35	1.42
1	C	357	GLU	CD-OE2	-5.07	1.20	1.25
1	C	44	GLY	C-O	-5.07	1.15	1.23
2	B	163	GLY	C-O	-5.05	1.15	1.23
1	C	370	TYR	CE1-CZ	-5.02	1.32	1.38
1	A	94	GLU	CD-OE2	-5.01	1.20	1.25

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	3	LYS	O-C-N	-10.13	106.49	122.70
1	A	364	ARG	NE-CZ-NH2	-9.62	115.49	120.30
1	A	160	ASP	CB-CG-OD1	8.33	125.80	118.30
2	B	364	ARG	NE-CZ-NH2	-7.05	116.77	120.30
1	A	364	ARG	NE-CZ-NH1	7.04	123.82	120.30
1	C	368	ARG	NE-CZ-NH1	6.95	123.77	120.30
2	B	362	ILE	O-C-N	-6.95	111.59	122.70
1	A	331	GLY	N-CA-C	6.81	130.12	113.10
2	B	362	ILE	CA-C-N	6.54	131.60	117.20
1	C	240	ASP	CB-CG-OD1	5.99	123.69	118.30
1	C	28	LEU	CA-CB-CG	5.96	129.01	115.30
1	C	376	LEU	CA-CB-CG	5.94	128.97	115.30
1	C	3	LYS	O-C-N	-5.87	113.32	122.70
1	A	367	ASP	CB-CG-OD1	5.80	123.52	118.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	364	ARG	NE-CZ-NH1	5.80	123.20	120.30
2	B	364	ARG	NE-CZ-NH1	5.76	123.18	120.30
1	A	293	ARG	NE-CZ-NH1	5.67	123.13	120.30
1	C	153	LEU	CA-CB-CG	5.49	127.93	115.30
1	A	349	LYS	CD-CE-NZ	5.49	124.32	111.70
1	C	85	LEU	CB-CG-CD1	5.48	120.32	111.00
2	B	367	ASP	CB-CG-OD1	5.30	123.07	118.30
1	C	364	ARG	NE-CZ-NH2	-5.25	117.67	120.30
1	D	368	ARG	NE-CZ-NH2	-5.23	117.68	120.30
1	D	188	PHE	N-CA-CB	-5.20	101.24	110.60
2	B	80	LEU	C-N-CD	5.18	139.28	128.40
1	A	3	LYS	CA-C-N	5.13	128.49	117.20
1	C	80	LEU	C-N-CD	5.12	139.15	128.40
1	A	132	ASP	CB-CG-OD1	5.05	122.84	118.30
1	C	276	GLY	N-CA-C	-5.03	100.52	113.10

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	3	LYS	Mainchain,Peptide
2	B	218	ARG	Mainchain
2	B	362	ILE	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2880	0	2925	53	0
1	C	3029	0	3075	118	0
1	D	3013	0	3052	97	0
2	B	2972	0	3010	75	0
3	A	6	0	8	17	0
4	B	16	0	12	6	0
5	A	186	0	0	5	0
5	B	150	0	0	2	0
5	C	125	0	0	6	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	D	107	0	0	4	0
All	All	12484	0	12082	326	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (326) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:259:GLN:OE1	1:D:279:THR:HG22	1.49	1.12
2:B:264:VAL:H	2:B:274:THR:HG22	1.01	1.12
2:B:264:VAL:H	2:B:274:THR:CG2	1.61	1.11
2:B:100:LYS:HB3	4:B:401:TCE:H2	1.38	1.05
1:C:43:TYR:HE1	1:D:315:MET:HE3	1.21	1.03
1:A:326:ILE:HD12	1:A:327:ASP:H	1.20	1.03
1:A:343:THR:HA	3:A:401:GOL:H31	1.39	1.03
1:C:264:VAL:H	1:C:274:THR:HG22	1.19	1.02
1:D:264:VAL:H	1:D:274:THR:HG22	1.23	1.02
2:B:264:VAL:N	2:B:274:THR:HG22	1.77	1.00
1:C:261:GLU:O	1:C:274:THR:HG21	1.62	0.99
2:B:347:ILE:O	2:B:351:LEU:HD23	1.60	0.99
2:B:100:LYS:HB3	4:B:401:TCE:C2	1.92	0.98
1:D:55:GLU:HG3	1:D:80:LEU:HD13	1.43	0.97
1:D:115:ASN:OD1	1:D:158:TYR:HB2	1.68	0.94
2:B:326:ILE:HD12	2:B:328:ILE:CG2	1.96	0.94
1:C:43:TYR:CE1	1:D:315:MET:HE3	2.04	0.93
1:C:371:MET:HE2	1:C:376:LEU:HA	1.51	0.93
1:C:96:SER:HB2	1:C:103:MET:CE	1.98	0.92
1:C:43:TYR:CE1	1:D:315:MET:CE	2.52	0.92
2:B:238:PHE:CD2	2:B:241:ARG:NH2	2.37	0.92
1:A:253:LYS:HB2	5:A:668:HOH:O	1.70	0.92
1:C:135:MET:HG3	1:C:169:ALA:HB2	1.54	0.89
1:D:189:MET:O	1:D:193:LEU:HD13	1.72	0.89
2:B:170:THR:HB	2:B:173:GLU:OE1	1.73	0.89
1:C:259:GLN:OE1	1:C:279:THR:HB	1.74	0.88
1:D:32:ILE:HD13	1:D:218:ARG:HB3	1.57	0.86
1:D:264:VAL:N	1:D:274:THR:HG22	1.93	0.84
1:C:190:SER:OG	1:C:203:LYS:NZ	2.11	0.84
1:C:153:LEU:HA	1:C:156:LEU:HD12	1.58	0.84
1:C:154:ASN:ND2	1:C:198:VAL:HG13	1.92	0.84
2:B:216:ASP:OD1	2:B:217:LEU:HG	1.79	0.83

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:343:THR:CA	3:A:401:GOL:H31	2.08	0.83
1:A:130:KCX:HD3	1:A:138:ILE:HG13	1.61	0.83
1:A:326:ILE:HD12	1:A:327:ASP:N	1.94	0.82
1:D:200:ILE:O	1:D:203:LYS:HE3	1.76	0.82
1:D:108:LEU:O	1:D:112:GLN:HG3	1.79	0.82
1:D:207:ASN:O	1:D:211:ILE:HG13	1.80	0.81
1:C:178:TYR:HA	1:C:181:LYS:HD2	1.62	0.81
1:C:96:SER:CB	1:C:103:MET:CE	2.59	0.81
2:B:326:ILE:HD12	2:B:328:ILE:HG23	1.64	0.79
1:A:338:GLY:HA2	3:A:401:GOL:H32	1.63	0.78
1:C:264:VAL:N	1:C:274:THR:HG22	1.97	0.78
1:D:261:GLU:HB3	1:D:262:PRO:HD2	1.64	0.78
1:D:262:PRO:HA	1:D:274:THR:HG23	1.64	0.78
2:B:347:ILE:O	2:B:351:LEU:CD2	2.32	0.77
1:A:110:THR:HG22	5:A:586:HOH:O	1.84	0.77
1:A:328:ILE:HD12	1:A:328:ILE:O	1.83	0.77
1:C:43:TYR:CD2	1:C:229:TYR:CE2	2.73	0.77
2:B:118:ALA:HB1	2:B:123:GLU:O	1.85	0.76
1:C:43:TYR:HE1	1:D:315:MET:CE	1.90	0.76
1:A:343:THR:HA	3:A:401:GOL:C3	2.16	0.76
1:C:96:SER:CB	1:C:103:MET:HE3	2.16	0.75
1:C:106:TYR:HB3	1:C:139:GLY:HA2	1.68	0.75
2:B:61:TYR:HB2	2:B:221:MET:CE	2.16	0.75
2:B:61:TYR:HB2	2:B:221:MET:HE2	1.68	0.74
1:C:96:SER:HB2	1:C:103:MET:HE2	1.67	0.74
1:C:43:TYR:CD1	1:D:315:MET:HE1	2.23	0.74
1:D:302:ILE:HG13	1:D:307:PHE:HD2	1.51	0.74
1:D:55:GLU:HG3	1:D:80:LEU:CD1	2.18	0.73
1:C:43:TYR:HD2	1:C:229:TYR:CE2	2.05	0.73
1:C:113:LYS:O	1:C:117:ILE:HD13	1.88	0.73
1:A:337:PHE:HD1	3:A:401:GOL:H11	1.54	0.73
1:C:18:ARG:NH2	1:C:372:GLU:OE2	2.19	0.72
1:C:270:LEU:HD11	1:D:178:TYR:CE2	2.23	0.72
1:C:62:LEU:HD11	1:C:80:LEU:HD12	1.71	0.72
1:D:264:VAL:H	1:D:274:THR:CG2	2.00	0.71
1:C:261:GLU:O	1:C:274:THR:CG2	2.38	0.71
1:C:266:ILE:HD12	1:C:272:TYR:CD2	2.26	0.71
1:C:326:ILE:HG13	1:C:327:ASP:H	1.54	0.71
1:C:305:GLU:OE1	1:C:324:LYS:HE3	1.91	0.70
1:A:338:GLY:HA2	3:A:401:GOL:H12	1.72	0.69
1:C:106:TYR:CB	1:C:139:GLY:HA2	2.23	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:117:ILE:N	1:D:117:ILE:HD12	2.08	0.69
1:D:205:VAL:HG22	1:D:219:LEU:HD12	1.74	0.69
1:C:319:MET:CE	1:D:137:ARG:HG3	2.22	0.69
2:B:261:GLU:O	2:B:274:THR:HG21	1.93	0.68
1:D:327:ASP:OD1	1:D:328:ILE:N	2.27	0.68
2:B:100:LYS:HB3	4:B:401:TCE:H2A	1.74	0.67
1:A:30:GLU:HG3	5:A:638:HOH:O	1.95	0.67
1:C:96:SER:CB	1:C:103:MET:HE2	2.24	0.67
2:B:263:GLY:N	2:B:274:THR:HG23	2.09	0.67
1:D:108:LEU:HD13	1:D:149:GLU:HB3	1.76	0.67
1:A:32:ILE:CD1	5:A:607:HOH:O	2.42	0.66
1:C:55:GLU:HG2	1:C:80:LEU:HG	1.77	0.66
1:D:261:GLU:O	1:D:274:THR:HG21	1.95	0.66
2:B:108:LEU:HB2	2:B:149:GLU:HG2	1.77	0.66
1:C:264:VAL:H	1:C:274:THR:CG2	2.02	0.66
1:C:115:ASN:HD22	1:C:156:LEU:HB3	1.61	0.66
1:A:338:GLY:CA	3:A:401:GOL:H32	2.25	0.65
1:C:118:ALA:HB1	1:C:123:GLU:O	1.96	0.65
1:D:185:ASN:O	1:D:188:PHE:HB3	1.96	0.65
2:B:326:ILE:HD12	2:B:328:ILE:HG21	1.77	0.65
1:C:279:THR:HG23	1:C:322:ILE:O	1.97	0.65
1:D:135:MET:HG3	1:D:169:ALA:HB2	1.79	0.65
2:B:326:ILE:CD1	2:B:328:ILE:CG2	2.72	0.64
1:A:328:ILE:C	1:A:328:ILE:HD12	2.18	0.64
2:B:100:LYS:HD3	4:B:401:TCE:H2A	1.79	0.64
1:D:327:ASP:O	1:D:328:ILE:HG23	1.97	0.64
1:D:149:GLU:O	1:D:153:LEU:HB2	1.98	0.63
1:C:96:SER:HB3	1:C:103:MET:HE3	1.79	0.63
1:A:329:LYS:HG3	1:A:330:VAL:O	1.99	0.62
1:C:165:PHE:HB2	1:C:204:HIS:O	1.99	0.62
1:D:200:ILE:HB	1:D:203:LYS:HE2	1.79	0.62
1:C:262:PRO:HA	1:C:274:THR:HG23	1.81	0.62
2:B:326:ILE:CD1	2:B:328:ILE:HG21	2.30	0.62
1:C:43:TYR:CE1	1:D:315:MET:HE1	2.31	0.62
1:D:149:GLU:O	1:D:153:LEU:N	2.33	0.62
1:A:343:THR:CB	3:A:401:GOL:H31	2.29	0.61
1:D:276:GLY:O	1:D:278:GLU:HG3	2.00	0.61
1:A:326:ILE:CD1	1:A:327:ASP:H	2.06	0.60
1:C:20:ASN:O	1:C:24:ILE:HD12	2.01	0.60
1:D:193:LEU:HD12	1:D:193:LEU:N	2.17	0.60
1:A:338:GLY:HA2	3:A:401:GOL:C1	2.31	0.60

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:33:LYS:HB2	1:D:221:MET:HB2	1.84	0.60
2:B:35:CYS:HB2	2:B:221:MET:HE2	1.84	0.59
1:D:193:LEU:N	1:D:193:LEU:CD1	2.65	0.59
1:D:170:THR:O	1:D:173:GLU:HB2	2.02	0.59
2:B:238:PHE:O	2:B:241:ARG:HB2	2.03	0.59
2:B:21:LEU:HG	2:B:25:LYS:HE3	1.85	0.58
2:B:29:GLU:O	2:B:32:ILE:HD12	2.02	0.58
1:C:71:ILE:O	1:C:75:GLN:HG3	2.01	0.58
1:A:106:TYR:HB3	1:A:139:GLY:HA2	1.86	0.58
1:C:61:TYR:HB2	1:C:221:MET:HE1	1.85	0.58
1:C:203:LYS:HB3	1:C:219:LEU:HD23	1.85	0.58
2:B:264:VAL:N	2:B:274:THR:CG2	2.46	0.58
1:D:302:ILE:HG13	1:D:307:PHE:CD2	2.37	0.58
1:C:319:MET:HE2	1:D:137:ARG:HG3	1.86	0.58
1:C:115:ASN:HD22	1:C:159:ILE:HG12	1.68	0.57
1:C:87:TYR:OH	1:C:89:PRO:HB3	2.04	0.57
1:D:191:ASP:HA	5:D:503:HOH:O	2.03	0.57
1:D:113:LYS:O	1:D:117:ILE:HD13	2.04	0.57
1:D:192:LYS:O	1:D:195:GLU:HB2	2.04	0.57
1:D:371:MET:SD	1:D:376:LEU:HA	2.44	0.57
1:A:338:GLY:HA2	3:A:401:GOL:C3	2.33	0.57
1:C:371:MET:HE2	1:C:376:LEU:CA	2.31	0.57
1:D:279:THR:OG1	1:D:322:ILE:HB	2.05	0.57
1:D:200:ILE:HB	1:D:203:LYS:CE	2.35	0.57
2:B:177:GLU:HG2	2:B:179:THR:HB	1.87	0.56
1:C:266:ILE:HD12	1:C:272:TYR:HD2	1.69	0.56
2:B:238:PHE:CE2	2:B:241:ARG:NH2	2.74	0.56
1:C:94:GLU:HG3	1:C:98:LYS:HE3	1.88	0.56
1:C:253:LYS:HE3	5:C:457:HOH:O	2.05	0.55
1:C:87:TYR:CZ	1:C:89:PRO:HB3	2.41	0.55
1:C:90:ASP:HA	1:C:93:PHE:CE2	2.41	0.55
1:A:231:HIS:HD2	1:A:345:GLU:OE2	1.89	0.55
1:D:145:GLU:O	1:D:149:GLU:HG3	2.05	0.55
1:D:267:SER:OG	1:D:268:TYR:N	2.39	0.55
2:B:357:GLU:O	2:B:361:MET:HG3	2.07	0.54
1:A:302:ILE:HG23	1:A:332:ASP:OD2	2.07	0.54
2:B:61:TYR:HB2	2:B:221:MET:HE1	1.89	0.54
2:B:154:ASN:ND2	2:B:198:VAL:HG13	2.23	0.54
2:B:271:LYS:HE3	2:B:312:ARG:NH1	2.22	0.54
1:C:61:TYR:HB2	1:C:221:MET:CE	2.38	0.54
1:C:43:TYR:CD2	1:C:229:TYR:HE2	2.27	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:169:ALA:H	1:C:182:GLN:HE22	1.56	0.53
1:C:61:TYR:CD2	1:C:221:MET:HE1	2.44	0.53
1:C:94:GLU:OE1	1:C:98:LYS:NZ	2.32	0.53
1:A:344:ALA:H	3:A:401:GOL:C2	2.22	0.52
1:D:259:GLN:OE1	1:D:279:THR:CG2	2.41	0.52
1:D:117:ILE:N	1:D:117:ILE:CD1	2.73	0.52
1:D:15:ASP:HB2	5:D:457:HOH:O	2.09	0.52
1:D:264:VAL:HG12	1:D:265:GLY:N	2.24	0.52
2:B:238:PHE:CD2	2:B:241:ARG:CZ	2.93	0.52
1:A:137:ARG:HB2	2:B:319:MET:HE1	1.92	0.52
1:A:231:HIS:HE1	5:A:513:HOH:O	1.93	0.52
1:A:343:THR:HB	3:A:401:GOL:H31	1.90	0.52
1:C:136:THR:HG21	1:D:266:ILE:HG12	1.92	0.52
1:C:369:VAL:HG12	1:C:371:MET:HE3	1.92	0.52
1:C:39:LLP:HD2	1:C:85:LEU:HD12	1.92	0.52
2:B:100:LYS:CB	4:B:401:TCE:H2	2.26	0.51
1:C:190:SER:HG	1:C:203:LYS:HZ3	1.54	0.51
1:A:326:ILE:CD1	1:A:327:ASP:N	2.71	0.51
1:D:151:ILE:O	1:D:155:LYS:HG3	2.10	0.51
1:D:147:VAL:HG13	1:D:193:LEU:HD11	1.93	0.51
1:D:328:ILE:N	1:D:328:ILE:HD12	2.25	0.51
1:C:204:HIS:HB3	1:C:221:MET:HB3	1.93	0.51
1:D:353:THR:OG1	1:D:354:ILE:N	2.44	0.50
1:D:188:PHE:HD1	1:D:188:PHE:C	2.14	0.50
1:A:300:VAL:HG12	1:A:336:LEU:HD13	1.94	0.50
1:A:349:LYS:HE3	1:A:350:ASP:HB2	1.93	0.50
1:D:147:VAL:HG13	1:D:193:LEU:CD1	2.42	0.50
1:D:74:ARG:CZ	1:D:82:ILE:HD12	2.43	0.49
2:B:326:ILE:CD1	2:B:328:ILE:HG23	2.36	0.49
1:C:115:ASN:ND2	1:C:156:LEU:HB3	2.25	0.49
1:D:115:ASN:O	1:D:119:LYS:N	2.37	0.49
2:B:180:TYR:HE1	2:B:216:ASP:OD2	1.95	0.49
1:D:109:GLU:HG2	1:D:113:LYS:HZ1	1.77	0.49
1:D:109:GLU:CG	1:D:113:LYS:NZ	2.76	0.49
1:D:188:PHE:CD1	1:D:188:PHE:C	2.85	0.49
1:C:319:MET:HE1	1:D:137:ARG:HG3	1.94	0.49
1:C:61:TYR:HD2	1:C:221:MET:HE1	1.78	0.49
1:A:115:ASN:OD1	1:A:158:TYR:HB2	2.12	0.49
2:B:24:ILE:O	2:B:27:LEU:HB2	2.13	0.49
1:D:294:ILE:O	1:D:294:ILE:HG22	2.13	0.48
1:A:338:GLY:N	3:A:401:GOL:H32	2.28	0.48

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:326:ILE:CG1	1:C:327:ASP:H	2.22	0.48
1:C:371:MET:HE1	1:C:376:LEU:HD12	1.96	0.48
1:A:374:ASN:HB2	1:D:374:ASN:HD21	1.77	0.48
1:C:357:GLU:O	1:C:361:MET:HG3	2.13	0.48
1:C:364:ARG:NH2	5:C:469:HOH:O	2.45	0.48
1:A:338:GLY:H	3:A:401:GOL:H32	1.77	0.48
1:A:119:LYS:HA	1:A:158:TYR:CD2	2.49	0.48
2:B:161:LEU:HG	2:B:161:LEU:O	2.12	0.48
1:D:150:ILE:O	1:D:153:LEU:HB3	2.14	0.48
1:D:178:TYR:O	1:D:182:GLN:HG3	2.13	0.48
1:D:55:GLU:CG	1:D:80:LEU:HD13	2.31	0.48
1:A:338:GLY:CA	3:A:401:GOL:C1	2.91	0.48
2:B:180:TYR:CE1	2:B:216:ASP:OD2	2.67	0.48
1:C:326:ILE:HG13	1:C:327:ASP:N	2.24	0.48
2:B:272:TYR:OH	2:B:321:ARG:NH1	2.44	0.47
2:B:21:LEU:CG	2:B:25:LYS:HE3	2.44	0.47
1:C:271:LYS:HD2	5:C:475:HOH:O	2.14	0.47
1:A:133:SER:O	1:A:182:GLN:HG2	2.15	0.47
1:C:203:LYS:CB	1:C:219:LEU:HD23	2.43	0.47
1:C:326:ILE:CG1	1:C:327:ASP:N	2.78	0.47
1:C:35:CYS:HA	1:C:61:TYR:O	2.15	0.47
1:C:87:TYR:CE2	1:C:89:PRO:HB3	2.50	0.47
1:C:190:SER:HG	1:C:203:LYS:NZ	2.08	0.47
1:C:266:ILE:HD12	1:C:272:TYR:CE2	2.50	0.47
1:C:43:TYR:HD1	1:D:315:MET:HE1	1.77	0.47
1:A:55:GLU:HG2	1:A:80:LEU:HG	1.97	0.47
1:C:165:PHE:CB	1:C:204:HIS:O	2.62	0.47
1:D:200:ILE:HG22	1:D:203:LYS:HG3	1.97	0.47
1:A:303:LYS:HE2	1:A:332:ASP:OD1	2.15	0.46
1:A:87:TYR:CD2	2:B:284:PRO:HG3	2.51	0.46
1:C:6:VAL:HB	1:C:7:PRO:HD2	1.96	0.46
1:D:364:ARG:NH1	5:D:474:HOH:O	2.49	0.46
1:A:257:ILE:HD13	1:A:328:ILE:CD1	2.45	0.46
1:C:142:PRO:HA	1:C:189:MET:SD	2.55	0.46
1:C:253:LYS:O	1:C:284:PRO:HD2	2.15	0.46
1:C:55:GLU:HG2	1:C:80:LEU:CG	2.43	0.46
1:A:106:TYR:CB	1:A:139:GLY:HA2	2.46	0.46
1:A:154:ASN:ND2	1:A:198:VAL:HG13	2.31	0.46
2:B:55:GLU:HG3	2:B:80:LEU:HG	1.98	0.46
1:C:153:LEU:CA	1:C:156:LEU:HD12	2.38	0.46
1:C:97:ILE:HG12	1:C:125:ALA:HB2	1.98	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:364:ARG:HD2	5:C:485:HOH:O	2.15	0.45
1:A:374:ASN:HB2	1:D:374:ASN:ND2	2.30	0.45
2:B:216:ASP:OD1	2:B:217:LEU:CG	2.60	0.45
2:B:100:LYS:CD	4:B:401:TCE:H2A	2.45	0.45
1:D:124:LYS:HE2	1:D:157:GLU:O	2.16	0.45
1:A:130:KCX:HD2	1:A:139:GLY:HA3	1.97	0.45
2:B:94:GLU:HG2	2:B:98:LYS:HE2	1.99	0.45
1:D:109:GLU:HG2	1:D:113:LYS:NZ	2.32	0.45
2:B:29:GLU:HB2	2:B:32:ILE:CD1	2.47	0.45
1:C:299:LYS:HD2	1:C:346:ARG:CZ	2.46	0.45
1:C:353:THR:OG1	1:C:354:ILE:N	2.44	0.45
1:C:147:VAL:O	1:C:151:ILE:HD12	2.16	0.45
1:D:132:ASP:O	1:D:142:PRO:HD3	2.17	0.45
1:A:338:GLY:CA	3:A:401:GOL:H12	2.45	0.45
2:B:143:ASN:H	2:B:189:MET:HE1	1.82	0.44
1:C:117:ILE:O	1:C:121:LEU:HD23	2.17	0.44
2:B:328:ILE:O	2:B:328:ILE:HG13	2.16	0.44
2:B:300:VAL:HG12	2:B:336:LEU:CD1	2.47	0.44
2:B:186:TYR:OH	2:B:203:LYS:HB3	2.18	0.44
2:B:301:LEU:HD12	2:B:305:GLU:O	2.17	0.44
1:C:153:LEU:O	1:C:156:LEU:HB2	2.18	0.44
2:B:238:PHE:HD2	2:B:241:ARG:CZ	2.30	0.44
1:D:56:LYS:HE2	1:D:56:LYS:HB2	1.65	0.44
1:A:300:VAL:HG12	1:A:336:LEU:CD1	2.47	0.44
2:B:264:VAL:CA	2:B:274:THR:HG22	2.48	0.44
1:C:145:GLU:O	1:C:149:GLU:HG3	2.17	0.44
2:B:259:GLN:HB3	2:B:277:LYS:HE3	1.99	0.43
1:C:135:MET:HG3	1:C:169:ALA:CB	2.37	0.43
1:D:143:ASN:O	1:D:146:SER:HB2	2.18	0.43
1:A:53:LEU:HG	1:A:53:LEU:O	2.16	0.43
1:C:150:ILE:HG21	1:C:193:LEU:HD11	2.01	0.43
2:B:153:LEU:HD23	2:B:153:LEU:C	2.38	0.43
1:A:208:SER:OG	1:A:227:ILE:HG12	2.19	0.43
1:C:354:ILE:HD12	1:C:356:TYR:CD1	2.53	0.43
2:B:253:LYS:HE3	5:B:561:HOH:O	2.19	0.43
1:C:154:ASN:HD22	1:C:198:VAL:HG13	1.80	0.43
1:C:118:ALA:O	1:C:122:GLY:N	2.52	0.43
1:A:344:ALA:H	3:A:401:GOL:H2	1.84	0.43
1:C:215:PRO:HD2	5:C:476:HOH:O	2.18	0.43
1:C:256:HIS:C	1:C:257:ILE:HG13	2.38	0.43
1:C:55:GLU:CG	1:C:80:LEU:HG	2.46	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:142:PRO:HA	2:B:189:MET:CE	2.49	0.42
1:C:106:TYR:HB2	1:C:139:GLY:HA2	2.01	0.42
2:B:29:GLU:HB2	2:B:32:ILE:HD11	2.01	0.42
2:B:42:ALA:HB2	2:B:47:ALA:HA	2.02	0.42
1:D:261:GLU:CB	1:D:262:PRO:HD2	2.40	0.42
1:C:57:GLU:O	1:C:58:LYS:HB2	2.18	0.42
1:D:298:PRO:HG2	1:D:309:VAL:HB	2.00	0.42
2:B:177:GLU:HB3	2:B:180:TYR:HB2	2.00	0.42
2:B:80:LEU:HD23	2:B:80:LEU:HA	1.81	0.42
1:C:130:KCX:OQ1	1:C:137:ARG:HB3	2.19	0.42
1:C:148:GLN:HA	1:C:151:ILE:HD12	2.00	0.42
2:B:353:THR:OG1	2:B:354:ILE:N	2.51	0.42
1:C:29:GLU:H	1:C:32:ILE:HD12	1.84	0.42
2:B:52:LYS:HE2	5:B:639:HOH:O	2.19	0.42
2:B:93:PHE:O	2:B:97:ILE:HD12	2.20	0.42
1:D:256:HIS:HE1	1:D:258:LYS:HD3	1.85	0.42
1:D:263:GLY:N	1:D:274:THR:CG2	2.83	0.42
1:D:327:ASP:OD1	1:D:328:ILE:CA	2.67	0.42
2:B:108:LEU:HB2	2:B:149:GLU:CG	2.49	0.42
2:B:115:ASN:OD1	2:B:158:TYR:HB2	2.19	0.41
1:D:262:PRO:CA	1:D:274:THR:HG23	2.43	0.41
1:C:178:TYR:HA	1:C:181:LYS:CD	2.42	0.41
1:C:153:LEU:HA	1:C:156:LEU:CD1	2.39	0.41
1:D:260:VAL:HG12	1:D:261:GLU:O	2.20	0.41
1:D:371:MET:SD	1:D:376:LEU:CA	3.08	0.41
1:D:166:THR:HG22	1:D:205:VAL:HG12	2.02	0.41
1:C:188:PHE:C	1:C:188:PHE:CD1	2.93	0.41
1:C:262:PRO:CA	1:C:274:THR:HG23	2.49	0.41
1:C:337:PHE:HZ	1:C:362:ILE:HD11	1.85	0.41
1:D:178:TYR:O	1:D:181:LYS:HB2	2.21	0.41
1:D:214:CYS:N	1:D:215:PRO:HD3	2.35	0.41
1:D:32:ILE:HD13	1:D:218:ARG:CB	2.38	0.41
1:D:4:ILE:HG21	1:D:4:ILE:HD13	1.87	0.41
2:B:263:GLY:H	2:B:274:THR:HG23	1.83	0.41
1:C:218:ARG:C	1:C:219:LEU:HD12	2.41	0.41
1:D:263:GLY:N	1:D:274:THR:O	2.47	0.41
1:A:314:CYS:HB2	1:A:317:GLN:O	2.20	0.41
2:B:187:LYS:HE3	2:B:187:LYS:HB3	1.87	0.41
2:B:300:VAL:HG12	2:B:336:LEU:HD13	2.03	0.41
1:C:270:LEU:HD11	1:D:178:TYR:CD2	2.56	0.40
2:B:232:TYR:CE2	2:B:239:LYS:HD3	2.56	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:21:LEU:HA	2:B:24:ILE:HD12	2.04	0.40
1:C:179:THR:HA	5:C:432:HOH:O	2.21	0.40
1:D:304:GLY:N	5:D:498:HOH:O	2.52	0.40
1:A:376:LEU:HD23	1:A:376:LEU:C	2.41	0.40
1:C:108:LEU:HD21	1:C:112:GLN:HE22	1.87	0.40
1:C:98:LYS:HE2	1:C:121:LEU:HD11	2.02	0.40
1:D:117:ILE:H	1:D:117:ILE:CD1	2.35	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	356/385 (92%)	346 (97%)	9 (2%)	1 (0%)	41	41
1	C	378/385 (98%)	365 (97%)	11 (3%)	2 (0%)	29	26
1	D	374/385 (97%)	365 (98%)	9 (2%)	0	100	100
2	B	368/385 (96%)	360 (98%)	6 (2%)	2 (0%)	29	26
All	All	1476/1540 (96%)	1436 (97%)	35 (2%)	5 (0%)	41	41

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	219	LEU
1	C	267	SER
1	C	58	LYS
2	B	200	ILE
1	A	200	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	313/332 (94%)	306 (98%)	7 (2%)	52	57
1	C	329/332 (99%)	315 (96%)	14 (4%)	29	29
1	D	327/332 (98%)	311 (95%)	16 (5%)	25	23
2	B	324/333 (97%)	315 (97%)	9 (3%)	43	47
All	All	1293/1329 (97%)	1247 (96%)	46 (4%)	35	36

All (46) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	LYS
1	A	61	TYR
1	A	181	LYS
1	A	326	ILE
1	A	329	LYS
1	A	336	LEU
1	A	349	LYS
2	B	53	LEU
2	B	61	TYR
2	B	91	GLU
2	B	120	SER
2	B	152	GLU
2	B	202	ILE
2	B	240	ASP
2	B	316	ASP
2	B	319	MET
1	C	60	ASP
1	C	61	TYR
1	C	123	GLU
1	C	156	LEU
1	C	175	SER
1	C	177	GLU
1	C	195	GLU
1	C	206	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	240	ASP
1	C	277	LYS
1	C	279	THR
1	C	317	GLN
1	C	319	MET
1	C	368	ARG
1	D	56	LYS
1	D	61	TYR
1	D	127	VAL
1	D	129	VAL
1	D	145	GLU
1	D	188	PHE
1	D	193	LEU
1	D	240	ASP
1	D	274	THR
1	D	280	ILE
1	D	297	ASN
1	D	302	ILE
1	D	316	ASP
1	D	325	ASP
1	D	328	ILE
1	D	378	GLN

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	148	GLN
2	B	148	GLN
2	B	154	ASN
2	B	259	GLN
1	C	75	GLN
1	C	115	ASN
1	C	154	ASN
1	C	182	GLN
1	C	317	GLN
1	C	378	GLN
1	D	148	GLN
1	D	256	HIS
1	D	374	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

7 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	LLP	B	39	2	23,24,25	2.51	11 (47%)	25,32,34	1.49	4 (16%)
1	LLP	D	39	1	23,24,25	2.19	9 (39%)	25,32,34	2.13	10 (40%)
1	LLP	C	39	1	23,24,25	2.28	8 (34%)	25,32,34	1.91	8 (32%)
1	KCX	D	130	1	7,11,12	1.36	2 (28%)	4,12,14	2.00	2 (50%)
1	LLP	A	39	1	23,24,25	2.65	9 (39%)	25,32,34	1.49	6 (24%)
1	KCX	C	130	1	7,11,12	0.92	0	4,12,14	1.21	0
1	KCX	A	130	1	7,11,12	1.98	2 (28%)	4,12,14	0.83	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LLP	B	39	2	-	3/16/17/19	0/1/1/1
1	LLP	D	39	1	-	3/16/17/19	0/1/1/1
1	LLP	C	39	1	-	6/16/17/19	0/1/1/1
1	KCX	D	130	1	-	2/7/10/12	-
1	LLP	A	39	1	-	5/16/17/19	0/1/1/1
1	KCX	C	130	1	-	4/7/10/12	-
1	KCX	A	130	1	-	4/7/10/12	-

All (41) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	39	LLP	C3-C2	6.28	1.47	1.40
1	D	39	LLP	C4'-NZ	5.40	1.45	1.27
1	A	39	LLP	C4'-NZ	5.36	1.45	1.27
2	B	39	LLP	C3-C2	5.25	1.46	1.40
1	C	39	LLP	C4'-NZ	4.79	1.43	1.27
2	B	39	LLP	C4-C5	4.72	1.47	1.42
1	C	39	LLP	C3-C2	4.65	1.45	1.40
2	B	39	LLP	C4'-NZ	4.42	1.42	1.27
1	C	39	LLP	C4-C5	4.38	1.47	1.42
2	B	39	LLP	P-OP2	-4.18	1.38	1.54
1	A	130	KCX	CE-NZ	-3.93	1.37	1.45
1	A	39	LLP	P-OP1	-3.90	1.38	1.50
1	D	39	LLP	C3-C2	3.87	1.44	1.40
1	A	39	LLP	P-OP2	-3.78	1.40	1.54
1	A	39	LLP	P-OP3	-3.57	1.41	1.54
1	C	39	LLP	P-OP2	-3.56	1.41	1.54
1	D	39	LLP	C4-C5	3.43	1.46	1.42
1	D	39	LLP	P-OP2	-3.36	1.41	1.54
1	C	39	LLP	C4-C3	3.27	1.45	1.40
1	A	39	LLP	C4-C5	3.21	1.46	1.42
2	B	39	LLP	P-OP3	-3.20	1.42	1.54
1	A	39	LLP	O3-C3	-3.10	1.29	1.37
2	B	39	LLP	C4-C3	3.03	1.45	1.40
1	C	39	LLP	P-OP3	-2.91	1.43	1.54
1	D	39	LLP	P-OP3	-2.89	1.43	1.54
2	B	39	LLP	C4-C4'	2.82	1.52	1.46
1	A	130	KCX	CB-CA	-2.76	1.49	1.53
2	B	39	LLP	P-OP1	-2.63	1.42	1.50
1	A	39	LLP	C2-N1	-2.57	1.29	1.33
1	C	39	LLP	P-OP1	-2.53	1.42	1.50
1	D	39	LLP	O3-C3	-2.32	1.31	1.37
1	D	39	LLP	P-OP1	-2.29	1.43	1.50
1	D	39	LLP	C4-C4'	2.28	1.51	1.46
1	D	130	KCX	CB-CA	-2.26	1.50	1.53
2	B	39	LLP	CE-NZ	-2.23	1.41	1.46
2	B	39	LLP	O3-C3	-2.23	1.31	1.37
1	D	39	LLP	CA-N	-2.10	1.41	1.48
2	B	39	LLP	P-OP4	-2.08	1.53	1.60
1	D	130	KCX	CE-NZ	-2.04	1.41	1.45
1	A	39	LLP	P-OP4	-2.03	1.53	1.60
1	C	39	LLP	O3-C3	-2.01	1.32	1.37

All (30) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	39	LLP	C4-C4'-NZ	-5.17	100.59	124.31
1	C	39	LLP	CD-CE-NZ	4.39	121.68	110.93
1	C	39	LLP	C4-C4'-NZ	-3.92	106.30	124.31
1	D	39	LLP	C5-C4-C4'	3.56	127.41	121.56
2	B	39	LLP	C4-C3-C2	-3.49	118.03	120.19
1	D	39	LLP	C2'-C2-C3	-3.45	116.63	120.89
1	D	39	LLP	CE-NZ-C4'	3.35	129.18	118.90
1	C	39	LLP	C2'-C2-C3	-3.34	116.76	120.89
1	C	39	LLP	C2'-C2-N1	3.21	123.94	117.67
1	D	130	KCX	CE-NZ-CX	3.13	128.25	122.95
1	D	39	LLP	C2'-C2-N1	3.06	123.65	117.67
1	A	39	LLP	C4-C4'-NZ	-3.04	110.34	124.31
1	A	39	LLP	CD-CE-NZ	2.83	117.87	110.93
1	D	39	LLP	OP3-P-OP2	2.72	118.03	107.64
2	B	39	LLP	CD-CE-NZ	2.69	117.53	110.93
1	A	39	LLP	C3-C4-C5	-2.66	116.22	118.26
1	A	39	LLP	O3-C3-C2	2.61	123.18	117.49
1	D	39	LLP	C3-C4-C5	-2.60	116.26	118.26
1	C	39	LLP	C6-N1-C2	2.33	123.49	119.17
1	D	39	LLP	O3-C3-C2	2.32	122.56	117.49
2	B	39	LLP	C3-C4-C5	-2.30	116.49	118.26
1	A	39	LLP	C4-C3-C2	-2.29	118.77	120.19
2	B	39	LLP	C4-C4'-NZ	-2.27	113.88	124.31
1	C	39	LLP	C4-C3-C2	-2.24	118.80	120.19
1	D	39	LLP	C3-C4-C4'	-2.22	116.28	120.41
1	C	39	LLP	OP2-P-OP4	-2.22	100.84	106.73
1	D	130	KCX	CD-CE-NZ	2.19	117.36	111.49
1	C	39	LLP	C3-C4-C5	-2.13	116.62	118.26
1	D	39	LLP	OP4-P-OP1	-2.10	100.58	106.47
1	A	39	LLP	C6-N1-C2	2.05	122.96	119.17

There are no chirality outliers.

All (27) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	39	LLP	C4-C4'-NZ-CE
1	C	39	LLP	C4-C4'-NZ-CE
1	A	39	LLP	C4-C4'-NZ-CE
1	C	130	KCX	N-CA-CB-CG
1	C	130	KCX	C-CA-CB-CG
1	A	130	KCX	N-CA-CB-CG
1	A	130	KCX	C-CA-CB-CG
1	C	130	KCX	CG-CD-CE-NZ

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
1	D	39	LLP	CG-CD-CE-NZ
1	C	39	LLP	CG-CD-CE-NZ
1	D	130	KCX	CA-CB-CG-CD
1	D	39	LLP	C3-C4-C4'-NZ
1	A	130	KCX	CA-CB-CG-CD
1	C	39	LLP	C3-C4-C4'-NZ
1	A	39	LLP	C3-C4-C4'-NZ
1	A	39	LLP	C5-C4-C4'-NZ
1	D	39	LLP	CD-CE-NZ-C4'
1	A	39	LLP	CG-CD-CE-NZ
1	A	130	KCX	CE-CD-CG-CB
1	D	130	KCX	N-CA-CB-CG
1	C	39	LLP	CD-CE-NZ-C4'
1	C	39	LLP	C5-C4-C4'-NZ
2	B	39	LLP	C3-C4-C4'-NZ
1	A	39	LLP	CD-CE-NZ-C4'
1	C	130	KCX	CD-CE-NZ-CX
2	B	39	LLP	CD-CE-NZ-C4'
1	C	39	LLP	N-CA-CB-CG

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	C	39	LLP	1	0
1	C	130	KCX	1	0
1	A	130	KCX	2	0

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	TCE	B	401	-	6,15,15	1.12	0	9,18,18	4.07	6 (66%)
3	GOL	A	401	-	5,5,5	1.16	0	5,5,5	2.07	2 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	TCE	B	401	-	-	6/9/15/15	-
3	GOL	A	401	-	-	3/4/4/4	-

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
4	B	401	TCE	C1-P-C3	5.99	120.03	100.95
4	B	401	TCE	C1-P-C2	5.98	120.00	100.95
4	B	401	TCE	C3-P-C2	5.97	119.97	100.95
4	B	401	TCE	P-C3-C6	-3.58	109.47	113.67
4	B	401	TCE	P-C1-C4	-3.55	109.50	113.67
4	B	401	TCE	P-C2-C5	-3.55	109.50	113.67
3	A	401	GOL	O1-C1-C2	3.24	125.75	110.20
3	A	401	GOL	O3-C3-C2	2.50	122.17	110.20

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	401	TCE	P-C2-C5-C14
4	B	401	TCE	C5-C2-P-C3
4	B	401	TCE	C5-C2-P-C1
4	B	401	TCE	C6-C3-P-C2
4	B	401	TCE	C4-C1-P-C3
4	B	401	TCE	P-C3-C6-C8
3	A	401	GOL	O1-C1-C2-C3
3	A	401	GOL	O1-C1-C2-O2

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
3	A	401	GOL	C1-C2-C3-O3

There are no ring outliers.

2 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	401	TCE	6	0
3	A	401	GOL	17	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	360/385 (93%)	-0.24	1 (0%) 94 94	16, 28, 49, 73	0
1	C	380/385 (98%)	-0.04	4 (1%) 80 84	23, 42, 63, 85	0
1	D	378/385 (98%)	0.05	16 (4%) 36 42	21, 43, 72, 92	0
2	B	373/385 (96%)	-0.16	6 (1%) 72 75	19, 35, 63, 81	0
All	All	1491/1540 (96%)	-0.09	27 (1%) 68 72	16, 37, 65, 92	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	332	ASP	4.6
1	D	273	THR	4.4
1	D	193	LEU	4.0
1	D	188	PHE	3.6
1	D	216	ASP	3.1
2	B	240	ASP	3.1
1	D	159	ILE	3.1
1	D	105	VAL	3.1
1	D	187	LYS	3.0
1	C	151	ILE	2.9
2	B	171	ALA	2.9
1	D	263	GLY	2.6
1	D	108	LEU	2.6
1	D	151	ILE	2.5
1	C	43	TYR	2.5
2	B	195	GLU	2.5
1	C	257	ILE	2.4
1	D	158	TYR	2.4
2	B	106	TYR	2.4
1	D	152	GLU	2.3
1	C	188	PHE	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	180	TYR	2.2
1	D	155	LYS	2.1
2	B	170	THR	2.1
1	D	124	LYS	2.1
1	D	118	ALA	2.1
1	D	177	GLU	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	KCX	C	130	12/13	0.89	0.13	40,45,50,56	0
1	KCX	D	130	12/13	0.91	0.14	36,45,56,61	0
2	LLP	B	39	24/25	0.95	0.10	16,28,32,34	0
1	LLP	C	39	24/25	0.95	0.12	28,33,42,47	0
1	LLP	D	39	24/25	0.96	0.10	25,34,42,43	0
1	KCX	A	130	12/13	0.96	0.11	20,29,37,37	0
1	LLP	A	39	24/25	0.97	0.12	15,23,29,36	0

## 6.3 Carbohydrates ⓘ

There are no monosaccharides in this entry.


## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	TCE	B	401	16/16	0.76	0.17	40,48,58,59	0
3	GOL	A	401	6/6	0.93	0.22	21,29,39,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different

orientation to approximate a three-dimensional view.



## 6.5 Other polymers [i](#)

There are no such residues in this entry.