



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 20, 2022 – 06:09 PM JST

PDB ID : 6LYM
Title : Crystal structure of D657A mutant of formylglycinamidase synthetase
Authors : Sharma, N.; Tanwar, A.S.; Anand, R.
Deposited on : 2020-02-14
Resolution : 2.46 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.26
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.26


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.46 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1303	<div> <div>2%</div> <div>87%</div> <div>11%</div> <div>..</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	GOL	A	1323	-	-	X	-

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 10402 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Phosphoribosylformylglycinamide synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	1281	Total	C	N	O	S	0	1	0
			9818	6165	1742	1863	48			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-7	GLY	-	expression tag	UNP P74881
A	-6	LEU	-	expression tag	UNP P74881
A	-5	VAL	-	expression tag	UNP P74881
A	-4	PRO	-	expression tag	UNP P74881
A	-3	ARG	-	expression tag	UNP P74881
A	-2	GLY	-	expression tag	UNP P74881
A	-1	SER	-	expression tag	UNP P74881
A	0	HIS	-	expression tag	UNP P74881
A	657	ALA	ASP	engineered mutation	UNP P74881

- Molecule 2 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	3	Total Mg 3 3	0	0

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0
4	A	1	Total O S 5 4 1	0	0

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			6	3	3		

- Molecule 6 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			4	2	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	454	Total 454	O 454	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphoribosylformylglycinamide synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 65	Depositor
Cell constants a, b, c, α , β , γ	147.30Å 147.30Å 141.46Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.21 – 2.46 48.21 – 2.46	Depositor EDS
% Data completeness (in resolution range)	94.6 (48.21-2.46) 94.6 (48.21-2.46)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.80 (at 2.45Å)	Xtriage
Refinement program	REFMAC 5.8.0135	Depositor
R, R_{free}	0.158 , 0.213 0.168 , 0.218	Depositor DCC
R_{free} test set	3007 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	22.1	Xtriage
Anisotropy	0.024	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 27.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.024 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10402	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4, CYG, ADP, MG, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.80	0/10012	0.89	7/13598 (0.1%)

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	487	ARG	NE-CZ-NH2	-7.21	116.69	120.30
1	A	332	LEU	CA-CB-CG	6.83	131.00	115.30
1	A	487	ARG	NE-CZ-NH1	6.59	123.59	120.30
1	A	688	ASP	CB-CG-OD2	5.80	123.52	118.30
1	A	1115	ARG	NE-CZ-NH2	-5.56	117.52	120.30
1	A	104	ASP	CB-CG-OD1	5.06	122.86	118.30
1	A	1205	ASP	CB-CG-OD2	5.03	122.83	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9818	0	9553	83	0
2	A	27	0	12	1	0
3	A	3	0	0	0	0
4	A	90	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	6	0	8	5	0
6	A	4	0	6	1	0
7	A	454	0	0	20	0
All	All	10402	0	9579	83	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (83) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:69:THR:HB	7:A:1414:HOH:O	1.66	0.94
1:A:144:THR:HG22	7:A:1507:HOH:O	1.72	0.88
1:A:950:ASP:HB3	7:A:1811:HOH:O	1.73	0.88
1:A:22:ARG:CB	7:A:1792:HOH:O	2.21	0.86
1:A:1173:GLU:CD	7:A:1405:HOH:O	2.25	0.74
1:A:364:ASP:HB2	7:A:1697:HOH:O	1.88	0.73
1:A:953:HIS:ND1	4:A:1317:SO4:O4	2.20	0.72
1:A:824:ASN:HD21	1:A:958:ALA:H	1.36	0.71
1:A:1222:TYR:OH	1:A:1245:THR:HG21	1.90	0.71
1:A:69:THR:CB	7:A:1414:HOH:O	2.34	0.67
1:A:96:HIS:HE1	1:A:103:VAL:O	1.78	0.66
1:A:175:ASN:HD22	1:A:180:LEU:HB2	1.61	0.65
1:A:1145:ARG:NH2	1:A:1204:ARG:HH21	1.94	0.65
1:A:80:ARG:O	1:A:83:THR:HB	2.00	0.62
1:A:327:LYS:HE3	5:A:1323:GOL:H11	1.82	0.62
1:A:820:SER:H	1:A:930:GLN:HE22	1.47	0.61
1:A:905:VAL:HG13	1:A:907:VAL:HG13	1.84	0.59
1:A:349:TRP:CZ3	1:A:846:VAL:HG22	2.39	0.58
1:A:829:ILE:HG22	1:A:831:LEU:HD13	1.86	0.57
1:A:1145:ARG:HH22	1:A:1204:ARG:HH21	1.52	0.55
1:A:679:ASP:OD2	1:A:883:HIS:HD2	1.88	0.55
1:A:1054:VAL:CG2	5:A:1323:GOL:H2	2.37	0.55
1:A:1182:LEU:HD23	1:A:1219:ALA:HB1	1.89	0.54
1:A:1204:ARG:NE	7:A:1402:HOH:O	2.33	0.54
1:A:1006:HIS:HE1	7:A:1408:HOH:O	1.89	0.54
1:A:1145:ARG:HH22	1:A:1204:ARG:NH2	2.06	0.53
1:A:1111:LEU:HA	1:A:1117:ARG:HG3	1.91	0.53
1:A:0:HIS:HD2	1:A:42:ASP:OD1	1.92	0.53
1:A:611:LYS:CB	7:A:1831:HOH:O	2.56	0.53
1:A:175:ASN:HD21	1:A:182:LEU:H	1.57	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1145:ARG:NH2	1:A:1204:ARG:NH2	2.56	0.52
1:A:217:CYS:HB3	7:A:1812:HOH:O	2.08	0.52
1:A:39:HIS:HE1	1:A:61:TYR:OH	1.92	0.52
1:A:293:VAL:HB	1:A:739:ASN:HD21	1.74	0.52
1:A:815:LEU:HD13	1:A:879:LEU:HD12	1.92	0.52
1:A:1054:VAL:HG21	5:A:1323:GOL:H2	1.91	0.52
1:A:479:ARG:HH22	5:A:1323:GOL:C3	2.23	0.51
1:A:80:ARG:HA	1:A:138:THR:HG22	1.93	0.50
1:A:483:GLU:OE1	1:A:487:ARG:NH2	2.43	0.49
1:A:1251:ASN:HB3	6:A:1324:EDO:H11	1.94	0.49
1:A:658:ARG:O	1:A:664:VAL:HG21	2.13	0.49
1:A:1263:ARG:NH2	7:A:1410:HOH:O	2.46	0.49
1:A:80:ARG:CB	7:A:1845:HOH:O	2.60	0.48
1:A:377:ASN:OD1	1:A:382:ARG:HD2	2.12	0.48
1:A:1194:VAL:HG13	1:A:1196:HIS:CE1	2.49	0.48
1:A:540:LEU:C	1:A:540:LEU:HD23	2.34	0.48
1:A:471:GLN:HE21	1:A:472:ARG:H	1.62	0.48
1:A:70:PRO:HB3	1:A:113:TYR:CE1	2.50	0.47
1:A:545:ASN:HD22	1:A:547:SER:H	1.63	0.47
1:A:168:ARG:NH1	1:A:188:ASP:OD1	2.47	0.47
1:A:1136:ASN:HA	1:A:1139:GLN:OE1	2.15	0.47
1:A:1245:THR:HG23	7:A:1566:HOH:O	2.13	0.47
1:A:487:ARG:HD3	1:A:487:ARG:HA	1.80	0.47
1:A:513:PRO:O	1:A:517:SER:HB2	2.15	0.47
1:A:609:THR:HB	1:A:610:PRO:HD2	1.97	0.46
1:A:479:ARG:HH22	5:A:1323:GOL:H32	1.80	0.46
1:A:175:ASN:ND2	1:A:180:LEU:HB2	2.29	0.46
1:A:118:THR:CB	7:A:1699:HOH:O	2.64	0.45
1:A:329:LYS:O	1:A:383:PRO:HD2	2.17	0.45
1:A:668:GLN:HG2	2:A:1301:ADP:H1'	1.98	0.45
1:A:1089:VAL:HA	1:A:1132:LEU:O	2.17	0.45
1:A:963:ARG:HD2	1:A:963:ARG:HA	1.78	0.44
1:A:338:SER:OG	1:A:408:HIS:HD2	2.01	0.44
1:A:922:ASN:HD22	1:A:924:GLU:H	1.65	0.44
1:A:1052:SER:CB	7:A:1524:HOH:O	2.65	0.44
1:A:1145:ARG:HD2	7:A:1817:HOH:O	2.18	0.44
1:A:1145:ARG:HG2	1:A:1151:SER:OG	2.17	0.44
1:A:354:GLY:O	1:A:408:HIS:HE1	2.01	0.43
1:A:1006:HIS:HD2	7:A:1666:HOH:O	2.01	0.43
1:A:448:LEU:HG	1:A:468:ALA:HB2	2.00	0.43
1:A:259:ASN:CB	7:A:1676:HOH:O	2.65	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1245:THR:HG22	1:A:1258:MET:HB2	2.00	0.43
1:A:1052:SER:HB3	7:A:1524:HOH:O	2.18	0.42
1:A:305:TRP:HB3	1:A:306:PRO:CD	2.50	0.42
1:A:499:PHE:HD2	1:A:515:LEU:HD12	1.85	0.42
1:A:1181:LEU:HB3	1:A:1286:ILE:HG23	2.02	0.42
1:A:448:LEU:HG	1:A:468:ALA:CB	2.50	0.41
1:A:345:PHE:CG	1:A:991:GLN:HG3	2.55	0.41
1:A:479:ARG:HA	1:A:479:ARG:HD2	1.77	0.41
1:A:329:LYS:NZ	1:A:419:ASN:HD21	2.19	0.40
1:A:486:ASP:HA	1:A:489:TRP:NE1	2.36	0.40
1:A:305:TRP:HB3	1:A:306:PRO:HD3	2.02	0.40
1:A:1171:LEU:HD12	1:A:1171:LEU:HA	1.94	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1277/1303 (98%)	1230 (96%)	43 (3%)	4 (0%)	41 49

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	118	THR
1	A	661	THR
1	A	66	SER
1	A	623	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1011/1039 (97%)	960 (95%)	51 (5%)	24	32

All (51) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	43	LEU
1	A	47	LEU
1	A	83	THR
1	A	93	ASP
1	A	117	SER
1	A	158	VAL
1	A	159	SER
1	A	206	LEU
1	A	239	LYS
1	A	253	LEU
1	A	294	GLU
1	A	332	LEU
1	A	358	ARG
1	A	382	ARG
1	A	396	VAL
1	A	412	MET
1	A	445	ASN
1	A	487	ARG
1	A	498	LEU
1	A	508	LEU
1	A	515	LEU
1	A	553	LEU
1	A	568	LYS
1	A	571[A]	ARG
1	A	571[B]	ARG
1	A	588	LEU
1	A	617	GLN
1	A	622	LYS
1	A	660	VAL
1	A	666	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	736	LEU
1	A	771	THR
1	A	774	VAL
1	A	831	LEU
1	A	846	VAL
1	A	905	VAL
1	A	912	LEU
1	A	922	ASN
1	A	970	ASP
1	A	982	ARG
1	A	1088	LEU
1	A	1147	LEU
1	A	1180	LEU
1	A	1182	LEU
1	A	1190	MET
1	A	1195	SER
1	A	1245	THR
1	A	1251	ASN
1	A	1268	VAL
1	A	1279	GLU
1	A	1281	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (28) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	0	HIS
1	A	39	HIS
1	A	96	HIS
1	A	175	ASN
1	A	296	HIS
1	A	298	HIS
1	A	408	HIS
1	A	419	ASN
1	A	445	ASN
1	A	471	GLN
1	A	545	ASN
1	A	585	HIS
1	A	592	HIS
1	A	674	GLN
1	A	739	ASN
1	A	746	HIS
1	A	818	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	824	ASN
1	A	883	HIS
1	A	916	HIS
1	A	922	ASN
1	A	930	GLN
1	A	1004	GLN
1	A	1006	HIS
1	A	1018	ASN
1	A	1061	HIS
1	A	1125	HIS
1	A	1251	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CYG	A	1135	1	9,14,15	2.30	4 (44%)	6,17,19	7.41	4 (66%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CYG	A	1135	1	-	5/10/16/18	-

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1135	CYG	CG1-CD1	4.98	1.55	1.50
1	A	1135	CYG	OE2-CD1	3.18	1.26	1.21
1	A	1135	CYG	CD1-SG	2.35	1.81	1.76
1	A	1135	CYG	CB-SG	-2.32	1.76	1.81

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1135	CYG	OE2-CD1-CG1	-14.78	106.53	123.99
1	A	1135	CYG	CG1-CD1-SG	8.41	123.25	113.46
1	A	1135	CYG	OE2-CD1-SG	5.86	130.22	122.61
1	A	1135	CYG	CB1-CG1-CD1	-2.11	107.66	112.33

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	1135	CYG	CG1-CD1-SG-CB
1	A	1135	CYG	OE2-CD1-SG-CB
1	A	1135	CYG	SG-CD1-CG1-CB1
1	A	1135	CYG	OE2-CD1-CG1-CB1
1	A	1135	CYG	N-CA-CB-SG

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 3 are monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	SO4	A	1317	-	4,4,4	0.51	0	6,6,6	0.89	0
4	SO4	A	1310	-	4,4,4	0.51	0	6,6,6	1.41	1 (16%)
4	SO4	A	1315	-	4,4,4	0.42	0	6,6,6	0.46	0
4	SO4	A	1306	-	4,4,4	0.75	0	6,6,6	1.61	1 (16%)
4	SO4	A	1305	-	4,4,4	0.57	0	6,6,6	0.42	0
4	SO4	A	1312	-	4,4,4	0.38	0	6,6,6	0.89	0
4	SO4	A	1311	-	4,4,4	0.49	0	6,6,6	0.60	0
2	ADP	A	1301	3	24,29,29	1.01	0	29,45,45	1.31	5 (17%)
4	SO4	A	1319	-	4,4,4	0.62	0	6,6,6	0.86	0
4	SO4	A	1318	-	4,4,4	0.50	0	6,6,6	0.51	0
4	SO4	A	1321	-	4,4,4	0.55	0	6,6,6	0.35	0
4	SO4	A	1320	-	4,4,4	0.43	0	6,6,6	0.56	0
4	SO4	A	1313	-	4,4,4	0.36	0	6,6,6	0.79	0
4	SO4	A	1309	-	4,4,4	0.43	0	6,6,6	1.16	0
4	SO4	A	1316	-	4,4,4	0.61	0	6,6,6	0.67	0
4	SO4	A	1322	-	4,4,4	0.59	0	6,6,6	0.45	0
6	EDO	A	1324	-	3,3,3	0.42	0	2,2,2	0.72	0
4	SO4	A	1307	-	4,4,4	0.42	0	6,6,6	0.43	0
5	GOL	A	1323	-	5,5,5	0.21	0	5,5,5	1.21	1 (20%)
4	SO4	A	1308	-	4,4,4	0.41	0	6,6,6	0.58	0
4	SO4	A	1314	-	4,4,4	0.21	0	6,6,6	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ADP	A	1301	3	-	3/12/32/32	0/3/3/3
6	EDO	A	1324	-	-	0/1/1/1	-
5	GOL	A	1323	-	-	4/4/4/4	-

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1306	SO4	O4-S-O1	3.21	126.07	109.31
2	A	1301	ADP	N3-C2-N1	-3.06	123.90	128.68
4	A	1310	SO4	O4-S-O3	2.80	121.03	109.06
2	A	1301	ADP	C5-C6-N6	-2.42	116.68	120.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1301	ADP	PA-O3A-PB	-2.27	125.04	132.83
5	A	1323	GOL	O1-C1-C2	2.27	121.06	110.20
2	A	1301	ADP	N6-C6-N1	2.19	123.13	118.57
2	A	1301	ADP	O2A-PA-O1A	2.14	122.83	112.24

There are no chirality outliers.

All (7) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1301	ADP	PA-O3A-PB-O2B
2	A	1301	ADP	PA-O3A-PB-O3B
5	A	1323	GOL	C1-C2-C3-O3
5	A	1323	GOL	O1-C1-C2-C3
5	A	1323	GOL	O2-C2-C3-O3
5	A	1323	GOL	O1-C1-C2-O2
2	A	1301	ADP	PA-O3A-PB-O1B

There are no ring outliers.

4 monomers are involved in 8 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1317	SO4	1	0
2	A	1301	ADP	1	0
6	A	1324	EDO	1	0
5	A	1323	GOL	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1280/1303 (98%)	-0.45	20 (1%) 72 69	13, 21, 44, 81	0

All (20) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	120	THR	4.0
1	A	31	HIS	3.8
1	A	609	THR	3.3
1	A	117	SER	3.2
1	A	116	ALA	3.1
1	A	786	GLN	3.0
1	A	119	LEU	3.0
1	A	-2	GLY	2.9
1	A	125	ARG	2.8
1	A	25	ALA	2.6
1	A	27	ASN	2.6
1	A	154	GLN	2.6
1	A	118	THR	2.6
1	A	789	ASN	2.5
1	A	121	ALA	2.5
1	A	122	GLU	2.4
1	A	28	LEU	2.2
1	A	790	GLU	2.1
1	A	114	ILE	2.1
1	A	608	LYS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column

labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	CYG	A	1135	15/16	0.96	0.15	12,14,15,16	2

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	SO4	A	1317	5/5	0.85	0.21	44,54,60,62	0
4	SO4	A	1311	5/5	0.88	0.37	68,74,81,86	0
4	SO4	A	1310	5/5	0.90	0.26	44,54,67,72	0
5	GOL	A	1323	6/6	0.90	0.23	33,42,45,45	0
4	SO4	A	1305	5/5	0.93	0.18	61,61,72,80	0
4	SO4	A	1306	5/5	0.94	0.13	27,28,31,40	0
4	SO4	A	1316	5/5	0.94	0.25	64,65,70,75	0
4	SO4	A	1321	5/5	0.95	0.21	35,41,46,48	0
4	SO4	A	1318	5/5	0.95	0.26	53,54,62,65	0
4	SO4	A	1322	5/5	0.97	0.28	43,46,50,53	0
4	SO4	A	1319	5/5	0.97	0.18	32,35,37,40	0
6	EDO	A	1324	4/4	0.97	0.13	31,31,33,34	0
4	SO4	A	1314	5/5	0.98	0.14	39,40,41,42	0
4	SO4	A	1315	5/5	0.98	0.09	42,43,45,49	0
4	SO4	A	1313	5/5	0.98	0.13	35,35,44,45	0
4	SO4	A	1320	5/5	0.98	0.18	42,44,46,50	0
4	SO4	A	1309	5/5	0.99	0.10	23,25,27,29	0
3	MG	A	1303	1/1	0.99	0.10	18,18,18,18	0
3	MG	A	1304	1/1	0.99	0.09	10,10,10,10	0
4	SO4	A	1312	5/5	0.99	0.08	22,24,26,27	0
2	ADP	A	1301	27/27	0.99	0.12	14,15,16,17	0
3	MG	A	1302	1/1	0.99	0.10	12,12,12,12	0
4	SO4	A	1307	5/5	0.99	0.08	31,34,36,38	0
4	SO4	A	1308	5/5	0.99	0.15	30,35,36,36	0

The following is a graphical depiction of the model fit to experimental electron density of all

instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.