



Full wwPDB X-ray Structure Validation Report ⓘ

May 13, 2020 – 04:00 am BST

PDB ID : 4LZO
Title : Crystal structure of human PRS1 A87T mutant
Authors : Chen, P.; Teng, M.; Li, X.
Deposited on : 2013-07-31
Resolution : 3.31 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.31 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1089 (3.36-3.28)
Clashscore	141614	1137 (3.36-3.28)
Ramachandran outliers	138981	1115 (3.36-3.28)
Sidechain outliers	138945	1114 (3.36-3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	326	
1	B	326	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	B	401	-	-	X	-

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4714 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribose-phosphate pyrophosphokinase 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	304	Total	C	N	O	S	0	0	0
			2327	1459	408	443	17			
1	B	308	Total	C	N	O	S	0	0	0
			2357	1478	414	448	17			

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	87	THR	ALA	ENGINEERED MUTATION	UNP P60891
A	319	LEU	-	EXPRESSION TAG	UNP P60891
A	320	GLU	-	EXPRESSION TAG	UNP P60891
A	321	HIS	-	EXPRESSION TAG	UNP P60891
A	322	HIS	-	EXPRESSION TAG	UNP P60891
A	323	HIS	-	EXPRESSION TAG	UNP P60891
A	324	HIS	-	EXPRESSION TAG	UNP P60891
A	325	HIS	-	EXPRESSION TAG	UNP P60891
A	326	HIS	-	EXPRESSION TAG	UNP P60891
B	87	THR	ALA	ENGINEERED MUTATION	UNP P60891
B	319	LEU	-	EXPRESSION TAG	UNP P60891
B	320	GLU	-	EXPRESSION TAG	UNP P60891
B	321	HIS	-	EXPRESSION TAG	UNP P60891
B	322	HIS	-	EXPRESSION TAG	UNP P60891
B	323	HIS	-	EXPRESSION TAG	UNP P60891
B	324	HIS	-	EXPRESSION TAG	UNP P60891
B	325	HIS	-	EXPRESSION TAG	UNP P60891
B	326	HIS	-	EXPRESSION TAG	UNP P60891

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Ribose-phosphate pyrophosphokinase 1



• Molecule 1: Ribose-phosphate pyrophosphokinase 1



4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	170.40 Å 170.40 Å 62.14 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	34.18 – 3.31 34.18 – 3.31	Depositor EDS
% Data completeness (in resolution range)	99.8 (34.18-3.31) 99.6 (34.18-3.31)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.76 (at 3.32 Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.263 , 0.312 0.263 , 0.313	Depositor DCC
R_{free} test set	482 reflections (4.81%)	wwPDB-VP
Wilson B-factor (Å ²)	59.0	Xtriage
Anisotropy	0.338	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.27 , -2.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.39$, $\langle L^2 \rangle = 0.22$	Xtriage
Estimated twinning fraction	0.316 for h,-h-k,-l	Xtriage
F_o, F_c correlation	0.88	EDS
Total number of atoms	4714	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.85% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/2359	0.60	2/3189 (0.1%)
1	B	0.39	0/2391	0.57	0/3234
All	All	0.39	0/4750	0.58	2/6423 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	11	SER	N-CA-C	-10.98	81.36	111.00
1	A	12	HIS	N-CA-CB	5.17	119.90	110.60

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2327	0	2362	54	0
1	B	2357	0	2390	76	0
2	A	15	0	0	0	0
2	B	15	0	0	3	0
All	All	4714	0	4752	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 13.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:204:ARG:HH11	1:B:204:ARG:CB	1.39	1.34
1:B:204:ARG:HB3	1:B:204:ARG:NH1	1.42	1.32
1:B:204:ARG:NH1	1:B:204:ARG:CB	2.03	1.16
1:B:204:ARG:HH11	1:B:204:ARG:CG	1.59	1.14
1:A:129:LEU:HD13	1:A:134:ILE:O	1.73	0.89
1:A:9:GLY:HA3	1:A:58:SER:HB2	1.55	0.89
1:A:12:HIS:CD2	1:A:276:PRO:HG3	2.09	0.88
1:B:12:HIS:CD2	1:B:60:CYS:HA	2.09	0.85
1:B:204:ARG:HH11	1:B:204:ARG:HG3	1.43	0.83
1:B:204:ARG:HB3	1:B:204:ARG:CZ	2.08	0.82
1:A:12:HIS:CG	1:A:12:HIS:O	2.36	0.78
1:B:78:LYS:HE2	1:B:120:GLY:O	1.90	0.72
1:B:204:ARG:NH1	1:B:204:ARG:CG	2.31	0.69
1:B:148:GLU:O	1:B:152:LEU:HG	1.93	0.69
1:B:22:ARG:NH2	1:B:294:MET:HB3	2.08	0.69
1:B:278:GLU:CD	1:B:278:GLU:H	1.95	0.68
1:A:112:VAL:HA	1:A:115:MET:HE2	1.79	0.63
1:A:12:HIS:CD2	1:A:12:HIS:O	2.51	0.63
1:B:309:VAL:N	2:B:401:SO4:O3	2.32	0.62
1:A:172:ALA:HA	1:A:191:LEU:HD21	1.82	0.62
1:A:284:CYS:SG	1:A:287:ILE:HG13	2.40	0.61
1:B:9:GLY:O	1:B:58:SER:HB2	2.01	0.61
1:A:3:ASN:HD22	1:A:304:HIS:HE1	1.49	0.60
1:B:311:TYR:O	1:B:311:TYR:CD2	2.55	0.60
1:A:32:THR:HG22	1:A:42:VAL:HG22	1.84	0.59
1:B:204:ARG:NH1	1:B:204:ARG:HG3	2.09	0.59
1:B:124:ILE:HB	1:B:142:VAL:HG22	1.83	0.59
1:A:133:GLN:O	1:A:135:GLN:N	2.30	0.58
1:B:12:HIS:NE2	1:B:60:CYS:HA	2.18	0.57
1:A:106:PRO:HG3	1:B:72:ILE:HG23	1.87	0.57
1:A:133:GLN:C	1:A:135:GLN:H	2.06	0.57
1:B:10:SER:OG	1:B:11:SER:N	2.38	0.56
1:A:12:HIS:CD2	1:A:276:PRO:CG	2.84	0.55
1:B:6:ILE:HD11	1:B:23:LEU:CD1	2.35	0.55
1:A:12:HIS:HD2	1:A:276:PRO:HG3	1.66	0.55
1:B:149:PRO:HG3	1:B:314:SER:HA	1.88	0.55
1:A:126:THR:HG21	1:A:129:LEU:HD21	1.88	0.55
1:B:62:GLU:OE1	1:B:62:GLU:C	2.45	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:22:ARG:HH21	1:B:294:MET:HB3	1.72	0.54
1:A:145:LEU:HD13	1:A:295:ILE:HG22	1.90	0.54
1:B:294:MET:N	1:B:294:MET:SD	2.80	0.54
1:B:221:ASP:HA	1:B:249:THR:HG23	1.88	0.54
1:A:298:GLU:HG2	1:A:312:LEU:HD21	1.90	0.53
1:B:273:ASN:OD1	1:B:292:ILE:HG13	2.09	0.52
1:B:311:TYR:CG	1:B:311:TYR:O	2.62	0.52
1:B:6:ILE:HD11	1:B:23:LEU:HD12	1.91	0.52
1:B:215:VAL:HG22	1:B:243:ARG:HG2	1.92	0.52
1:A:72:ILE:CG2	1:B:106:PRO:HG3	2.40	0.52
1:B:311:TYR:C	1:B:311:TYR:CD2	2.83	0.52
1:B:152:LEU:HD21	1:B:181:ILE:HG23	1.93	0.51
1:A:161:GLU:OE1	1:A:243:ARG:NH2	2.44	0.51
1:B:156:ARG:HA	1:B:162:TRP:CD1	2.46	0.51
1:B:88:VAL:O	1:B:90:PRO:HD3	2.11	0.50
1:A:248:LEU:HB2	1:A:271:VAL:HG12	1.93	0.50
1:B:165:CYS:O	1:B:214:ARG:NH1	2.45	0.50
1:A:258:ILE:HG21	1:A:283:HIS:HB3	1.93	0.50
1:A:63:ILE:HG22	1:B:38:GLN:O	2.12	0.49
1:B:78:LYS:HG3	1:B:120:GLY:HA3	1.93	0.49
1:B:4:ILE:HG23	1:B:25:LEU:HD11	1.93	0.49
1:A:161:GLU:CD	1:A:243:ARG:HH21	2.17	0.48
1:B:310:SER:OG	2:B:401:SO4:O2	2.23	0.48
1:A:302:ARG:HA	1:A:307:GLU:HB3	1.95	0.48
1:B:258:ILE:HG23	1:B:284:CYS:HB2	1.95	0.48
1:A:124:ILE:HB	1:A:142:VAL:HG22	1.95	0.48
1:B:71:LEU:HA	1:B:74:ILE:HD12	1.96	0.48
1:A:222:MET:HB3	1:A:250:HIS:HB2	1.96	0.47
1:B:31:VAL:HB	1:B:43:GLU:HB3	1.96	0.47
1:A:101:ASP:O	1:A:102:LYS:HB2	2.14	0.47
1:B:148:GLU:OE2	1:B:184:ARG:NH1	2.48	0.47
1:A:133:GLN:C	1:A:135:GLN:N	2.67	0.47
1:B:298:GLU:O	1:B:302:ARG:HG2	2.14	0.47
1:B:140:ILE:HB	1:B:141:PRO:HD2	1.97	0.47
1:B:110:LYS:HE2	1:B:114:ASN:HD21	1.80	0.46
1:B:237:LEU:HD23	1:B:241:ALA:O	2.15	0.46
1:B:302:ARG:HB2	1:B:309:VAL:HG22	1.97	0.46
1:B:258:ILE:HD11	1:B:280:LYS:HB3	1.97	0.46
1:A:272:THR:OG1	1:A:274:THR:HG23	2.17	0.45
1:A:106:PRO:HG3	1:B:72:ILE:CG2	2.45	0.45
1:B:75:ASN:O	1:B:79:ILE:HG12	2.15	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:268:ALA:HA	1:A:286:LYS:HB2	1.98	0.45
1:B:7:PHE:HD2	1:B:30:VAL:HG23	1.79	0.45
1:B:57:GLN:O	1:B:57:GLN:HG3	2.16	0.45
1:A:151:VAL:HG13	1:A:247:ILE:HG21	1.99	0.45
1:B:57:GLN:HB2	1:B:57:GLN:HE21	1.53	0.45
1:A:57:GLN:NE2	1:A:90:PRO:HD2	2.32	0.44
1:B:152:LEU:CD2	1:B:181:ILE:HG23	2.47	0.44
1:B:237:LEU:HD12	1:B:265:CYS:SG	2.57	0.44
1:A:273:ASN:HD22	1:A:273:ASN:H	1.64	0.44
1:A:129:LEU:CD1	1:A:134:ILE:O	2.57	0.44
1:A:302:ARG:HG2	1:A:307:GLU:HG2	1.99	0.44
1:A:246:ALA:HB2	1:A:266:PHE:CE2	2.53	0.44
1:A:72:ILE:HG23	1:B:106:PRO:HG3	1.99	0.44
1:A:152:LEU:HD21	1:A:184:ARG:HB3	1.99	0.44
1:A:278:GLU:H	1:A:278:GLU:CD	2.22	0.43
1:B:253:PHE:HB2	1:B:280:LYS:NZ	2.32	0.43
1:A:152:LEU:HB3	1:A:156:ARG:HH12	1.83	0.43
1:B:248:LEU:O	1:B:271:VAL:HA	2.19	0.43
1:B:42:VAL:HG11	1:B:73:MET:HG2	2.00	0.43
1:B:311:TYR:O	1:B:315:HIS:HB3	2.19	0.43
1:A:271:VAL:O	1:A:289:VAL:HA	2.19	0.43
1:A:38:GLN:HG3	1:B:62:GLU:HA	2.00	0.43
1:B:12:HIS:CD2	1:B:60:CYS:CA	2.93	0.43
1:A:248:LEU:O	1:A:271:VAL:HA	2.19	0.42
1:A:301:ARG:HG2	1:A:305:ASN:ND2	2.35	0.42
1:B:146:TYR:OH	2:B:403:SO4:O3	2.33	0.42
1:A:69:GLU:O	1:A:73:MET:HG3	2.20	0.42
1:B:315:HIS:ND1	1:B:316:VAL:N	2.68	0.42
1:B:224:ASP:HA	1:B:252:ILE:HB	2.01	0.42
1:A:180:SER:O	1:A:184:ARG:HD3	2.20	0.42
1:B:110:LYS:HE2	1:B:114:ASN:ND2	2.35	0.42
1:B:224:ASP:O	1:B:253:PHE:HA	2.19	0.42
1:B:60:CYS:HB3	1:B:66:ASN:HD21	1.84	0.41
1:A:273:ASN:HD21	1:A:292:ILE:H	1.67	0.41
1:A:57:GLN:O	1:A:57:GLN:NE2	2.49	0.41
1:B:186:ASN:HD22	1:B:186:ASN:HA	1.69	0.41
1:A:34:LYS:HE2	1:A:34:LYS:HB3	1.86	0.41
1:A:168:VAL:HA	1:A:190:ALA:O	2.21	0.41
1:B:294:MET:HG2	1:B:317:PRO:HG2	2.02	0.41
1:A:150:ALA:HB1	1:A:290:ILE:HG21	2.02	0.41
1:B:128:ASP:OD2	1:B:146:TYR:HA	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:172:ALA:HA	1:B:191:LEU:HD21	2.02	0.41
1:B:260:ARG:O	1:B:264:ALA:HB2	2.21	0.41
1:A:92:PHE:HA	1:A:93:PRO:HD2	1.95	0.40
1:B:169:SER:HB2	1:B:178:VAL:HG21	2.02	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	300/326 (92%)	278 (93%)	21 (7%)	1 (0%)	41	71
1	B	304/326 (93%)	279 (92%)	24 (8%)	1 (0%)	41	71
All	All	604/652 (93%)	557 (92%)	45 (8%)	2 (0%)	41	71

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	134	ILE
1	B	311	TYR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	258/279 (92%)	238 (92%)	20 (8%)	12	39
1	B	262/279 (94%)	245 (94%)	17 (6%)	17	47
All	All	520/558 (93%)	483 (93%)	37 (7%)	14	44

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	11	SER
1	A	15	LEU
1	A	41	CYS
1	A	43	GLU
1	A	57	GLN
1	A	60	CYS
1	A	62	GLU
1	A	85	VAL
1	A	89	ILE
1	A	111	LEU
1	A	152	LEU
1	A	160	SER
1	A	163	ARG
1	A	195	GLU
1	A	204	ARG
1	A	229	ILE
1	A	249	THR
1	A	273	ASN
1	A	283	HIS
1	A	286	LYS
1	B	3	ASN
1	B	4	ILE
1	B	5	LYS
1	B	15	LEU
1	B	41	CYS
1	B	57	GLN
1	B	62	GLU
1	B	79	ILE
1	B	128	ASP
1	B	132	SER
1	B	186	ASN
1	B	204	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	206	VAL
1	B	248	LEU
1	B	249	THR
1	B	260	ARG
1	B	311	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	13	GLN
1	A	57	GLN
1	A	273	ASN
1	A	277	GLN
1	B	3	ASN
1	B	12	HIS
1	B	57	GLN
1	B	64	ASN
1	B	114	ASN
1	B	164	ASN
1	B	186	ASN
1	B	277	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	A	1001	-	4,4,4	0.16	0	6,6,6	0.20	0
2	SO4	B	403	-	4,4,4	0.18	0	6,6,6	0.15	0
2	SO4	B	401	-	4,4,4	0.20	0	6,6,6	0.25	0
2	SO4	A	1003	-	4,4,4	0.15	0	6,6,6	0.15	0
2	SO4	B	402	-	4,4,4	0.15	0	6,6,6	0.12	0
2	SO4	A	1002	-	4,4,4	0.14	0	6,6,6	0.07	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	403	SO4	1	0
2	B	401	SO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers ⓘ

Unable to reproduce the depositors R factor - this section is therefore empty.