



Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 08:40 am BST

PDB ID : 4M05
Title : Crystal Structure of Mutant Chlorite Dismutase from Candidatus Nitrospira defluvii R173E
Authors : Gysel, K.; Hagmueller, A.; Djinovic-Carugo, K.
Deposited on : 2013-08-01
Resolution : 2.28 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.28 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6980 (2.30-2.26)
Clashscore	141614	7711 (2.30-2.26)
Ramachandran outliers	138981	7597 (2.30-2.26)
Sidechain outliers	138945	7598 (2.30-2.26)
RSRZ outliers	127900	6849 (2.30-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	241	<div> <div>17%</div> <div> <div></div> <div>89%</div> <div>10%</div> <div></div> </div> </div>
1	B	241	<div> <div>15%</div> <div> <div></div> <div>91%</div> <div>9%</div> <div></div> </div> </div>
1	C	241	<div> <div>13%</div> <div> <div></div> <div>89%</div> <div>9%</div> <div></div> </div> </div>
1	D	241	<div> <div>16%</div> <div> <div></div> <div>88%</div> <div>10%</div> <div></div> </div> </div>
1	E	241	<div> <div>13%</div> <div> <div></div> <div>89%</div> <div>10%</div> <div></div> </div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9948 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chlorite dismutase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	238	Total	C	N	O	S	0	0	0
			1917	1222	332	357	6			
1	B	240	Total	C	N	O	S	0	0	0
			1930	1230	334	359	7			
1	C	237	Total	C	N	O	S	0	0	0
			1912	1219	331	356	6			
1	D	238	Total	C	N	O	S	0	0	0
			1917	1222	332	357	6			
1	E	237	Total	C	N	O	S	0	0	0
			1912	1219	331	356	6			

There are 20 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	GLY	-	EXPRESSION TAG	UNP B3U4H7
A	-1	ALA	-	EXPRESSION TAG	UNP B3U4H7
A	0	MET	-	EXPRESSION TAG	UNP B3U4H7
A	173	GLU	ARG	ENGINEERED MUTATION	UNP B3U4H7
B	-2	GLY	-	EXPRESSION TAG	UNP B3U4H7
B	-1	ALA	-	EXPRESSION TAG	UNP B3U4H7
B	0	MET	-	EXPRESSION TAG	UNP B3U4H7
B	173	GLU	ARG	ENGINEERED MUTATION	UNP B3U4H7
C	-2	GLY	-	EXPRESSION TAG	UNP B3U4H7
C	-1	ALA	-	EXPRESSION TAG	UNP B3U4H7
C	0	MET	-	EXPRESSION TAG	UNP B3U4H7
C	173	GLU	ARG	ENGINEERED MUTATION	UNP B3U4H7
D	-2	GLY	-	EXPRESSION TAG	UNP B3U4H7
D	-1	ALA	-	EXPRESSION TAG	UNP B3U4H7
D	0	MET	-	EXPRESSION TAG	UNP B3U4H7
D	173	GLU	ARG	ENGINEERED MUTATION	UNP B3U4H7
E	-2	GLY	-	EXPRESSION TAG	UNP B3U4H7
E	-1	ALA	-	EXPRESSION TAG	UNP B3U4H7
E	0	MET	-	EXPRESSION TAG	UNP B3U4H7

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	173	GLU	ARG	ENGINEERED MUTATION	UNP B3U4H7

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	B	1	Total	C	O	0	0
			4	2	2		
3	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 4 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: $C_2H_6O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	C	O	0	0
			4	2	2		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	32	Total 32	O 32	0	0
5	B	25	Total 25	O 25	0	0
5	C	27	Total 27	O 27	0	0
5	D	25	Total 25	O 25	0	0
5	E	24	Total 24	O 24	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Chlorite dismutase




• Molecule 1: Chlorite dismutase




• Molecule 1: Chlorite dismutase






• Molecule 1: Chlorite dismutase





● Molecule 1: Chlorite dismutase



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	136.47Å 112.39Å 119.25Å 90.00° 117.84° 90.00°	Depositor
Resolution (Å)	44.22 – 2.28 44.22 – 2.28	Depositor EDS
% Data completeness (in resolution range)	99.3 (44.22-2.28) 99.6 (44.22-2.28)	Depositor EDS
R_{merge}	0.37	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.78 (at 2.29Å)	Xtriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, R_{free}	0.268 , 0.320 0.271 , 0.321	Depositor DCC
R_{free} test set	3610 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	30.0	Xtriage
Anisotropy	0.215	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.26 , -10.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	9948	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, EDO, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.41	0/1963	0.56	0/2655
1	B	0.44	0/1976	0.59	0/2672
1	C	0.43	0/1958	0.62	0/2648
1	D	0.42	0/1963	0.59	0/2655
1	E	0.40	0/1958	0.57	0/2648
All	All	0.42	0/9818	0.59	0/13278

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1917	0	1886	14	0
1	B	1930	0	1900	12	0
1	C	1912	0	1878	16	0
1	D	1917	0	1886	16	0
1	E	1912	0	1878	13	0
2	A	43	0	30	5	0
2	B	43	0	30	2	0
2	C	43	0	30	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	43	0	30	3	0
2	E	43	0	30	1	0
3	B	4	0	3	0	0
3	D	4	0	3	0	0
4	C	4	0	6	0	0
5	A	32	0	0	0	0
5	B	25	0	0	0	0
5	C	27	0	0	0	0
5	D	25	0	0	1	0
5	E	24	0	0	0	0
All	All	9948	0	9590	74	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (74) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:216:ARG:NH2	1:C:219:HIS:O	2.23	0.71
1:C:131:ARG:NH1	1:C:231:GLU:OE1	2.26	0.69
2:D:301:HEM:HHC	2:D:301:HEM:HBB2	1.76	0.68
2:A:301:HEM:HBB2	2:A:301:HEM:HHC	1.76	0.67
1:E:131:ARG:NH2	1:E:231:GLU:OE2	2.28	0.66
1:A:216:ARG:NH1	1:A:219:HIS:O	2.29	0.65
2:B:301:HEM:HHC	2:B:301:HEM:HBB2	1.81	0.63
1:E:62:SER:OG	1:E:223:LEU:O	2.16	0.62
1:E:141:LYS:NZ	1:E:210:GLU:OE2	2.34	0.61
1:D:178:SER:OG	1:D:182:ASP:OD1	2.19	0.60
1:B:33:ARG:HD2	1:B:237:ALA:HA	1.84	0.60
1:C:88:GLY:O	1:C:93:ARG:NH2	2.35	0.60
1:D:166:PRO:O	1:D:169:LYS:HG2	2.02	0.59
1:B:62:SER:OG	1:B:223:LEU:O	2.19	0.59
1:C:62:SER:OG	1:C:223:LEU:O	2.21	0.59
1:C:178:SER:OG	1:C:182:ASP:OD1	2.21	0.58
1:B:18:THR:OG1	1:B:99:GLY:N	2.37	0.57
1:A:4:GLU:O	1:A:8:THR:OG1	2.11	0.57
1:C:230:ASP:OD1	1:C:231:GLU:N	2.39	0.56
1:D:70:ARG:NH1	1:D:189:TYR:CE2	2.75	0.55
1:B:141:LYS:NZ	1:B:210:GLU:OE2	2.40	0.55
1:E:18:THR:OG1	1:E:99:GLY:N	2.40	0.55
1:A:178:SER:OG	1:A:182:ASP:OD1	2.25	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:301:HEM:CBA	2:A:301:HEM:HHA	2.39	0.52
1:E:186:PHE:CE1	2:E:301:HEM:HAD1	2.43	0.52
2:A:301:HEM:HBA1	2:A:301:HEM:HHA	1.93	0.50
1:B:178:SER:OG	1:B:182:ASP:OD1	2.28	0.50
1:D:127:GLU:OE2	1:D:192:THR:HA	2.12	0.49
1:A:62:SER:OG	1:A:223:LEU:O	2.31	0.49
1:D:109:THR:N	2:D:301:HEM:O1A	2.42	0.48
1:A:16:PHE:HD2	1:A:68:MET:HE3	1.78	0.48
2:C:301:HEM:HHA	2:C:301:HEM:HBA1	1.95	0.48
1:E:90:ARG:HA	1:E:93:ARG:HE	1.77	0.48
1:A:160:HIS:CE1	2:A:301:HEM:NC	2.81	0.47
1:C:24:ASP:OD1	1:C:94:HIS:ND1	2.47	0.47
1:E:2:ASP:HB3	1:E:5:LYS:HB3	1.96	0.46
1:A:110:TYR:CD2	1:A:157:MET:HG3	2.50	0.46
1:D:18:THR:OG1	1:D:99:GLY:N	2.48	0.46
1:C:139:ILE:HD13	2:C:301:HEM:HMD2	1.97	0.46
1:A:93:ARG:HD3	1:C:26:TRP:HB3	1.98	0.45
1:A:24:ASP:OD1	1:A:94:HIS:ND1	2.49	0.45
1:A:57:LEU:O	1:E:80:GLN:NE2	2.50	0.45
1:E:2:ASP:OD2	1:E:74:ARG:NH2	2.48	0.45
1:B:167:TYR:CE2	1:B:201:LEU:HA	2.53	0.44
1:B:165:LEU:N	1:B:166:PRO:HD2	2.33	0.44
1:D:137:ILE:HB	1:D:188:THR:OG1	2.16	0.44
1:D:90:ARG:N	5:D:406:HOH:O	2.51	0.44
1:C:131:ARG:N	1:C:132:PRO:CD	2.81	0.44
1:D:165:LEU:N	1:D:166:PRO:HD2	2.32	0.44
1:D:116:GLU:O	1:D:120:THR:HG23	2.17	0.43
1:A:9:GLU:HG2	1:A:10:SER:N	2.33	0.43
2:B:301:HEM:HHA	2:B:301:HEM:HBA1	2.00	0.43
1:E:178:SER:OG	1:E:182:ASP:OD1	2.36	0.43
1:C:89:THR:O	1:C:93:ARG:HG3	2.19	0.43
1:A:34:VAL:HG12	1:A:237:ALA:HB1	2.01	0.42
1:D:70:ARG:NH1	1:D:189:TYR:CZ	2.88	0.42
1:E:232:ILE:HG22	1:E:236:PHE:CE2	2.54	0.42
1:E:136:VAL:HB	1:E:222:LEU:HB2	2.01	0.41
1:B:2:ASP:HA	1:B:5:LYS:HB2	2.01	0.41
1:E:138:PRO:HB2	1:E:184:VAL:HG11	2.02	0.41
1:D:136:VAL:HB	1:D:222:LEU:HB2	2.02	0.41
1:B:136:VAL:HB	1:B:222:LEU:HB2	2.02	0.41
1:C:2:ASP:OD2	1:C:3:ARG:N	2.53	0.41
1:B:26:TRP:HB3	1:C:93:ARG:NH2	2.36	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:13:TYR:N	1:D:73:ALA:O	2.54	0.41
1:D:72:HIS:CE1	1:D:176:TYR:HH	2.31	0.41
1:C:165:LEU:N	1:C:166:PRO:HD2	2.36	0.41
1:C:186:PHE:CE1	2:C:301:HEM:HAD1	2.56	0.41
1:D:141:LYS:HZ1	2:D:301:HEM:HBD2	1.86	0.41
1:B:164:ALA:C	1:B:166:PRO:HD2	2.41	0.41
1:A:70:ARG:NH1	1:A:189:TYR:CE2	2.90	0.40
1:C:131:ARG:N	1:C:132:PRO:HD3	2.36	0.40
1:A:141:LYS:NZ	2:A:301:HEM:HBD2	2.35	0.40
1:B:87:MET:HB3	1:D:59:ARG:NH2	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	236/241 (98%)	230 (98%)	6 (2%)	0	100	100
1	B	238/241 (99%)	228 (96%)	10 (4%)	0	100	100
1	C	235/241 (98%)	228 (97%)	7 (3%)	0	100	100
1	D	236/241 (98%)	231 (98%)	5 (2%)	0	100	100
1	E	235/241 (98%)	229 (97%)	6 (3%)	0	100	100
All	All	1180/1205 (98%)	1146 (97%)	34 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	205/206 (100%)	205 (100%)	0	100	100
1	B	206/206 (100%)	206 (100%)	0	100	100
1	C	205/206 (100%)	205 (100%)	0	100	100
1	D	205/206 (100%)	204 (100%)	1 (0%)	88	94
1	E	205/206 (100%)	205 (100%)	0	100	100
All	All	1026/1030 (100%)	1025 (100%)	1 (0%)	93	97

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	137	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	HEM	B	301	1	27,50,50	2.14	6 (22%)	17,82,82	1.69	3 (17%)
2	HEM	D	301	1	27,50,50	2.13	5 (18%)	17,82,82	1.99	6 (35%)
2	HEM	A	301	1	27,50,50	2.15	6 (22%)	17,82,82	1.86	5 (29%)
2	HEM	C	301	1	27,50,50	2.11	6 (22%)	17,82,82	2.27	5 (29%)
2	HEM	E	301	1	27,50,50	2.15	6 (22%)	17,82,82	2.04	4 (23%)
3	ACT	B	302	-	1,3,3	1.33	0	0,3,3	0.00	-
3	ACT	D	302	-	1,3,3	1.29	0	0,3,3	0.00	-
4	EDO	C	302	-	3,3,3	0.54	0	2,2,2	0.12	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	B	301	1	-	5/6/54/54	-
2	HEM	D	301	1	-	0/6/54/54	-
2	HEM	A	301	1	-	2/6/54/54	-
2	HEM	C	301	1	-	2/6/54/54	-
2	HEM	E	301	1	-	0/6/54/54	-
4	EDO	C	302	-	-	1/1/1/1	-

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	E	301	HEM	C3D-C2D	5.68	1.54	1.37
2	A	301	HEM	C3D-C2D	5.34	1.53	1.37
2	D	301	HEM	C3D-C2D	5.33	1.53	1.37
2	B	301	HEM	C3D-C2D	5.27	1.53	1.37
2	C	301	HEM	C3D-C2D	4.85	1.52	1.37
2	B	301	HEM	C3B-C2B	-4.66	1.33	1.40
2	A	301	HEM	C3C-CAC	4.18	1.56	1.47
2	D	301	HEM	C3B-C2B	-4.13	1.34	1.40
2	E	301	HEM	C3B-CAB	4.09	1.56	1.47
2	A	301	HEM	C3B-C2B	-4.09	1.34	1.40
2	D	301	HEM	C3B-CAB	3.98	1.56	1.47
2	D	301	HEM	C3C-CAC	3.95	1.55	1.47
2	C	301	HEM	C3B-C2B	-3.95	1.34	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	301	HEM	C3B-CAB	3.90	1.55	1.47
2	C	301	HEM	C3C-C2C	-3.81	1.35	1.40
2	B	301	HEM	C3B-CAB	3.77	1.55	1.47
2	E	301	HEM	C3C-CAC	3.76	1.55	1.47
2	A	301	HEM	C3B-CAB	3.75	1.55	1.47
2	C	301	HEM	C3C-CAC	3.69	1.55	1.47
2	B	301	HEM	C3C-C2C	-3.59	1.35	1.40
2	E	301	HEM	C3B-C2B	-3.56	1.35	1.40
2	B	301	HEM	C3C-CAC	3.53	1.55	1.47
2	D	301	HEM	C3C-C2C	-3.49	1.35	1.40
2	E	301	HEM	C3C-C2C	-3.48	1.35	1.40
2	A	301	HEM	C3C-C2C	-3.32	1.35	1.40
2	C	301	HEM	CAA-C2A	2.36	1.55	1.52
2	E	301	HEM	CAA-C2A	2.29	1.55	1.52
2	B	301	HEM	CMA-C3A	2.07	1.56	1.51
2	A	301	HEM	CAA-C2A	2.05	1.55	1.52

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	301	HEM	CBD-CAD-C3D	-4.92	103.40	112.48
2	B	301	HEM	CMC-C2C-C3C	4.47	133.05	124.68
2	D	301	HEM	CAA-CBA-CGA	-4.47	105.18	112.67
2	E	301	HEM	CMC-C2C-C3C	4.03	132.22	124.68
2	C	301	HEM	CMC-C2C-C3C	3.99	132.15	124.68
2	E	301	HEM	CMB-C2B-C3B	3.98	132.12	124.68
2	C	301	HEM	CMB-C2B-C3B	3.86	131.90	124.68
2	A	301	HEM	CMC-C2C-C3C	3.85	131.87	124.68
2	C	301	HEM	C1D-C2D-C3D	-3.66	104.45	107.00
2	D	301	HEM	CMC-C2C-C3C	3.48	131.20	124.68
2	E	301	HEM	C1D-C2D-C3D	-3.38	104.64	107.00
2	A	301	HEM	CBD-CAD-C3D	-3.16	106.65	112.48
2	B	301	HEM	CAA-CBA-CGA	-2.88	107.84	112.67
2	D	301	HEM	C1D-C2D-C3D	-2.83	105.02	107.00
2	A	301	HEM	C4A-C3A-C2A	2.70	108.87	107.00
2	C	301	HEM	CAA-CBA-CGA	-2.67	108.19	112.67
2	D	301	HEM	CAD-CBD-CGD	-2.38	108.68	112.67
2	E	301	HEM	CAA-CBA-CGA	-2.36	108.70	112.67
2	D	301	HEM	CBD-CAD-C3D	-2.26	108.31	112.48
2	A	301	HEM	CMA-C3A-C4A	-2.20	125.08	128.46
2	A	301	HEM	CMB-C2B-C3B	2.13	128.67	124.68
2	B	301	HEM	CAD-CBD-CGD	-2.12	109.11	112.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	301	HEM	CMB-C2B-C3B	2.11	128.62	124.68

There are no chirality outliers.

All (10) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	301	HEM	C1A-C2A-CAA-CBA
2	B	301	HEM	C3A-C2A-CAA-CBA
2	B	301	HEM	C2D-C3D-CAD-CBD
2	B	301	HEM	C4D-C3D-CAD-CBD
2	B	301	HEM	C3D-CAD-CBD-CGD
2	A	301	HEM	C1A-C2A-CAA-CBA
2	A	301	HEM	C3A-C2A-CAA-CBA
2	C	301	HEM	C1A-C2A-CAA-CBA
2	C	301	HEM	C3A-C2A-CAA-CBA
4	C	302	EDO	O1-C1-C2-O2


There are no ring outliers.


5 monomers are involved in 14 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	301	HEM	2	0
2	D	301	HEM	3	0
2	A	301	HEM	5	0
2	C	301	HEM	3	0
2	E	301	HEM	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	238/241 (98%)	1.05	41 (17%) 1 1	44, 72, 131, 155	2 (0%)
1	B	240/241 (99%)	0.89	37 (15%) 2 2	39, 62, 118, 157	1 (0%)
1	C	237/241 (98%)	0.93	32 (13%) 3 4	38, 61, 118, 159	2 (0%)
1	D	238/241 (98%)	1.13	39 (16%) 1 2	39, 72, 132, 164	0
1	E	237/241 (98%)	0.95	32 (13%) 3 4	42, 67, 123, 162	1 (0%)
All	All	1190/1205 (98%)	0.99	181 (15%) 2 3	38, 67, 125, 164	6 (0%)

All (181) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1	ALA	13.3
1	D	129	GLY	9.0
1	C	124	VAL	8.9
1	E	128	SER	8.6
1	D	1	ALA	8.5
1	A	129	GLY	8.2
1	C	127	GLU	7.7
1	D	6	LEU	7.6
1	A	111	VAL	7.5
1	B	3	ARG	7.4
1	D	111	VAL	7.3
1	B	120	THR	7.0
1	D	109	THR	6.8
1	E	124	VAL	6.8
1	A	110	TYR	6.8
1	B	125	ASN	6.4
1	C	128	SER	6.4
1	A	128	SER	6.2
1	A	120	THR	6.0
1	E	126	GLY	5.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	110	TYR	5.8
1	E	129	GLY	5.8
1	D	74	ARG	5.7
1	D	116	GLU	5.7
1	C	126	GLY	5.7
1	D	3	ARG	5.6
1	A	122	LEU	5.6
1	D	127	GLU	5.6
1	D	117	SER	5.5
1	E	4	GLU	5.5
1	D	128	SER	5.5
1	D	49	GLY	5.4
1	E	125	ASN	5.3
1	C	129	GLY	5.3
1	C	119	LYS	5.3
1	C	237	ALA	5.2
1	A	28	LEU	5.2
1	C	122	LEU	5.2
1	A	113	GLY	5.1
1	A	108	PRO	5.0
1	C	123	GLN	5.0
1	E	7	LEU	5.0
1	C	113	GLY	4.7
1	E	123	GLN	4.7
1	E	118	MET	4.6
1	E	98	GLY	4.5
1	E	121	GLU	4.5
1	D	120	THR	4.5
1	D	125	ASN	4.5
1	E	237	ALA	4.5
1	A	4	GLU	4.5
1	B	236	PHE	4.5
1	B	27	ASP	4.5
1	D	4	GLU	4.3
1	A	117	SER	4.3
1	D	126	GLY	4.3
1	E	35	ILE	4.2
1	D	31	GLU	4.2
1	D	47	TRP	4.1
1	E	236	PHE	4.1
1	D	124	VAL	4.1
1	A	112	ALA	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	3	ARG	4.1
1	A	27	ASP	4.1
1	D	2	ASP	4.1
1	C	108	PRO	3.9
1	E	3	ARG	3.9
1	D	118	MET	3.9
1	C	125	ASN	3.9
1	B	107	LYS	3.9
1	A	116	GLU	3.8
1	A	123	GLN	3.8
1	A	236	PHE	3.8
1	D	209	LYS	3.8
1	B	113	GLY	3.7
1	B	26	TRP	3.7
1	D	113	GLY	3.7
1	A	131	ARG	3.7
1	D	5	LYS	3.7
1	E	117	SER	3.7
1	C	4	GLU	3.6
1	C	112	ALA	3.5
1	B	124	VAL	3.5
1	E	120	THR	3.4
1	B	-1	ALA	3.4
1	A	106	LYS	3.4
1	D	11	GLY	3.4
1	B	35	ILE	3.4
1	D	112	ALA	3.4
1	B	111	VAL	3.4
1	C	111	VAL	3.4
1	B	123	GLN	3.4
1	B	108	PRO	3.4
1	E	112	ALA	3.4
1	A	124	VAL	3.3
1	B	116	GLU	3.3
1	B	7	LEU	3.3
1	D	119	LYS	3.3
1	E	11	GLY	3.3
1	E	113	GLY	3.2
1	E	108	PRO	3.2
1	D	114	PHE	3.2
1	A	29	PRO	3.2
1	A	98	GLY	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	125	ASN	3.1
1	C	114	PHE	3.1
1	B	117	SER	3.0
1	C	120	THR	3.0
1	C	6	LEU	2.9
1	B	126	GLY	2.9
1	C	117	SER	2.9
1	E	127	GLU	2.9
1	B	131	ARG	2.9
1	D	122	LEU	2.9
1	A	99	GLY	2.7
1	B	1	ALA	2.7
1	C	115	PRO	2.7
1	A	114	PHE	2.7
1	A	97	SER	2.7
1	A	109	THR	2.7
1	D	35	ILE	2.7
1	B	8	THR	2.7
1	B	119	LYS	2.7
1	C	118	MET	2.7
1	E	238	GLN	2.7
1	A	2	ASP	2.6
1	A	127	GLU	2.6
1	A	121	GLU	2.6
1	B	97	SER	2.6
1	C	10	SER	2.6
1	C	116	GLU	2.6
1	E	27	ASP	2.6
1	A	115	PRO	2.5
1	A	118	MET	2.5
1	E	219	HIS	2.5
1	B	122	LEU	2.5
1	A	69	PHE	2.5
1	B	110	TYR	2.5
1	E	111	VAL	2.5
1	B	31	GLU	2.5
1	D	106	LYS	2.4
1	B	112	ALA	2.4
1	A	31	GLU	2.4
1	B	100	LEU	2.4
1	B	118	MET	2.4
1	D	121	GLU	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	E	31	GLU	2.4
1	D	162	GLN	2.4
1	E	114	PHE	2.3
1	B	63	ASP	2.3
1	C	121	GLU	2.3
1	C	236	PHE	2.3
1	D	99	GLY	2.3
1	C	3	ARG	2.3
1	C	109	THR	2.3
1	A	119	LYS	2.3
1	B	147	ALA	2.3
1	A	234	GLU	2.2
1	D	98	GLY	2.2
1	C	219	HIS	2.2
1	A	107	LYS	2.2
1	B	136	VAL	2.2
1	D	108	PRO	2.2
1	B	128	SER	2.2
1	E	2	ASP	2.2
1	C	64	HIS	2.1
1	A	101	LEU	2.1
1	B	28	LEU	2.1
1	A	194	ARG	2.1
1	B	115	PRO	2.1
1	E	107	LYS	2.1
1	C	62	SER	2.1
1	E	167	TYR	2.1
1	D	69	PHE	2.1
1	E	29	PRO	2.1
1	D	91	LEU	2.0
1	A	209	LYS	2.0
1	B	209	LYS	2.0
1	C	8	THR	2.0
1	B	104	VAL	2.0
1	C	35	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)



In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
4	EDO	C	302	4/4	0.82	0.27	54,56,108,112	0
3	ACT	D	302	4/4	0.83	0.32	51,65,78,85	0
3	ACT	B	302	4/4	0.93	0.32	50,54,55,59	0
2	HEM	C	301	43/43	0.96	0.18	37,43,68,84	0
2	HEM	D	301	43/43	0.96	0.16	40,57,97,109	0
2	HEM	A	301	43/43	0.97	0.17	40,50,86,152	0
2	HEM	B	301	43/43	0.97	0.17	37,42,84,117	0
2	HEM	E	301	43/43	0.97	0.18	40,44,74,97	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around HEM C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM D 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.