



# Full wwPDB X-ray Structure Validation Report ⓘ

May 24, 2020 – 10:23 am BST

PDB ID : 1M1B  
Title : Crystal Structure of Phosphoenolpyruvate Mutase Complexed with Sulfopyruvate  
Authors : Liu, S.; Lu, Z.; Jia, Y.; Dunaway-Mariano, D.; Herzberg, O.  
Deposited on : 2002-06-18  
Resolution : 2.25 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	295	<div> <div>%</div> <div> <div></div> <div>69%</div> <div>28%</div> <div>..</div> </div> </div>
1	B	295	<div> <div>%</div> <div> <div></div> <div>71%</div> <div>25%</div> <div>..</div> </div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 4827 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PHOSPHOENOLPYRUVATE PHOSPHOMUTASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	291	Total	C	N	O	S	15	0	0
			2283	1434	398	441	10			
1	B	289	Total	C	N	O	S	9	0	0
			2265	1424	394	437	10			


There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	14	MET	ALA	SEE REMARK 999	UNP P56839
A	24	MET	ALA	SEE REMARK 999	UNP P56839
A	74	MET	ALA	SEE REMARK 999	UNP P56839
A	189	MET	ALA	SEE REMARK 999	UNP P56839
A	203	MET	ALA	SEE REMARK 999	UNP P56839
A	230	MET	ALA	SEE REMARK 999	UNP P56839
A	234	MET	ALA	SEE REMARK 999	UNP P56839
B	14	MET	ALA	SEE REMARK 999	UNP P56839
B	24	MET	ALA	SEE REMARK 999	UNP P56839
B	74	MET	ALA	SEE REMARK 999	UNP P56839
B	189	MET	ALA	SEE REMARK 999	UNP P56839
B	203	MET	ALA	SEE REMARK 999	UNP P56839
B	230	MET	ALA	SEE REMARK 999	UNP P56839
B	234	MET	ALA	SEE REMARK 999	UNP P56839

- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total	Mg	0	0
			1	1		
2	A	1	Total	Mg	0	0
			1	1		

- Molecule 3 is SULFOPYRUVATE (three-letter code: SPV) (formula: C<sub>3</sub>H<sub>4</sub>O<sub>6</sub>S).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			10	3	6	1		
3	B	1	Total	C	O	S	0	0
			10	3	6	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	123	Total	O	0	0
			123	123		
4	B	134	Total	O	0	0
			134	134		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: PHOSPHOENOLPYRUVATE PHOSPHOMUTASE



#### • Molecule 1: PHOSPHOENOLPYRUVATE PHOSPHOMUTASE



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.02Å 130.44Å 90.47Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	26.50 – 2.25 27.83 – 2.25	Depositor EDS
% Data completeness (in resolution range)	78.9 (26.50-2.25) 82.1 (27.83-2.25)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.06 (at 2.24Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.179 , 0.268 0.181 , 0.265	Depositor DCC
$R_{free}$ test set	1439 reflections (6.84%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	30.5	Xtriage
Anisotropy	0.492	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 47.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4827	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.64% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, SPV

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.47	0/2323	0.68	1/3138 (0.0%)
1	B	0.47	0/2305	0.69	2/3116 (0.1%)
All	All	0.47	0/4628	0.68	3/6254 (0.0%)

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	238	ALA	N-CA-C	5.84	126.77	111.00
1	B	238	ALA	N-CA-C	5.70	126.38	111.00
1	B	237	TRP	N-CA-C	-5.30	96.69	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2283	0	2262	81	1
1	B	2265	0	2243	63	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	10	0	2	0	0
3	B	10	0	2	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	A	123	0	0	7	0
4	B	134	0	0	6	0
All	All	4827	0	4509	142	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (142) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:169:LEU:HD22	1:B:201:ALA:HB1	1.46	0.96
1:B:36:GLN:HE21	1:B:79:ASP:N	1.67	0.92
1:B:36:GLN:NE2	1:B:79:ASP:H	1.67	0.90
1:A:36:GLN:NE2	1:A:79:ASP:H	1.72	0.87
1:B:71:LEU:HD22	1:B:84:LEU:HD13	1.59	0.84
1:A:171:GLU:O	1:A:175:ARG:HG2	1.78	0.83
1:A:132:LEU:HB3	1:A:175:ARG:NH2	1.93	0.82
1:A:23:ILE:HG22	1:A:42:GLY:HA3	1.64	0.79
1:B:71:LEU:CD2	1:B:84:LEU:HD13	2.14	0.78
1:A:196:PRO:O	1:A:200:GLU:HG3	1.85	0.76
1:A:132:LEU:HB3	1:A:175:ARG:HH22	1.48	0.75
1:B:60:ASN:ND2	1:B:120:LYS:HG3	2.02	0.74
1:A:87:ASP:O	1:A:114:GLU:HG2	1.89	0.73
1:B:267:ASP:HB2	4:B:1115:HOH:O	1.88	0.73
1:A:270:VAL:CG1	1:A:274:GLU:HB3	2.22	0.69
1:A:282:ASP:O	1:A:286:GLN:HG2	1.92	0.69
1:A:49:SER:HA	1:A:242:LEU:HD22	1.73	0.68
1:A:9:THR:O	1:A:13:GLN:HG3	1.93	0.68
1:B:36:GLN:HE21	1:B:79:ASP:H	0.84	0.67
1:B:18:LYS:HB2	4:B:1072:HOH:O	1.94	0.66
1:A:60:ASN:HA	4:A:1089:HOH:O	1.96	0.65
1:A:36:GLN:NE2	1:A:79:ASP:HB2	2.13	0.63
1:B:120:LYS:C	1:B:120:LYS:HD3	2.19	0.63
1:B:60:ASN:HD22	1:B:120:LYS:H	1.46	0.63
1:A:33:ARG:HD3	4:A:1006:HOH:O	1.98	0.63
1:A:146:LYS:HE2	1:A:149:GLN:NE2	2.15	0.62
1:A:295:ASN:HB2	4:A:1076:HOH:O	2.00	0.61
1:A:270:VAL:HG13	1:A:274:GLU:HB3	1.84	0.60
1:A:57:ARG:NH1	1:A:61:GLU:OE2	2.34	0.60
1:B:60:ASN:HD21	1:B:120:LYS:HG3	1.66	0.60
1:A:206:TRP:O	1:A:209:GLN:HG3	2.01	0.60

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:71:LEU:HG	1:A:84:LEU:HD13	1.83	0.59
1:A:47:GLY:HA3	4:A:1109:HOH:O	2.03	0.59
1:A:116:LYS:HE2	1:A:161:GLU:HG3	1.84	0.58
1:B:112:CYS:HA	1:B:157:VAL:O	2.03	0.58
1:A:44:TRP:CZ2	1:A:85:ASP:HB2	2.39	0.58
1:B:215:VAL:HG22	1:B:236:ILE:HB	1.85	0.58
1:A:276:PHE:HA	1:A:279:GLN:HE21	1.68	0.58
1:B:254:LYS:HE2	1:B:258:ASP:OD2	2.03	0.58
1:A:171:GLU:OE1	1:A:175:ARG:HD3	2.04	0.58
1:A:146:LYS:HE3	1:A:156:ILE:HB	1.86	0.57
1:B:282:ASP:O	1:B:286:GLN:HG3	2.06	0.56
1:A:146:LYS:CE	1:A:149:GLN:HE22	2.18	0.56
1:A:146:LYS:NZ	1:A:149:GLN:HE22	2.04	0.55
1:B:254:LYS:HE3	4:B:1031:HOH:O	2.05	0.55
1:B:284:LEU:O	1:B:288:GLU:HG3	2.06	0.55
1:B:60:ASN:ND2	1:B:120:LYS:H	2.05	0.55
1:B:206:TRP:O	1:B:209:GLN:HG3	2.07	0.54
1:A:288:GLU:HG2	1:A:292:LEU:HD22	1.88	0.54
1:A:245:SER:O	1:A:249:ILE:HG13	2.08	0.54
1:A:149:GLN:OE1	1:A:154:PHE:HB3	2.07	0.54
1:A:200:GLU:OE2	1:A:226:HIS:HE1	1.91	0.54
1:A:135:ILE:HG12	1:A:175:ARG:HD2	1.90	0.53
1:A:36:GLN:NE2	1:A:79:ASP:N	2.50	0.53
1:A:5:VAL:HG23	1:A:5:VAL:O	2.10	0.52
1:A:195:ASP:OD2	1:A:197:SER:HB3	2.09	0.52
1:B:37:GLU:HG2	4:B:1039:HOH:O	2.10	0.52
1:A:36:GLN:HE22	1:A:79:ASP:H	1.51	0.52
1:A:288:GLU:O	1:A:292:LEU:HB2	2.10	0.52
1:A:20:LEU:HD13	1:A:22:PHE:CZ	2.46	0.51
1:A:132:LEU:HD13	1:A:175:ARG:CZ	2.41	0.51
1:A:5:VAL:N	4:A:1083:HOH:O	2.44	0.50
1:A:92:ASN:H	1:A:95:ASN:HD22	1.57	0.50
1:B:45:GLY:O	1:B:85:ASP:HB3	2.12	0.50
1:B:23:ILE:HG22	1:B:42:GLY:HA3	1.94	0.50
1:A:132:LEU:HD13	1:A:175:ARG:NH2	2.27	0.49
1:A:270:VAL:HG13	1:A:274:GLU:CB	2.42	0.49
1:B:265:VAL:O	1:B:269:ILE:HG12	2.13	0.49
1:A:50:VAL:O	1:A:53:GLN:HG3	2.13	0.48
1:B:92:ASN:H	1:B:95:ASN:HD22	1.61	0.48
1:A:64:TRP:O	1:A:68:VAL:HG23	2.13	0.48
1:B:64:TRP:O	1:B:68:VAL:HG23	2.13	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:195:ASP:HB2	1:B:196:PRO:HD2	1.94	0.48
1:B:5:VAL:CG2	1:B:10:GLN:HG3	2.44	0.47
1:B:18:LYS:HD2	4:B:1072:HOH:O	2.13	0.47
1:A:138:PHE:CE2	1:A:142:ILE:HD11	2.49	0.47
1:B:172:ALA:HB1	1:B:189:MET:HE3	1.97	0.47
1:B:33:ARG:HD2	1:B:280:ARG:CZ	2.44	0.47
1:B:113:LEU:HD12	1:B:113:LEU:N	2.30	0.47
1:B:246:VAL:O	1:B:250:GLN:HG3	2.16	0.46
1:A:112:CYS:C	1:A:113:LEU:HD12	2.36	0.46
1:B:41:LYS:O	1:B:81:PRO:HD2	2.15	0.46
1:A:5:VAL:HG22	4:A:1083:HOH:O	2.15	0.46
1:B:20:LEU:HD11	1:B:235:VAL:HG23	1.98	0.46
1:A:36:GLN:HE22	1:A:79:ASP:N	2.12	0.45
1:B:87:ASP:HB3	1:B:120:LYS:HG2	1.97	0.45
1:A:292:LEU:HD12	1:A:292:LEU:HA	1.80	0.45
1:A:87:ASP:C	1:A:114:GLU:HG2	2.37	0.45
1:B:146:LYS:HA	1:B:149:GLN:HE21	1.82	0.45
1:A:188:LEU:HD23	1:A:188:LEU:C	2.37	0.45
1:B:114:GLU:HB3	1:B:159:ARG:HD3	1.98	0.44
1:B:91:GLY:HA3	1:B:95:ASN:HD22	1.81	0.44
1:A:146:LYS:HE2	1:A:149:GLN:HE22	1.76	0.44
1:A:90:TYR:CD2	1:A:99:LEU:HD22	2.53	0.44
1:B:239:ASN:OD1	1:B:243:ARG:HD3	2.18	0.44
1:B:5:VAL:HG22	1:B:10:GLN:HG3	1.99	0.44
1:A:35:VAL:HG11	1:A:43:ILE:HG12	1.99	0.44
1:A:102:LYS:NZ	1:B:76:ASP:OD2	2.48	0.44
1:B:84:LEU:HD22	1:B:103:LEU:HD21	1.99	0.44
1:B:25:GLU:HG3	1:B:238:ALA:O	2.18	0.44
1:B:71:LEU:HD21	1:B:84:LEU:HD13	1.94	0.44
1:B:254:LYS:CE	4:B:1031:HOH:O	2.65	0.44
1:A:101:ARG:HE	1:A:101:ARG:HA	1.83	0.43
1:A:33:ARG:HH21	1:A:280:ARG:HG2	1.83	0.43
1:A:121:THR:HG22	1:A:122:ASN:O	2.17	0.43
1:A:196:PRO:HG3	1:A:222:THR:CG2	2.48	0.43
1:A:113:LEU:HD12	1:A:113:LEU:N	2.33	0.43
1:B:44:TRP:CZ2	1:B:85:ASP:HB2	2.54	0.43
1:A:261:SER:OG	1:A:263:VAL:HG23	2.19	0.43
1:B:239:ASN:OD1	1:B:243:ARG:CD	2.67	0.43
1:B:50:VAL:O	1:B:53:GLN:HG3	2.18	0.43
1:A:283:GLU:C	1:A:283:GLU:OE1	2.58	0.43
1:B:190:HIS:CE1	1:B:215:VAL:HB	2.54	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:93:PHE:CG	1:B:94:ASN:N	2.87	0.43
1:A:140:LEU:HD12	1:B:293:PRO:HD3	1.99	0.42
1:A:288:GLU:HG2	1:A:292:LEU:CD2	2.49	0.42
1:B:23:ILE:HD11	1:B:236:ILE:HG12	2.01	0.42
1:A:36:GLN:HE22	1:A:79:ASP:HB2	1.84	0.42
1:B:96:ALA:O	1:B:99:LEU:HB3	2.20	0.42
1:A:33:ARG:NH2	1:A:280:ARG:HD2	2.35	0.42
1:B:33:ARG:HD2	1:B:280:ARG:NH1	2.34	0.42
1:B:91:GLY:HA3	1:B:95:ASN:ND2	2.34	0.42
1:B:90:TYR:HA	1:B:118:PHE:CD2	2.55	0.42
1:A:25:GLU:HA	1:A:44:TRP:O	2.19	0.42
1:B:270:VAL:HB	1:B:274:GLU:HG2	2.00	0.42
1:A:90:TYR:CE2	1:A:99:LEU:HD22	2.54	0.42
1:A:274:GLU:OE1	1:A:274:GLU:HA	2.19	0.41
1:B:44:TRP:CE3	1:B:236:ILE:HD13	2.54	0.41
1:A:206:TRP:CZ2	1:A:209:GLN:HB2	2.55	0.41
1:A:131:PRO:HA	4:A:1013:HOH:O	2.19	0.41
1:A:246:VAL:O	1:A:250:GLN:HG3	2.21	0.41
1:A:279:GLN:O	1:A:280:ARG:HB2	2.20	0.41
1:A:91:GLY:HA3	1:A:95:ASN:ND2	2.36	0.41
1:A:138:PHE:O	1:A:142:ILE:HG12	2.21	0.41
1:A:206:TRP:HE1	1:A:210:GLY:H	1.68	0.41
1:B:80:VAL:HB	1:B:81:PRO:HD2	2.03	0.41
1:A:25:GLU:HG2	1:A:239:ASN:HA	2.03	0.40
1:B:196:PRO:HD3	1:B:222:THR:OG1	2.22	0.40
1:A:135:ILE:CG1	1:A:175:ARG:HD2	2.52	0.40
1:A:135:ILE:HG13	1:A:175:ARG:NH1	2.36	0.40
1:B:193:LYS:HD3	1:B:197:SER:OG	2.20	0.40
1:B:14:MET:HE1	1:B:41:LYS:HB2	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:245:SER:OG	1:A:245:SER:OG[3_656]	2.13	0.07

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	289/295 (98%)	274 (95%)	15 (5%)	0	100	100
1	B	287/295 (97%)	274 (96%)	13 (4%)	0	100	100
All	All	576/590 (98%)	548 (95%)	28 (5%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	245/249 (98%)	237 (97%)	8 (3%)	38	46
1	B	243/249 (98%)	238 (98%)	5 (2%)	53	62
All	All	488/498 (98%)	475 (97%)	13 (3%)	44	54

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	19	ASP
1	A	20	LEU
1	A	25	GLU
1	A	101	ARG
1	A	120	LYS
1	A	170	ASP
1	A	190	HIS
1	A	292	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	36	GLN
1	B	53	GLN
1	B	120	LYS
1	B	254	LYS
1	B	283	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	36	GLN
1	A	60	ASN
1	A	95	ASN
1	A	149	GLN
1	A	226	HIS
1	A	279	GLN
1	B	13	GLN
1	B	36	GLN
1	B	53	GLN
1	B	60	ASN
1	B	95	ASN
1	B	130	GLN
1	B	149	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

## 5.6 Ligand geometry ⓘ

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SPV	B	997	2	6,9,9	3.63	3 (50%)	6,13,13	1.44	1 (16%)
3	SPV	A	996	2	6,9,9	3.88	3 (50%)	6,13,13	1.64	2 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	SPV	B	997	2	-	2/5/9/9	-
3	SPV	A	996	2	-	2/5/9/9	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	996	SPV	C3-C2	-6.62	1.35	1.52
3	B	997	SPV	C3-C2	-6.14	1.37	1.52
3	A	996	SPV	C3-S	5.11	1.83	1.78
3	B	997	SPV	C3-S	4.62	1.82	1.78
3	B	997	SPV	O2-C2	3.71	1.28	1.22
3	A	996	SPV	O2-C2	3.70	1.28	1.22

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	996	SPV	O2-C2-C3	-2.51	115.24	119.56
3	B	997	SPV	O2-C2-C3	-2.24	115.70	119.56
3	A	996	SPV	O2S-S-O3S	2.18	116.59	111.27

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	B	997	SPV	C1-C2-C3-S
3	A	996	SPV	C1-C2-C3-S
3	A	996	SPV	O2-C2-C3-S
3	B	997	SPV	O2-C2-C3-S

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	291/295 (98%)	-0.31	3 (1%) 82 84	23, 33, 47, 68	7 (2%)
1	B	289/295 (97%)	-0.32	2 (0%) 87 88	21, 33, 47, 59	3 (1%)
All	All	580/590 (98%)	-0.31	5 (0%) 84 85	21, 33, 47, 68	10 (1%)

All (5) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	295	ASN	3.6
1	A	127	GLY	3.0
1	A	129	ALA	2.5
1	B	263	VAL	2.1
1	B	18	LYS	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	MG	A	998	1/1	0.94	0.08	24,24,24,24	0
3	SPV	B	997	10/10	0.95	0.21	44,45,46,46	0
2	MG	B	999	1/1	0.97	0.11	28,28,28,28	0
3	SPV	A	996	10/10	0.97	0.14	32,42,46,46	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.