



Full wwPDB NMR Structure Validation Report ⓘ

Aug 17, 2022 – 12:09 PM EDT

PDB ID : 2M5C
Title : Solution Structure of the Bacillus cereus Metallo-Beta-Lactamase BcII
Authors : Karsisiotis, A.I.; Damblon, C.F.; Roberts, G.C.K.
Deposited on : 2013-02-20

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI	:	v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV	:	Wang et al. (2010)
ShiftChecker	:	2.29
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.29


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 81%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	227	<div> <div>55%</div> <div>32%</div> <div>• 10%</div> </div>

2 Ensemble composition and analysis

This entry contains 20 models. Model 7 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:8-A:32, A:39-A:173, A:184-A:227 (204)	0.16	7

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 4 clusters and 5 single-model clusters were found.

Cluster number	Models
1	1, 2, 3, 6, 7, 13
2	4, 8, 12, 18
3	15, 17, 19
4	9, 14
Single-model clusters	5; 10; 11; 16; 20

3 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 3590 atoms, of which 1830 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Beta-lactamase 2.

Mol	Chain	Residues	Atoms						Trace
1	A	227	Total	C	H	N	O	S	0
			3588	1113	1830	304	338	3	

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms	
2	A	2	Total	Zn
			2	2

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Beta-lactamase 2




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: Beta-lactamase 2



4.2.2 Score per residue for model 2

- Molecule 1: Beta-lactamase 2




4.2.3 Score per residue for model 3

- Molecule 1: Beta-lactamase 2



4.2.4 Score per residue for model 4

- Molecule 1: Beta-lactamase 2




4.2.5 Score per residue for model 5

- Molecule 1: Beta-lactamase 2




4.2.6 Score per residue for model 6

- Molecule 1: Beta-lactamase 2



4.2.7 Score per residue for model 7 (medoid)

- Molecule 1: Beta-lactamase 2




4.2.8 Score per residue for model 8

• Molecule 1: Beta-lactamase 2



4.2.9 Score per residue for model 9

• Molecule 1: Beta-lactamase 2




4.2.10 Score per residue for model 10

• Molecule 1: Beta-lactamase 2




4.2.11 Score per residue for model 11

- Molecule 1: Beta-lactamase 2




4.2.12 Score per residue for model 12

- Molecule 1: Beta-lactamase 2




4.2.13 Score per residue for model 13

- Molecule 1: Beta-lactamase 2




4.2.14 Score per residue for model 14

- Molecule 1: Beta-lactamase 2




4.2.15 Score per residue for model 15

- Molecule 1: Beta-lactamase 2



4.2.16 Score per residue for model 16

- Molecule 1: Beta-lactamase 2




4.2.17 Score per residue for model 17

- Molecule 1: Beta-lactamase 2




4.2.18 Score per residue for model 18

- Molecule 1: Beta-lactamase 2




4.2.19 Score per residue for model 19

- Molecule 1: Beta-lactamase 2



4.2.20 Score per residue for model 20

• Molecule 1: Beta-lactamase 2



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing, torsion angle dynamics*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure solution	
CYANA	refinement	
CANDID	structure solution	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	2
Total number of shifts	4075
Number of shifts mapped to atoms	4075
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	81%

6 Model quality

6.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
ZN

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1591	1666	1638	46±5
All	All	31860	33320	32760	926

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:207:VAL:HG22	1:A:213:VAL:HG12	0.91	1.41	16	13
1:A:84:ILE:HD11	1:A:105:ALA:HB1	0.88	1.42	15	5
1:A:207:VAL:HG22	1:A:213:VAL:HG22	0.88	1.45	1	5
1:A:21:LEU:HD21	1:A:213:VAL:HG21	0.86	1.48	5	5
1:A:222:THR:HG22	1:A:226:LEU:HD23	0.83	1.49	11	15
1:A:21:LEU:HD21	1:A:213:VAL:HG11	0.81	1.49	19	7
1:A:140:VAL:HG22	1:A:158:LEU:HD21	0.81	1.54	2	17
1:A:84:ILE:HD12	1:A:91:ARG:CZ	0.80	2.07	15	5
1:A:84:ILE:HG23	1:A:91:ARG:NE	0.78	1.94	17	5
1:A:87:ALA:HB2	1:A:114:LEU:HD13	0.76	1.56	20	16
1:A:129:THR:HG22	1:A:130:VAL:HG23	0.75	1.57	17	20
1:A:46:LEU:HD21	1:A:158:LEU:HD11	0.72	1.59	17	12

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:190:SER:CB	1:A:226:LEU:HD11	0.65	2.21	17	20
1:A:104:LYS:HE2	1:A:124:LEU:HD21	0.64	1.69	19	7
1:A:222:THR:HG22	1:A:226:LEU:CD2	0.64	2.23	18	17
1:A:87:ALA:CB	1:A:114:LEU:HD13	0.64	2.23	18	15
1:A:104:LYS:CE	1:A:124:LEU:HD21	0.63	2.24	19	5
1:A:190:SER:OG	1:A:223:LEU:HD23	0.63	1.93	17	3
1:A:221:HIS:CE1	1:A:225:LEU:HD11	0.63	2.28	9	4
1:A:207:VAL:HG22	1:A:213:VAL:HB	0.62	1.71	19	2
1:A:205:ALA:HB1	1:A:213:VAL:CG1	0.62	2.24	13	5
1:A:110:LEU:HD23	1:A:152:ASP:OD1	0.62	1.94	12	5
1:A:169:LEU:HD12	1:A:189:TRP:NE1	0.62	2.10	12	19
1:A:68:ILE:HG12	1:A:79:VAL:HG11	0.62	1.71	9	1
1:A:57:SER:HB3	1:A:98:LEU:HD11	0.62	1.72	15	16
1:A:44:LEU:HD21	1:A:158:LEU:HD12	0.61	1.72	20	13
1:A:190:SER:HB2	1:A:226:LEU:HD11	0.61	1.71	4	3
1:A:156:VAL:O	1:A:164:LEU:HD12	0.61	1.96	17	3
1:A:18:ILE:HG22	1:A:26:TRP:HB3	0.61	1.73	2	19
1:A:84:ILE:O	1:A:154:ILE:HD11	0.60	1.96	15	3
1:A:110:LEU:HD23	1:A:152:ASP:OD2	0.60	1.97	11	2
1:A:127:LEU:CD2	1:A:133:LEU:HD21	0.60	2.27	3	11
1:A:110:LEU:HD12	1:A:113:GLU:HG2	0.60	1.74	18	2
1:A:83:ILE:CD1	1:A:140:VAL:HG11	0.60	2.26	14	10
1:A:205:ALA:HB1	1:A:213:VAL:CG2	0.60	2.26	19	2
1:A:111:THR:HA	1:A:114:LEU:HD11	0.59	1.74	15	17
1:A:30:GLU:CD	1:A:67:LEU:HD22	0.59	2.18	20	3
1:A:72:GLU:OE2	1:A:79:VAL:HG23	0.59	1.97	12	10
1:A:57:SER:CB	1:A:98:LEU:HD11	0.59	2.27	17	19
1:A:190:SER:HB3	1:A:226:LEU:HD11	0.59	1.72	11	17
1:A:127:LEU:HD22	1:A:133:LEU:HD21	0.59	1.74	8	6
1:A:46:LEU:CD2	1:A:158:LEU:HD11	0.59	2.27	6	5
1:A:206:VAL:HB	1:A:218:LEU:HD12	0.58	1.75	19	17
1:A:72:GLU:OE1	1:A:79:VAL:HG23	0.58	1.98	4	5
1:A:153:ASN:OD1	1:A:169:LEU:HD13	0.58	1.98	9	8
1:A:140:VAL:HG22	1:A:158:LEU:CD2	0.58	2.27	2	15
1:A:110:LEU:HD22	1:A:113:GLU:OE1	0.58	1.98	15	1
1:A:45:VAL:HG13	1:A:54:LEU:CD2	0.58	2.29	2	20
1:A:207:VAL:HG22	1:A:213:VAL:CG1	0.58	2.28	7	13
1:A:104:LYS:HD3	1:A:124:LEU:HD21	0.58	1.73	15	1
1:A:131:THR:HG22	1:A:142:THR:OG1	0.58	1.99	5	1
1:A:203:ILE:HG21	1:A:206:VAL:HG22	0.57	1.76	3	16
1:A:152:ASP:O	1:A:154:ILE:HG23	0.57	1.98	8	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:54:LEU:O	1:A:82:VAL:HG13	0.57	1.99	5	14
1:A:129:THR:HG23	1:A:144:TYR:HB3	0.57	1.77	4	20
1:A:57:SER:OG	1:A:98:LEU:HD11	0.57	1.99	2	5
1:A:203:ILE:HG21	1:A:206:VAL:CG2	0.57	2.29	4	13
1:A:44:LEU:HD21	1:A:158:LEU:HD11	0.56	1.78	5	3
1:A:171:LYS:HG2	1:A:222:THR:HG23	0.56	1.78	16	5
1:A:110:LEU:HD12	1:A:152:ASP:HB3	0.56	1.76	8	1
1:A:84:ILE:CD1	1:A:105:ALA:HB1	0.55	2.29	17	4
1:A:84:ILE:HD11	1:A:105:ALA:CB	0.55	2.29	17	4
1:A:55:VAL:HG12	1:A:56:ASP:OD1	0.55	2.02	6	3
1:A:207:VAL:CG2	1:A:213:VAL:HG12	0.55	2.29	8	8
1:A:207:VAL:HG22	1:A:213:VAL:CG2	0.55	2.27	13	5
1:A:98:LEU:HA	1:A:103:ILE:HD13	0.54	1.78	13	5
1:A:81:ASP:N	1:A:103:ILE:HG23	0.54	2.17	14	3
1:A:192:SER:O	1:A:196:VAL:HG23	0.54	2.02	10	5
1:A:226:LEU:HD12	1:A:226:LEU:O	0.54	2.03	12	19
1:A:106:HIS:HA	1:A:124:LEU:HD12	0.54	1.79	5	12
1:A:53:VAL:HG13	1:A:81:ASP:CB	0.54	2.32	14	2
1:A:44:LEU:HD21	1:A:158:LEU:CD1	0.54	2.33	5	9
1:A:31:LEU:HD12	1:A:40:PRO:HB3	0.54	1.80	14	3
1:A:107:SER:CA	1:A:127:LEU:HD12	0.54	2.33	6	9
1:A:83:ILE:HD13	1:A:140:VAL:HG11	0.53	1.79	14	6
1:A:59:TRP:HB2	1:A:63:LEU:HD12	0.53	1.80	5	20
1:A:164:LEU:HD22	1:A:203:ILE:HD13	0.53	1.79	15	8
1:A:45:VAL:HG22	1:A:54:LEU:HD23	0.52	1.80	16	7
1:A:171:LYS:HE3	1:A:225:LEU:HD11	0.52	1.80	11	1
1:A:205:ALA:HB1	1:A:213:VAL:HG11	0.52	1.79	5	3
1:A:52:LEU:HB3	1:A:79:VAL:HG22	0.52	1.81	15	7
1:A:21:LEU:HG	1:A:27:VAL:HG23	0.52	1.80	10	2
1:A:53:VAL:HG13	1:A:81:ASP:O	0.52	2.05	20	6
1:A:104:LYS:HE3	1:A:124:LEU:HD21	0.52	1.80	7	3
1:A:56:ASP:OD2	1:A:85:THR:HG23	0.51	2.05	14	1
1:A:45:VAL:HG13	1:A:54:LEU:HD23	0.51	1.82	5	12
1:A:91:ARG:HH22	1:A:95:ILE:HD12	0.51	1.65	20	2
1:A:193:ILE:HG21	1:A:219:LEU:O	0.51	2.06	8	11
1:A:144:TYR:CD1	1:A:154:ILE:HG22	0.50	2.41	12	3
1:A:107:SER:HA	1:A:127:LEU:HD12	0.50	1.84	6	4
1:A:164:LEU:HD22	1:A:203:ILE:CD1	0.50	2.37	14	8
1:A:54:LEU:HD11	1:A:79:VAL:HG21	0.50	1.83	20	6
1:A:67:LEU:O	1:A:71:VAL:HG22	0.49	2.06	5	18
1:A:53:VAL:HG13	1:A:81:ASP:HB2	0.49	1.84	9	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:52:LEU:HD11	1:A:75:PHE:HB2	0.49	1.83	14	6
1:A:27:VAL:HG13	1:A:43:GLY:O	0.49	2.08	14	5
1:A:16:ILE:HD13	1:A:67:LEU:HB2	0.49	1.85	10	2
1:A:104:LYS:HB3	1:A:124:LEU:HD11	0.49	1.83	8	6
1:A:91:ARG:HH21	1:A:92:ILE:HG22	0.49	1.65	16	5
1:A:57:SER:OG	1:A:98:LEU:HD21	0.49	2.07	16	2
1:A:92:ILE:O	1:A:95:ILE:HG22	0.49	2.08	18	1
1:A:171:LYS:HD3	1:A:222:THR:HG23	0.49	1.84	10	1
1:A:222:THR:O	1:A:226:LEU:HD23	0.48	2.08	7	2
1:A:107:SER:OG	1:A:111:THR:HG21	0.48	2.08	6	2
1:A:27:VAL:HG21	1:A:213:VAL:CG2	0.48	2.39	9	1
1:A:170:VAL:HG13	1:A:219:LEU:HA	0.48	1.85	10	7
1:A:21:LEU:HD13	1:A:163:ILE:HD13	0.48	1.84	19	3
1:A:67:LEU:O	1:A:67:LEU:HD12	0.47	2.09	17	5
1:A:22:ASN:N	1:A:22:ASN:ND2	0.47	2.63	18	20
1:A:148:GLY:O	1:A:184:ALA:HB1	0.47	2.09	3	4
1:A:106:HIS:CA	1:A:124:LEU:HD12	0.47	2.39	5	1
1:A:54:LEU:O	1:A:82:VAL:HG22	0.47	2.09	19	4
1:A:84:ILE:HG23	1:A:91:ARG:HE	0.47	1.68	20	1
1:A:111:THR:HG23	1:A:152:ASP:OD1	0.46	2.11	15	2
1:A:86:HIS:HB2	1:A:150:THR:HG21	0.46	1.87	12	8
1:A:222:THR:C	1:A:226:LEU:HD23	0.46	2.31	13	7
1:A:91:ARG:NH2	1:A:95:ILE:HD12	0.46	2.25	20	1
1:A:110:LEU:HD12	1:A:113:GLU:CG	0.46	2.41	12	1
1:A:106:HIS:CG	1:A:124:LEU:HD12	0.46	2.46	6	2
1:A:171:LYS:CE	1:A:225:LEU:HD11	0.46	2.40	11	1
1:A:207:VAL:CG2	1:A:213:VAL:HG22	0.45	2.34	15	3
1:A:207:VAL:HG13	1:A:213:VAL:HG12	0.45	1.87	10	3
1:A:127:LEU:HD21	1:A:133:LEU:HD21	0.45	1.88	2	2
1:A:55:VAL:HG11	1:A:165:VAL:HG11	0.45	1.88	15	1
1:A:52:LEU:HD13	1:A:77:LYS:HB2	0.45	1.89	13	1
1:A:30:GLU:OE2	1:A:67:LEU:HD22	0.45	2.12	19	1
1:A:15:THR:HG23	1:A:31:LEU:HB3	0.45	1.89	14	2
1:A:114:LEU:HD23	1:A:151:GLU:HB3	0.45	1.89	1	4
1:A:112:ALA:HB2	1:A:123:PRO:HG2	0.45	1.89	18	4
1:A:110:LEU:HD21	1:A:151:GLU:HG2	0.44	1.88	7	2
1:A:110:LEU:HD23	1:A:152:ASP:CG	0.44	2.32	12	1
1:A:169:LEU:HD12	1:A:189:TRP:HE1	0.44	1.72	18	3
1:A:54:LEU:CD1	1:A:79:VAL:HG21	0.43	2.44	2	4
1:A:46:LEU:HD21	1:A:158:LEU:HD21	0.43	1.89	4	1
1:A:200:TYR:O	1:A:203:ILE:HD11	0.43	2.14	16	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:95:ILE:HG12	1:A:121:GLU:CG	0.42	2.44	18	1
1:A:171:LYS:HG3	1:A:225:LEU:HD12	0.42	1.91	3	2
1:A:203:ILE:HG21	1:A:206:VAL:HG23	0.42	1.91	4	1
1:A:18:ILE:CD1	1:A:71:VAL:HG12	0.42	2.45	7	3
1:A:67:LEU:O	1:A:71:VAL:HG13	0.42	2.15	20	2
1:A:52:LEU:HD11	1:A:75:PHE:CB	0.42	2.44	12	2
1:A:114:LEU:HD12	1:A:115:ALA:N	0.41	2.30	1	1
1:A:190:SER:OG	1:A:226:LEU:HD11	0.41	2.15	5	1
1:A:16:ILE:HG21	1:A:67:LEU:HD13	0.41	1.91	17	1
1:A:110:LEU:HD22	1:A:113:GLU:CD	0.41	2.35	4	1
1:A:39:VAL:HG12	1:A:59:TRP:CZ2	0.41	2.50	19	1
1:A:155:VAL:HG12	1:A:166:GLY:HA2	0.41	1.92	2	1
1:A:111:THR:HG23	1:A:152:ASP:OD2	0.40	2.16	19	1
1:A:220:LEU:HA	1:A:223:LEU:HD12	0.40	1.93	14	1
1:A:139:LYS:O	1:A:158:LEU:HD23	0.40	2.16	9	1
1:A:53:VAL:HG22	1:A:81:ASP:HB2	0.40	1.94	14	1
1:A:83:ILE:HG21	1:A:156:VAL:HG22	0.40	1.91	20	1
1:A:81:ASP:O	1:A:82:VAL:HG23	0.40	2.16	14	1

6.3 Torsion angles ⓘ

6.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	203/227 (89%)	175±3 (86±1%)	24±3 (12±1%)	4±1 (2±1%)	10	50
All	All	4060/4540 (89%)	3499 (86%)	476 (12%)	85 (2%)	10	50

All 11 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	102	GLY	19
1	A	148	GLY	17
1	A	56	ASP	15
1	A	136	GLY	12

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	8	VAL	8
1	A	202	ASN	6
1	A	214	GLY	3
1	A	171	LYS	2
1	A	57	SER	1
1	A	22	ASN	1
1	A	11	ASN	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	178/196 (91%)	142±3 (80±2%)	36±3 (20±2%)	3	33
All	All	3560/3920 (91%)	2842 (80%)	718 (20%)	3	33

All 70 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	22	ASN	20
1	A	24	ASN	20
1	A	92	ILE	20
1	A	108	THR	20
1	A	114	LEU	20
1	A	116	LYS	20
1	A	128	GLN	20
1	A	192	SER	20
1	A	226	LEU	20
1	A	64	THR	19
1	A	72	GLU	19
1	A	153	ASN	19
1	A	190	SER	18
1	A	50	LYS	16
1	A	107	SER	16
1	A	220	LEU	16
1	A	31	LEU	15
1	A	74	LYS	15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	199	ARG	15
1	A	77	LYS	15
1	A	23	LYS	14
1	A	132	ASN	14
1	A	161	TYR	14
1	A	227	LYS	14
1	A	56	ASP	14
1	A	204	ASN	13
1	A	215	ASP	13
1	A	139	LYS	13
1	A	48	THR	12
1	A	198	LYS	12
1	A	110	LEU	11
1	A	88	HIS	10
1	A	117	LYS	10
1	A	168	CYS	10
1	A	216	LYS	10
1	A	18	ILE	9
1	A	96	LYS	9
1	A	57	SER	9
1	A	49	SER	9
1	A	91	ARG	9
1	A	137	ASN	8
1	A	221	HIS	8
1	A	172	SER	8
1	A	90	ASP	8
1	A	171	LYS	7
1	A	223	LEU	7
1	A	65	LYS	7
1	A	78	ARG	6
1	A	99	LYS	5
1	A	10	LYS	5
1	A	39	VAL	5
1	A	73	LYS	5
1	A	113	GLU	5
1	A	224	ASP	5
1	A	134	LYS	5
1	A	219	LEU	4
1	A	122	GLU	4
1	A	201	ARG	3
1	A	41	SER	3
1	A	81	ASP	3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	A	152	ASP	3
1	A	19	SER	2
1	A	173	THR	2
1	A	62	LYS	2
1	A	61	ASP	1
1	A	154	ILE	1
1	A	126	ASP	1
1	A	54	LEU	1
1	A	85	THR	1
1	A	121	GLU	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 81% for the well-defined parts and 80% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	2293
Number of shifts mapped to atoms	2293
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	10

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	202	-0.63 ± 0.14	Should be applied
$^{13}\text{C}_\beta$	202	-0.16 ± 0.11	None needed (< 0.5 ppm)
$^{13}\text{C}'$	0	—	None (insufficient data)
^{15}N	0	—	None (insufficient data)

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 71%, i.e. 1773 atoms were assigned a chemical shift out of a possible 2495. 44 out of 45 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	578/1010 (57%)	394/403 (98%)	184/408 (45%)	0/199 (0%)
Sidechain	1077/1316 (82%)	669/759 (88%)	408/504 (81%)	0/53 (0%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	118/169 (70%)	71/87 (82%)	47/66 (71%)	0/16 (0%)
Overall	1773/2495 (71%)	1134/1249 (91%)	639/978 (65%)	0/268 (0%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 70%, i.e. 1923 atoms were assigned a chemical shift out of a possible 2747. 47 out of 48 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	635/1125 (56%)	433/449 (96%)	202/454 (44%)	0/222 (0%)
Sidechain	1163/1444 (81%)	724/833 (87%)	439/552 (80%)	0/59 (0%)
Aromatic	125/178 (70%)	76/92 (83%)	49/70 (70%)	0/16 (0%)
Overall	1923/2747 (70%)	1233/1374 (90%)	690/1076 (64%)	0/297 (0%)

7.1.4 Statistically unusual chemical shifts ⓘ


The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	200	TYR	CD2	116.27	140.11 – 125.31	-11.1
1	A	90	ASP	HB3	0.40	4.07 – 1.27	-8.1
1	A	20	GLN	HB3	-0.07	3.37 – 0.67	-7.8
1	A	199	ARG	HD2	1.35	4.27 – 1.97	-7.7
1	A	199	ARG	HD3	1.23	4.36 – 1.86	-7.5
1	A	199	ARG	HG3	-0.25	3.00 – 0.10	-6.2
1	A	90	ASP	HA	2.75	6.15 – 3.05	-6.0
1	A	147	LYS	HD3	0.28	2.75 – 0.45	-5.7
1	A	32	GLY	HA3	1.88	5.80 – 2.00	-5.3
1	A	75	PHE	HZ	4.82	9.11 – 4.91	-5.2

7.1.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:



7.2 Chemical shift list 2

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_2*

7.2.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1782
Number of shifts mapped to atoms	1782
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	7

7.2.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	0	—	None (insufficient data)
$^{13}\text{C}_\beta$	0	—	None (insufficient data)
$^{13}\text{C}'$	0	—	None (insufficient data)
^{15}N	211	0.50 ± 0.24	Should be applied

7.2.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 53%, i.e. 1319 atoms were assigned a chemical shift out of a possible 2495. 0 out of 45 assigned methyl groups (LEU and VAL) were assigned

stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	589/1010 (58%)	396/403 (98%)	0/408 (0%)	193/199 (97%)
Sidechain	676/1316 (51%)	659/759 (87%)	0/504 (0%)	17/53 (32%)
Aromatic	54/169 (32%)	50/87 (57%)	0/66 (0%)	4/16 (25%)
Overall	1319/2495 (53%)	1105/1249 (88%)	0/978 (0%)	214/268 (80%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 52%, i.e. 1436 atoms were assigned a chemical shift out of a possible 2747. 0 out of 48 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	645/1125 (57%)	434/449 (97%)	0/454 (0%)	211/222 (95%)
Sidechain	735/1444 (51%)	715/833 (86%)	0/552 (0%)	20/59 (34%)
Aromatic	56/178 (31%)	52/92 (57%)	0/70 (0%)	4/16 (25%)
Overall	1436/2747 (52%)	1201/1374 (87%)	0/1076 (0%)	235/297 (79%)

7.2.4 Statistically unusual chemical shifts ⓘ

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	90	ASP	HB3	0.39	4.07 – 1.27	-8.1
1	A	20	GLN	HB3	-0.03	3.37 – 0.67	-7.6
1	A	199	ARG	HD3	1.22	4.36 – 1.86	-7.5
1	A	199	ARG	HG3	-0.25	3.00 – 0.10	-6.2
1	A	90	ASP	HA	2.75	6.15 – 3.05	-6.0
1	A	147	LYS	HD3	0.26	2.75 – 0.45	-5.8
1	A	32	GLY	HA3	1.86	5.80 – 2.00	-5.4

7.2.5 Random Coil Index (RCI) plots ⓘ

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

