



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 17, 2021 – 10:00 PM JST

PDB ID : 6M6X
Title : Oridonin in complex with CRM1#-Ran-RanBP1
Authors : Sun, Q.; Lei, Y.
Deposited on : 2020-03-16
Resolution : 2.88 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.18
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.18


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2691 (2.90-2.86)
Clashscore	141614	2947 (2.90-2.86)
Ramachandran outliers	138981	2868 (2.90-2.86)
Sidechain outliers	138945	2871 (2.90-2.86)
RSRZ outliers	127900	2629 (2.90-2.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	216	<div> <div>3%</div> <div> <div></div> <div>90%</div> <div>6%</div> <div></div> </div> </div>
2	B	140	<div> <div>4%</div> <div> <div></div> <div>83%</div> <div>5%</div> <div>12%</div> <div></div> </div> </div>
3	C	1003	<div> <div>3%</div> <div> <div></div> <div>91%</div> <div>7%</div> <div></div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
7	CL	C	1101	-	-	-	X
7	CL	C	1102	-	-	-	X

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 10852 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GTP-binding nuclear protein Ran.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	209	Total	C	N	O	S	0	0	0
			1672	1079	286	301	6			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	69	LEU	GLN	engineered mutation	UNP P62826
A	182	ALA	LEU	engineered mutation	UNP P62826

- Molecule 2 is a protein called Ran-specific GTPase-activating protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	123	Total	C	N	O	S	0	0	0
			1007	637	176	189	5			

- Molecule 3 is a protein called Exportin-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	995	Total	C	N	O	S	0	0	0
			8040	5170	1325	1504	41			

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-2	GLY	-	expression tag	UNP P30822
C	-1	GLY	-	expression tag	UNP P30822
C	0	SER	-	expression tag	UNP P30822
C	27	GLU	SER	engineered mutation	UNP P30822
C	49	GLU	GLN	engineered mutation	UNP P30822
C	?	-	VAL	deletion	UNP P30822
C	?	-	GLN	deletion	UNP P30822
C	?	-	ARG	deletion	UNP P30822

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	LEU	deletion	UNP P30822
C	?	-	PRO	deletion	UNP P30822
C	?	-	ALA	deletion	UNP P30822
C	?	-	THR	deletion	UNP P30822
C	?	-	GLU	deletion	UNP P30822
C	?	-	MET	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	PRO	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	ILE	deletion	UNP P30822
C	?	-	GLN	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	VAL	deletion	UNP P30822
C	?	-	GLY	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	GLN	deletion	UNP P30822
C	?	-	ALA	deletion	UNP P30822
C	?	-	ILE	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	THR	deletion	UNP P30822
C	?	-	GLY	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	GLY	deletion	UNP P30822
C	?	-	ALA	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	ASN	deletion	UNP P30822
C	?	-	PRO	deletion	UNP P30822
C	?	-	GLU	deletion	UNP P30822
C	?	-	TYR	deletion	UNP P30822
C	?	-	MET	deletion	UNP P30822
C	?	-	LYS	deletion	UNP P30822
C	?	-	ARG	deletion	UNP P30822
C	?	-	PHE	deletion	UNP P30822
C	?	-	VAL	deletion	UNP P30822
C	?	-	LEU	deletion	UNP P30822
C	?	-	VAL	deletion	UNP P30822
C	?	-	VAL	deletion	UNP P30822
C	?	-	GLU	deletion	UNP P30822
C	?	-	ASN	deletion	UNP P30822
C	?	-	ASP	deletion	UNP P30822
C	?	-	GLU	deletion	UNP P30822

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	GLY	deletion	UNP P30822
C	?	-	GLU	deletion	UNP P30822
C	?	-	ILE	deletion	UNP P30822
C	?	-	VAL	deletion	UNP P30822
C	?	-	ARG	deletion	UNP P30822
C	?	-	GLU	deletion	UNP P30822
C	?	-	PHE	deletion	UNP P30822
C	?	-	VAL	deletion	UNP P30822
C	?	-	LYS	deletion	UNP P30822
C	?	-	GLU	deletion	UNP P30822
C	?	-	SER	deletion	UNP P30822
C	?	-	ASP	deletion	UNP P30822
C	?	-	THR	deletion	UNP P30822
C	522	LYS	ASP	engineered mutation	UNP P30822
C	537	GLY	ASP	engineered mutation	UNP P30822
C	539	CYS	THR	engineered mutation	UNP P30822
C	540	GLU	VAL	engineered mutation	UNP P30822
C	541	GLN	LYS	engineered mutation	UNP P30822
C	553	ARG	SER	engineered mutation	UNP P30822
C	561	GLU	GLN	engineered mutation	UNP P30822
C	741	THR	ALA	engineered mutation	UNP P30822
C	1022	CYS	TYR	engineered mutation	UNP P30822

- Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Mg 1 1	0	0

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	N	O	P	0
			32	10	5	14	3	

- Molecule 7 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	C	4	Total Cl 4 4	0	0

- Molecule 8 is (1beta,6beta,7beta,8alpha,9beta,10alpha,13alpha,14R,16beta)-1,6,7,14-tetrahydroxy-7,20-epoxykauran-15-one (three-letter code: ODN) (formula: C₂₀H₃₀O₆) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	C	1	Total C O 26 20 6	0	0
8	C	1	Total C O 26 20 6	0	0
8	C	1	Total C O 26 20 6	0	0

- Molecule 9 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	A	3	Total O 3 3	0	0
9	C	11	Total O 11 11	0	0



3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: GTP-binding nuclear protein Ran



- Molecule 2: Ran-specific GTPase-activating protein 1



- Molecule 3: Exportin-1



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	106.14Å 106.14Å 303.29Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.70 – 2.88 35.70 – 2.88	Depositor EDS
% Data completeness (in resolution range)	99.8 (35.70-2.88) 99.9 (35.70-2.88)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.24 (at 2.90Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R, R_{free}	0.216 , 0.233 0.216 , 0.237	Depositor DCC
R_{free} test set	2036 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	82.8	Xtriage
Anisotropy	0.179	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 45.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10852	wwPDB-VP
Average B, all atoms (Å ²)	96.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.23% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ODN, MG, GTP, CL, EDO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	0/1713	0.71	0/2322
2	B	0.65	0/1024	0.75	0/1367
3	C	0.66	0/8196	0.70	0/11104
All	All	0.65	0/10933	0.71	0/14793

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1672	0	1674	8	0
2	B	1007	0	1008	4	0
3	C	8040	0	8135	42	0
4	A	1	0	0	0	0
5	A	4	0	6	0	0
6	A	32	0	12	0	0
7	C	4	0	0	0	0
8	C	78	0	84	9	0
9	A	3	0	0	0	0
9	C	11	0	0	0	0
All	All	10852	0	10919	59	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (59) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:462:ILE:HG22	3:C:466:LYS:HD2	1.68	0.75
3:C:203:GLN:HG3	8:C:1107:ODN:H15	1.73	0.71
3:C:230:TYR:CE2	3:C:264:ILE:HD11	2.26	0.69
8:C:1106:ODN:H2	8:C:1106:ODN:H12	1.75	0.69
3:C:204:GLY:HA2	3:C:210:ILE:HD11	1.79	0.65
3:C:960:MET:HG2	3:C:1022:CYS:O	1.98	0.62
3:C:435:MET:HG3	3:C:511:ALA:HB2	1.83	0.61
3:C:553:ARG:HG3	3:C:594:MET:HG3	1.84	0.59
3:C:463:GLN:NE2	3:C:463:GLN:HA	2.17	0.58
8:C:1107:ODN:O3	8:C:1107:ODN:O5	2.21	0.58
3:C:203:GLN:CG	8:C:1107:ODN:H15	2.34	0.57
3:C:260:SER:O	3:C:325:ARG:NH1	2.34	0.55
3:C:433:GLU:CG	3:C:490:LYS:HE3	2.38	0.54
3:C:462:ILE:CG2	3:C:466:LYS:HD2	2.37	0.53
1:A:85:CYS:HB2	1:A:164:LEU:HD22	1.90	0.52
1:A:91:ASP:CG	1:A:123:LYS:HD2	2.30	0.52
3:C:230:TYR:CZ	3:C:264:ILE:HD11	2.45	0.50
2:B:106:ARG:NH2	2:B:166:GLU:HG2	2.27	0.50
3:C:376:GLU:HA	3:C:376:GLU:OE1	2.12	0.50
3:C:588:HIS:ND1	3:C:591:VAL:HG23	2.26	0.49
3:C:495:ILE:HG12	3:C:538:LEU:CD2	2.42	0.49
8:C:1106:ODN:H12	8:C:1106:ODN:C8	2.41	0.48
3:C:480:VAL:CG2	3:C:519:MET:HG2	2.43	0.48
3:C:433:GLU:HG3	3:C:490:LYS:HE3	1.95	0.48
2:B:166:GLU:OE2	2:B:166:GLU:HA	2.14	0.48
3:C:1023:LYS:HG2	8:C:1106:ODN:H25	1.96	0.47
3:C:435:MET:HG3	3:C:511:ALA:CB	2.44	0.47
3:C:119:ASP:OD2	3:C:154:ASN:ND2	2.48	0.46
8:C:1105:ODN:O3	8:C:1105:ODN:O5	2.27	0.46
3:C:789:GLU:HB3	3:C:790:PRO:HD3	1.98	0.45
1:A:93:THR:HG21	1:A:126:ILE:CD1	2.47	0.45
3:C:597:ASP:HA	3:C:600:ILE:HD11	2.00	0.44
8:C:1105:ODN:H4	8:C:1105:ODN:H11	1.69	0.44
1:A:93:THR:HG21	1:A:126:ILE:HD12	1.99	0.44
3:C:480:VAL:HG23	3:C:519:MET:HG2	1.98	0.43
8:C:1106:ODN:O3	8:C:1106:ODN:O5	2.35	0.43
3:C:264:ILE:O	3:C:266:GLN:NE2	2.51	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:130:TRP:HA	3:C:131:PRO:HA	1.83	0.43
3:C:735:VAL:HG13	3:C:759:LEU:HB3	2.01	0.43
1:A:10:GLN:HA	1:A:60:LYS:O	2.19	0.42
3:C:138:ILE:HB	3:C:139:PRO:HD3	2.01	0.42
3:C:556:MET:CE	3:C:580:LEU:HD21	2.49	0.42
3:C:579:LYS:HG3	3:C:583:PHE:CE2	2.54	0.42
3:C:238:LEU:O	3:C:252:THR:HG21	2.20	0.42
3:C:896:ASN:ND2	3:C:947:ASP:O	2.52	0.42
3:C:504:ASN:O	3:C:507:THR:HG22	2.20	0.42
3:C:890:CYS:O	3:C:893:PHE:HB2	2.19	0.42
1:A:127:LYS:C	1:A:127:LYS:HD3	2.40	0.41
2:B:103:TRP:CH2	2:B:175:ALA:HB2	2.56	0.41
1:A:216:LEU:HD21	2:B:90:ARG:HG2	2.01	0.41
3:C:435:MET:HG3	3:C:511:ALA:CA	2.50	0.41
3:C:742:GLN:HA	3:C:742:GLN:OE1	2.21	0.41
3:C:496:ASP:OD1	3:C:496:ASP:C	2.59	0.41
3:C:507:THR:HA	3:C:510:TRP:CE3	2.55	0.41
3:C:535:LEU:HB3	3:C:555:ILE:HG12	2.03	0.41
3:C:556:MET:O	3:C:559:VAL:HG22	2.21	0.40
3:C:834:LEU:HD23	3:C:834:LEU:HA	1.95	0.40
1:A:101:VAL:N	1:A:102:PRO:CD	2.84	0.40
3:C:749:ILE:HD12	3:C:749:ILE:HA	1.96	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	207/216 (96%)	200 (97%)	7 (3%)	0	100	100
2	B	121/140 (86%)	118 (98%)	3 (2%)	0	100	100
3	C	993/1003 (99%)	978 (98%)	14 (1%)	1 (0%)	51	80

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1321/1359 (97%)	1296 (98%)	24 (2%)	1 (0%)	51 80

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	205	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	180/184 (98%)	176 (98%)	4 (2%)	52 80
2	B	105/121 (87%)	103 (98%)	2 (2%)	57 82
3	C	909/914 (100%)	886 (98%)	23 (2%)	47 77
All	All	1194/1219 (98%)	1165 (98%)	29 (2%)	49 78

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	127	LYS
1	A	157	PHE
1	A	186	GLU
1	A	190	ASP
2	B	157	VAL
2	B	186	LYS
3	C	42	GLN
3	C	86	HIS
3	C	93	PHE
3	C	105	ASP
3	C	203	GLN
3	C	247	ASP
3	C	269	ASP
3	C	278	PHE
3	C	291	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	490	LYS
3	C	493	ARG
3	C	496	ASP
3	C	543	ARG
3	C	551	VAL
3	C	572	PHE
3	C	593	ASP
3	C	600	ILE
3	C	607	LYS
3	C	623	GLN
3	C	663	ARG
3	C	690	LEU
3	C	778	ARG
3	C	940	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (12) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	8	GLN
1	A	62	ASN
1	A	199	HIS
3	C	30	GLN
3	C	42	GLN
3	C	203	GLN
3	C	434	ASN
3	C	463	GLN
3	C	585	HIS
3	C	623	GLN
3	C	730	GLN
3	C	1010	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 5 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	ODN	C	1106	3	28,30,30	1.14	3 (10%)	40,54,54	1.83	9 (22%)
5	EDO	A	302	-	3,3,3	0.04	0	2,2,2	0.07	0
8	ODN	C	1107	3	28,30,30	1.01	2 (7%)	40,54,54	1.80	7 (17%)
8	ODN	C	1105	3	28,30,30	1.15	3 (10%)	40,54,54	1.79	10 (25%)
6	GTP	A	303	4	26,34,34	1.03	1 (3%)	33,54,54	2.14	4 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	302	-	-	1/1/1/1	-
6	GTP	A	303	4	-	2/18/38/38	0/3/3/3

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	1105	ODN	C10-C9	-4.09	1.53	1.58
8	C	1106	ODN	C10-C9	-4.08	1.53	1.58
6	A	303	GTP	C6-N1	3.91	1.39	1.33
8	C	1107	ODN	C10-C9	-3.37	1.54	1.58
8	C	1107	ODN	O4-C18	2.78	1.44	1.39
8	C	1105	ODN	O4-C18	2.29	1.43	1.39
8	C	1106	ODN	C12-C11	-2.24	1.50	1.54

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	C	1105	ODN	C12-C11	-2.18	1.50	1.54
8	C	1106	ODN	O4-C18	2.12	1.43	1.39

All (30) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	303	GTP	C5-C6-N1	-8.93	111.22	123.43
8	C	1106	ODN	C7-C6-C3	-6.03	113.34	117.73
6	A	303	GTP	C6-N1-C2	5.99	125.44	115.93
8	C	1107	ODN	C7-C6-C3	-5.74	113.55	117.73
8	C	1106	ODN	C10-C17-C13	5.49	111.19	105.13
8	C	1105	ODN	C10-C17-C13	5.05	110.71	105.13
8	C	1107	ODN	C10-C17-C13	4.91	110.55	105.13
8	C	1105	ODN	C7-C6-C3	-4.60	114.38	117.73
8	C	1107	ODN	O1-C18-C19	4.00	109.69	105.52
8	C	1105	ODN	O4-C18-O1	3.74	115.51	107.23
8	C	1107	ODN	C18-C19-C6	-3.16	107.41	109.59
8	C	1105	ODN	O1-C18-C19	2.96	108.61	105.52
8	C	1106	ODN	C18-C19-C6	-2.89	107.60	109.59
6	A	303	GTP	C2-N3-C4	-2.89	112.06	115.36
8	C	1106	ODN	O4-C18-O1	2.86	113.57	107.23
6	A	303	GTP	N3-C2-N1	-2.71	123.61	127.22
8	C	1107	ODN	O3-C17-C10	-2.69	123.13	127.16
8	C	1106	ODN	C7-C6-C19	2.64	111.50	109.09
8	C	1105	ODN	C18-C19-C6	-2.63	107.78	109.59
8	C	1105	ODN	C3-C6-C19	-2.58	110.31	113.79
8	C	1105	ODN	C14-C13-C17	-2.50	108.38	113.55
8	C	1105	ODN	C2-C3-C6	2.44	111.47	107.96
8	C	1107	ODN	C14-C13-C17	2.41	118.53	113.55
8	C	1106	ODN	C16-C15-C12	2.35	116.00	112.14
8	C	1105	ODN	O3-C17-C10	-2.31	123.69	127.16
8	C	1106	ODN	C8-C7-C	2.21	114.43	111.23
8	C	1106	ODN	O3-C17-C10	-2.16	123.92	127.16
8	C	1106	ODN	C3-C6-C19	-2.09	110.96	113.79
8	C	1105	ODN	C15-C16-C9	2.08	117.13	112.43
8	C	1107	ODN	O1-C8-C7	-2.08	108.29	110.77

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	303	GTP	PA-O3A-PB-O2B

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
6	A	303	GTP	O4'-C4'-C5'-O5'
5	A	302	EDO	O1-C1-C2-O2

There are no ring outliers.


3 monomers are involved in 9 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	C	1106	ODN	4	0
8	C	1107	ODN	3	0
8	C	1105	ODN	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



Ligand ODN C 1107







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	209/216 (96%)	0.33	7 (3%)	46	41	63, 84, 152, 179	0
2	B	123/140 (87%)	0.40	6 (4%)	29	26	80, 100, 130, 143	0
3	C	995/1003 (99%)	0.22	33 (3%)	46	41	63, 94, 127, 154	0
All	All	1327/1359 (97%)	0.25	46 (3%)	44	39	63, 93, 130, 179	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	589	GLU	6.2
3	C	1	MET	6.1
3	C	545	LYS	5.2
2	B	79	MET	4.8
3	C	546	ASP	3.8
3	C	4	ILE	3.8
3	C	896	ASN	3.7
3	C	685	ALA	3.6
1	A	196	GLN	3.5
1	A	193	LEU	3.4
2	B	173	THR	3.3
3	C	587	THR	3.3
2	B	196	GLU	3.2
3	C	226	TYR	3.1
3	C	978	GLU	3.1
3	C	979	ALA	2.9
3	C	-1	GLY	2.8
3	C	37	ILE	2.8
3	C	0	SER	2.7
1	A	191	PRO	2.7
3	C	615	PRO	2.7
3	C	543	ARG	2.7
3	C	41	PHE	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	195	ALA	2.6
3	C	654	GLU	2.5
3	C	18	GLN	2.5
1	A	21	THR	2.5
3	C	686	ASN	2.4
3	C	180	LEU	2.4
3	C	689	LEU	2.3
2	B	158	TYR	2.3
1	A	188	VAL	2.3
3	C	688	THR	2.3
3	C	547	ASN	2.3
3	C	616	ARG	2.3
1	A	173	ASN	2.3
3	C	145	SER	2.3
2	B	82	ASP	2.2
3	C	899	ASP	2.2
3	C	588	HIS	2.1
2	B	81	GLU	2.1
3	C	230	TYR	2.1
3	C	898	ARG	2.1
3	C	478	LEU	2.1
3	C	976	TYR	2.1
3	C	30	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	CL	C	1102	1/1	0.09	2.25	150,150,150,150	0
7	CL	C	1104	1/1	0.60	0.18	104,104,104,104	0
7	CL	C	1101	1/1	0.61	1.32	134,134,134,134	0
7	CL	C	1103	1/1	0.86	1.22	127,127,127,127	0
8	ODN	C	1107	26/26	0.87	0.43	142,167,174,175	0
8	ODN	C	1105	26/26	0.89	0.18	139,150,155,157	0
5	EDO	A	302	4/4	0.92	0.39	96,97,98,99	0
8	ODN	C	1106	26/26	0.94	0.13	106,117,125,126	0
4	MG	A	301	1/1	0.96	0.18	63,63,63,63	0
6	GTP	A	303	32/32	0.97	0.17	70,73,77,79	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around ODN C 1107:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ODN C 1105:


$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around ODN C 1106:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.