



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 28, 2021 – 02:09 PM EDT

PDB ID : 7M6D
Title : Structure of the SARS-CoV-2 RBD in complex with neutralizing antibodies BG4-25 and CR3022
Authors : Barnes, C.O.; Bjorkman, P.J.
Deposited on : 2021-03-25
Resolution : 3.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.18
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.18


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION






The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1094 (3.10-3.10)
Clashscore	141614	1184 (3.10-3.10)
Ramachandran outliers	138981	1141 (3.10-3.10)
Sidechain outliers	138945	1141 (3.10-3.10)
RSRZ outliers	127900	1067 (3.10-3.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	225	
2	B	221	
3	C	212	
4	H	224	
5	L	215	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
6	D	5	 100%

2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 8221 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CR3022 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	222	Total	C	N	O	S	0	0	0
			1646	1043	268	326	9			

- Molecule 2 is a protein called CR3022 Fab Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	221	Total	C	N	O	S	0	0	0
			1716	1076	284	351	5			

- Molecule 3 is a protein called Spike protein S1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	196	Total	C	N	O	S	0	0	0
			1552	995	259	290	8			

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	534	HIS	-	expression tag	UNP P0DTC2
C	535	HIS	-	expression tag	UNP P0DTC2
C	536	HIS	-	expression tag	UNP P0DTC2
C	537	HIS	-	expression tag	UNP P0DTC2
C	538	HIS	-	expression tag	UNP P0DTC2
C	539	HIS	-	expression tag	UNP P0DTC2


- Molecule 4 is a protein called BG4-25 Fab Heavy Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	H	214	Total	C	N	O	S	0	0	0
			1596	1003	270	315	8			

- Molecule 5 is a protein called BG4-25 Fab Light Chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
5	L	215	Total	C	N	O	S	0	0	0
			1651	1034	278	333	6			

- Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranos e-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acet amido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
6	D	5	Total	C	N	O	0	0	0
			60	34	2	24			


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: CR3022 Fab Heavy Chain



- Molecule 2: CR3022 Fab Light Chain



- Molecule 3: Spike protein S1




- Molecule 4: BG4-25 Fab Heavy Chain

Chain H:

70%

25%




• Molecule 5: BG4-25 Fab Light Chain

Chain L:

82%

18%



• Molecule 6: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:

100%



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	56.02Å 104.32Å 268.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	38.79 – 3.10 38.79 – 3.00	Depositor EDS
% Data completeness (in resolution range)	98.0 (38.79-3.10) 94.0 (38.79-3.00)	Depositor EDS
R_{merge}	0.27	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.31 (at 3.01Å)	Xtriage
Refinement program	PHENIX 1.19.1_4122	Depositor
R, R_{free}	0.218 , 0.259 0.218 , 0.258	Depositor DCC
R_{free} test set	2000 reflections (6.54%)	wwPDB-VP
Wilson B-factor (Å ²)	74.5	Xtriage
Anisotropy	0.460	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.25 , 19.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	8221	wwPDB-VP
Average B, all atoms (Å ²)	83.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.56% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, FUC, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/1688	0.79	1/2299 (0.0%)
2	B	0.43	0/1754	0.79	1/2383 (0.0%)
3	C	0.67	0/1596	0.91	1/2172 (0.0%)
4	H	0.61	0/1629	0.85	3/2220 (0.1%)
5	L	0.65	0/1688	0.94	5/2292 (0.2%)
All	All	0.58	0/8355	0.86	11/11366 (0.1%)

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	L	80	PRO	CA-N-CD	-8.64	99.40	111.50
4	H	18	LEU	CB-CG-CD1	-7.14	98.87	111.00
5	L	104	LEU	CB-CG-CD1	-7.05	99.01	111.00
4	H	178	LEU	CA-CB-CG	6.95	131.29	115.30
2	B	125	LEU	CA-CB-CG	6.80	130.93	115.30
5	L	32	TYR	CB-CG-CD1	6.79	125.07	121.00
5	L	32	TYR	CB-CG-CD2	-5.99	117.41	121.00
3	C	335	LEU	C-N-CA	5.59	135.69	121.70
4	H	34	MET	CG-SD-CE	5.27	108.63	100.20
1	A	4	LEU	CA-CB-CG	5.25	127.36	115.30
5	L	100	GLN	CA-CB-CG	-5.19	101.98	113.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1646	0	1622	43	0
2	B	1716	0	1658	60	0
3	C	1552	0	1472	31	0
4	H	1596	0	1580	43	0
5	L	1651	0	1604	27	0
6	D	60	0	52	0	0
All	All	8221	0	7988	185	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (185) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:466:ARG:NH1	3:C:468:ILE:HD11	1.71	1.05
1:A:87:THR:HG22	1:A:111:VAL:H	1.27	0.99
4:H:9:GLY:HA2	4:H:18:LEU:HD21	1.45	0.95
2:B:54:ARG:HD2	2:B:58:VAL:HG23	1.48	0.94
2:B:181:LEU:HD11	2:B:186:TYR:HB2	1.52	0.91
2:B:54:ARG:HD2	2:B:58:VAL:CG2	2.01	0.90
4:H:30:VAL:HG21	4:H:73:ASN:HB3	1.56	0.87
3:C:420:ASP:OD2	4:H:56:THR:HG21	1.75	0.87
1:A:200:HIS:CE1	1:A:202:PRO:HG2	2.11	0.86
2:B:164:THR:HG22	2:B:174:SER:H	1.45	0.81
5:L:11:LEU:HD22	5:L:104:LEU:HD11	1.63	0.80
3:C:403:ARG:HG2	3:C:406:GLU:HG3	1.64	0.78
2:B:181:LEU:CD1	2:B:186:TYR:HB2	2.14	0.76
2:B:135:LEU:HD21	2:B:137:ASN:HB2	1.67	0.76
1:A:98:ILE:HG22	3:C:380:TYR:HA	1.68	0.76
4:H:135:THR:N	4:H:186:SER:HG	1.83	0.75
3:C:336:CYS:SG	3:C:363:ALA:HB2	2.27	0.74
4:H:195:ILE:HG12	4:H:210:ARG:HG3	1.67	0.74
4:H:9:GLY:HA2	4:H:18:LEU:CD2	2.17	0.74
2:B:4:LEU:HD21	2:B:23:CYS:SG	2.28	0.74
1:A:87:THR:CG2	1:A:111:VAL:H	2.00	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:27(C):LEU:HD22	2:B:31:ASN:HB3	1.72	0.72
1:A:4:LEU:HD12	1:A:22:CYS:SG	2.31	0.71
4:H:95:ASP:HA	4:H:100(B):MET:H	1.56	0.69
1:A:98:ILE:O	2:B:96:TYR:OH	2.10	0.69
1:A:166:PHE:CE2	2:B:176:SER:HB3	2.28	0.69
5:L:11:LEU:HD21	5:L:13:LEU:HD23	1.75	0.69
3:C:417:LYS:NZ	4:H:97:GLU:OE2	2.26	0.68
2:B:181:LEU:HD11	2:B:186:TYR:CB	2.25	0.67
4:H:163:VAL:HG22	4:H:182:VAL:HB	1.76	0.66
3:C:466:ARG:HH11	3:C:468:ILE:HD11	1.62	0.65
2:B:27(B):VAL:HG23	2:B:92:TYR:CD1	2.32	0.64
3:C:466:ARG:NH1	3:C:468:ILE:CD1	2.57	0.64
4:H:30:VAL:CG2	4:H:73:ASN:HB3	2.28	0.64
2:B:207:LYS:HD2	2:B:208:SER:H	1.64	0.62
5:L:11:LEU:CD2	5:L:13:LEU:HD23	2.30	0.62
1:A:195:ILE:HD11	1:A:210:LYS:HG3	1.81	0.61
1:A:83:LYS:HG2	1:A:85:SER:H	1.67	0.60
4:H:171:GLN:NE2	4:H:175:LEU:O	2.27	0.60
3:C:385:THR:O	3:C:386:LYS:HB2	2.01	0.60
2:B:54:ARG:CD	2:B:58:VAL:CG2	2.78	0.59
2:B:54:ARG:CG	2:B:58:VAL:HG21	2.32	0.59
2:B:116:PHE:HD1	2:B:135:LEU:HD22	1.68	0.59
1:A:98:ILE:HG21	3:C:380:TYR:CD1	2.38	0.59
1:A:126:PRO:HG3	1:A:189:LEU:HD11	1.82	0.58
5:L:37:GLN:HB2	5:L:47:LEU:HD11	1.86	0.58
3:C:460:ASN:OD1	4:H:54:GLY:HA3	2.05	0.56
4:H:97:GLU:HG2	4:H:98:VAL:H	1.71	0.56
1:A:184:VAL:HG21	1:A:194:TYR:OH	2.05	0.56
3:C:457:ARG:NH1	3:C:467:ASP:OD2	2.38	0.55
1:A:93:ALA:HB1	1:A:100(B):MET:HB3	1.89	0.55
2:B:83:VAL:HG23	2:B:104:VAL:O	2.07	0.54
2:B:164:THR:HG22	2:B:174:SER:N	2.18	0.54
4:H:38:ARG:NE	4:H:46:GLU:OE1	2.40	0.54
4:H:148:GLU:HG2	4:H:149:PRO:HA	1.90	0.53
1:A:181:VAL:HG21	2:B:135:LEU:HD12	1.91	0.53
4:H:32:ASN:OD1	4:H:94:ARG:HD2	2.08	0.53
2:B:37:GLN:HB2	2:B:86:TYR:HE1	1.74	0.53
5:L:27(A):SER:HA	5:L:69:THR:HG22	1.89	0.53
3:C:411:ALA:HB3	3:C:414:GLN:HG3	1.91	0.53
4:H:178:LEU:HD23	4:H:179:SER:O	2.09	0.53
1:A:126:PRO:CG	1:A:189:LEU:HD11	2.39	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:117:ILE:HG22	2:B:207:LYS:HG3	1.92	0.52
1:A:87:THR:HG22	1:A:111:VAL:N	2.10	0.52
2:B:129:THR:HG22	2:B:130:ALA:H	1.74	0.52
3:C:393:THR:HG21	3:C:518:LEU:H	1.73	0.52
3:C:379:CYS:HA	3:C:432:CYS:HA	1.92	0.52
5:L:2:ILE:HD12	5:L:90:GLN:NE2	2.25	0.52
1:A:36:TRP:HD1	1:A:69:ILE:HD13	1.75	0.52
2:B:80:ALA:O	2:B:83:VAL:HG12	2.10	0.52
1:A:100(A):PRO:HD3	2:B:91:TYR:CZ	2.45	0.51
3:C:403:ARG:HG2	3:C:406:GLU:CG	2.38	0.51
4:H:100(A):ALA:O	5:L:46:LEU:HD22	2.11	0.51
4:H:5:VAL:HG13	4:H:105:GLN:HE22	1.76	0.51
5:L:39:LYS:HG2	5:L:84:ALA:HB2	1.91	0.51
1:A:195:ILE:HD13	1:A:210:LYS:HA	1.92	0.51
2:B:54:ARG:CG	2:B:58:VAL:CG2	2.88	0.51
1:A:123:PRO:HB3	1:A:209:LYS:HD2	1.93	0.51
4:H:12:ILE:HD11	4:H:17:SER:H	1.76	0.51
1:A:166:PHE:CD2	2:B:176:SER:HB3	2.46	0.50
2:B:6:GLN:OE1	2:B:87:TYR:HA	2.11	0.50
2:B:116:PHE:CD1	2:B:135:LEU:HD22	2.46	0.49
3:C:338:PHE:HE2	3:C:363:ALA:CB	2.25	0.49
4:H:171:GLN:HG2	4:H:175:LEU:O	2.11	0.49
5:L:4:LEU:HD23	5:L:23:CYS:SG	2.52	0.49
1:A:72:ASP:OD1	1:A:74:SER:OG	2.22	0.49
2:B:207:LYS:HD2	2:B:208:SER:N	2.28	0.49
3:C:486:PHE:HE1	4:H:94:ARG:HH22	1.59	0.49
4:H:171:GLN:HE22	4:H:177:SER:HB2	1.78	0.49
5:L:158:ASN:OD1	5:L:158:ASN:N	2.46	0.48
2:B:129:THR:HG22	2:B:130:ALA:N	2.28	0.48
3:C:335:LEU:HD12	3:C:336:CYS:H	1.79	0.48
1:A:181:VAL:HG11	2:B:135:LEU:HD11	1.96	0.48
4:H:6:GLU:OE1	4:H:106:GLY:N	2.39	0.48
1:A:100(A):PRO:HD3	2:B:91:TYR:CE2	2.49	0.47
2:B:54:ARG:HG2	2:B:58:VAL:CG2	2.44	0.47
5:L:24:ARG:HA	5:L:69:THR:O	2.15	0.47
2:B:89:GLN:HB2	2:B:98:PHE:CD1	2.49	0.47
1:A:98:ILE:HG21	3:C:380:TYR:HD1	1.79	0.47
3:C:338:PHE:HE2	3:C:363:ALA:HB1	1.81	0.46
1:A:38:ARG:NH2	1:A:63:PHE:HE1	2.13	0.46
1:A:51:ILE:HG13	1:A:57:THR:HB	1.97	0.46
1:A:98:ILE:HG23	1:A:99:SER:N	2.29	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:123:GLU:OE1	2:B:123:GLU:N	2.39	0.46
1:A:181:VAL:HG11	2:B:135:LEU:CD1	2.45	0.46
4:H:96:LEU:HB2	4:H:100:GLY:O	2.15	0.46
5:L:104:LEU:HD12	5:L:104:LEU:HA	1.55	0.46
2:B:21:ILE:HD11	2:B:104:VAL:HG21	1.97	0.46
2:B:59:PRO:HD2	2:B:62:PHE:CE2	2.51	0.46
4:H:12:ILE:CD1	4:H:17:SER:H	2.29	0.46
1:A:82:TRP:HZ2	1:A:90:TYR:CE2	2.34	0.46
1:A:181:VAL:HG12	1:A:182:VAL:N	2.32	0.46
4:H:200:HIS:CD2	4:H:202:PRO:HD2	2.50	0.46
5:L:11:LEU:HD22	5:L:104:LEU:CD1	2.38	0.46
4:H:18:LEU:HA	4:H:18:LEU:HD12	1.41	0.45
1:A:18:LEU:HB2	1:A:82(C):LEU:HD11	1.97	0.45
5:L:113:PRO:HB3	5:L:139:PHE:HB3	1.98	0.45
5:L:13:LEU:HD12	5:L:17:GLU:OE1	2.16	0.45
4:H:50:VAL:HG12	4:H:58:TYR:HB2	1.98	0.45
5:L:42:GLN:HB3	5:L:43:ALA:H	1.58	0.45
1:A:119:PRO:HB3	1:A:145:TYR:HB3	1.98	0.45
3:C:337:PRO:HD2	3:C:358:ILE:HG23	1.99	0.45
2:B:140:TYR:CD1	2:B:141:PRO:HA	2.51	0.45
2:B:125:LEU:O	2:B:183:LYS:HD2	2.16	0.44
4:H:14:PRO:HA	4:H:82(C):LEU:O	2.16	0.44
4:H:13:GLN:HG2	4:H:14:PRO:O	2.17	0.44
2:B:181:LEU:HD12	2:B:182:SER:O	2.17	0.44
2:B:150:VAL:HG22	2:B:189:HIS:CG	2.53	0.44
2:B:8:PRO:HG2	2:B:10:SER:O	2.18	0.44
3:C:400:PHE:HZ	3:C:410:ILE:HD12	1.82	0.44
2:B:136:LEU:O	2:B:174:SER:HA	2.18	0.44
4:H:97:GLU:CG	4:H:98:VAL:N	2.79	0.44
3:C:476:GLY:H	3:C:487:ASN:HB3	1.83	0.44
4:H:22:CYS:C	4:H:77:THR:HG23	2.38	0.44
1:A:209:LYS:C	1:A:209:LYS:HD3	2.38	0.43
2:B:164:THR:HG23	2:B:165:GLU:O	2.18	0.43
2:B:35:TRP:HB2	2:B:48:ILE:HB	2.00	0.43
4:H:97:GLU:HG2	4:H:98:VAL:N	2.33	0.43
5:L:188:LYS:HE3	5:L:188:LYS:HB3	1.83	0.43
4:H:141:LEU:CD2	4:H:143:LYS:HB2	2.48	0.43
2:B:37:GLN:HB2	2:B:86:TYR:CE1	2.53	0.43
3:C:469:SER:OG	3:C:471:GLU:HG2	2.19	0.43
5:L:120:PRO:HG3	5:L:130:ALA:HB1	2.00	0.43
1:A:184:VAL:HG23	1:A:185:PRO:HD2	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:54:ARG:HG2	2:B:58:VAL:HG21	1.99	0.43
2:B:27(B):VAL:HG22	2:B:27(B):VAL:O	2.19	0.43
4:H:88:ALA:HB3	4:H:90:TYR:CE1	2.54	0.43
5:L:170:ASP:OD1	5:L:170:ASP:N	2.49	0.43
3:C:497:PHE:CE2	3:C:507:PRO:HB3	2.54	0.42
5:L:129:THR:HG22	5:L:130:ALA:N	2.34	0.42
1:A:97:GLY:O	1:A:100:THR:OG1	2.35	0.42
3:C:466:ARG:HH12	3:C:468:ILE:HD11	1.73	0.42
4:H:67:PHE:N	4:H:67:PHE:CD1	2.87	0.42
3:C:468:ILE:HG22	3:C:468:ILE:O	2.19	0.42
5:L:120:PRO:HD3	5:L:132:VAL:HG22	2.00	0.42
2:B:6:GLN:HE21	2:B:6:GLN:HB3	1.61	0.42
5:L:54:ARG:HE	5:L:60:ASP:HA	1.84	0.42
1:A:201:LYS:N	1:A:202:PRO:HD2	2.35	0.42
2:B:150:VAL:HG13	2:B:150:VAL:O	2.20	0.42
5:L:49:TYR:O	5:L:53:SER:HB2	2.19	0.42
4:H:214:LYS:NZ	5:L:122:ASP:OD2	2.53	0.42
1:A:154:TRP:CZ3	1:A:196:CYS:HB3	2.55	0.42
5:L:82:ASP:O	5:L:86:TYR:OH	2.29	0.41
1:A:13:LYS:HG2	1:A:14:PRO:HD2	2.02	0.41
2:B:108:ARG:HH12	2:B:111:ALA:HB2	1.86	0.41
2:B:186:TYR:HA	2:B:192:TYR:OH	2.21	0.41
1:A:59:TYR:HE1	1:A:69:ILE:HG13	1.85	0.41
4:H:100(B):MET:HB3	4:H:103:TRP:NE1	2.36	0.41
2:B:33:LEU:HD13	2:B:71:PHE:CD2	2.55	0.41
4:H:67:PHE:N	4:H:67:PHE:HD1	2.18	0.41
2:B:27(D):TYR:O	2:B:29:ASN:N	2.52	0.41
3:C:425:LEU:HD23	3:C:426:PRO:HD2	2.03	0.41
1:A:129:LYS:HE3	1:A:129:LYS:HB3	1.83	0.41
2:B:6:GLN:HG2	2:B:88:CYS:SG	2.61	0.41
4:H:9:GLY:HA3	4:H:108:THR:O	2.21	0.41
4:H:205:THR:HG22	4:H:207:VAL:HG23	2.03	0.41
2:B:131:SER:HA	2:B:179:LEU:O	2.21	0.40
5:L:61:ARG:NE	5:L:82:ASP:OD2	2.54	0.40
5:L:209:PHE:CD1	5:L:209:PHE:C	2.95	0.40
1:A:122:PHE:CG	2:B:124:GLN:HB2	2.57	0.40
3:C:337:PRO:O	3:C:340:GLU:N	2.51	0.40
4:H:12:ILE:O	4:H:111:VAL:HA	2.21	0.40
2:B:67:SER:OG	2:B:68:GLY:N	2.54	0.40
2:B:207:LYS:HD2	2:B:207:LYS:HA	1.83	0.40
1:A:98:ILE:CG2	3:C:380:TYR:HA	2.44	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	220/225 (98%)	216 (98%)	4 (2%)	0	100	100
2	B	219/221 (99%)	206 (94%)	13 (6%)	0	100	100
3	C	194/212 (92%)	187 (96%)	7 (4%)	0	100	100
4	H	210/224 (94%)	190 (90%)	20 (10%)	0	100	100
5	L	213/215 (99%)	203 (95%)	10 (5%)	0	100	100
All	All	1056/1097 (96%)	1002 (95%)	54 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	187/190 (98%)	187 (100%)	0	100	100
2	B	196/196 (100%)	195 (100%)	1 (0%)	88	94
3	C	169/185 (91%)	169 (100%)	0	100	100
4	H	180/188 (96%)	179 (99%)	1 (1%)	86	94
5	L	186/186 (100%)	186 (100%)	0	100	100
All	All	918/945 (97%)	916 (100%)	2 (0%)	93	97

All (2) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	B	27(D)	TYR
4	H	196	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
3	C	354	ASN
3	C	474	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

5 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	D	1	6,3	14,14,15	0.57	0	17,19,21	0.85	1 (5%)
6	NAG	D	2	6	14,14,15	0.70	1 (7%)	17,19,21	0.61	0
6	BMA	D	3	6	11,11,12	2.26	5 (45%)	15,15,17	1.31	2 (13%)
6	MAN	D	4	6	11,11,12	1.57	3 (27%)	15,15,17	1.61	3 (20%)
6	FUC	D	5	6	10,10,11	1.64	1 (10%)	14,14,16	1.56	3 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	D	1	6,3	-	2/6/23/26	0/1/1/1
6	NAG	D	2	6	-	0/6/23/26	0/1/1/1
6	BMA	D	3	6	-	1/2/19/22	0/1/1/1
6	MAN	D	4	6	-	1/2/19/22	0/1/1/1
6	FUC	D	5	6	-	-	0/1/1/1

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	D	3	BMA	O3-C3	4.70	1.54	1.43
6	D	5	FUC	C1-C2	3.92	1.61	1.52
6	D	3	BMA	C2-C3	3.59	1.57	1.52
6	D	3	BMA	C1-C2	3.18	1.59	1.52
6	D	4	MAN	C2-C3	3.04	1.57	1.52
6	D	4	MAN	C1-C2	2.67	1.58	1.52
6	D	4	MAN	O5-C5	2.55	1.48	1.43
6	D	2	NAG	C1-C2	2.35	1.55	1.52
6	D	3	BMA	C4-C5	2.27	1.57	1.53
6	D	3	BMA	C4-C3	2.02	1.57	1.52

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	D	4	MAN	C1-O5-C5	4.22	117.91	112.19
6	D	5	FUC	C1-C2-C3	4.00	114.58	109.67
6	D	3	BMA	O3-C3-C2	3.12	115.97	109.99
6	D	1	NAG	C1-O5-C5	2.94	116.17	112.19
6	D	4	MAN	C1-C2-C3	2.90	113.23	109.67
6	D	3	BMA	O3-C3-C4	2.84	116.92	110.35
6	D	5	FUC	O2-C2-C1	2.65	114.58	109.15
6	D	4	MAN	O2-C2-C3	-2.07	106.00	110.14
6	D	5	FUC	O5-C5-C4	2.01	113.13	109.52

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	D	1	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	D	1	NAG	C4-C5-C6-O6
6	D	4	MAN	O5-C5-C6-O6
6	D	3	BMA	C4-C5-C6-O6

There are no ring outliers.

No monomer is involved in short contacts.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	222/225 (98%)	0.16	17 (7%) 13 5	58, 87, 168, 193	0
2	B	221/221 (100%)	0.42	17 (7%) 13 5	75, 123, 159, 190	0
3	C	196/212 (92%)	-0.18	1 (0%) 91 81	44, 60, 105, 131	0
4	H	214/224 (95%)	-0.43	0 100 100	42, 61, 92, 107	0
5	L	215/215 (100%)	-0.34	1 (0%) 91 81	44, 64, 82, 120	0
All	All	1068/1097 (97%)	-0.07	36 (3%) 45 24	42, 73, 149, 193	0

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	215	SER	6.4
1	A	215	SER	5.1
2	B	117	ILE	4.3
1	A	126	PRO	4.0
1	A	185	PRO	3.9
1	A	132	SER	3.8
2	B	199	GLN	3.7
2	B	180	THR	3.5
2	B	80	ALA	3.4
1	A	131	THR	3.2
1	A	210	LYS	3.1
1	A	213	PRO	3.0
1	A	138	LEU	3.0
2	B	118	PHE	3.0
2	B	144	ALA	3.0
1	A	133	GLY	3.0
1	A	125	ALA	3.0
1	A	124	LEU	2.9
2	B	209	PHE	2.6
2	B	196	VAL	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	B	181	LEU	2.5
1	A	141	LEU	2.5
1	A	216	CYS	2.4
2	B	13	VAL	2.4
2	B	146	VAL	2.4
2	B	27(A)	SER	2.4
1	A	134	GLY	2.3
2	B	150	VAL	2.3
2	B	154	LEU	2.2
1	A	143	LYS	2.2
2	B	2	ILE	2.2
1	A	130	SER	2.1
1	A	99	SER	2.0
5	L	214	CYS	2.0
3	C	521	PRO	2.0
2	B	205	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	MAN	D	4	11/12	0.47	0.39	131,145,148,152	0
6	BMA	D	3	11/12	0.69	0.32	130,138,143,146	0
6	NAG	D	2	14/15	0.82	0.26	88,100,114,130	0
6	FUC	D	5	10/11	0.88	0.28	81,94,100,101	0
6	NAG	D	1	14/15	0.90	0.20	72,84,95,101	0

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.