



# Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 07:24 pm BST

PDB ID : 5M7L  
Title : Blastochloris viridis photosynthetic reaction center synchrotron structure  
Authors : Sharma, A.S.; Johansson, L.; Dunevall, E.; Wahlgren, W.Y.; Neutze, R.; Kato, G.  
Deposited on : 2016-10-28  
Resolution : 3.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 3.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1257 (3.70-3.50)
Clashscore	141614	1353 (3.70-3.50)
Ramachandran outliers	138981	1307 (3.70-3.50)
Sidechain outliers	138945	1307 (3.70-3.50)
RSRZ outliers	127900	1161 (3.70-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	356	<div> <div>5%</div> <div>81% 12% 7%</div> </div>
2	B	274	<div> <div>82% 16% ..</div> </div>
3	C	324	<div> <div>85% 14%</div> </div>
4	D	258	<div> <div>5% 67% 23% .. 6%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
12	NS5	C	405	-	-	-	X
14	PO4	C	408	-	-	-	X
6	DGA	A	405	-	-	-	X
9	MPG	B	305	-	-	-	X
9	MPG	B	306	-	-	-	X
9	MPG	C	407	-	-	-	X

## 2 Entry composition

There are 14 unique types of molecules in this entry. The entry contains 9890 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Photosynthetic reaction center cytochrome c subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	332	Total	C	N	O	S	0	0	0
			2598	1637	465	478	18			

- Molecule 2 is a protein called Reaction center protein L chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	273	Total	C	N	O	S	0	2	0
			2170	1458	350	355	7			


- Molecule 3 is a protein called Reaction center protein M chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	323	Total	C	N	O	S	0	0	0
			2546	1696	417	422	11			

- Molecule 4 is a protein called Reaction center protein H chain.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	243	Total	C	N	O	S	0	0	0
			1771	1140	297	332	2			

- Molecule 5 is HEME C (three-letter code: HEC) (formula:  $C_{34}H_{34}FeN_4O_4$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0
5	A	1	Total 43	C 34	Fe 1	N 4	O 4	0	0

- Molecule 6 is DIACYL GLYCEROL (three-letter code: DGA) (formula:  $\text{C}_{39}\text{H}_{76}\text{O}_5$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			37	33	4		

- Molecule 7 is BACTERIOCHLOROPHYLL A (three-letter code: BCL) (formula: C<sub>55</sub>H<sub>74</sub>MgN<sub>4</sub>O<sub>6</sub>).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
7	B	1	Total	C	Mg	N	O	0	0
			65	54	1	4	6		
7	B	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
7	B	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		
7	C	1	Total	C	Mg	N	O	0	0
			66	55	1	4	6		

- Molecule 8 is BACTERIOPHEOPHYTIN B (three-letter code: BPB) (formula: C<sub>55</sub>H<sub>74</sub>N<sub>4</sub>O<sub>6</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	B	1	Total	C	N	O	0	0
			65	55	4	6		
8	C	1	Total	C	N	O	0	0
			61	51	4	6		

- Molecule 9 is [(Z)-octadec-9-enyl] (2R)-2,3-bis(oxidanyl)propanoate (three-letter code: MPG) (formula: C<sub>21</sub>H<sub>40</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	B	1	Total	C	O	0	0
			25	21	4		

Continued on next page...


*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	B	1	Total C O 25 21 4	0	0
9	C	1	Total C 17 17	0	0

- Molecule 10 is FE (II) ION (three-letter code: FE2) (formula: Fe).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	C	1	Total Fe 1 1	0	0


- Molecule 11 is MENAQUINONE-7 (three-letter code: MQ7) (formula: C<sub>46</sub>H<sub>64</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	C	1	Total C O 48 46 2	0	0


- Molecule 12 is 15-cis-1,2-dihydroneurosporene (three-letter code: NS5) (formula: C<sub>40</sub>H<sub>60</sub>).






Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
12	C	1	Total	C	0	0
			40	40		

- Molecule 13 is (2E,6E,10E,14E,18E,22E,26E)-3,7,11,15,19,23,27,31-OCTAMETHYLD OTRIACONTA-2,6,10,14,18,22,26,30-OCTAENYL TRIHYDROGEN DIPHOSPHATE (three-letter code: OTP) (formula:  $C_{40}H_{68}O_7P_2$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
13	C	1	Total	C	O	0	0
			41	40	1		

- Molecule 14 is PHOSPHATE ION (three-letter code: PO4) (formula:  $O_4P$ ).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
14	C	1	Total	O	P	0	0
			5	4	1		
14	C	1	Total	O	P	0	0
			5	4	1		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Photosynthetic reaction center cytochrome c subunit




- Molecule 2: Reaction center protein L chain




- Molecule 3: Reaction center protein M chain



- Molecule 4: Reaction center protein H chain





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	57.60 Å 82.90 Å 382.10 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.50 – 3.60 50.50 – 3.60	Depositor EDS
% Data completeness (in resolution range)	99.4 (50.50-3.60) 99.5 (50.50-3.60)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.55 (at 3.57 Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, $R_{free}$	0.242 , 0.280 0.243 , 0.281	Depositor DCC
$R_{free}$ test set	1096 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	73.9	Xtriage
Anisotropy	0.638	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.30 , 57.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.43$ , $\langle L^2 \rangle = 0.25$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.88	EDS
Total number of atoms	9890	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	83.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.89% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: BCL, MPG, BPB, PO4, DGA, FE2, MQ7, HEC, OTP, FME, NS5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.28	0/2665	0.47	0/3633
2	B	0.29	0/2263	0.49	1/3089 (0.0%)
3	C	0.28	0/2650	0.46	0/3629
4	D	0.46	0/1804	0.79	8/2485 (0.3%)
All	All	0.32	0/9382	0.55	9/12836 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1
4	D	0	6
All	All	0	7

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	78	VAL	C-N-CD	-7.68	103.70	120.60
4	D	142	ASP	CB-CG-OD2	7.19	124.77	118.30
4	D	185	LEU	CB-CG-CD2	6.27	121.65	111.00
4	D	192	ARG	NE-CZ-NH2	-6.11	117.25	120.30
4	D	183	LEU	CA-CB-CG	5.79	128.63	115.30
4	D	185	LEU	CB-CG-CD1	-5.57	101.53	111.00
4	D	198	LEU	CA-CB-CG	-5.44	102.78	115.30
4	D	78	VAL	C-N-CA	5.41	144.71	122.00
2	B	204	ASP	N-CA-C	5.19	125.03	111.00

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	58	THR	Peptide
4	D	125	ASP	Peptide
4	D	140	ALA	Peptide
4	D	184	GLU	Peptide
4	D	192	ARG	Peptide
4	D	229	GLN	Peptide
4	D	255	GLU	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2598	0	2576	40	0
2	B	2170	0	2100	43	0
3	C	2546	0	2430	40	0
4	D	1771	0	1656	68	0
5	A	172	0	128	22	0
6	A	37	0	58	2	0
7	B	197	0	218	6	0
7	C	66	0	74	1	0
8	B	65	0	74	1	0
8	C	61	0	63	4	0
9	B	50	0	80	3	0
9	C	17	0	31	1	0
10	C	1	0	0	0	0
11	C	48	0	64	0	0
12	C	40	0	60	4	0
13	C	41	0	65	1	0
14	C	10	0	0	0	0
All	All	9890	0	9677	194	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (194) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:187:VAL:HB	4:D:192:ARG:HD3	1.49	0.93
4:D:184:GLU:HG2	4:D:195:LEU:HA	1.57	0.86
4:D:187:VAL:HG12	4:D:192:ARG:HB2	1.56	0.85
2:B:214:GLN:NE2	3:C:19:VAL:O	2.15	0.79
4:D:192:ARG:CG	4:D:193:THR:HA	2.12	0.79
7:B:303:BCL:HMD2	7:C:401:BCL:HBB3	1.67	0.77
1:A:28:VAL:HG12	1:A:32:LYS:HE3	1.68	0.76
4:D:185:LEU:HD11	4:D:192:ARG:NH2	2.03	0.74
3:C:16:HIS:H	3:C:16:HIS:CD2	2.04	0.74
3:C:11:GLN:HE21	3:C:39:GLY:HA3	1.53	0.73
2:B:214:GLN:HG3	3:C:19:VAL:HB	1.70	0.73
4:D:192:ARG:HG2	4:D:193:THR:HA	1.72	0.71
4:D:187:VAL:HB	4:D:192:ARG:HH11	1.55	0.71
4:D:217:GLN:O	4:D:241:TYR:OH	2.06	0.69
3:C:262:SER:HA	3:C:265:ARG:HG3	1.72	0.69
7:B:301:BCL:H3C	3:C:184:LEU:HD21	1.73	0.68
4:D:184:GLU:CG	4:D:195:LEU:HA	2.24	0.68
4:D:136:PRO:HG3	4:D:172:TRP:CE2	2.28	0.67
4:D:226:SER:HB2	4:D:229:GLN:HB2	1.77	0.67
3:C:11:GLN:NE2	3:C:39:GLY:HA3	2.10	0.66
4:D:187:VAL:CB	4:D:192:ARG:HD3	2.23	0.66
4:D:192:ARG:HG3	4:D:193:THR:HA	1.75	0.66
4:D:174:ASP:OD2	4:D:181:ARG:NH2	2.29	0.65
3:C:157:CYS:HA	3:C:161:ILE:HB	1.80	0.63
2:B:6:GLU:OE2	2:B:10:ARG:NH1	2.32	0.62
3:C:238:ASP:N	3:C:238:ASP:OD1	2.32	0.62
4:D:192:ARG:NH1	4:D:218:PHE:HB3	2.15	0.62
1:A:90:CYS:C	1:A:101:LYS:HE3	2.20	0.62
2:B:80:LEU:HA	2:B:84:GLY:HA3	1.80	0.62
4:D:166:GLY:HA3	4:D:186:SER:O	1.99	0.62
7:B:303:BCL:HMA1	7:B:303:BCL:H142	1.82	0.62
2:B:239:ASN:HA	2:B:242:LEU:HB2	1.81	0.61
2:B:55:GLN:HE22	2:B:81:LEU:HB3	1.65	0.61
4:D:187:VAL:HB	4:D:192:ARG:CD	2.27	0.61
4:D:183:LEU:O	4:D:184:GLU:HG3	2.01	0.61
4:D:136:PRO:HG3	4:D:172:TRP:CZ2	2.36	0.60
3:C:243:VAL:HG11	3:C:260:ILE:HB	1.83	0.60
1:A:29:LYS:HA	1:A:32:LYS:HD2	1.83	0.60
3:C:265:ARG:NH1	4:D:31:TYR:OH	2.33	0.60
3:C:241:THR:HA	3:C:244:GLU:HG3	1.84	0.59
3:C:226:ARG:NH1	4:D:199:GLY:O	2.35	0.59
4:D:192:ARG:HH22	4:D:218:PHE:HD1	1.50	0.58

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:226:SER:CB	4:D:229:GLN:HB2	2.34	0.58
4:D:133:LYS:HE3	4:D:176:SER:HB2	1.86	0.58
2:B:213:ASN:O	2:B:217:ARG:HG2	2.04	0.58
4:D:120:ARG:HD2	4:D:121:ALA:H	1.68	0.57
4:D:124:VAL:HA	4:D:231:THR:HA	1.85	0.57
4:D:137:LEU:HA	4:D:140:ALA:HB3	1.87	0.56
7:B:301:BCL:H193	9:C:407:MPG:H112	1.86	0.56
2:B:55:GLN:HE22	2:B:81:LEU:HD13	1.70	0.56
1:A:80:TRP:HE3	1:A:132:CYS:HG	1.53	0.56
1:A:233:MET:HB3	5:A:403:HEC:C3B	2.35	0.56
4:D:94:ASP:OD1	4:D:95:GLY:N	2.37	0.56
1:A:274:VAL:HG21	5:A:404:HEC:HAB	1.88	0.55
4:D:66:LYS:HG2	4:D:67:THR:N	2.20	0.55
1:A:136:HIS:NE2	5:A:402:HEC:NB	2.55	0.55
4:D:10:LEU:HD21	4:D:15:LEU:HD21	1.88	0.55
2:B:197:VAL:HG13	2:B:207:LYS:HB2	1.89	0.55
2:B:16:LEU:HD13	2:B:106:GLU:HG2	1.90	0.54
4:D:152:PRO:HG2	4:D:171:LEU:HD23	1.88	0.54
3:C:117:GLY:HA3	12:C:405:NS5:H92	1.90	0.54
2:B:2:LEU:HG	2:B:10:ARG:NH1	2.23	0.54
4:D:92:GLN:OE1	4:D:92:GLN:N	2.40	0.54
2:B:61:PRO:HA	2:B:64:ILE:HD12	1.90	0.53
1:A:132:CYS:HA	5:A:402:HEC:HHC	1.91	0.53
2:B:224:ILE:HG22	9:B:306:MPG:H212	1.90	0.53
3:C:176:GLY:O	3:C:180:HIS:ND1	2.42	0.53
2:B:193:LEU:HD22	2:B:216:PHE:HE2	1.74	0.53
2:B:272:TRP:HB3	3:C:86:ARG:HD2	1.90	0.53
2:B:55:GLN:OE1	2:B:81:LEU:HD22	2.10	0.52
4:D:108:LEU:HB3	4:D:241:TYR:CE1	2.44	0.52
4:D:160:ALA:HB3	4:D:214:LEU:HD23	1.90	0.52
4:D:90:LEU:HD11	4:D:112:VAL:HB	1.91	0.52
2:B:200:PRO:HG2	2:B:204:ASP:OD1	2.10	0.52
5:A:404:HEC:HHA	5:A:404:HEC:HBD1	1.91	0.52
2:B:2:LEU:HG	2:B:10:ARG:HH11	1.74	0.51
3:C:258:ALA:HB1	3:C:262:SER:OG	2.09	0.51
3:C:160:CYS:HB3	12:C:405:NS5:H82	1.92	0.51
1:A:143:PRO:O	1:A:156:ASN:ND2	2.43	0.51
1:A:301:PRO:HG2	5:A:402:HEC:HBD1	1.91	0.51
4:D:185:LEU:HD11	4:D:192:ARG:CZ	2.40	0.51
1:A:267:ALA:CB	5:A:403:HEC:HAC	2.41	0.51
2:B:214:GLN:CG	3:C:19:VAL:HB	2.38	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:102:GLN:HG3	4:D:103:PRO:HD2	1.93	0.51
1:A:274:VAL:HG22	5:A:404:HEC:HMC2	1.93	0.50
2:B:3:LEU:HB2	2:B:6:GLU:HB2	1.94	0.50
2:B:210:GLU:OE2	4:D:128:VAL:N	2.45	0.50
3:C:70:LEU:HD21	12:C:405:NS5:H29	1.93	0.50
1:A:247:CYS:HA	1:A:261:THR:OG1	2.12	0.50
3:C:39:GLY:HA2	3:C:42:GLY:O	2.12	0.50
2:B:149:GLY:O	2:B:153:HIS:ND1	2.45	0.49
2:B:133:VAL:HA	2:B:142:TRP:HZ3	1.77	0.49
4:D:38:ARG:O	4:D:78:VAL:HG23	2.12	0.49
2:B:233:GLY:HA3	3:C:214:PHE:CE2	2.48	0.49
1:A:247:CYS:HB3	1:A:264:ARG:HB2	1.95	0.49
2:B:150:ILE:O	7:B:303:BCL:HED1	2.13	0.48
3:C:197:CYS:O	3:C:200:HIS:HB3	2.13	0.48
8:C:402:BPB:HBBB	8:C:402:BPB:HHC	1.95	0.48
4:D:157:VAL:HG21	4:D:185:LEU:HD22	1.94	0.48
4:D:255:GLU:OE1	4:D:255:GLU:N	2.47	0.48
3:C:243:VAL:HA	3:C:246:ALA:HB3	1.94	0.48
3:C:59:PHE:CD1	8:C:402:BPB:H4	2.49	0.48
8:B:304:BPB:HBBB	8:B:304:BPB:HHC	1.95	0.48
9:B:305:MPG:H21C	3:C:1:ALA:HA	1.94	0.48
4:D:187:VAL:H	4:D:192:ARG:HB3	1.79	0.48
1:A:305:CYS:HA	5:A:404:HEC:HHC	1.96	0.47
2:B:58:THR:O	2:B:59:TRP:HD1	1.97	0.47
4:D:192:ARG:NH2	4:D:218:PHE:HD1	2.11	0.47
4:D:136:PRO:HA	4:D:172:TRP:CD1	2.49	0.47
6:A:405:DGA:HG11	6:A:405:DGA:HA22	1.72	0.47
2:B:210:GLU:O	2:B:214:GLN:HB2	2.15	0.47
1:A:3:GLU:O	2:B:254:PHE:HA	2.14	0.47
3:C:227:PHE:HB3	3:C:241:THR:HG23	1.96	0.47
1:A:203:VAL:HG12	1:A:221:ARG:NH2	2.30	0.47
2:B:51:TYR:O	2:B:54:SER:HB3	2.15	0.47
1:A:121:TRP:CG	1:A:273:MET:HG3	2.50	0.46
2:B:60:ASP:OD1	2:B:61:PRO:HD2	2.16	0.46
3:C:231:ARG:HH22	4:D:133:LYS:HD3	1.80	0.46
4:D:151:ASP:CG	4:D:153:ARG:HH11	2.19	0.46
4:D:187:VAL:HG22	4:D:188:ALA:O	2.16	0.46
1:A:80:TRP:CD1	1:A:133:TYR:HB2	2.51	0.46
4:D:185:LEU:C	4:D:185:LEU:HD12	2.36	0.46
3:C:158:ILE:HD12	3:C:173:VAL:HG21	1.98	0.46
4:D:187:VAL:N	4:D:192:ARG:HD3	2.30	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:404:HEC:CBB	5:A:404:HEC:HMB1	2.45	0.45
2:B:198:ALA:C	2:B:200:PRO:HD3	2.37	0.45
3:C:11:GLN:NE2	3:C:39:GLY:CA	2.77	0.45
2:B:191:GLY:O	2:B:195:LEU:HG	2.16	0.45
2:B:181:PHE:HB3	8:C:402:BPB:HBBA	1.97	0.45
9:B:305:MPG:H42C	9:B:305:MPG:HX32	1.54	0.45
12:C:405:NS5:H18	12:C:405:NS5:H161	1.73	0.45
4:D:171:LEU:O	4:D:171:LEU:HD12	2.15	0.45
1:A:74:MET:HB3	5:A:401:HEC:C3B	2.47	0.45
2:B:217:ARG:HH22	3:C:45:GLN:HE21	1.64	0.45
4:D:183:LEU:H	4:D:198:LEU:HD13	1.82	0.45
1:A:146:ARG:HA	1:A:146:ARG:HD2	1.68	0.45
1:A:38:TYR:HE2	1:A:321:ARG:HG2	1.82	0.45
2:B:58:THR:O	2:B:59:TRP:CD1	2.70	0.45
3:C:214:PHE:HE1	3:C:217:HIS:HD2	1.65	0.45
1:A:146:ARG:NH2	1:A:151:THR:H	2.14	0.45
4:D:64:TYR:HD1	4:D:65:PRO:O	1.99	0.45
4:D:66:LYS:H	4:D:78:VAL:HG12	1.82	0.45
1:A:109:ARG:NH2	1:A:280:ASN:O	2.47	0.45
1:A:305:CYS:SG	5:A:404:HEC:CAB	3.06	0.44
4:D:108:LEU:HB3	4:D:241:TYR:HE1	1.82	0.44
1:A:110:MET:HG3	5:A:402:HEC:NA	2.33	0.44
1:A:133:TYR:CE2	1:A:137:ARG:HD3	2.53	0.44
1:A:12:THR:HG23	1:A:20:GLY:HA2	1.98	0.44
1:A:110:MET:HB3	5:A:402:HEC:C3B	2.47	0.43
1:A:283:ALA:HB2	1:A:302:GLN:OE1	2.19	0.43
1:A:132:CYS:SG	5:A:402:HEC:CAB	3.07	0.43
4:D:187:VAL:H	4:D:192:ARG:CB	2.31	0.43
7:B:302:BCL:H41	7:B:302:BCL:H61	1.82	0.43
1:A:305:CYS:SG	5:A:404:HEC:HBB3	2.58	0.43
5:A:401:HEC:HMB1	5:A:401:HEC:CBB	2.48	0.43
4:D:27:VAL:O	4:D:31:TYR:HB3	2.19	0.43
2:B:55:GLN:NE2	2:B:81:LEU:HB3	2.30	0.43
3:C:89:PHE:HB3	3:C:178:TRP:CD1	2.53	0.43
4:D:142:ASP:OD1	4:D:142:ASP:N	2.50	0.43
1:A:244:CYS:SG	5:A:403:HEC:CAB	3.06	0.43
1:A:246:PHE:CZ	1:A:263:GLN:HG2	2.54	0.43
4:D:66:LYS:H	4:D:78:VAL:CG1	2.31	0.43
2:B:109:ARG:HH21	4:D:257:LEU:HD11	1.84	0.42
4:D:127:THR:HG22	4:D:128:VAL:N	2.34	0.42
2:B:10:ARG:HH21	2:B:25:TRP:CB	2.32	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:1:ALA:C	3:C:226:ARG:HH22	2.22	0.42
4:D:195:LEU:CB	4:D:238:VAL:HG11	2.49	0.42
1:A:90:CYS:SG	1:A:103:PRO:HB2	2.59	0.42
1:A:101:LYS:HB2	1:A:103:PRO:HD2	2.02	0.42
2:B:153:HIS:O	2:B:157:VAL:HG23	2.19	0.42
4:D:198:LEU:HD12	4:D:198:LEU:HA	1.52	0.42
1:A:141:LEU:HD12	1:A:142:PRO:HD2	2.02	0.42
2:B:181:PHE:CD2	8:C:402:BPB:HBB	2.55	0.42
3:C:173:VAL:HA	3:C:174:PRO:HD3	1.86	0.42
2:B:214:GLN:HE22	3:C:28:ARG:NH2	2.17	0.42
1:A:273:MET:HB3	1:A:273:MET:HE2	1.95	0.41
4:D:67:THR:HG23	4:D:77:THR:HG22	2.01	0.41
6:A:405:DGA:HA31	6:A:405:DGA:HB31	2.02	0.41
3:C:173:VAL:HG22	3:C:183:TRP:CE2	2.55	0.41
4:D:224:LEU:HA	4:D:224:LEU:HD12	1.92	0.41
4:D:120:ARG:N	4:D:233:ARG:HE	2.17	0.41
2:B:169:TYR:CD1	2:B:260:PRO:HG3	2.55	0.41
1:A:107:ALA:CB	5:A:401:HEC:HAC	2.51	0.41
13:C:406:OTP:H81	13:C:406:OTP:H51	1.76	0.41
4:D:120:ARG:HD2	4:D:121:ALA:N	2.35	0.41
5:A:403:HEC:CBB	5:A:403:HEC:HMB1	2.51	0.41
5:A:403:HEC:CBC	5:A:403:HEC:HMC1	2.50	0.41
3:C:282:ILE:HA	3:C:282:ILE:HD13	1.92	0.41
2:B:60:ASP:HA	2:B:61:PRO:HD2	1.84	0.41
4:D:172:TRP:CZ2	4:D:184:GLU:OE1	2.74	0.41
3:C:321:ALA:HA	3:C:322:PRO:HD3	1.91	0.40
1:A:78:THR:OG1	5:A:401:HEC:HAB	2.21	0.40
4:D:144:SER:OG	4:D:145:ILE:N	2.53	0.40
3:C:236:ILE:HG12	3:C:260:ILE:HG23	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	330/356 (93%)	313 (95%)	17 (5%)	0	100	100
2	B	273/274 (100%)	257 (94%)	12 (4%)	4 (2%)	10	47
3	C	321/324 (99%)	301 (94%)	18 (6%)	2 (1%)	25	64
4	D	239/258 (93%)	213 (89%)	22 (9%)	4 (2%)	9	45
All	All	1163/1212 (96%)	1084 (93%)	69 (6%)	10 (1%)	17	57

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	59	TRP
2	B	204	ASP
4	D	97	GLU
4	D	141	THR
4	D	84	GLU
4	D	121	ALA
2	B	58	THR
2	B	165	LEU
3	C	193	ASN
3	C	51	LEU

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/297 (94%)	279 (100%)	1 (0%)	91	97
2	B	218/219 (100%)	217 (100%)	1 (0%)	88	95
3	C	247/250 (99%)	245 (99%)	2 (1%)	81	91
4	D	167/212 (79%)	165 (99%)	2 (1%)	71	87
All	All	912/978 (93%)	906 (99%)	6 (1%)	84	93

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	101	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	54	SER
3	C	194	PHE
3	C	214	PHE
4	D	142	ASP
4	D	228	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
3	C	11	GLN
3	C	16	HIS
3	C	45	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	FME	D	1	4	8,9,10	0.91	0	7,9,11	0.97	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FME	D	1	4	-	3/7/9/11	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	D	1	FME	N-CA-CB-CG
4	D	1	FME	C-CA-CB-CG
4	D	1	FME	CB-CG-SD-CE

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 1 is monoatomic - leaving 19 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	HEC	A	403	1	26,50,50	2.48	6 (23%)	18,82,82	1.85	4 (22%)
7	BCL	C	401	-	58,74,74	1.28	5 (8%)	69,115,115	1.55	12 (17%)
6	DGA	A	405	-	36,36,43	1.24	3 (8%)	38,38,45	3.10	6 (15%)
14	PO4	C	409	-	4,4,4	0.91	0	6,6,6	0.42	0
12	NS5	C	405	-	39,39,39	2.32	17 (43%)	44,46,46	2.02	12 (27%)
5	HEC	A	402	1	26,50,50	2.41	5 (19%)	18,82,82	2.04	7 (38%)
7	BCL	B	301	-	57,73,74	1.32	5 (8%)	67,113,115	1.29	9 (13%)
9	MPG	C	407	-	16,16,24	0.79	0	15,15,25	0.75	0
5	HEC	A	404	1	26,50,50	2.46	5 (19%)	18,82,82	1.84	5 (27%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	HEC	A	401	1	26,50,50	2.49	5 (19%)	18,82,82	2.14	7 (38%)
13	OTP	C	406	-	40,40,48	0.74	0	47,47,61	1.80	14 (29%)
7	BCL	B	302	-	58,74,74	1.28	5 (8%)	69,115,115	1.44	11 (15%)
8	BPB	B	304	-	64,70,70	1.04	4 (6%)	64,101,101	1.20	5 (7%)
14	PO4	C	408	-	4,4,4	0.87	0	6,6,6	0.44	0
9	MPG	B	306	-	24,24,24	1.27	1 (4%)	24,25,25	1.28	2 (8%)
11	MQ7	C	404	-	49,49,49	1.82	10 (20%)	60,63,63	1.64	15 (25%)
7	BCL	B	303	-	58,74,74	1.24	5 (8%)	69,115,115	1.38	10 (14%)
9	MPG	B	305	-	24,24,24	1.25	1 (4%)	24,25,25	1.53	3 (12%)
8	BPB	C	402	-	60,66,70	1.15	5 (8%)	59,96,101	1.44	7 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	HEC	A	403	1	-	0/6/54/54	-
6	DGA	A	405	-	-	14/37/37/45	-
12	NS5	C	405	-	-	16/43/43/43	-
5	HEC	A	402	1	-	1/6/54/54	-
7	BCL	B	301	-	-	5/36/136/137	-
9	MPG	C	407	-	-	8/14/14/25	-
5	HEC	A	404	1	-	2/6/54/54	-
5	HEC	A	401	1	-	0/6/54/54	-
13	OTP	C	406	-	-	13/45/45/55	-
7	BCL	B	302	-	-	5/37/137/137	-
8	BPB	B	304	-	-	5/47/105/105	0/5/6/6
7	BCL	C	401	-	-	5/37/137/137	-
9	MPG	B	306	-	-	12/25/25/25	-
11	MQ7	C	404	-	-	3/41/61/61	0/2/2/2
7	BCL	B	303	-	-	6/37/137/137	-
9	MPG	B	305	-	-	16/25/25/25	-
8	BPB	C	402	-	-	9/43/101/105	0/5/6/6

All (82) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	C	404	MQ7	C3-C2	7.18	1.48	1.35
5	A	403	HEC	C3C-C2C	-5.88	1.34	1.40
5	A	401	HEC	C3C-C2C	-5.85	1.34	1.40
5	A	404	HEC	C3C-C2C	-5.74	1.34	1.40
5	A	401	HEC	C3B-C2B	-5.65	1.34	1.40
5	A	404	HEC	C3D-C2D	5.47	1.53	1.37
5	A	402	HEC	C3B-C2B	-5.45	1.35	1.40
5	A	403	HEC	C3D-C2D	5.40	1.53	1.37
5	A	402	HEC	C3C-C2C	-5.39	1.35	1.40
5	A	401	HEC	C3D-C2D	5.38	1.53	1.37
5	A	402	HEC	C3D-C2D	5.36	1.53	1.37
7	C	401	BCL	C1B-NB	5.23	1.39	1.35
5	A	403	HEC	C3B-C2B	-5.19	1.35	1.40
7	B	301	BCL	C1B-NB	5.16	1.39	1.35
5	A	404	HEC	C3B-C2B	-5.15	1.35	1.40
12	C	405	NS5	C30-C31	5.03	1.39	1.34
7	B	301	BCL	MG-NA	4.96	2.18	2.06
7	B	302	BCL	C1B-NB	4.94	1.39	1.35
9	B	305	MPG	O1-CX3	4.89	1.43	1.33
7	B	303	BCL	C1B-NB	4.87	1.39	1.35
9	B	306	MPG	O1-CX3	4.82	1.43	1.33
7	C	401	BCL	MG-NA	4.79	2.17	2.06
7	B	302	BCL	MG-NA	4.69	2.17	2.06
7	B	303	BCL	MG-NA	4.60	2.17	2.06
8	C	402	BPB	C3B-C4B	4.44	1.47	1.41
12	C	405	NS5	C14-C15	4.21	1.55	1.45
11	C	404	MQ7	C5-C4	4.18	1.56	1.48
8	B	304	BPB	C3B-C4B	4.14	1.46	1.41
5	A	401	HEC	CBC-CAC	-4.10	1.34	1.49
5	A	403	HEC	CBC-CAC	-4.09	1.34	1.49
5	A	402	HEC	CBB-CAB	-4.08	1.34	1.49
5	A	401	HEC	CBB-CAB	-4.05	1.34	1.49
5	A	404	HEC	CBC-CAC	-4.04	1.34	1.49
5	A	402	HEC	CBC-CAC	-4.02	1.34	1.49
5	A	403	HEC	CBB-CAB	-3.98	1.34	1.49
11	C	404	MQ7	C10-C1	3.94	1.55	1.48
12	C	405	NS5	C19-C20	3.81	1.55	1.43
6	A	405	DGA	OG1-CA1	3.72	1.44	1.33
5	A	404	HEC	CBB-CAB	-3.71	1.35	1.49
6	A	405	DGA	OG2-CB1	3.54	1.44	1.34
6	A	405	DGA	CG1-CG2	3.50	1.58	1.50
12	C	405	NS5	C23-C21	3.45	1.53	1.45
7	B	302	BCL	MG-NC	3.42	2.14	2.06

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
7	B	303	BCL	MG-NC	3.40	2.14	2.06
7	B	301	BCL	MG-NC	3.39	2.14	2.06
12	C	405	NS5	C12-C10	3.38	1.37	1.34
12	C	405	NS5	C18-C17	3.36	1.53	1.43
12	C	405	NS5	C28-C26	3.34	1.53	1.45
12	C	405	NS5	C29-C30	3.27	1.53	1.43
12	C	405	NS5	C24-C25	3.24	1.53	1.43
8	C	402	BPB	CAC-C3C	3.11	1.41	1.33
12	C	405	NS5	C20-C21	3.05	1.39	1.35
12	C	405	NS5	C4-C5	3.04	1.57	1.51
12	C	405	NS5	C13-C12	2.98	1.52	1.43
11	C	404	MQ7	C20-C18	2.85	1.57	1.51
7	C	401	BCL	MG-NC	2.83	2.13	2.06
7	B	301	BCL	OBD-CAD	2.70	1.26	1.22
8	B	304	BPB	CAC-C3C	2.67	1.40	1.33
7	B	302	BCL	OBD-CAD	2.64	1.26	1.22
12	C	405	NS5	C7-C5	2.63	1.39	1.33
7	C	401	BCL	OBD-CAD	2.57	1.25	1.22
7	B	303	BCL	C4B-NB	2.52	1.37	1.35
12	C	405	NS5	C33-C31	2.48	1.56	1.51
7	B	301	BCL	C4B-NB	2.43	1.37	1.35
11	C	404	MQ7	C17-C18	2.41	1.38	1.33
11	C	404	MQ7	C27-C28	2.41	1.38	1.33
11	C	404	MQ7	C12-C13	2.38	1.38	1.33
12	C	405	NS5	C13-C14	2.32	1.40	1.34
11	C	404	MQ7	C11-C3	2.32	1.55	1.51
8	C	402	BPB	CHD-C1D	2.30	1.43	1.38
11	C	404	MQ7	C22-C23	2.29	1.38	1.33
8	B	304	BPB	C4C-C3C	2.29	1.50	1.45
8	C	402	BPB	C4C-C3C	2.28	1.50	1.45
11	C	404	MQ7	C32-C33	2.28	1.38	1.33
7	B	302	BCL	C4B-NB	2.23	1.37	1.35
8	B	304	BPB	CHD-C1D	2.20	1.43	1.38
7	B	303	BCL	OBD-CAD	2.13	1.25	1.22
8	C	402	BPB	C2C-C3C	2.13	1.54	1.51
7	C	401	BCL	C4B-NB	2.13	1.37	1.35
12	C	405	NS5	C35-C36	2.10	1.38	1.32
5	A	403	HEC	CAD-C3D	2.05	1.55	1.52
12	C	405	NS5	C17-C15	2.03	1.38	1.35

All (129) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	405	DGA	OG2-CG2-CG3	-13.06	78.07	107.93
6	A	405	DGA	OG2-CG2-CG1	-9.67	83.73	106.13
6	A	405	DGA	CG3-CG2-CG1	7.06	132.91	112.63
12	C	405	NS5	C18-C17-C15	-6.65	117.81	127.31
9	B	305	MPG	O1-CX3-CXD	5.67	122.98	111.68
12	C	405	NS5	C19-C20-C21	-5.50	119.47	127.31
7	C	401	BCL	C4D-C3D-CAD	-5.25	105.54	108.47
8	C	402	BPB	C1-C2-C3	-5.03	117.34	126.04
9	B	306	MPG	O1-CX3-CXD	4.73	121.12	111.68
13	C	406	OTP	C33-C32-C31	4.59	122.99	115.27
8	B	304	BPB	CBD-CHA-C4D	-4.41	103.57	108.54
7	B	303	BCL	CMB-C2B-C1B	-4.34	121.80	128.46
7	C	401	BCL	CMB-C2B-C1B	-4.26	121.92	128.46
7	C	401	BCL	C4A-NA-C1A	4.14	108.57	106.71
8	C	402	BPB	CBD-CHA-C4D	-4.08	103.94	108.54
7	B	302	BCL	C4D-C3D-CAD	-4.01	106.23	108.47
5	A	404	HEC	CMC-C2C-C1C	-4.00	122.31	128.46
7	B	302	BCL	CMB-C2B-C1B	-3.88	122.50	128.46
5	A	403	HEC	CMC-C2C-C1C	-3.82	122.59	128.46
12	C	405	NS5	C11-C10-C9	3.81	121.68	115.27
5	A	401	HEC	CMC-C2C-C1C	-3.67	122.82	128.46
5	A	402	HEC	CMB-C2B-C1B	-3.65	122.86	128.46
5	A	401	HEC	CMB-C2B-C1B	-3.63	122.89	128.46
5	A	401	HEC	CBD-CAD-C3D	-3.62	105.82	112.49
7	C	401	BCL	CHA-C1A-NA	-3.57	118.22	126.40
7	C	401	BCL	C2A-C1A-CHA	3.57	130.10	123.86
7	B	302	BCL	OBD-CAD-CBD	-3.54	120.84	125.89
11	C	404	MQ7	C19-C18-C20	3.50	121.16	115.27
7	B	301	BCL	CMB-C2B-C1B	-3.41	123.23	128.46
7	B	301	BCL	OBD-CAD-CBD	-3.39	121.06	125.89
7	B	303	BCL	C4A-NA-C1A	3.38	108.22	106.71
5	A	402	HEC	CMC-C2C-C1C	-3.32	123.35	128.46
13	C	406	OTP	C28-C27-C26	3.32	120.85	115.27
7	B	303	BCL	OBD-CAD-CBD	-3.30	121.18	125.89
11	C	404	MQ7	C31-C32-C33	-3.28	119.77	127.66
5	A	403	HEC	CMB-C2B-C1B	-3.27	123.44	128.46
7	C	401	BCL	OBD-CAD-CBD	-3.26	121.24	125.89
13	C	406	OTP	C15-C14-C12	-3.25	119.84	127.66
12	C	405	NS5	C24-C25-C26	-3.23	122.70	127.31
7	B	302	BCL	CHA-C1A-NA	-3.22	119.02	126.40
11	C	404	MQ7	C11-C12-C13	-3.22	121.44	126.79
6	A	405	DGA	OG1-CA1-CA2	3.19	121.93	111.91
11	C	404	MQ7	C26-C27-C28	-3.15	120.06	127.66

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	405	DGA	OG2-CB1-CB2	3.15	118.29	111.50
7	C	401	BCL	CMB-C2B-C3B	3.13	130.53	124.68
5	A	404	HEC	CMC-C2C-C3C	3.13	129.50	125.82
11	C	404	MQ7	C14-C13-C15	3.12	120.52	115.27
7	B	303	BCL	CMB-C2B-C3B	3.11	130.49	124.68
5	A	402	HEC	CBA-CAA-C2A	-3.10	106.77	112.48
13	C	406	OTP	C38-C37-C39	-3.10	115.73	123.68
7	B	301	BCL	CHA-C1A-NA	-3.08	119.35	126.40
11	C	404	MQ7	C16-C17-C18	-3.06	120.29	127.66
13	C	406	OTP	C13-C12-C11	3.06	120.42	115.27
7	B	302	BCL	C2A-C1A-CHA	3.04	129.18	123.86
5	A	402	HEC	CMB-C2B-C3B	3.04	129.39	125.82
13	C	406	OTP	C8-C7-C6	3.03	120.36	115.27
11	C	404	MQ7	C39-C38-C40	3.00	120.32	115.27
5	A	401	HEC	C1D-C2D-C3D	-2.98	104.92	107.00
7	B	302	BCL	C1-C2-C3	-2.94	120.95	126.04
12	C	405	NS5	C6-C5-C4	2.94	120.21	115.27
7	B	303	BCL	CHA-C1A-NA	-2.89	119.77	126.40
9	B	305	MPG	O1-CX3-O4	-2.89	118.65	124.13
7	B	303	BCL	C2A-C1A-CHA	2.88	128.89	123.86
7	B	302	BCL	CMD-C2D-C3D	2.86	130.02	124.68
5	A	403	HEC	CMC-C2C-C3C	2.83	129.14	125.82
5	A	401	HEC	CMC-C2C-C3C	2.82	129.13	125.82
7	B	302	BCL	C4A-NA-C1A	2.80	107.96	106.71
7	B	302	BCL	CMB-C2B-C3B	2.80	129.91	124.68
11	C	404	MQ7	C21-C22-C23	-2.78	120.96	127.66
5	A	401	HEC	CAA-CBA-CGA	-2.78	108.01	112.67
8	B	304	BPB	C3D-C4D-CHA	2.77	116.96	109.49
13	C	406	OTP	C10-C9-C7	-2.73	121.08	127.66
8	C	402	BPB	C3D-C4D-CHA	2.69	116.75	109.49
5	A	403	HEC	CMB-C2B-C3B	2.68	128.97	125.82
7	B	301	BCL	C1-C2-C3	-2.67	121.42	126.04
8	C	402	BPB	C11-C10-C8	2.64	124.45	115.92
5	A	402	HEC	CBD-CAD-C3D	-2.63	107.64	112.49
8	B	304	BPB	CBC-CAC-C3C	-2.63	119.03	126.72
11	C	404	MQ7	C34-C33-C35	2.63	119.69	115.27
13	C	406	OTP	C23-C22-C21	2.62	119.68	115.27
11	C	404	MQ7	C29-C28-C30	2.62	119.68	115.27
5	A	402	HEC	CMC-C2C-C3C	2.58	128.86	125.82
12	C	405	NS5	C32-C31-C33	2.56	119.58	115.27
5	A	402	HEC	C1D-C2D-C3D	-2.54	105.23	107.00
7	C	401	BCL	CMD-C2D-C3D	2.54	129.43	124.68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	401	HEC	CMB-C2B-C3B	2.53	128.79	125.82
11	C	404	MQ7	C24-C23-C25	2.51	119.50	115.27
12	C	405	NS5	C13-C14-C15	-2.48	119.45	126.42
7	B	301	BCL	C2A-C1A-CHA	2.47	128.18	123.86
7	B	303	BCL	C4D-C3D-CAD	-2.43	107.12	108.47
5	A	404	HEC	C1D-C2D-C3D	-2.40	105.32	107.00
7	B	303	BCL	OBB-CAB-CBB	-2.40	114.76	120.17
11	C	404	MQ7	C45-C43-C44	2.39	119.88	114.60
11	C	404	MQ7	C36-C37-C38	-2.38	121.94	127.66
13	C	406	OTP	C18-C17-C16	2.36	119.25	115.27
7	B	301	BCL	C4D-C3D-CAD	-2.36	107.15	108.47
8	C	402	BPB	CMB-C2B-C3B	2.35	129.08	124.68
5	A	404	HEC	CMB-C2B-C1B	-2.35	124.86	128.46
8	B	304	BPB	CHD-C1D-ND	-2.34	119.71	124.58
9	B	306	MPG	O1-CX3-O4	-2.33	119.72	124.13
11	C	404	MQ7	C2M-C2-C3	-2.30	120.64	124.40
9	B	305	MPG	O4-CX3-CXD	-2.30	118.36	123.68
12	C	405	NS5	CM4-C36-CM3	2.30	119.68	114.60
8	C	402	BPB	CHD-C1D-ND	-2.29	119.81	124.58
7	B	301	BCL	CMB-C2B-C3B	2.28	128.94	124.68
7	B	302	BCL	C4B-C3B-CAB	-2.27	122.74	127.13
13	C	406	OTP	C1-C2-C3	2.26	119.60	114.60
8	B	304	BPB	CMB-C2B-C3B	2.26	128.91	124.68
12	C	405	NS5	C34-C35-C36	-2.26	120.04	127.75
12	C	405	NS5	C16-C15-C17	-2.24	119.78	122.92
7	B	301	BCL	C4A-NA-C1A	2.24	107.71	106.71
11	C	404	MQ7	C41-C42-C43	-2.21	120.21	127.75
13	C	406	OTP	C18-C17-C19	-2.20	118.04	123.68
5	A	404	HEC	CAD-CBD-CGD	-2.20	108.98	112.67
7	B	301	BCL	CMD-C2D-C3D	2.19	128.77	124.68
12	C	405	NS5	C24-C23-C21	-2.17	120.32	126.42
8	C	402	BPB	OBB-CAB-C3B	2.17	123.84	119.99
13	C	406	OTP	C30-C29-C27	-2.16	122.46	127.66
7	B	302	BCL	OBB-CAB-CBB	-2.15	115.33	120.17
13	C	406	OTP	C36-C37-C39	2.15	125.46	121.12
7	C	401	BCL	OBB-CAB-CBB	-2.11	115.43	120.17
7	C	401	BCL	CHC-C1C-NC	-2.10	121.61	124.51
7	C	401	BCL	C1C-NC-C4C	2.10	107.65	106.71
13	C	406	OTP	C38-C37-C36	2.09	118.78	115.27
6	A	405	DGA	OG1-CG1-CG2	2.05	114.28	108.38
7	B	303	BCL	C4B-C3B-CAB	-2.05	123.17	127.13
7	B	303	BCL	CMD-C2D-C3D	2.03	128.47	124.68

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	C	405	NS5	C25-C24-C23	-2.02	116.92	123.22
7	C	401	BCL	C4B-C3B-CAB	-2.01	123.25	127.13

There are no chirality outliers.

All (120) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	405	DGA	CA2-CA1-OG1-CG1
6	A	405	DGA	OA1-CA1-OG1-CG1
6	A	405	DGA	OG1-CG1-CG2-OG2
12	C	405	NS5	C20-C21-C23-C24
12	C	405	NS5	C22-C21-C23-C24
12	C	405	NS5	C25-C26-C28-C29
12	C	405	NS5	C27-C26-C28-C29
13	C	406	OTP	C14-C15-C16-C17
9	B	305	MPG	CXD-CX3-O1-C1
9	B	305	MPG	O4-CX3-O1-C1
9	B	305	MPG	O3-C21-CXD-O2
9	B	305	MPG	O3-C21-CXD-CX3
9	B	305	MPG	O1-CX3-CXD-C21
9	B	305	MPG	O4-CX3-CXD-C21
7	C	401	BCL	CAD-CBD-CGD-O1D
7	C	401	BCL	CAD-CBD-CGD-O2D
9	B	306	MPG	O3-C21-CXD-O2
9	B	306	MPG	O3-C21-CXD-CX3
8	B	304	BPB	NB-C4B-CHC-C1C
8	B	304	BPB	C3B-C4B-CHC-C1C
8	C	402	BPB	C11-C10-C8-C9
13	C	406	OTP	C15-C16-C17-C18
8	C	402	BPB	C4-C3-C5-C6
7	C	401	BCL	C2A-CAA-CBA-CGA
12	C	405	NS5	C2-C3-C4-C5
12	C	405	NS5	C11-C10-C9-C8
13	C	406	OTP	C30-C31-C32-C33
13	C	406	OTP	C5-C6-C7-C8
7	B	302	BCL	C4-C3-C5-C6
12	C	405	NS5	C12-C10-C9-C8
13	C	406	OTP	C30-C31-C32-C34
13	C	406	OTP	C15-C16-C17-C19
13	C	406	OTP	C5-C6-C7-C9
7	B	302	BCL	C2-C3-C5-C6
13	C	406	OTP	C34-C35-C36-C37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
12	C	405	NS5	C28-C29-C30-C31
8	C	402	BPB	C2-C3-C5-C6
7	B	302	BCL	C15-C16-C17-C18
9	B	306	MPG	O4-CX3-O1-C1
9	B	305	MPG	C1-C2-C3-C4
12	C	405	NS5	C3-C4-C5-C6
13	C	406	OTP	C24-C25-C26-C27
13	C	406	OTP	C19-C20-C21-C22
13	C	406	OTP	C9-C10-C11-C12
9	B	305	MPG	C10-C11-C12-C13
9	B	306	MPG	C3-C4-C5-C6
6	A	405	DGA	CBB-CAB-CB9-CB8
6	A	405	DGA	CA5-CA6-CA7-CA8
9	B	305	MPG	C2-C3-C4-C5
7	B	301	BCL	C4-C3-C5-C6
9	B	305	MPG	C5-C6-C7-C8
9	B	306	MPG	C11-C12-C13-C14
8	B	304	BPB	O2A-C1-C2-C3
8	B	304	BPB	C2-C3-C5-C6
6	A	405	DGA	CA7-CA8-CA9-CAA
8	B	304	BPB	C4-C3-C5-C6
7	B	301	BCL	C2-C3-C5-C6
8	C	402	BPB	C6-C7-C8-C10
9	B	305	MPG	C6-C7-C8-C9
9	B	306	MPG	CXD-CX3-O1-C1
6	A	405	DGA	CCB-CDB-CEB-CFB
6	A	405	DGA	CEB-CFB-CGB-CHB
9	C	407	MPG	C10-C11-C12-C13
12	C	405	NS5	C3-C4-C5-C7
8	C	402	BPB	C6-C7-C8-C9
9	B	306	MPG	C14-C15-C16-C17
12	C	405	NS5	CM2-C1-C2-C3
9	C	407	MPG	C4-C5-C6-C7
12	C	405	NS5	CM1-C1-C2-C3
12	C	405	NS5	C1-C2-C3-C4
9	B	306	MPG	C12-C13-C14-C15
6	A	405	DGA	CB6-CB7-CB8-CB9
11	C	404	MQ7	C38-C40-C41-C42
6	A	405	DGA	CB9-CAB-CBB-CCB
6	A	405	DGA	CA3-CA4-CA5-CA6
8	C	402	BPB	C8-C10-C11-C12
9	C	407	MPG	C13-C14-C15-C16

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
9	C	407	MPG	C2-C3-C4-C5
12	C	405	NS5	C31-C33-C34-C35
7	B	301	BCL	C14-C13-C15-C16
7	B	303	BCL	C11-C12-C13-C14
9	B	305	MPG	C12-C13-C14-C15
9	B	306	MPG	C2-C3-C4-C5
7	B	303	BCL	C11-C12-C13-C15
7	B	303	BCL	CAD-CBD-CGD-O2D
6	A	405	DGA	CB4-CB5-CB6-CB7
9	B	305	MPG	O4-CX3-CXD-O2
9	B	305	MPG	C15-C16-C17-C18
13	C	406	OTP	C35-C36-C37-C38
7	B	303	BCL	C16-C17-C18-C19
9	C	407	MPG	C6-C7-C8-C9
8	C	402	BPB	C11-C10-C8-C7
5	A	404	HEC	C2D-C3D-CAD-CBD
5	A	404	HEC	C4D-C3D-CAD-CBD
12	C	405	NS5	C26-C28-C29-C30
7	B	303	BCL	C16-C17-C18-C20
11	C	404	MQ7	C39-C38-C40-C41
9	B	305	MPG	C13-C14-C15-C16
9	C	407	MPG	C12-C13-C14-C15
12	C	405	NS5	C10-C12-C13-C14
6	A	405	DGA	CA2-CA3-CA4-CA5
11	C	404	MQ7	C37-C38-C40-C41
13	C	406	OTP	C35-C36-C37-C39
7	B	301	BCL	C10-C11-C12-C13
5	A	402	HEC	C3D-CAD-CBD-CGD
9	B	306	MPG	O1-CX3-CXD-C21
9	B	306	MPG	O4-CX3-CXD-C21
9	C	407	MPG	C7-C8-C9-C10
7	B	301	BCL	CAD-CBD-CGD-O2D
9	C	407	MPG	C9-C10-C11-C12
9	B	305	MPG	C7-C8-C9-C10
7	B	303	BCL	C15-C16-C17-C18
9	B	306	MPG	C7-C8-C9-C10
7	B	302	BCL	CHA-CBD-CGD-O1D
7	C	401	BCL	CHA-CBD-CGD-O1D
7	C	401	BCL	CHA-CBD-CGD-O2D
8	C	402	BPB	CHA-CBD-CGD-O1D
7	B	302	BCL	CAD-CBD-CGD-O1D
8	C	402	BPB	CAD-CBD-CGD-O1D

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
6	A	405	DGA	OG2-CB1-CB2-CB3


There are no ring outliers.

16 monomers are involved in 43 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	403	HEC	5	0
7	C	401	BCL	1	0
6	A	405	DGA	2	0
12	C	405	NS5	4	0
5	A	402	HEC	6	0
7	B	301	BCL	2	0
9	C	407	MPG	1	0
5	A	404	HEC	7	0
5	A	401	HEC	4	0
13	C	406	OTP	1	0
7	B	302	BCL	1	0
8	B	304	BPB	1	0
9	B	306	MPG	1	0
7	B	303	BCL	3	0
9	B	305	MPG	2	0
8	C	402	BPB	4	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.

## Ligand HEC A 403




## Ligand BCL C 401









## Ligand HEC A 402








## Ligand BCL B 301
















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	332/356 (93%)	-0.20	4 (1%) 79 66	48, 63, 86, 116	0
2	B	273/274 (99%)	-0.28	0 100 100	52, 78, 111, 135	0
3	C	323/324 (99%)	-0.33	1 (0%) 94 88	51, 77, 116, 141	0
4	D	242/258 (93%)	0.44	12 (4%) 28 18	63, 122, 153, 235	0
All	All	1170/1212 (96%)	-0.12	17 (1%) 73 60	48, 76, 134, 235	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	D	84	GLU	6.1
4	D	83	PRO	4.8
4	D	192	ARG	2.9
4	D	104	THR	2.9
4	D	82	ARG	2.8
4	D	213	ILE	2.7
4	D	95	GLY	2.5
4	D	85	THR	2.5
1	A	47	ALA	2.4
4	D	101	LEU	2.2
4	D	249	ALA	2.2
1	A	48	GLU	2.2
3	C	27	ASP	2.2
1	A	64	ASN	2.2
4	D	79	PRO	2.1
1	A	65	LEU	2.1
4	D	7	ALA	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	FME	D	1	10/11	0.86	0.38	77,81,114,124	0

## 6.3 Carbohydrates ⓘ


There are no carbohydrates in this entry.

## 6.4 Ligands ⓘ

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
9	MPG	C	407	17/25	0.43	0.90	100,112,133,134	0
6	DGA	A	405	37/44	0.59	0.54	68,91,112,114	0
14	PO4	C	408	5/5	0.61	0.40	118,118,119,121	0
9	MPG	B	306	25/25	0.64	0.58	76,94,112,116	0
9	MPG	B	305	25/25	0.73	0.43	61,93,124,125	0
12	NS5	C	405	40/40	0.76	0.51	65,75,95,96	0
13	OTP	C	406	41/49	0.78	0.39	71,78,106,108	0
14	PO4	C	409	5/5	0.85	0.35	124,125,126,126	0
11	MQ7	C	404	48/48	0.86	0.38	60,87,93,94	0
8	BPB	C	402	61/65	0.88	0.34	72,80,100,104	0
7	BCL	C	401	66/66	0.90	0.27	54,64,72,74	0
7	BCL	B	301	65/66	0.91	0.27	37,62,166,173	0
8	BPB	B	304	65/65	0.92	0.27	57,71,79,80	0
7	BCL	B	302	66/66	0.93	0.24	48,63,70,71	0
7	BCL	B	303	66/66	0.94	0.21	56,64,74,79	0
5	HEC	A	404	43/43	0.94	0.23	32,59,62,62	0
10	FE2	C	403	1/1	0.94	0.17	74,74,74,74	0
5	HEC	A	403	43/43	0.96	0.28	30,54,56,56	0
5	HEC	A	402	43/43	0.96	0.27	35,54,61,72	0
5	HEC	A	401	43/43	0.96	0.32	45,74,77,80	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around DGA A 405:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MPG B 306:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around MPG B 305:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NS5 C 405:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around OTP C 406:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MQ7 C 404:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around BPB C 402:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around BCL C 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around BCL B 301:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around BPB B 304:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around BCL B 302:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around BCL B 303:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC A 404:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC A 403:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC A 402:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEC A 401:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.